




BAB VII

DAFTAR PUSTAKA

- Abbink, J. Plempel, M. Berg, D. 1986. Expression of Keratinolytic by Trichophyton mentagrophytes. Dalam: *Advance in topical antifungal therapy*. Springer-Verlag. Berlin. 21-25.
- Arika, T. Yokoo, M. Yamaguchi, H. 1992 Topical Treatment with Butenafine Significantly Lowers Relapse Rate in an Interdigital Tinea Pedis Model in Guinea Pigs. *Antimicrobial Agents and Chemotherapy* 36: 2523-2525.
- Arnold, HL. Odom, RB. James, W.D. 1990. Disease do to Fungi and Yeast. Dalam: *Andrew's Disease of the Skin, Clinical Dermatology*, edisi ke-8. WB Saunders Company 326-31.
- Back, D.J. Tjia, J.F. Abel, S.M. 1992. Azoles, Allylamines and Drug Metabolism. *Br J Dermatol* 126: 14 - 8.
- Barbara Brennan, B.S. dan Leyden, J.J. 1997. Overview of Topical Therapy for Common Superficial Fungal Infections and the Role of New Topical Agents. *J Am Acad Dermatol* 36: S 3 - 8.
- Bennet, E.J. 1996. Antifungal Agent Dalam: *Goodman and Gilman the pharmacological basis of therapeutics*. Edisi 9. Mc Graw-Hill Companies 1175-1190.
- Birnbaum, J.E. 1990. Pharmacology of the Allylamines. *J Am Acad Dermatol* 23: 782 - 5.
- Bonifaz, A. Gerad, EC. Saul, A. 1997. Itraconazole in Onychomycosis: Intermittent Dose Schedule. *Int J Dermatol* 36: 70-72.
- Budimulja, U. 1998. Terbinafine 1 % Cream vs Bifonazole 1 % Cream in the Treatment of Tinea Cruris. *Int J Dermatology* 37: 871 – 873.
- Budimulya, U. 1980. *Penyelidikan Dermatositosis di RSCM Jakarta*. Tesis Jakarta.
- Elgart ML, Warren HJ. 1992. The Superficial and Subcutaneous Mycoses. Dalam: Moschella SL. Hurley HJ, editor. *Dermatology*. edisi ke-3. WB Saunders Co, Philadelphia: 875-80.
- Emmons, C.W. Binford, C.H. Utz, J.P. dan Kwon Chung, K.J. 1977. Dermatophytoses (Ringworm, Tinea, Dermatomycosis) Dalam: *Medical Mycology*. Lea Fabiger. Philadelphia 105-156.



- Faergemann, J. Mork, NJ. Haglund, A. Odegard, T. 1997. A multicenter (double blind) comparative study to assess the safety and efficacy of fluconazole and griseofulvin in the treatment of tinea corporis and tinea cruris. *Br J Dermatol* 136: 575-577.
- Fletcher, RH. Fletcher, SW. Wagner, EH. 1988. Treatment Dalam: Clinical Epidemiology the Essentials. Edisi ke 2. Williams and Wilkins. Baltimore. 129-156.
- Greer, D.L. Weiss, J. Rodriguez, DA. Hebert, AA. Swinehart, JM. 1997. A randomized trial to assess once-daily topical treatment of tinea corporis with butenafine, a new antifungal agent. *J Am Acad Dermatol* 37: 231 - 5.
- Grigoriu, D. Delacretaz, J. 1980. *Superficial Inflammatory Mycoses*. Cilag-Chemie. Switzerland
- Gudadi M, Suwito PS. 2001. Tinea korporis dan tinea kruris Dalam: *Dermatomikosis Superfisialis pedoman untuk dokter dan mahasiswa kedokteran*. Balai penerbit FK-UI, Jakarta: 29-33.
- Gupta, A.K. Sauder D.N. Shear N.H. 1994. Antifungal agents: An overview. Part I. *J Am Acad Dermatol* 30: 677 - 688.
- Gupta, A.K. Sauder D.N. Shear N.H. 1994. Antifungal agents: An overview. Part II. *J Am Acad Dermatol* 30: 911 - 924.
- Hall, M. Monka, C. Krupp, P. O'Sullivan, D. 1997. Safety of oral terbinafine results of a post-marketing surveillance study in 25.884 patients. *Arch Dermatol* 133: 1213-1219.
- Jones, E.H. 1990. Problems of resistant dermatophytes. *J Am Acad Dermatol* 23: 779 - 81.S
- Joklik, W. Amos, W. 1992. Dermatophytosis and other cutaneous mycoses Dalam: *Microbiology*. Edisi 20. Appleton and Lange. 1125-1133.
- Jordon, ER. Rapini, RP. Rex, IH. Katz, I. Hickman, JG. Bard, JW. Medansky, RS. Lew-kaya,D. Sefton, J. Degreyse, RE. Kiley, P. 1990. Once-daily naftifine cream 1% in the treatment of tinea cruris and tinea corporis. *Int J Dermatol* 29: 441-442.
- Kraemer, T.K. 1999. Dalam: *Ciclopirox. nail lacquer a breakthrough in the treatment of onychomycosis*. Malam Klinik Onychomycosis Breakthrough 2000. FK - Undip - Perdoski Semarang.

- Kurniati, S.C. Djuanda, A. 1999. Efektifitas dan efek samping penggunaan krim butenafin 1 % dibandingkan dengan krim mikonasol 2 % untuk pengobatan topikal tinea korporis dan tinea kruris. *Konas Perdoski*. Surabaya: 91-97.
- Lesher, L.J. 1997. Butenafine 1 % cream in the treatment of tinea cruris: A multicenter, vehicle-controlled, double-blind trial. *J Am Acad Dermatol* 36: S 20 -4.
- Lwanga, SK 1997. Adequacy of sample size in health studies. Pramono, D. Kusnanto, H. terjemahan. Besar sample dalam penelitian kesehatan. Gadjah Mada University Press. Yogyakarta.
- Marie-Paule, ML. Gallet, X. Flore, C. Van-Bambeke, F. Peuvot, J. Brasseur, R. 2001. Experimental and Conformational Analyses of Interactions between Butenafine and Lipids. *Antimicrobial Agents and Chemotherapy* 45: 3347-3354.
- Martin AG. Kobayashi GS. 1993. Fungal disease with cutaneous involvement in dermatology. Dalam: Fitzpatrick TB, Eisen AZ, Wolff K, Freedberg I, Austen KF, editor. *Dermatology in general medicine*, edisi ke-3, Mc Graw Hill, New York: 2433-6.
- Nahm, WK. Orengo, I. Rosen, T. 1999. The Antifungal Agent Butenafine Manifests Anti-inflammatory Activity in Vivo. *J Am Acad Dermatol* Aug 41: 203-206.
- Odom, B.R. 1997. Update on topical therapy for superficial fungal infections: focus on butenafine. *J Am Acad Dermatol* 36: S1 -2.
- Page, M.R. Cole, E.G. Timmreck, C.T. 1995. *Basic Epidemiological Methods and Biostatistics*. Jones and Bartlett Publisher. London : 1-38.
- Panconesi, E. Difonzo, E.M. 1986. Bifonazole in the treatment of dermatomycoses: results of a multicenter study in Italy Dalam: *Advance in topical antifungal therapy*. Springer-Verlag. Berlin. 76-81.
- Petri, H. Tronnier, H. Haas, P 1986. Investigations into the Anti-inflammatory Effect of Bifonazole. Dalam: *Advance in topical antifungal therapy*. Springer-Verlag. Berlin. 26-31.
- Plempel, M. Berg, D. Ritter, W. 1986. Bifonazole a new topical azole antimycotic with specific properties. Dalam: *Advance in topical antifungal therapy*. Springer-Verlag. Berlin. 4-20.



Radiono S. 1986. *Aspek Mikologik Dermatofitosis di Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta.* Tesis. Yogyakarta.

Reyes, BA. Beutner, KR. Cullen, SI. Rosen, T. Shupack, JL. 1997. Butenafine, a fungicidal benzylamine derivative, used once daily for the treatment of interdigital tinea pedis. *Int J Dermatol* 37:450-453.

Saffe, F. 1986. Bifonazole in dermatological Practice: results of a multicenter study Dalam: *Advance in topical antifungal therapy.* Springer-Verlag. Berlin. 53-64.

Sastroasmoro, S. Ismael, S. 1995. Dasar-dasar metodologi penelitian klinis. Binarupa aksara. Jakarta.

Savin, R. 1997. One-week therapy with twice-daily butenafine 1 % cream versus vehicle in the treatment of tinea pedis: A multicenter, double-blind trial. *J Am Acad Dermatol* 36: S 15 - 19.

Smith, E.B. Galveston, M.D. 1990. History of antifungals. *J Am Acad Dermatol* 23: 776 - 8.

Smith, E.B. 1993. Topical antifungal drugs in the treatment of tinea pedis, tinea cruris, and tinea corporis. *J Am Acad Dermatol* 28: S24 - S28.

Tschen, E. Elewski, B. Gorsulowsky, DC. Pariser, DM. 1997. Treatment of interdigital tinea pedis with a 4-week once-daily regimen of butenafine hydrochloride 1 % cream. *J Am Acad Dermatol* 36: S9-14.