

DAFTAR PUSTAKA

- Amarullah, D., 2009, Suatu pemikiran untuk memanfaatkan potensi batubara Formasi Tanjung di daerah Lemo, Kalimantan Tengah sebagai kokas: Buletin Sumber Daya Geologi, Buletin Sumber Daya Geologi, v. 4, p. 17–25.
- Amijaya, D.H., dan Littke, R., 2005, Microfacies and depositional environment of Tertiary Tanjung Enim low rank coal, South Sumatra Basin, Indonesia: International Journal of Coal Geology, v. 61, p. 197–221.
- Amijaya, D.H., 2021, Dasar-dasar petrologi & petrografi (analisis maseral) batubara: [tidak diterbitkan Presentation Slide]: Departemen Teknik Geologi, Universitas Gadjah Mada, 1–28 p.
- Amijaya, D.H., 2016, Pembentukan Batubara: [tidak diterbitkan Presentation Slide]: Departemen Teknik Geologi, Universitas Gadjah Mada, 1–26 p.
- Anggara, F., 2016, Geologi Batubara “Analisis Batubara”, Presentation Slide: [tidak diterbitkan Presentation Slide]: Departemen Teknik Geologi, Universitas Gadjah Mada, 1–30 p.
- Anggara, F., Muchitawati, G.S., Moore, T.A., and Septantia, A., 2021. Spatial Variability in Macro- and Microtextures of a Tropical Intermontane Peatland: Preliminary Investigation into The Kutai Lake Peat System, East Kalimantan, Indonesia. Indonesian Journal on Geoscience, 8 (2), p.275-296.
- Anggara, F., Patria, A.A., Rahmat, B., Wibisono, H., Putera, M.Z.J., Petrus, H.T.B.M., Erviana, F., Handini, E. and Amijaya, D.H., 2023, The signature characteristics of coal geochemistry from the Eocene Tanjung Formation and the Miocene Warukin Formation, Barito Basin: insights into geological control on coal deposition and future valuable elements prospection, [belum diterbitkan]
- ASTM D2797-04, 2004, Standard Practice for Preparing Coal Samples for Microscopical Analysis by Reflected Light, <https://www.astm.org/d2797-04.html> (accessed Januari 2023).
- ASTM D3174-12, 2005, Standard Test Method for Ash in the Analysis Sample of Coal and Coke from Coal, <https://www.astm.org/d3174-12.html> (accessed

Januari 2023).

ASTM D3173-11, 2013, Standard Test Method for Moisture in the Analysis Sample of Coal and Coke:, <https://www.astm.org/d3173-11.html> (accessed Januari 2023).

ASTM D3175-18, 2002, Standard Test Method for Volatile Matter in the Analysis Sample of Coal and Coke:, <https://www.astm.org/d3175-18.html> (accessed Januari 2023).

ASTM D3176-15, 2009, Standard Practice for Ultimate Analysis of Coal and Coke:, <https://www.astm.org/d3176-15.html> (accessed Januari 2023).

Calder, J.H., Gibling, M.R., dan Mukhopadhyay, P.K., 1991, Peat Formation in A Westphalian B Pied-mont Setting, Cumberland Basin, Nova Scotia :Implications for The Maceral-Based Interpretation of Rheotrophic and Raised Paleomires. *Bulletin Soc Geology*. v. 162. No. 2. p. 283-298.

Chou, C.L., 2012, Sulfur in coals: A review of geochemistry and origins: *International Journal of Coal Geology*, v. 100, p. 1–13.

Dai, S., Bechtel, A., Eble, C.F., Flores, R.M., French, D., Graham, I.T., Hood, M.M., Hower, J.C., Korasidis, V.A., Moore, T.A. and Püttmann, W., 2020, Recognition of peat depositional environments in coal: A review: *International Journal of Coal Geology*, v. 219.

Diessel, C.F.K., 1992, Coal-Bearing Depositional Systems: Coal-Bearing Depositional Systems. Thompson Press (India) Ltd., New Delhi.679 p.

Diessel, C.F.K., 1986, On the correlation between coal facies and depositional environments: *Proceeding of 20th Symposium of Department of Geology, University Newcastle, NSW*, p. 19–22.

Dinas Pekerjaan Umum dan Penataan Ruang Kalimantan Selatan. 2015. Peta Batas Administrasi. <http://simtaru.kalselprov.go.id/web> (accessed March 2023)

Esterle, J.S., dan Ferm, J.C., 1994, Spatial variability in modern tropical peat deposits from Sarawak, Malaysia and Sumatra, Indonesia: analogues for coal: *International Journal of Coal Geology*, v. 26, p. 1–41.

Fikri, H.N., Sachsenhofer, R.F., Bechtel, A., dan Gross, D., 2022, Organic geochemistry and petrography in Miocene coals in the Barito Basin (Tutupan

- Mine, Indonesia): Evidence for astronomic forcing in kerapah type peats: *International Journal of Coal Geology*, v. 256, p. 27.
- Heldreich, G., Redfern, J., Legler, B., Gerdes, K., & Williams, B. P. J., 2017, Challenges in characterizing subsurface paralic reservoir geometries: a detailed case study of the Mungaroo Formation, North West Shelf, Australia. Geological Society, London, Special Publications, 444(1), 59-108.
- Heryanto, R., dan Panggabean, H., 2008, Lingkungan Pengendapan Formasi Pembawa Batubara Warukin Di Daerah Kandangan Dan Sekitarnya, Kalimantan Selatan: *Jurnal Geologi*, v. 23, p. 93–103.
- Husni, F.M., 2021, Mikrofasies dan Rekonstruksi Evolusi Paleomire Pada Batubara Lapangan Senakin, Kabupaten Kota Baru, Kalimantan Selatan, Indonesia [Skripsi tidak dipublikasikan]: Universitas Gadjah Mada p.96.
- Horne, J. C., Ferm, J. C., Caruccio, F. T., & Baganz, B. P., 1978, Depositional models in coal exploration and mine planning in Appalachian region. *AAPG bulletin*, 62(12), 2379-2411.
- ICCP, 2001, New inertinite classification (ICCP System 1994): *Fuel*, v. 80, p. 459–471.
- ICCP, 1998, The new vitrinite classification (ICCP system 1994): International Committee for Coal and Organic Petrology (ICCP): *Fuel*, v. 77, p. 349–358.
- Kementrian ESDM, 2021, Handbook Energy & Economic Statistics Indonesia: Ministry of Energy and Mineral Resources Republic of Indonesia, p. 23–26,
- Killops, S.D., dan Killops, V.J., 2014, Introduction to Organic Chemistry: 2nd Edition, Blackwell Science Publishing Limited. 88–111 p.,
- Kusnama, K., 2008, Batubara Formasi Warukin di daerah Sampit dan sekitarnya, Kalimantan Tengah: *Indonesian Journal on Geoscience*, v. 3, p. 11–22,
- Kusuma, I., dan Darin, T., 1989, The hydrocarbon potential of the Lower Tanjung Formation, Barito Basin, S.E. Kalimantan: Indonesian Petroleum Association, Proceedings 18th Annual Convention, p. 107-138.
- Lamberson, M.N., Bustin, R.M., dan Kalkreuth, W., 1991, Lithotype (maceral) composition and variation as correlated with paleo-wetland environments, Gates Formation, northeastern British Columbia, Canada: *International*

- Journal of Coal Geology, v. 18, p. 87–124.
- Lelono, E. B., Setyaningsih, C. A., & Ningsih, L. N., 2014, Miocene Palynology of the Barito Basin, South Kalimantan, Indonesia; Journal of Scientific Contributions Oil and Gas, 37(1), 45-56.
- Moore, P.D., 1989, The ecology of peat-forming processes: a review. In peat and coal: origin, facies, and depositional models.: International Journal of Coal Geology, v. 12, p. 89–103.
- Morley, R.J., 2013, Cenozoic ecological history of South East Asian peat mires based on the comparison of coals with present day and late quaternary peats, in Journal of Limnology, v. 72, p. 36–59.
- Novita, D., dan Kusumah, K.D., 2016, Karakteristik dan Lingkungan Pengendapan Batubara Formasi Warukin di Desa Kalumpang, Binuang, Kalimantan Selatan.: Geo-resource, v. 17, p. 139–152.
- Patria, A.A., dan Anggara, F., 2022, Microfacies and Depositional Environment of the Eocene Sawahlunto Coal, Ombilin Basin, Indonesia: Iraqi Geological Journal, v. 55, p. 128–146.
- Perdana, A.R., 2019, Mikrofasies dan rekonstruksi paleomire batubara Formasi Tanjung, di daerah Sekako, Cekungan Barito, Kalimantan Tengah: [Skripsi tidak dipublikasikan]: Universitas Gadjah Mada.
- Pickel, W. Kus J. Flores D. Kalaitzidis S. Christanis K. Cardott B.J. Misz-Kennan M. Rodrigues S. Hentschel A. Hamor-vido M. Crosdale P. Wagner N. ICCP,, 2017, Classification of liptinite – ICCP System 1994: International Journal of Coal Geology, v. 169, p. 40–61.
- Pratama, D.A.P., 2015, Lingkungan pengandaapan batubara Formasi Warukin berdasarkan analisis petrografi organik di daerah Paringin, Cekungan Barito, Kalimantan Selatan: [Skripsi tidak dipublikasikan]: Universitas Gadjah Mada.
- Satyana, A.H., 1995, Paleogene unconformities in the Barito Basin, S.E. Kalimantan : A concept for the solution of the “Barito Dilemma” and a key to the search for Paleogene structures, in Twenty Fourth Annual Convetion Proceedings Indonesian Petroleum Association, p. 263–267.
- Satyana, A.H., Nugroho, D., dan Surantoko, I., 1999, Tectonic controls on the

- hydrocarbon habitats of the Barito, Kutei, and Tarakan Basins, Eastern Kalimantan, Indonesia: Major dissimilarities in adjoining basins: *Journal of Asian Earth Sciences*, v. 17, p. 99–122,
- Satyana, A.H., dan Silitonga, P.D., 1994, Tectonic reversal in East Barito basin, South Kalimantan : consideration of the types of inversion structures and petroleum system significance: *Proc.Indon.Petroleum Assoc. 23th Ann. Conv.*, Vol. I, p.57-74.
- Schopf, J., 1960, Field Description and Sampling of Coal Beds: U.S. Geological Survey Bulletin B 1111, p. 25–67.
- Setiawan, A., Wibowo, A., dan Rosyid, F., 2020, Analisis pengaruh ekspor dan konsumsi batubara terhadap pertumbuhan ekonomi Indonesia: *Jurnal Teknologi Mineral dan Batubara*, v. 16, p. 109–124.
- Singh, P. K., Singh, V. K., Singh, M. P., & Rajak, P. K. 2017. Understanding the paleomires of Eocene lignites of Kachchh basin, Gujarat (Western India): Petrological implications. *International Journal of Coal Science & Technology*, v. 4, p. 80-101.
- Speight, J.G., 2005, Handbook of Coal Analysis (Chemical Analysis: A Series of Monographs on Analytical Chemistry and Its Applications): New Jersey, America, v. 166, 240 p.
- Speight, J.G., 2012, The chemistry and technology of coal, third edition: The Chemistry and Technology of Coal, Third Edition, p. 1–808.
- Stach, E., Mackowsky, M.-T., Teichmüller, M., Taylor, G.H., Chandra, D., dan Teichmüller, R., 1982, Stach's Textbook of Coal Petrology: , p. 535.
- Sýkorová, I., Pickel, W., Christanis, K., Wolf, M., Taylor, G.H., dan Flores, D., 2005, Classification of huminite - ICCP System 1994: *International Journal of Coal Geology*, v. 62, p. 85–106.
- Thomas, L., 2013, Coal Geology: Second Edition, England, John Wiley & Sons, Inc p. 1–444.
- Thomas, L., 2020, Coal Geology: Third Edition, England, John Wiley & Sons, Inc p. 1–444.

Van Krevelen, D.W., 1993, Coal--typology, physics, chemistry, constitution: 3rd Edition, Elsevier, Amsterdam., p. 979.

Witts, D., Hall, R., Nichols, G., dan Morley, R., 2012, A new depositional and provenance model for the Tanjung Formation, Barito Basin, SE Kalimantan, Indonesia: *Journal of Asian Earth Sciences*, v. 56, p. 77–104.