

DAFTAR PUSTAKA

- Abraham, V. A., Al Shuaibi, M.A., Faleiro, J. R., Abozuhairah, R. A., and Vidyasagar, P. S. P. V. 1998. An integrated management approach for red palm weevil *Rhynchophorus ferrugineus* Oliv. a key pest of date palm in the Middle East. *Sultan Qaboos University Journal for Scientific: Research, Agricultural Science*. 3: 77-83.
- Adi, H., Soesilohadi, R. C. H., Nugroho, A. P., Hadisusanto, S., Sudaryatno, Aldawood, A. S., and Sukinro, S. 2023. Distribution analysis of asiatic palm weevil *Rhynchophorus vulneratus* Panzer (Coleoptera: Dryophoridae) using GIS technique and the interaction with coconut beetle *Oryctes rhinoceros* L. (Coleoptera: Scarabaeidae). *Hayatai Journal of Biosciences*. 30(5): 918-926. Doi: 10.4308/hjb.30.5.918-926.
- Adi, H. 2021. Seleksi habitat kumbang merah kelapa *Rhynchophorus vulneratus* Panzer (Coleoptera: Dryophoridae) di Provinsi Daerah Istimewa Yogyakarta. Universitas Gadjah Mada. Yogyakarta. Tesis tidak dipublikasikan.
- Aggarwal, C. 2015. *Data Mining: The Textbook, 1st Ed.* Springer. Cham, Switzerland. Pp. 75-76.
- Agisimanto, D., Martasari, C., and Supriyanto, A. 2007. Perbedaan primer RAPD dan ISSR dalam identifikasi hubungan kekerabatan genetik Jeruk Siam (*Citrus suhuiensis* L. Tan) Indonesia. *J. Hort.* 17(2): 101-110.
- Akzad, M. B., Nuraeni, S., and Larekeng, S. H. 2021. Detecting DNA polymorphism on mulberry (*Morus* sp.) using RAPD and ISSR markers. *Plant Cell Biotechnology and Molecular Biology*. 22(35&36): 106-111.
- Al-Koofe, D. A. F., and Mubarak, S. M. H. 2019. *Genetic polymorphisms*. In: Çalışkan M., Erol, O., and Öz, G. C. 2019. The Recent Topics in Genetic Polymorphisms. IntechOpen. London. Doi: 10.5772/intechopen.88063.
- Amiteye, S. 2021. Basic concepts and methodologies of DNA marker systems in plant molecular breeding: a review. *Heliyon*. 7(2021): e08093.
- Anonymous1. 2023. *Aplikasi Dataku: Perkebunan Daerah Istimewa Yogyakarta*. (http://baPpeda.jogjaprov.go.id/dataku/data_dasar/cetak/204-perkebunan). Diakses tanggal 15 November 2023.
- Anonymous2. 2019. *Rhynchophorus vulneratus* (Asiatic Palm Weevil). (<https://plantwisepusplusknowledgebank.org/doi/10.1079/PWKB.Species.47475>). Diakses tanggal 15 November 2023.
- Arab, M. M., Marrano, A., Arpanahi, R. A., Leslie, C. A., Cheng, H., Neale, D. B., and Vahdati, K. 2020. *Journal of Experimental Botany*. 71(3): 1107-1127.
- Azmi, W. A., Chik, Z., Razak, A. R. A., and Ghani, N. I. A. 2013. A new invasive coconut pest in Malaysia: the red palm weevil (Curculionidae: *Rhynchophorus ferrugineus*). *The Planter*. 89(1043): 97-110.
- Baguma, J., Otema, M., Ddamulira, G., Naluyimba, R., and Egonyu, J. P. 2019. Distribution and incidence of the oil palm weevil *Rhynchophorus phoenicis* (Fabricius, 1801) (Coleoptera: Curculionidae) in selected agro-ecological zones in Uganda. *African Entomology*. 27(2):477-487.
- Bani, P. W. and Metboki, B. 2021. Characterization of local Garlic (*Allium sativum* L.) in North Central Timor Regency based on phenotypic and genotypic characters. *Journal of Tropical Biogeo*. 9(3): 210-217.
- Bedford, G. O. 2014. Advances in the control of Rhinoceros beetle, *Oryctes rhinoceros* in Oil Palm. *Journal of Oil Palm Research*. 26(3): 183-194.
- Besse, P. 2021. *Molecular Plant Taxonomy: Methods and Protocols, 2nd Edition*. Humana Press. New York. Pp. 249-252.



- Bouchard, P., Bousquet, Y., Davies, A. E., Alonso-Zarazaga, M. A., Lawrence, J. F., Lyal, C. H. C., Newton, A. F., Reid, C. A. M., Schmitt, M., Ślipiński, S. A., and Smith, A. B. T. 2011. Family-group names in Coleoptera (Insecta). *ZooKeys*. 88: 1-972.
- Bull, L. 2013. *Genetics, Mutations, and Polymorphisms*. Landes Bioscience. Austin, Texas.
- Cai, Y. 2020. Analysis on gel electrophoresis in biology. *E3S Web of Conferences*. 145 (2020): 01009. Doi: <https://doi.org/10.1051/e3sconf/2009>.
- Castillo, J. M., Tevar, B. G., Figueroa, E., Grewell, B. J., Vallet, D., Rosseau, H., Keller, J., Lima, O., Dreano, S., Salmon, A., dan Ainouche, M. 2018. Low genetic diversity contrasts with high phenotypic variability in heptaploid *Spartina densiflora* populations invading the Pacific coast of North America. *Ecol. Evol.* 8(10): 4992-5007. Doi: 10.1002/ece3/4063.
- Chen, C., Duan, L. N., Zhou, X. L., Chen, B. L., and Fu, C. X.. 2011. Molecular authentication of geo-authentic *Scrophularia ningpoensis*. *Journal of Zhejiang University. Science*. 12: 393-398.
- Dairawan, M. and Shetty, P. J. 2020. The evolution of DNA extraction methods. *American Journal of Biomedical Science & Research*. 8(1): 39-45. Doi: 10.34297/AJBSR.2020.08.001234.
- Deng, Q., Deng, Q., Liu, L., and Tao, L. 2019. DNA extraction and optimization of ISSR-PCR reaction system for *Pyracantha*. *IOP Cont. Series: Earth and Environmental Science*. 237:052025.
- Dewanata, P. A. and Mushlih, M. 2021. Differences in DNA purity test using UV-Vis spectrophotometer and Nanodrop spectrophotometet in type 2 diabeter mellitus patients. *Indonesian Journal of Innovation Studies*. 15(2021): 6-10. Doi: 10.21070/ijins.v15i.553.
- El-Mergawy, R. and Al-Ajlan, A. M. 2011. Red palm weevil, *Rhynchophorus ferrugineus* (Olivier). Economic importance, biology, biogeography and integrated pest management. *Journal of Agricultural Science and Technology A*. 1(1):1-23.
- El-Zoghby, I. R. M., Awad, N. S., Alkhaibari, A. M. and Abdoel-Hameid, N. E. 2022. Ultrastructure traits and genetic variability of Red Palm Weevil *Rhynchophorus ferrugineus* (Olivier) adults from different geographical locations in Egypt. *Diversity*. 14:404.
- Eriani, K., Rahmi, R., Jamil, I., Rosnizar, R., and Azhar, A. 2019. Body size characteristics and polymorphism in GH and GHRH genes of Simeulue Buffalo of Aceh, Indonesia. *Biodiversitas*. 20(1): 236-242.
- Fanni, L., Longo, S., Cervo, R., Roversi, P. J., and Mazza, G. 2014. Daily activity and non-random occurrence of captures in the Asian Palm Weevils. *Ethology Ecology & Evolution*. 26(2-3): 195-203.
- Favorgen. 2023. *100 prep FavorPrep™ Tissue Genomic DNA Extraction Mini Kit*. (http://www.favorgen.com/port_pro1.php?type_1=pro_v_p11&id_1=dis15b9a4cd4296c0). Diakses tanggal 11 November 2023.
- Fiaboe, K. K. M., Peterson, A. T., Kairo, M. T. K., and Roda, A. L. 2012. Predicting the potential worldwide distribution of the Red Palm Weevil *Rhynchophorus ferrugineus* (Olivier) (Coleoptera: Curculionidae) using Ecological Niche Modeling. *Florida Entomologist*. 95(3):659-673.
- Fischer, S., Cornils, K., Speiseder, T., Badbaran, A., Reimer, R., Indenbirken, D., et al. 2016. Indication of horizontal DNA gene transfer by extracellular vesicles. *PloS One*. 11(9): e0163665.
- Garibyan, L. and Avashia, N. 2013. Polymerase chain reaction. *J. Invest. Dermatol.* 133(3):1-4. Doi: 10.1038/jid.2013.1 .
- Godwin, I. D., Aitken, E. A. B., and Smith, L. W. 1997. Application of Inter Simple Sequence Repeat (ISSR) markers to plant genetics. *Electrophoresis*. 18: 1524-1528.

- Goyal, A.G., Manoharachary, C. M., Aakash, and Chakravarthula. 2014. *Future Challenges in Crop Protection Against Fungal Pathogens*. Springer. New York.
- Gunter, C. 2023. *Polymorphism*. (<https://www.genome.gov/genetics-glossary/Polymorphism>). Diakses tanggal 14 November 2023.
- Gupta, N. 2019. DNA extraction and polymerase chain reaction. *J. Cytol.* 36(2): 116-117. Doi: 10.4103/JOC.JOC_110_18.
- Hailu, G. and Asfere, Y. 2020. The role of molecular markers in crop improvement and plant breeding programs: a review. *Agric. J.* 15(6): 171-175.
- Hallett, R. H., Crespi, B. J., and Borden, J. H. 2004. Synonymy of *Rhynchophorus ferrugineus* (Olivier), 1790 and *R. vulneratus* (Panzer, 1798) (Coleoptera, Curculionidae, Rhynchophorinae). *Journal of Natural History.* 38(22): 2863-2882.
- Heath, D. D., Iwama, G. K., and Devlin, R. H. 1993. PCR primed with VNTR lone sequences yields species specific patterns and hypervariable probes. *Nucleic Acids Res.* 21(24): 5782-5785.
- Hebbbar, K. B., Abhin, P. S., Jose, V. S., Neethu, P., Santhosh, A., Shill, S., and Prasad, P. V. V. 2022. Predicting the potential suitable climate for coconut (*Cocos nucifera* L.) cultivation in India under climate change scenarios using the MaxEnt model. *Plants.* 11(6): 73.
- Hoddle, M. S., Hoddle, C. D., Alzubaidy, M., Kabashima, J., Nisson, J. N., Millar, J., and Dimson, M. 2016. The palm weevil *Rhynchophorus vulneratus* is eradicated from Laguna Beach. *California Agriculture.* 70(3):1-7.
- Hosseinzadeh-Colagar, A., Haghghatnia, M. J., Amiri, Z., Mahadjerani, M., and Tafrihi, M. 2016. Microsatellite simple sequence repeat (SSR) amplification by PCR usually led to polymorphic bands: evidence which shows replication slippage occurs in extend or nascent DNA strands. *Molecular Biology Research Communication.* 5(3): 159-166.
- Husnudin, U. B., Daryono, B. S. and Purnomo. 2019. Genetic variability of Indonesian Eggplant (*Solanum melongena*) based on ISSR markers. *Biodiversitas.* 20(10): 3049-3055.
- ITIS. 2022. *Rhynchophorus* Herbst, 1795. (https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=114819#null). Diakses tanggal 11 November 2023.
- Jena, R. C. and Chand, P. K. 2021. Multiple DNA marker-assisted diversity analysis of Indian mango (*Mangifera indica* L.) populations. *Scientific Reports.* 11: 10345. Doi: <https://doi.org/10.1038/s41598-021-89470-3>.
- Justin, C. G. L., Leelamathi, M., Thangaselvabai, T., and Johnson, S. N. 2008. Bioecology and management of the red palm weevil, *Rhynchophorus ferrugineus* Oliv. (Coleoptera: Curculionidae) on coconut – a review. *Agricultural Reviews.* 29(2): 117-124.
- Kadri, K., Nagpal, M. L., Boldura, O. M., and Balta, C. 2019. Polymerase chain reaction (PCR): Principle and Applications. *Synthetic Biology.* 9(). Doi: 10.5772/intechopen.86491 978-1-78984-090-2.
- Kebschull, J. M. and Zador, A. M. 2015. Sources of PCR-induced distortions in high-throughput sequencing data sets. *Nucleic Acids Research.* 43(21): e143. Doi: <https://doi.org/10.1093/nar/gkv717>.
- Kelleher, J., Wong, Y., Wohns, A. W., Fadil, C., Albers, P. K., and McVean, G. 2019. Inferring whole-genome histories in large populations datasets. *Nature Genetics.* 51: 1330-1338.
- Kirkinen, T., Honka, J., Salazar, D., Kvist, L., Saastamoinen, M., and Hemmanm, K. 2021. Determination of different predictors affecting DNA concentration isolated from historical hairs of the Finnhorse. *Journal of Archaeological Science Reports.* 41(2022): 103262. Doi: 10.1016/j.jasrep.2021.103262.



- Leatemia, J. A., Patty, J. A., Masauna, E. D., Noya, S. H., and Hasinu, J. V. 2021. Utiliation of sago grub (*Rhynchophorus ferrugineus* Olivier (Coleoptera: Curculionidae) as an alternative source of protein. *IOP Conf. Series: Earth and Environmental Science*. 800: 012028.
- Linacre, E. 1982. The effect of altitude on the daily range of temperature, *Journal of Climatology*. 2(4): 375-382.
- Lincoln, M., Sunil, K. V., Saugato, S., and Jawaharlal, K. 2018. Potential aPplications of molecular markers in plant. *Curr. Trends Biomed. Eng. Biosci*. 12(4): 555844.
- Lo, A. C., Feldman, S. R., and Steven, R. 1994. Polymerase chain reaction: Basic concepts and clinical aPplications in dermatology. *J. Am. Acad. Dermatol*. 30; 250-260. Doi:10.1016/S0190-9622(94)70025-7.
- Lodish, H., Berk, A., Matsudaira, P., and Kaiser, C. A. 2004. *Molecular Cell Biology 5th Edition, Modern Genetic Analysis 2nd Edition & Cd-rom*. W H Freeman & Company. New York.
- Lorenz, T. C. 2012. Polymerase chain reaction: Basic protocol plus troubleshooting and optimization strategies. *Journal of Visualized Experiments*. (63). Doi: 10.3791/3998.
- Metwally, H. A. A. and Basheer, A. M. 2019. The behavior and activity of the Red Palm Weevil *Rhynchophorus ferrugineus* throughout the year under Baharia Oasis conditions, Egypt. *Middle East J. Agric. Res*. 8(3): 797-807.
- Moistero, A. P. 1978. Utilization of coconut palm timber: Its economic significance in some countries in tropics. *Forpride digest*. 7: 44-57.
- Molet, T. 2013. CPHST pest datasheet for *Oryctes rhinoceros*. *USDA-APHIS-PPQ-CPHST*. Pp. 1-14.
- Mullis, K., Faloona, F., Scharf, S., Saiki, R., Horn, G., and Erlich, H. 1986. Specific Enzimatic Amplification of DNA Invitro-The Polymerase Chain-Reaction. *Cold Spring Harb. Symp. Quant. Biol*. 51: 263-273.
- Nauum, A. M. 2016. *Seafood Authenticity and Traceability: An Introduction to DNA-Based Tools for Seafood Identification*. Academic Press. Cambridge. Pp.99-111. Doi: 10.1016/B978-0-12-801592-6.00005-X.
- Ng, W. L. and Tan, S. G. 2015. Inter-simple sequence repeat (ISSR) markers: are we doing it right? *ASM Sci. J*. 9(1): 30–39.
- Niwattanakul, S., Singthongchai, J., Naenudorn, E., and Wanapu, S. 2013. Using of Jaccard Coefficient for Keywords Similarity. *Proceedings of the International Multi Conference of Engineers and Computer Scientists*. IMECS 2013. Hongkong. Vol. I.
- Novotny, V., Miller, S. E., Baje, L., Balagawi, S., Basset, Y., Cizek, L., Craft, K. J., Dem, F., Drew, R. A. I., Hulcr, J., Leps, J., Lewis, O. T., Pokon, R., Stewart, A. J. A., Samuelson, G. A., and Weiblen, G. D. 2010. Guilds specific patterns of species richness and host specialization in plant-herbivore food webs from a tropical forest. *J. Anim. Ecol*. 79: 1193-1203.
- Oliveira, D. A. S., Decraemer, W., Moens, T., dos Santos, G. A. P., and Derycke, S. 2017. Low genetic but high morphological variation over more than 1000 km coastline refutes omnipresence of cryptic diversity in marine nematodes. *BMC Evolutionary Biology*. 17: 71.
- Padovani, R. J., Salisbury, A., Bostock, H., Roy, D. B., and Thomas, C. D. 2019. Introduced plants as novel anthropocene habitats for insects. *Global Change Biology*. 9(6): 14915.
- Ramachandran, C. P. 2005. Management of *Rhynchophorus ferrugineus* Olivier in the Gulf and Mediterranean region. *CORD*. 21(02): 34.
- Reddy, M P. , Sarla, N., and Siddiq, E. A. 2002. Inter simple sequence repeat (ISSR) polymorphism and its aPplication in plant breeding. *Euphytica*. 128: 9-17.



- Riffani, R., Wada, T., Shimomura, N., Yamaguchi, T., and Aimi, T. 2021. An optimized method for high-quality DNA extraction medicinal fungi *Mycoleptodonoides aitchisonii* for whole genome sequencing. *IOP Conf. Series: Earth and Environmental Science*. 948(2021): 012032. Doi: 10.1088/1755-1315/948/1/012032.
- Romanazzi, V., Traversi, D., Lorenzi, E., and Gilli, G. 2015. Effects of freezing storage on the DNA extraction and microbial evaluation from anaerobic digested sludges. *BMC Research Notes*. 8:420. Doi: 10.1186/s13104-015-1407-2.
- Royals, H. R. and Gilligan, T. M. 2017. Screening Aids: Palm Weevils, *Rhynchophorus* sPp. Cooperative Agricultural Pest Survey screening aid, USDA. (http://caps.ceris.purdue.edu/taxonomic_services). Diakses tanggal 4 Desember 2023.
- Rozziansha, T. A. P., Hidayat, P., and Harahap, I. S. 2021. Morphological characters of *Rhynchophorus* spp. (Coleoptera: Cuculionidae) associated with sago, coconut, and oil palm in Indonesia. *IOP Conf. Series: Earth and Environmental Science*. 694: 012051.
- Rugman-Jones, P. F., Stosic, C. D., Hoddle, M. S., and Stouthamer, R. 2013. The lesser of two weevils: Molecular-genetics of pest palm weevil populations confirm *Rhynchophorus vulneratus* (Panzer, 1798) as a valid species distinct from *R. ferrugineus* (Olivier, 1790), and reveal the global extent of both. *PLoS ONE*. 8(10):e78379.
- Sabit, H., Ghany, S. A., Al-Dhafar, Z., Said, O. A., Al-Saeed, J. A., Alfehaid, J. A., and Osman, M. A. 2021. Molecular characterization and phylogenetic analysis of *Rhynchophorus ferrugineus* (Olivier) in Eastern Province, Saudi Arabia. *Saudi Journal of Biological Science*. 28: 5621-5630.
- Sambrook, J. and Russell, D. W. 2001. *Molecular Cloning: A Laboratory Manual, 3rd Edition, Vol. 1*. Cold Spring Harbor Laboratory Press. New York.
- Sansone, P., Savini, C., Kurelac, I., Chang, Q., Amato, L. B., Strillacci, A., Stepanova, A., Iommarani, L., Mastroleo, C., Daly, L., Galkin, A., Thakur, B. K., Soplop, N., Uryu, K., Hoshino, A., Norton, L., Bonafe, M., Cricca, M., Gasparre, G., Lyden, D., and Bromberg, J. 2017. Packaging and transfer of mitochondrial DNA via exosomes regulate escape from dormancy in hormonal therapy-resistant breast cancer. *Proceedings of the National Academy of Sciences of the United States of America*. 114(43): E9066-E9075.
- Sazali, S. N. and Nasarudin, N. A. 2022. Variation of the pronotal markings in *Rhynchophorus* (Coleoptera: Curculionidae) species from Kuala Terengganu, Terengganu. *Borneo Journal of Resource Science and Technology*. 12(1): 135-140.
- Sequiño, A. C. and Avenido, J. 2015. The world's leader in the palm oil industry: Indonesia. *IAMURE International Journal of Ecology and Conservation*. 13(1): 51-60.
- Shafura, N., Rabbani, A., and Daryono, B. S. 2022. Genetic variability of eggplant (*Solanum melongena* L. 'Nasubi') based on ISSR markers and phenotypic characters. *Journal of Biodiversity and Biotechnology*. 2(2): 53-62. Doi: <http://dx.doi.org/10.20961/jbb.v2i2.65874>.
- Sharma, S. K., Kumaria, S., Tandon, P., and Rao, S. R. 2011. Single primer amplification reaction (SPAR) reveals inter- and intra- specific natural genetic variation in five species of *Cymbidium* (Orchidaceae). *Gene*. 483: 54-62.
- Shin, B., Lee, J. Y., Kim, N. H., and Choi, S. H. 2021. The relationship between resources abundance and insect herbivory on islands. *PloS One*. 16(8): e0256183.
- Silva, A. J. and Hellberg, R. S. 2020. *DNA-based techniques for seafood species authentication: Advances in Food and Nutrition Research*. Doi: 10.1016/bs.afnr.2020.09.001.
- Sokal, R. R. and Michener, C. D. 1958. A statistical method for evaluating systematic relationship. *University of Kansas Scientific Bulletin*. 28 (1958): 1409-1438.
- Soroker, V., & Colazza, S. 2016. Handbook of Major Palm Pests: Biology and Management. *Handbook of Major Palm Pests: Biology and Management*. December: 1–317.

- Spada, S., Rudqvst, N. P., and Wennerberg, E. 2020. Isolation of DNA from exosomes. *Methods Enzymol.* 2020; 636: 173-183. Doi: <https://doi.org/10.1016/bs.mie.2020.01.012>.
- Spooner, D., Treuren, Rv., and Vicente, Mc. D. 2005. *Molecular markers for genebank management*, NO.10ITB, editor, International Plant Genetics Research Institute. Rome.
- Sukirno, S., Tufail, M., Rasool, K. G., and Aldawood, A. S. 2018a. Palm weevil diversity in Indonesia: Description of phenotypic variability in Asiatic Palm Weevil, *Rhynchophorus vulneratus* (Coleoptera: Curculionidae). *Journal of Entomological Research Society.* 20(3):1-22.
- _____. 2018b. Undescribed color polymorphism of the Asiatic Palm Weevil, *Rhynchophorus vulneratus* Panzer (Coleoptera: Curculionidae) in Indonesia: Biodiversity study based on COI gene. *Florida Entomologist.* 101(4): 642-648.
- Syaifudin, M. 2021. Gel electrophoresis: The applications and its improvement with nuclear technology. *AIP Conference Proceedings.* 2331(2021): 050008. Doi: <https://doi.org/10.1063/5.0042067>.
- Tikunov, Y. M., Khrustaleva, L. I., and Karlov, G. I. 2003. Application of ISSR markers in the genus *Lycopersicon*. *Euphytica.* 131:71-80.
- Touil, L., Bao, A., Wang, S., and Ferchichi, A. 2016. Genetic diversity of Tunisian and Chinese Alfalfa (*Medicago sativa* L.) revealed by RAPD and ISSR markers. *American journal of plant sciences.* 7:967-979.
- Utaminingsih, S. and Sophian, A. 2022. Analysis of purity and concentration of DNA isolation results on chondroitin samples. *BiosciED: Journal of Biological Science and Education.* 3(2): 56-61.
- Verma, A. S. and Singh, A. 2020. *Animal biotechnology, 2nd Ed.* Academic Press. Cambridge. Pp. 353-372.
- Verma, K. S., Haq, S. U., Kachhwaha, S., and Kothari, S. L. 2017. RAPD and ISSR marker assessment of genetic diversity in *Citrullus colocynthis* (L.) Schrad: a unique source of germplasm highly adapted to drought and high-temperature stress. *3 Biotech.* 7(5): 288. Doi: 10.1007/s13205-017-0918-z.
- Wang, F., Cheng, X., Cheng, S., Li, W., and Huang, X. 2023. Genetic diversity of the wild ancient tea tree (*Camelia taliensis*) populations at different altitudes in Qiangjiazhai. *PLoS ONE.* 18(4): e0283189. Doi: <https://doi.org/10.1371/journal.pone.0283189>.
- Wattanapongsiri, A. 1966. A revision of the genera *Rhynchophorus* and *Dynamis* (Coleoptera: Curculionidae). *Department of Agriculture Science Bulletin.* 1(1): 418. Pp. 205-220, 224-226.
- Weiß, M. and Göker, M. 2011. *Molecular phylogenetic reconstruction: In The Yeast.* Elsevier. Amsterdam. Pp. 159-174.
- Welsh, J. and McClelland, M. 1990. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Res.* 18: 7213-7218.
- William, J. G. K., Kubelik, A. R., Livak, K. J., Rafalski, J. A., and Timgey, S. V. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Res.* 18: 8531-6535.
- Wu, J. Y., Jiang, X. T., Jiang, Y. X., Lu, S. Y., Zou, F., and Zhou, H. W. 2010. Effects of polymerase, template dilution and cycle number on PCR based 16S rRNA diversity analysis using the deep sequencing method. *BMC Microbiology.* 10(255). Doi: <https://doi.org/10.1186/1471-2180-10-255>.
- Wujun, G., Shufen, L., Da, H., Chuanliang, D., and Longchou, L. 2007. Phylogenetic classification as revealed based on optimize ISSR-PCR system in the *Osmanthus*. *Analele Științifice universității „Alexandru Ioan Cuza”, Secțiunea Genetică și Biologie Moleculară, Tom VIII, Genetics and Molecular Biology.*



- Yu, M., Cao, Y., and Ji, Y. 2017. The principle and application of new PCR technologies. *IOP Conference Series: Earth and Environmental Science*. 100: 012065. Doi:10.1088/1755-1315/100/1/012065.
- Yuliyanto, Y. dan Ernawati, D. 2015. The infestation of *Rhynchophorus ferrugineus* in East Java. *Buletin DITJENBUN BBPPT*. Surabaya, East Java, Indonesia. Pp. 1-7 (in Indonesian).
- Zietkiewicz, E., Rafalski, A., and Labuda, D. 1994. Genome fingerprinting by Simple Sequence Repeat-Anchored Polymerase Chain Reaction Amplification. *Genomics*. 20: 176-183.
- Zuki, A. A., Ghazali, S. Z., Badrulisham, A. S., Hazmi, I. R., Wahida, B. N., and Yakoop, S. 2021. Proof on the divergence times of two sympatric species, *Rhynchophorus ferrugineus* and *R. vulneratus* (Coleoptera: Curculionidae) by molecular clock analysis. *J. Entomol. Res. Soc.* 23(1): 11-26.
- Zulkifli, A. N., Zakeri, H. A., and Azmi, W. A. 2018. Food consumption, development time, and protein profile of the digestive system of the Red Palm Weevil, *Rhynchophorus ferrugineus* (Coleoptera: Dryophthoridae) larvae reared on three different diets. *Journal of Insect Science*. 19(5): 1-10.