



DAFTAR PUSTAKA

- Abbas, A.K., Lichtman, A.H. and Pillai, S. 2010. Cellular and Molecular Immunology, 6th Edition. Saunders an Imprint of Elsevier Inc.
- Al-Garadi, M.A., Khairani-Bejo, S.m Zunita, Z. and Omar, A.R. 2011. Detection of *Brucella melitensis* in blood samples collected from goats. Journal of Animal and Veterinary Advances. 10(11): 1437-1444.
- Anderson, M.J., Miller, H.R. and Alocilja, E.C. 2013. PCR-less DNA Copolymerization Detection of Shiga Like Toxin 1 (stx1) in *Escherichia coli* O157:H7. Biosens. Bioelectron. 42:581–585.
- Aphis. 2007. Questions and Answers About Brucellosis. USDA, APHIS, Veterinary Services National Center for Animal Health Programs Ruminant Health Programs Staff. <http://www.aphis.usda.gov/sv/>. (Diakses tanggal 06 Juli 2021).
- Aplesiasfika. 2007. Pengembangan Reaktor Fotokatalisis dengan Teknik Immobilisasi TiO₂:Au Nanopartikel dalam Sistem Centrifugal Cylindrical Glass Cell (CCGC). Karya Utama Sarjana Kimia. Departemen Kimia. FMIPA UI.
- Ardiyanto, D., Wuryastuty, H. and Wasito, R. 2020. Detection of *Brucella abortus* from Whole Blood Samples by Polymerase Chain Reaction Without DNA Extraction. Jurnal Sain Veteriner. Vol.38 No.3:222-230.
- Ariningsih, E. 2016. Prospek Penerapan Teknologi Nano dalam Pertanian dan Pengolahan Pangan di Indonesia. Forum Penelitian Agro Ekonomi, Vol. 34 No. 1: 1-20
- Arut, A.F., Maghfiroh, D., Saputra, T., Ariyanti, R., Octaviani, N., Rahma. dan Afrilia, G.N. 2010. Booklet Beberapa Penyakit Zoonosa: Brucellosis. Bogor (ID) : Fakultas Kedokteran Hewan IPB.
- Asif, A., Jo, V.R., Natalie, A.H. and Paul, A. M. 2014. Biosensors for Whole-Cell Bacterial Detection. Clinical Microbiology Reviews Volume 27 Number 3 p. 631– 646.
- Artarina, D.K., Pribadi, E.S. and Pasaribu, F.H. 2018. Application Immunostick Assay for Serological Test *Brucella abortus* in Bovine.



- Balvedi, R.P.A., Castro, A.C.H., Madurro, J.M., and Brito, M.A.G. 2014. Detection of Specific Biomarker for Epstein-Barr Virus Using a Polymer-Based Genosensor. *Int. J. Mol. Sci.* 2014, 15, 9051–9066.
- [BARANTAN] Badan Karantina Pertanian. 2022. Peta Unit Pelaksana Teknis (UPT) Badan Karantina Pertanian. <https://karantina.pertanian.go.id>. (Diakses Tanggal 07 April 2022).
- [Barantan] Badan Karantina Pertanian. 2020. Laporan Tahunan Badan Karantina Pertanian 2019. Kementerian Pertanian. Jakarta.
- [Barantan] Badan Karantina Pertanian. 2019. Laporan Tahunan Badan Karantina Pertanian 2018. Kementerian Pertanian. Jakarta.
- [Barantan] Badan Karantina Pertanian. 2018. Laporan Tahunan Badan Karantina Pertanian 2017. Kementerian Pertanian. Jakarta.
- [Barantan] Badan Karantina Pertanian. 2017. Laporan Tahunan Badan Karantina Pertanian 2016. Kementerian Pertanian. Jakarta.
- [Barantan] Badan Karantina Pertanian. 2011. Keputusan Kepala Badan Karantina Pertanian No. 853/ Kpts/ KH.020/L/5/2011 tentang Petunjuk Teknis Tindakan Karantina Hewan Terhadap Lalu Lintas Sapi (Impor dan Antar Area). Kementerian Pertanian. Jakarta.
- [Barantan] Badan Karantina Pertanian. 2010. Keputusan Kepala Badan Krantina Pertanian tentang Pedoman Pengujian Laboratoium untuk Penyakit Bakterial. Kementerian Pertanian. Jakarta.
- Barreiros, D.S.M., Agusil, J.P., Prieto, S.B., Sporer, C., Teixeira, V. and Samitier, J. 2013. Highly sensitive detection of pathogen *Escherichia coli* O157:H7 by electrochemical impedance spectroscopy. *Biosens. Bioelectron.* 45:174 –180.
- Becker, H. and Locascio, L.E., 2002. Polymer Microfluidic Devices. *Talanta* 56: 262–287.
- Berggren, C., Bjarnason. and B. Johansson, G. 2001. Capacitive Biosensors. *Electroanalysis* 13:173–180.
- [BBVet] Balai Besar Veteriner. 2002. Instruksi Kerja Metode Pengujian Diagnosa Brucellosis pada Sapi dan Kerbau. Balai Besar Veteriner Regional VI Denpasar. Denpasar. Bali.
- Bhalla, N., Jolly, P., Formisano, N. and Estrela, P. 2016. Introduction to biosensors. *Essays Biochem.* 2016;60(1):1–8.



- [BVET] Balai Veteriner. 2018. Laporan Kegiatan Penyidikan Brucellosis dalam Rangka Kegiatan Pemberantasan Brucellosis Tahun 2018. Balai Veteriner Bukit Tinggi. Kabupaten Agam. https://bvetbukittinggi.ditjenpkh.pertanian.go.id/bvet_admin/file_download/brucellosis%202018.pdf. (Diakses tanggal 15 Oktober 2021).
- Caro, C., Castillo, P.M., Klippstein, R., Pozo, D. and Zaderenko, A.P. 2020. Silver nanoiparticles : Sensing and Imaging Application. In Perez, D.P (Ed). Silver nanoparticles (pp.210-223). India: In Tech.
- Citta, A.A.A.S.T., 2017. Studi Pengaruh Siklamat Dan Gula Tebu (*Saccharum Officinarum* L.) Terhadap Nilai Impedansi Listrik Air Kelapa Muda (*Cocos Nucifera* L.). Thesis. Universitas Brawijaya. Malang.
- Cohen, L., Manion, L. and Morrison, K. 2007. Research Methods in Education. Routledge. New York.
- Corbel, M.J. 2006. Brucellosis in Human and Animals. <http://www.researchgate.net/publication/302098432>. (Diakses tanggal 06 Juli 2021).
- Cotton, F.A. and Wilkinson. G. 2007. Kimia Anorganik Dasar (diterjemahkan oleh Sahati Suharto). UI-Press. Jakarta.
- [DAFF] Departement Agriculture, Forestry, and Fisheries. 2016. Bovine Brucellosis Manual. Republic of South Africa. <https://hal.inrae.fr/hal-03503473/document> (Diakses 15 Agustus 2021).
- Daniels, J.S. and Pourmand, N. 2007. Label-free Impedance Biosensors: Opportunities and Challenges. *Electroanalysis* 19:1239–1257.
- Dasilva, M.J.P., Araujo, F.S. and Paixao, T.A. 2012. Laboratorial Diagnosis of Animal Brucellosis. *Revista Brasileira Ciencia Veterinaria*. 19: 117-126.
- Dewi, A.K. 2009. Kajian Brusellosis pada Sapi dan Kambing Potong yang Dilalulintaskan di Penyeberangan Merak Banten. Tesis. Institut Pertanian Bogor.
- [Dirkeswan] Direktorat Kesehatan Hewan. 2015. *Road Map Pengendalian dan Penanggulangan Brucellosis di Indonesia*. Kementerian Pertanian. Jakarta
- [Dirkeswan] Direktorat Kesehatan Hewan. 2021. Peta Status Situasi Penyakit Hewan Indonesia 2020. Kementerian Pertanian. Jakarta
- Doganay, M. and Aygen, B. 2003. Brucellosis in Human: an Overview. *International Journal of Infectious Disease*. 7:3.



- Dulay, S.B. 2014. Development of Electrochemical Biosensors for The Detection of Biological Welfare Agents. Departement of Chemical Engineering. Universitat Rovira I Virgili. Tarragona.
- Duncan, T.V. 2011. Applications of nanotechnology in food packaging and food safety: barrier materials, antimicrobials and sensors. *J Colloid Interface Sci.* 363(1):1-24.
- El-Diasty, M., Wareth, G., Melzar, F., Mustafa, S., Sprague, L.D. and Neubaueur, H. 2018. Isolation of *Brucella abortus* and *Brucella melitensis* from Seronegatif Cows is a Serious Impediment in Brucellosis Control. *Veterinary Science.* 5(28): 1-4.
- Farrow, B., Hong, S.A., Romero, E.C., Lai, B., Coppock, M.B., Deyle, K.M., Finch, A.S., Stratis, C.D.N., Agnew, H.D., Yang, S. and Heath, J.R. 2013. A Chemically Synthesized Capture Agent Enables The Selective, Sensitive, and Robust Electrochemical Detection of Anthrax Protective Antigen. *ACS Nano* 7:9452–9460.
- Fatimah, A. 2010. Studi Pengembangan Imunosensor Nanopartikel Emas (Interaksi Nanopartikel dengan Protein). Universitas Indonesia.
- Fazrin, E. I., Naviardianti, A. I., Wyantuti, S., Gaffar, S. dan Hartati, Y. W. 2020. Review: Sintesis Dan Karakterisasi Nanopartikel Emas (AuNP) Serta Konjugasi AuNP dengan DNA dalam Aplikasi Biosensor Elektrokimia. *PENDIPA Journal of Science Education*, 4(2), 21–39.
- Fitriani, S.W., Masruloh, dan Sakti, S.P. 2014. Pengaruh Ketebalan Lapisan Zinc Phthalocynine (ZnPc) di Permukaan QCM Terhadap Sifat Viskoelastis Berdasarkan Nilai Impedansi. *Brawijaya Physics Student Journal*. Universitas Brawijaya. Malang.
- Foudeh, A.M., Daoud, J.T., Faucher, S.P., Veres, T. and Tabrizian, M. 2014. Sub-femtomole Detection of 16s rRNA from *Legionella pneumophila* Using Surface Plasmon Resonance Imaging. *Biosens. Bioelectron.* 52:129 – 135.
- Gaffar, S., Nurmala, R., Yohan, and Hartati, Y.W. 2017. Voltammetric DNA Biosensor Using Gold Electrode Modified by Self Assembled Monolayer of Thiol for Detection of Mycobacterium Tuberculosis. *Procedia Technology*, 27, 74–80.
- Gay, L.R., Mills, G.E. and Airasian, P. 2012. Educational Research: Competencies for Analysis and Applications. Pearson Educational, Inc. New Jersey, USA.



- Giles, N.M, Aaron, B.w., Gregory, I.G., Fiona, H.F., Jennifer, A.L. and Claus, J. 2003. Metal and redox modulation of cysteine protein function. Chemistry and Biology Vol 10: 677–693.
- Gerasimova, Y.V. and Kolpashchikov, D.M. 2013. Detection of bacterial 16S rRNA using a molecular beacon-based X sensor. Biosens. Bioelectron. 41:386 –390.
- Gooding, J.J. 2006. Biosensor Technology for Detecting Biological Warfare Agents: Recent Progress and Future Trends. Analytica Chimica Acta 559: 137-151.
- Grossi, M. and Ricco, B. 2017. Electrical Impedance Spectroscopy (EIS) for Biological Analysis and Food Characterization. Journal of Sensors and Sensor System 6:303-325.
- Guilbault, G.G., Pravda, M., Kreuzer, M. and O'Sullivan, C.K. 2004. Biosensors- 42 Years and Counting. Anal Lett. 37: 1481-1496.
- Gupta, G., Kumar, A., Boopathi, M., Thavaselvam, D., Singh, B. and Vijayaraghavan, R. 2011. Rapid and Quantitative Determination of Biological Warfare Agent *Brucella Abortus* CSP-31 using Surface Plasmon Resonance. Anal Bioanal. Electrochem. 3, 26-27
- Haiyun, W., Yueming, Z., Chuanjin, C., Wei, Y., Haili, M. and Xiaowen, W. 2013. Rapid Quantitative Detection of *Brucella melitensis* on a Dold Nanopartikel-Modified Screen-Printed Carbon Electrode. Shanxi Agriculture University. China.
- Hartanti, F. 2019. Pengaruh perbedaan konsentrasi dan temperatur penyimpanan antigen *Brucella abortus* terhadap kualitas uji Rose Bengal. Tesis. Fakultas Kedokteran Hewan Universitas Gajah Mada. Yogyakarta.
- Hend, S.M., Rabeay, Y.A., Hasan. and Ashok, M. 2021. Electrochemical Impedance Spectroscopy (EIS): Principles, Construction and Biosensing Applications. University of California Riverside. USA.
- Joung, C.K., Kim, H.N., Lim, M.C., Jeon, T.J., Kim, H.Y., Kim, Y.R. 2013. A Nanoporous Membrane-based Impedimetric Immunosensor for Labelfree Detection of Pathogenic Bacteria in Whole Milk. Biosens. Bioelectron. 44: 210 –215.



- Karthik, K., Rathore, R., Thomas, P., Elamurugan, A., Arun, T.R. and Dhama, K. 2014. Serological and molecular detection of *Brucella abortus* from cattle by RBPT, STAT and PCR and sample suitability of whole blood for PCR. Asian Journal of Animal and Veterinary Advances. 9(4): 262-269
- Katz, E. and Willner, I. 2003. Probing Biomolecular Interactions at Conductive and Semiconductive Surfaces by Impedance Spectroscopy: Routes to Impedimetric Immunosensors, DNA-sensors, and Enzyme Biosensors. *Electroanalysis* 15:913–947.
- Kerlinger, F.N. and Lee, H.B. 2000. Foundations of Behavioural Research 4th Ed. Orlando: Hartcourt College Publishers. <https://www.scirp.org/reference/ReferencesPapers?ReferenceID=1536592>. (Diakses tanggal 06 Juli 2021).
- Kim, S., Song, H., Ahn, H., Taeyon, K., Jung, J., Cho, S., K., Shin, D.M., Choi, J.R., Hwang, Y.H. and Kyujung, K. 2021. A Review of Advanced Impedance Biosensors with Microfluidic Chips for Single-Cell Analysis. *Biosensors* 11:412.
- Ko, J. and Splitter, G.A. 2003. Molecular Host-Pathogen Interaction in Brucellosis: Current Understanding and Future Approaches to Vaccine Development for Mice and Humans. *Clinical Microbiology Reviews*, Vol.16, No.1:65-78.
- [Kepmentan] Keputusan Menteri Pertanian No. 3238/Kpts/PD. 630/9/ 2009. 2013. Penggolongan Hama Penyakit Hewan Karantina. Kementerian Pertanian. Jakarta.
- Kurkina, T., Vlandas, A., Ahmad, A., Kern, K. and Balasubramanian, K. 2011. Label-free Detection of Few Copies of DNA with Carbon Nanotube Impedance Biosensors. *Angewandte Chemie - International Edition*, 50(16), 3710–3714.
- Kutchko, B.G. and Kim, A.G. 2006. Fly ash characterization by SEM-EDS. *Fuel*. 85(17–18), 2537–2544
- Liebes, Y., Amir, L., Marks, R.S. and Banai, M. 2009. Immobilization Strategies of *Brucella* Particles on Optical Fibers for Use in Chemiluminescence. *Talanta*, 80 (1) :338-345.
- Lee, K., Kim, S.E., Doh, J., Kim, K. and Chung, W.K. User Friendly Image Activated Microfluidic Cell Sorting Technique Using an Optimized, Fast Deep Learning Algorithm. *Lab Chip* 2021, 21, 1798–1810.



- Mahajan, V., Bana, H.S. and Vilia, G. 2017. Comparison of Diagnostic Test for The Detection of Bovine Brucellosis in The Natural Cases of Abortion. Iranian Journal of Veterinary Research. 18: 183-189.
- Merve, M. 2015. Development of Droplet Based Microfluidic System for Agglutination Assays. Thesis. Bilkent University, Ankara.Turki.
- Mile, B., Ljiljana, K., Sonja, C., Nikola, L. and Mile, P. 2015. Childhood Brucellosis: Review of 317 cases. Asian Pacific Journal of Tropical Medicine. Vol 8(12): 1027–32.
- Miranda, O.R., Li, X., Garcia, G.L., Zhu, Z.J., Yan, B., Bunz, U.H.F. and Rotello, V.M. 2011. Colorimetric Bacteria Sensing Using a Supramolecular Enzyme-Nanoparticle Biosensor. J. Am. Chem. Soc. 133:9650 –9653.
- Mitka, S., Anetakis, C., Souliou, E., Diza, E. and Kansouzidou, A. 2007. Evaluation of Different PCR Assays for Early Detection of Acute and Relapsing Brucellosis in Humans in Comparison With Conventional Methods. J. Clin. Microbiol. 45 : 1211-1218.
- Muhammad, A.S. and Bukhari, A. 2011. Gold Nanoparticle Based Microbial Detection and Identification. Journal of Biomedical Nantecchnology Vol.7, 1-9.
- Mujiatun., Soedjoedono, R.D. dan Sudarnika E. 2017. Deteksi Bruselosis di Pulau Jawa dan Pengembangan Indirect Enzyme-linked Lmmunosorbent Assay (I-ELISA) untuk Diagnosis Bruselosis [Disertasi]. Bogor (ID): Institut Pertanian Bogor.
- Neta, A.V.C., Mol, J.P.S., Xavier, M.N., Paixao, T.A., Lage, A.P. and Santos, R.L. 2010. Pathogenesis of Bovine Brucellosis. Journal of Veterinary Vol 184: 145-146.
- Nustrat, H. 2004. Disease Spesific Diagnostic Methods and Lymphokines in Human Brucellosis. Departement of Microbiology University of Karachi. Pakistan.
- Nuwaiir. 2009. Kajian Impedansi dan Kapasitansi Listrik pada membrane Telur Ayam Ras. Skripsi. Institut Pertanian Bogor. Bogor
- Noor, S. M. 2006. Brucellosis: Penyakit Zoonosis yang Belum Banyak Dikenal di Indonesia. Wartazoa Vol 16: 31-39.



- Ogi, H.Y., Fukunishi, H., Nagai, K., Okamoto, M., Hirao and Nishiyama, M. 2009. Nonspecific-Adsorption Behavior of Polyethyleneglycol and Bovine Serum Albumin Studied by 55 Mhz Wireless-Electrodeless Quartz Crystal Microbalance. *Biosens. Bioelectron.* 24: 3148–3152.
- [OIE] Office International des Epizooties. 2018. Chapter 3.1.4.Terrestrial Manual Brucellosis.
- O'Leary, S., Sheahan, M. and Sweeney, T. 2006. *Brucella abortus* Detection by PCR Assay in Blood, Milk and Lymph Tissue of Serologically Positive Cows. *Res. Vet. Sci.* 81:170-176.
- Paniel, N. and Baudart, J. 2013. Colorimetric and Electrochemical Genosensors for the Detection of *Escherichia coli* DNA without Amplification in Seawater. *Talanta* 115:133–142.
- Phan, H.T.M., Hunt, S.B., Rodenhausen, K.B. and Schubert, M. 2015. Investigation of Bovine Serum Albumin (BSA) Attachment onto Self-Assembled Monolayers (SAMs) Using Combinatorial Quartz Crystal Microbalance with Dissipation (QCM-D) and Spectroscopic Ellipsometry (SE). <https://doi.org/10.1371%2Fjournal.pone.0141282>. (Diakses 31 Juli 2021).
- Pedro, N.A. 2011. Zoonoses and Communicable Disease Common to Man and Animal. Pan America Heath Organization.
- Pitaloka, B. 2019. Pengembangan bioelectrical impedance spectrometer (BIS) yang Bekerja Secara Cepat dengan Fasilitas Bode dan NyQuist Plot [Tesis]. Universitas Brawijaya. Malang.
- Poester, F.P., Samatino, L.E. and Santos, R.L. 2013. Pathogenesis and Pathobiology of Brucellosis in Livestock. *Revue Scientifique et Technique International Office of Epizootics.* 32(1): 105-115.
- Poester, F.P., Nielsen, K., Samatino, L.E. and Yu, W.L. 2010. Diagnosis of Brucellosis. *Open Vet. Sci. J.* 4:46-60.
- Priyadarshini, A., Sarangi, L.N. and Palai, T.K. 2013. Brucellosis in cattle and occupationally exposed human beings: A serosurveys in Odisha, India. *Journal of Pure and Applied Microbiology.* 7: 3255-3260.
- Pudjiatmoko. 2014. Manual Penyakit Hewan Mamalia. Jakarta (ID) : Kementrian Pertanian.
- Pusvetma. 2020. Surat Informasi Layanan Pusvetma No. 0200/PK.350/F4.H/01.20. Pusat Veteriner Farma. Surabaya



- Rezanka, P., Rezankova, H., atejka, P. and Kral, V. 2010. The Chemoetric Analysis of UV-Visible Spectra as A New Approach to The Study NaCl Influence on Aggregation of Cysteine-capped Gold Nanoparticles. *Colloids and Surfaces A: Physicochemical and Engineering Aspect*, 364, 94-98.
- Rinaldi, G., Denny, W.L. and Hadri L. 2019. Indirect Enzyme Immunosorbent Assay (I-ELISA) as Method for Detect Brucellosis in Dairy Cow. *Jurnal Veteriner*. Vol 20 No.1:30-37.
- Rushworth, J.V., Hirst, N.A., Goode, J.A., Pike, D.J., Ahmed, A. and Millner, P.A. 2013. Impedimetric Biosensors for Medical Applications: Current Progress and Challenges. ASME, New York.
- Santos, C.C., Santos, P.C.M., Rocha, K.L.S., Thoasini, R.L., Oliveira, D.B. and Franco, D.L. 2020. A New Tool for Dengue Virus Diagnosis: Optimization and Detection of Anti-NS1 Antibodies in Serum Samples by Impedimetric Transducers. *Microcheical Journal* 154.
- Santoso, B. 2020. Teknik Elisa. Metode Elisa untuk Pengukuran Protein Metallothionein Pada Daun Padi Ir Bagendit. Unimus Press. Semarang.
- Sayour, A.E., Elbauomy, E.M., Abdel, H.N.H., El-Kholi, M.K., Ismail, R.I. and Beleta, E.I.M. 2017. Validation of Different Version of The Card or Rose Bengal Test for The Diagnosis of *Brucella melitensis* Infection in Ruminants. *Alexandria Journal of Veterinary Sciences*. AJVS. Vol. 53(1) : 187-202.
- Shah, J. 2003. Electrochemical Biosensor for Detection of Biological Warfare. *Electroanalysis* 15 No.3:157-167.
- Seleem, M.N., Boyle, S.M. and Sriranganathan, N. 2010. Revie Brucellosis: Reemerging-Zoonosis. *Veterinary Microbiology* 140 (2010) 392-398.
- Serra, B., Gamella, M., Reviejo, A.J. and Pingarron, J.M. 2008. Lectin-modified Piezoelectric Biosensors for Bacteria Recognition and Quantification. *Anal. Bioanal. Chem.* Vol 391:1853–1860.
- Solmaz, H., Cantekin, Z., Altug, N., Ilhan, Z., Aslan, S. and Ergun, Y. 2014. A PCR Method With Internal Control for Detection of *Brucella spp*, from Bovine Abortion Samples. *Revue de Medecine Veterinaire* 9-10: 253-257.
- Steinitz, M. 2000. Quantitation of The Blocking Effect of Tween 20 and Bovine Serum Albumin in ELISA Microwells. *Anal. Biochem.* 282:232-238.
- Suardana, I.W. 2015. Buku Ajar Zoonosis: Penyakit Menular dari Hewan ke Manusia. PT.Kanisius. Yogyakarta.



Sugunan, A. and Dutta, J. 2004. Novel Synthesis of Gold Nanoparticles in Aqueous Media. MRS Online Proceedings Library Vol 901: 655.

Sulaiman, I. dan Poermadjaya, B. 2004. Paper : Uji Lapang Keamanan Vaksin *Brucella abortus* strain RB51 pada Sapi Perah di Kecamatan Cisarua, Bogor. Pertemuan Evaluasi Pemberantasan Brucellosis dan Pengawasan Lalulintas Ternak dan Daging Propinsi DKI Jakarta di Cianjur.

Sulaiman, I. 2001. Metode Diagnosa Brucellosis PAda Sapi. Balai Penyidikan Penyakit Hewan Wilayah VII. Ujung Pandang.

Teles, F., Tavira, L., Fonseca, L. 2010. Biosesnsors as Rapid Diagnostic Test for Tropical Disease. Cri Rev Cli Lab Sci. 47:139-169.

Thevenot, D., Klara, T., Richard, D. and George, W. 2001. Electrochemical Biosensors: Recommended Definitions and Classification. Biosensors and Bioelectronics, Elsevier, 16:121-131.

Todar, K. 2008. Textbook of Bacteriology. University of Wisconsin. Science Magazine. p304.

Thomas, J. A., Mallis, R. and Sies, H. 2003 Protein S-thiolation, S-nitrosylation, and irreversible sulphydryl oxidation: roles in redox regulation. *Cellular Implications of Redox Signaling*. Imperial College Press, London 141–174.

Ugalde, J.E., Czibener, C., Feldman, M.F. and Ugalde, R.A. 2000. Identification and Characterization of the *Brucella abortus* Phophoglucomutase Gene: Role of Lipopolysaccharide in Virulence and Intracellular Multiplication. Infection and Immunity Vol 68. No. 10: 5716-5723.

Wahyuningsih. 2010. Matenamina sebagai inhibitor korosi baja karbon dalam lingkungan sesuai kondisi pertambangan minyak bumi. Jurnal sains dan teknologi Kimia 1(1):17-29.

Wang,Y., Ye, Z., Si, C. and Ying, Y. 2013. Monitoring of *Escherichia coli* O157:H7 in Food Samples Using Lectin Based Surface Plasmon Resonance Biosensor. Food Chem. Vol 136:1303–1308.

Wang, Z., Chin, S.Y., Chin, C.D., Sarik, J., Harper, M., Justman, J. and Sia, S.K. 2010. Microfluidic CD4+ T-cell counting device using hemiluminescence-based detection. Anal. Chem. Vol 82, 36–40.



- Wareth, G., Melzer, F., El-Diasty, M., Schmoock, G., Elbauomy, E., Abdel-Hamid, N., Sayour, A. and Neubauer, H. 2017. Isolation of *Brucella abortus* from a Dog and a Cat Confirms Their Biological Role in Re-Emergence and Dissemination of Bovine Brucellosis on Dairy Farm. *Transbound. Emerg. Dis.*, 64(5) : 27-30.
- Wojciech, P., Dorota, O., Monika, B.W., Paulina, I., Magdalena, J., Monika, G.C., Zbigniew, S. and Andrzej, K. 2019. Attachment efficiency of gold nanoparticles by Gram-positive and Gram-negative bacterial strains governed by surface charges. *J Nanopart Res.* Vol 21:186.
- WHO *et al.*, 2006. the World Health Organization in Collaboration with the Food and Agriculture Organization of the United Nations and World Organisation for Animal Health Brucellosis in Humans and Animals. P 18
- Wuryastuty H, Wasito R and Sugiyono, 2019. Molecular Identification of *Brucella abortus* Collected from Whole Blood Samples of Seronegative Dairy Cattle with Reproductive Disorders in Central Java, Indonesia. *Pak Vet J*, 39(3): 455-458.
- Xuan and Dai. 2014. Anodic Stipping Voltammetry of Arsenic (III) Using Gold Nanoparticle-Modified Electrode. *Anal. Chem.* Vol 76:5924-5929.
- Zhanfang, M. and Hongliang, H. 2007. One-step Synthesis of Cystein-Soated Gold Nanoparticles in Aqueous Solution. *Colloids and Surfaces A: Physicocheical Engineering Aspects* (317), 229-233.
- Zerva, L., Bourantas, K., Mitka, S., Kansouzidou, A. and Legakis, N.J. 2001. Serum is The Preferred Clinical Specimen for Diagnosis of Human Brucellosis by PCR. *Journal of Clinical Microbiology*. 39(4): 1661-1664.
- Zhi, Z.L., Fu, C.G., Guo, L.S. and Ru, Q.Y. 2002. Bacteria-modified Amperometric Immunosensor for *Brucella melitensis* Antibody Assay. *Analytical Sciences*. Vol.18 :625-627.