



DAFTAR PUSTAKA

- Afni, G. N. dan Tri, K. (2021). Penentuan Sesar Daerah Geothermal Non-Vulkanik Daerah Nyelanding dan Permis Bangka Selatan Berdasarkan Analisis Anomali Gravitasi. *Jurnal Riset Fisika Indonesia*. 2(2): 26–30.
- Agitha, Z., Agus, D. H. dan Yusi, F. (2022). Determinasi Zona Reservoir dengan Data Magnetotellurik di Zona Prospek Panas Bumi Telaga Ngebel, Jawa Timur. *Padjadjaran Geoscience Journal*. 6(2): 2597-4033.
- Andini, D., Piter, L. dan Adrianus, I. N. (2020). Identifikasi Kawasan Zona Panas Bumi (Geothermal) Di Daerah X Menggunakan Metode Magnetotellurik. *Jurnal Geosains Kutai Basin*. 3(1): 1–8.
- Arafat, Dwi, F. Y. dan Wiwid, J. (2020). Analisis Ketebalan Batuan Penudung Sistem Panas Bumi Non-Vulkanik Berdasarkan Metode Magnetotellurik. *Jurnal Mine Magazine*.1(2).
- Bailey, E. H., William, P. I. dan David, L. J. (1964). *Franciscan and Related Rocks, and Their Significance in The Geology of Western California*. California: US Geological Survey.
- Bailey, R. A. (2004). *Eruptive History and Chemical Evolution of the Precaldera and Postcaldera Basalt-Dacite Sequences, Long Valley, California: Implications for Magma Sources, Current Seismic Unrest, and Future Volcanism*. Virginia: U.S. Geological Survey Information Services.
- Battaglia, M., P., Segall dan C., Roberts. (2003). The mechanics of unrest at Long Valley caldera, California. 2. Constraining the nature of the source using geodetic and micro-gravity data. *Journal of Vulcanology and Geothermal Research*. 219-245.
- Berdichevsky, M. N. dan Dmitriev. (2008). *Models and Methods of Magnetotellurics*. Berlin: Springer.



- Budiraharjo, S., Widya, U., Dwa, D. W. dan Arif, D. (2017). Analisis Inversi 2D Metode Occam Untuk Memodelkan Resistivitas Bawah Permukaan Data Magnetotellurik. *Jurnal Geosaintek*.
- Cagniard, L. (1953). Basic Theory of The Magnetotelluric Method of Geophysical Prospecting. *Geophysics*. 18: 605-635.
- Caldwell, T. G., Hugh, M. B. dan Colin, B. (2004). The magnetotelluric phase tensor. *Geophysical Journal International*. 158(2): 457–469.
- DeCourten, F. (2009). *Geology of Northern California*. California: Department of Earth Science Sierra College.
- Elder, W. P. (2013). Bedrock geology of the San Francisco Bay Area: A local sediment source for bay and coastal systems. *Marine Geology*. 18-30.
- Farmer, G. L., Allen, F. G., Winifred, T. K., Michael, A. C., Craig, H. J., Jessica, E. M. dan Richard, A. S. (2013). Mantle Lithosphere as a Source of Postsubduction Magmatism, Northern Sierra Nevada, California. *Geosphere*. 9(5): 1102–1124.
- Flores, A. N. (2019). Geothermal Energy Exploration and Production. *Journal of Energy and Power Technology*.
- Fuis, G. S., Daniel, S. S., Victoria, E. L. dan Monica, D. K. (2012). A New Perspective on the Geometry of the San Andreas Fault in Southern California and Its Relationship to Lithospheric Structure. *Bulletin of the Seismological Society of America*. 102(1): 236–251.
- Graff, J. V., Christopher, J. P., Alan, J. G. K., Takenaka dan Bryant, P. (2018). Monitoring thermal springs to improve land management decision-making, Sierra Nevada, California. *Geological Society of America*. 24(2): 165–185.
- Grandis, Hendra. (2009). *Pengantar Pemodelan Inversi Geofisika*. Bandung: Institut Teknologi Bandung.
- Hamilton, W. (1969). Mesozoic California and the Underflow of Pacific Mantle. *Geological Society of America Bulletin*. 80: 2409-2430.



- Hildreth, W., Judy, F., Duane, C. dan Andrew, C. (2014). Mammoth Mountain and its mafic periphery— A late Quaternary volcanic field in eastern California. *Geosphere*. 10(6): 1315–1365.
- Huysken, K. T., T., A. Vogelb dan P., W. Layer. (2001). Tephra Sequences as Indicators of Magma Evolution: $^{40}\text{Ar}/^{39}\text{Ar}$ Ages and Geochemistry of Tephra Sequences in The Southwest Nevada Volcanic Field. *Journal of Volcanology and Geothermal Research*. 85-110.
- Iswahyudi, S., Muhamad, A. P., Huzaely, L. S. dan Maulana, R. A. (2019). Kontrol Struktur Geologi pada Kemunculan Mata Air Panas Bumi Daerah Subang, Jawa Barat. *Jurnal Geosaintek*. 5(3): 113-118.
- Jiracek, G. R. (1990). Near-Surface and Topographic Distortions in Electromagnetic Induction. *Surveys in Geophysics*. 11: 163-203.
- Krieger, L. dan Jared, R. P. (2014). MTpy: A Python toolbox for magnetotellurics. *Computers and Geosciences*. 72: 167–175.
- Kuhn, C., Jonas, K. dan Heinrich, B. (2014). Three-dimensional inversion of magnetotelluric data from the Central Andean continental margin. *Springer*. 1-13.
- Lee, J., Daniel, F. S. dan Ann, E. B. (2023). Cenozoic Slip Along The Southern Sierra Nevada Normal Fault, California (USA): A Long-Lived Stable Western Boundary of The Basin and Range. *Geosphere*. 19(3): 878-899.
- Lestari, W., A., Widodo, D., D. Warnana, R., S. Rivensky, R., Z. Ilmawan dan T., A. Adausy. (2023). Determination of Geoelectrical Strike To Investigate The Geological Structures In Surabaya And Gresik Areas. *IOP Conference Series: Earth and Environmental Science*. 1127(1): 012018.
- Lewis, M. J., Juliet, R. R. D. dan Claire, E. B. (2023). Mafic intrusions record mantle inputs and crustal thickness in the eastern Sierra Nevada batholith, California, USA. *Geological Society of America*.



- Lindsey, N. J. dan Gregory, A. N. (2015). Improved workflow for 3D inverse modeling of magnetotelluric data: Examples from five geothermal systems. *Geothermics*. 53: 527–532.
- Martí, A., P., Queralt dan J., Ledo. (2009). WALDIM: A code for the dimensionality analysis of magnetotelluric data using the rotational invariants of the magnetotelluric tensor. *Computers and Geosciences*. 35(12): 2295–2303.
- Matsushima, N., Mitsuru, U., Shinichi, T., Tadashi, Y., Maki, H., Takeshi, H. dan Makoto, U. (2020). Magmatic–hydrothermal system of Aso Volcano, Japan, inferred from electrical resistivity structures. *Planets and Space*. 1-20.
- Maulana, Y., Agus, D. H., Ismawan dan Dedi, K. (2019). Penentuan Tipe Fluida serta Tingkat Permeabilitas Sistem Panas Bumi Daerah Tinigi, Toli-Toli, Sulawesi Tengah. *Padjadjaran Geoscience Journal*. 3(6): 459–464.
- Meldahl, K. H. (2011). *A Geologic Journey from California to the Rocky Mountains*. Berkeley, Los Angeles, London: University of California Press.
- Mendoza Y. (2016). High-Grade burial Metamorphism of Sedimentary Melange, Shoo Fly Complex, Central Sierra Nevada, California. *Thesis*. Department Science in geology, California State University.
- Meqbel, N. M., Gary, D. E., Philip, E. W., Anna, K. dan Adam, S. (2013). Deep electrical resistivity structure of the northwestern U.S. derived from 3-D inversion of USArray magnetotelluric data. *Earth and Planetary Science Letters*. 290–304.
- Merguerian C. (1985). Stratigraphy, Structural Geology, and Tectonic Implications of The Shoo Fly Complex and The Calaveras-Shoo Fly Thrust, Central Sierra Nevada, California. *Dissertation*. Department of Philosophy, Colombia University.
- Mohr, M. (2014). *Geothermal Power in the Long Valley Caldera and Beyond, Policies, Procedures, and Problems*. US: Sierra Nevada Field Course.



- Murdani, M., Sarkowi, Deni, S. dan Arif, D. (2012). Pemodelan 2 Dimensi Data Magnetotellurik Daerah Prospek Panas Bumi Lapangan. *Jurnal Geofisika Eksplorasi*. 3(1).
- Mustika, A. I., Galih, B. P., Muhammad, G. J. S., Rony, P. N., Aulia, R. P., Eko, H. P. dan Havidh, N. (2023). Discovering The Potential of Unconventional Geothermal Systems in Indonesia. *Workshop on Geothermal Reservoir Engineering*. 1–11.
- Niasari, S. W. 2015. Magnetotelluric investigation of the Sipoholon geothermal field, Indonesia. *Dissertation*. Department of Earth Sciences, Freie Universität Berlin.
- Niasari, S. W., Gerard, M., Muhammad, K., Edi, S. dan Oliver, R. (2015). 3D Inversion of Magnetotelluric Data from the Sipoholon Geothermal Field, Sumatra, Indonesia. *World Geothermal Congress 2015*. 1–5.
- Nukman, M., dan Moeck, I. (2013). Structural controls on a geothermal system in the Tarutung Basin, north central Sumatra. *Journal of Asian Earth Sciences*. 74(1-2): 86–96.
- Obrebski, Richard, M. A., Fred, P. dan S., H. Hung. (2011). Lithosphere-asthenosphere interaction beneath the western United States from the joint inversion of body-wave traveltimes and surface-wave phase velocities. *Geophysical Journal International*. 185(2): 1003–1021.
- Ostos L. dan Stephen, K. P. (2012). Foundering lithosphere imaged with magnetotelluric data beneath Yosemite National Park, California. *Geosphere*. 8(1): 98–104.
- Perouse, E. dan Brian, P. W. (2017). Spatiotemporal evolution of fault slip rates in deforming continents: The case of the Great Basin region, northern Basin and Range province. *Geosphere*. 13(1): 1-24.
- Polii, J., dan Alfrie R., M. (2020). Analisa Geokimia Fluida Manifestasi Permukaan di Daerah Panas Bumi Lahendong. *Journal of Chemistry*. 5(1): 45-48.



- Rais, A., Heindrich, T. dan Jeferson, P. (2021). Analisa Tipe Fluida Manifestasi Panasbumi Menggunakan Diagram Trilinier Cl-So₄-HCO₃ Di Desa Bakan Kecamatan Lolayan Kabupaten Bolaang Mongondow. *Jurnal Fista: Fisika Dan Terapan*. 2(2): 76–81.
- Ramdhani, F., Agus, S., Imam, B. R. dan Lendriadi, A. (2017). Pemodelan 2 Dimensi Data Magnetotellurik Berdasarkan Analisis Phase Tensor dalam Penentuan Geoelectrical Strike dan Dimensionalitas Data di Lapangan Panas Bumi "X." *Youngster Physics Journal*. 6(3): 205–212.
- Richardson, R. dan George, Z. (2003). *Inverse Problems In Geophysics* 567. Department of Geosciences University of Arizona Tucson: Academic Press.
- Rodi, W. L. dan Mackie (2001) Nonlinear Conjugate Gradients Algorithm for 2-D Magnetotelluric Inversion. *Geophysics*. 66: 174-187.
- Saibi, H., Sadieh, K., Biruk, A. C., Maxim, S., Yosef, K. dan Abdel, R. F. (2021). Magnetotelluric data analysis using 2D inversion: A case study from Al-Mubazzarah Geothermal Area (AMGA), Al-Ain, United Arab Emirates. *Heliyon*.1-10.
- Salam, R. A., Udi, H. dan Tony, Y. (2017). Pemodelan 2D Sistem Panas Bumi Daerah Garut Bagian Timur Menggunakan Metode Magnetotellurik. *Youngster Physics Journal*. 6(2): 143- 150.
- Saleeby, J., Z., Saleeby dan L., Le Pourhiet. (2013). Epeirogenic Transients Related to Mantle Lithosphere Removal in The Southern Sierra Nevada Region, California: Part II. Implications of Rock Uplift and Basin Subsidence Relations. *Geosphere*. 9(3): 394–425.
- Santosa, J. S. dan Wachisbu, M. I. M. (2015). Pemodelan Data Magnetotellurik dengan Remote Reference untuk Eksplorasi Cekungan Migas Studi Kasus: Lapangan Em-4 Muhammad. *Jurnal Sains Dan Seni ITS*. 4(1): 17–20.
- Schulz, S. S. dan Wallace, R. E., 1990, The San Andreas Fault System, California, U.S. *Geological Survey Professional Paper*. 1515: 61–82.



- Schweickert, R. A., M., M. Lahrena, K., D. Smith, J., F. Howlea dan G. Ichinose. (1977). Transtensional deformation in the Lake Tahoe region, California and Nevada, USA. *Tectonophysics*. 392(1–4): 303–323.
- Simpson, F. dan Kartsen, B. (2005). *Practical magnetotellurics. Practical Magnetotellurics*. United Kingdom Cambridge: University Press.
- Suroso, E., Helvi, Y., Yul, M., Abdul, M., Indah, L. dan Alimmudin. (2020). Peningkatan Pengetahuan Dan Persepsi Masyarakat Terhadap Potensi Panas Bumi Di Kecamatan Way Tenong Lampung Barat. *Jurnal Masyarakat Mandiri*. 4(2): 1–6.
- Syafitri, S. dan Ardian, P. (2018). Penentuan Zona Caprock di Sekitar Gunung Talang Menggunakan Metode Resistivitas Konfigurasi Wenner. *Jurnal Fisika Unand*. 7(3): 253–259.
- Telford, W. M., P., Geldart dan R., E. Sheriff. (1990). *Applied Geophysics (Second Edition)*. Cambridge University Press.
- Thiel S., G., Heinson., D., R. Gray dan R., T. Gregory. (2009) Ophiolite emplacement in NE Oman: constraints from magnetotelluric sounding. *Geophys J Int*. 176: 753–766.
- Triana, Tony, Y., Udi, Harmoko dan Iqbal, T. (2019). Identification of "WS" Field Geothermal System by Analyzing TE, TM, and TE-TM mode of 2D Magnetotelluric Inversion Models. *Journal of Physics and Its Applications*. 1(2): 41-46.
- Umar, E. P. dan Jamaluddin. (2018). Karakteristik Endapan Sinter Travertin Panas Bumi Barasanga Kabupaten Konawe Utara, Sulawesi Tenggara. *Jurnal Geocelebes*. 2(2): 64.
- USGS. (2017). *Geologic Map of California*. Amerika Serikat: U. S. Geological Survey.
- Varllsüha, D. (2020). 3D inversion of magnetotelluric data by using a hybrid forward-modeling approach and mesh decoupling. *Geophysics*. 85(5): E191–E205.



- Vozoff, K. (1991). The Magnetotelluric Method. In M. N. Nabighian (Ed.), *Electromagnetic Methods in Applied Geophysics. Journal of Geoscience and Environment Protection*. 22: 1943-1961.
- Wang, J. dan Chun, F. L. (2015). Crustal magmatism and lithospheric geothermal state of western North America and their implications for a magnetic mantle. *Tectonophysics*. 638(1): 112–125.
- Wibowo, M. G. A. (2013). Pendekatan Inversi 1D Untuk Mengurangi Efek Galvanic Pada Model 2D Magnetotellurik Daerah Panasbumi Danau Ranau. *Jurnal Geofisika Eksplorasi*.
- Yeomnas, C. M. (2010). *Geothermal implications of the Mourne Mountains: constraints from magnetotelluric modelling*. University of Birmingham: School of Geography, Earth & Environmental Sciences.
- Zukir, M. (2019). Pemodelan 2-D Metode Magnetotellurik Dengan Mengaplikasikan Algoritma Biconjugate Gradient Stabilized. *Jurnal Industri Elektro dan Penerbangan*. 8(2).