

## BAB VII

### DAFTAR PUSTAKA

- Abedin, M. Z., Karim, A. A., Ahmed, F., Latiff, A. A., Gan, C. Y., Che Ghazali, F., & Islam Sarker, M. Z. 2013. Isolation and characterization of pepsin-solubilized collagen from the integument of sea cucumber (*Stichopus vastus*). *Journal of the Science of Food and Agriculture*, 93(5), 1083-1088.
- Abubakar, M. B., Sanusi, K. O., Ugasman, A., Mohamed, W., Kamal, H., Ibrahim, N. H., & Kumar, J. 2022. Alzheimer's Disease: An Update and Insights Into Pathophysiology. *Frontiers in Aging Neuroscience*, 14.
- Acikara, Ö. B. 2013. Ion-exchange chromatography and its applications. *Column chromatography*, 10, 55744.
- Agu, P.C., Afiukwa, C.A., Orji, O.U., Ezeh, E.M., Ofoke, I.H., Ogbu, C.O., Ugwuja, E.I. and Aja, P.M., 2023. Molecular docking as a tool for the discovery of molecular targets of nutraceuticals in diseases management. *Scientific Reports*, 13(1), p.13398.
- Ahmed, Q., Thandar, A. S., & Ali, Q. M. 2020. *Holothuria* (*Lessonothuria*) *insignis* Ludwig, 1875 (formally resurrected from synonymy of *H. pardalis* Selenka, 1867) and *Holothuria* (*Lessonothuria*) *lineata* Ludwig, 1875—new additions to the sea cucumber fauna of Pakistan, with a key to the subgenus *Lessonothuria* Deichmann (Echinodermata: *Holothuroidea*). *Zootaxa*, 4767(2), 307-318.

- Akbarian, M., Khani, A., Eghbalpour, S., & Uversky, V. N. 2022. Bioactive Peptides: Synthesis, Sources, Applications, and Proposed Mechanisms of Action. *International Journal of Molecular Sciences*, 23(3), 1445.
- Altamirano, C. V., & Lockridge, O. 1999. Association of tetramers of human butyrylcholinesterase is mediated by conserved aromatic residues of the carboxy terminus. *Chemico-biological interactions*, 119, 53-60.
- Arundina, I., Soesilawati, P., Damaiyanti, D. W., & Maharani, D. 2015. The effects of golden sea cucumber extract (*Stichopus hermannii*) on the number of lymphocytes during the healing process of traumatic ulcer on wistar rat's oral mucous. *Dental Journal (Majalah Kedokteran Gigi)*, 48(2), 100-103.
- Asen, N. D., Okagu, O. D., Udenigwe, C. C., & Aluko, R. E. 2023. Butyrylcholinesterase inhibitory activity of peptides identified from yellow field pea (*Pisum sativum*) enzymatic protein hydrolysates. *Journal of Functional Foods*, 106, 105590.
- Baranowska, M., Schloßmacher, U., McKenzie, J.D., Müller, W.E. and Schröder, H.C., 2011. Isolation and characterization of adhesive secretion from cuvierian tubules of sea cucumber *Holothuria forskåli* (Echinodermata: Holothuroidea). *Evidence-Based Complementary and Alternative Medicine*, 2011.
- Belinskaya, T., Tipparaju, P., Lockridge, O., & Saxena, A. 2020. Proline 285 is integral for the reactivation of organophosphate-inhibited human

butyrylcholinesterase by 2-PAM. *Chemico-Biological Interactions*, 324, 109092.

Biberoglu, K., Tacal, O., Schopfer, L. M., & Lockridge, O. 2020. Chlorpyrifos oxon-induced isopeptide bond formation in human butyrylcholinesterase. *Molecules*, 25(3), 533.

Bordbar, S., Anwar, F., & Saari, N. 2011. High-value components and bioactives from sea cucumbers for functional foods—a review. *Marine drugs*, 9(10), 1761-1805.

Boyko, K. M., Baymukhametov, T. N., Chesnokov, Y. M., Hons, M., Lushchekina, S. V., Konarev, P. V., & Kovalchuk, M. V. 2019. 3D structure of the natural tetrameric form of human butyrylcholinesterase as revealed by cryoEM, SAXS and MD. *Biochimie*, 156, 196-205.

Casey, D. A., Antimisiaris, D., & O'Brien, J. 2010. Drugs for Alzheimer's disease: are they effective?. *Pharmacy and Therapeutics*, 35(4), 208.

Grönberg, A. 2018. Ion exchange chromatography. In *Biopharmaceutical Processing* (pp. 379-399). Elsevier.

Khandhar, P. B. 2021. **Physiology, acetylcholinesterase**. In *StatPearls [Internet]*. StatPearls Publishing.

Kufareva, I. and Abagyan, R., 2012. Methods of protein structure comparison. *Homology Modeling: Methods and Protocols*, pp.231-257.

Li, P.H., Lu, W.C., Chan, Y.J., Ko, W.C., Jung, C.C., Le Huynh, D.T. and Ji, Y.X., 2020. Extraction and characterization of collagen from sea cucumber

(*Holothuria cinerascens*) and its potential application in moisturizing cosmetics. *Aquaculture*, 515, p.734590.

Ma, E. H., Rathnayake, A. U., Lee, J. K., Lee, S. M., & Byun, H. G. 2021. Characterization of  $\beta$ -secretase inhibitory extracts from sea cucumber (*Stichopus japonicus*) hydrolysis with their cellular level mechanism in SH-SY5Y cells. *European Food Research and Technology*, 247(8), 2039-2052.

Manuputty, G. D., Pattinasarany, M. M., Limmon, G. V., & Luturmas, A. 2019. Diversity and abundance of sea cucumber (Holothuroidea) in seagrass ecosystem at Suli Village, Maluku, Indonesia. In *IOP Conference Series: Earth and Environmental Science* (Vol. 339, No. 1, p. 012032). IOP Publishing.

Masre, S. F., Yip, G. W., Sirajudeen, K. N. S., & Ghazali, F. C. 2010. Wound healing activity of total sulfated glycosaminoglycan (GAG) from *Stichopus vastus* and *Stichopus hermanni* integumental tissue in rats. *International Journal of Molecular Medicine and Advance Sciences*, 6(4), 49-53.

Masson, P., Froment, M.T., Bartels, C.F. and Lockridge, O., 1996. Asp70 in the peripheral anionic site of human butyrylcholinesterase. *European Journal of Biochemistry*, 235(1-2), pp.36-48.

Mehta, D., Jackson, R., Paul, G., Shi, J., & Sabbagh, M. 2017. Why do trials for Alzheimer's disease drugs keep failing? A discontinued drug perspective for 2010-2015. *Expert opinion on investigational drugs*, 26(6), 735-739.

- Meyer, J. C., Harirari, P., & Schellack, N. 2016. Overview of Alzheimer's disease and its management. *SA Pharmaceutical Journal*, 83(9), 48-56.
- Moodie, L. W., Sepčić, K., Turk, T., Frangež, R., & Svenson, J. 2019. Natural cholinesterase inhibitors from marine organisms. *Natural product reports*, 36(8), 1053-1092.
- Müller, T. 2007. Rivastigmine in the treatment of patients with Alzheimer's disease. *Neuropsychiatric Disease and Treatment*, 3(2), 211-218.
- Nair, H., & Clarke, W. (Eds.). 2016. **Mass spectrometry for the clinical laboratory**. Academic Press.
- Oedjoe, M. D. R. 2017. Composition of nutritional content of sea cucumbers (Holothuroidea) in mania waters, Sabu Raijua Regency, East Nusa Tenggara. *Journal of Aquaculture Research & Development*, 8(7), 1000502.
- Ómarsdóttir, S., Wang, X., Liu, H. B., Duggan, B. M., & Molinski, T. F. 2018. Lepadins I–K, 3-O-(3'-methylthio) acryloyloxy-decahydroquinoline esters from a Bahamian ascidian *Didemnum* sp. Assignment of absolute stereostructures. *The Journal of organic chemistry*, 83(22), 13670-13677.
- Pantsar, T., & Poso, A. 2018. Binding affinity via docking: fact and fiction. *Molecules*, 23(8), 1899.
- Patar, A., Jamalullail, S. M. S. S., Jaafar, H., & Abdullah, J. M. 2012. The effect of water extract of sea cucumber *Stichopus variegatus* on rat spinal astrocytes cell lines. *Current Neurobiology*, 3(1), 11-16.

- Pavlicevic, M., Maestri, E., & Marmioli, M. 2020. Marine bioactive peptides—an overview of generation, structure and application with a focus on food sources. *Marine drugs*, 18(8), 424.
- Pollard, T. D., Earnshaw, W. C., Lippincott-Schwartz, J., & Johnson, G. 2016. **Cell Biology E-Book**. Elsevier Health Sciences.
- Prasasty, V., Radifar, M., & Istyastono, E. 2018. Natural peptides in drug discovery targeting acetylcholinesterase. *Molecules*, 23(9), 2344.
- Roy, K., Kar, S., & Das, R. N. 2015. **Understanding the basics of QSAR for applications in pharmaceutical sciences and risk assessment**. Academic press. California
- Sámamo, A. C., & Ledesma, B. 2015. Release of antioxidant peptides from the body wall proteins of the sea cucumber *Isostichopus fuscus*. *Natural Product Communications*, 10(8), 1934578X1501000829.
- Santarpia, L., Grandone, I., Contaldo, F. and Pasanisi, F., 2013. Butyrylcholinesterase as a prognostic marker: a review of the literature. *Journal of cachexia, sarcopenia and muscle*, 4, pp.31-39.
- Schägger, H. (2006). Tricine–sds-page. *Nature protocols*, 1(1), 16-22.
- Senadheera, T. R., Hossain, A., Dave, D., & Shahidi, F. 2023. Functional and physiochemical properties of protein isolates from different body parts of North Atlantic sea cucumber (*Cucumaria frondosa*). *Food Bioscience*, 52, 102511.

- Siddiq, A. M., Atmowidi, T., & Qayim, I. 2016. The diversity and distribution of Holothuroidea in shallow waters of Baluran National Park, Indonesia. *Biodiversitas Journal of Biological Diversity*, 17(1).
- Sigma-Aldrich. 2022. **Acetylcholinesterase Activity Assay Kit**. <https://www.sigmaaldrich.com/deepweb/assets/sigmaaldrich/product/documents/130/634/mak119bul.pdf>. Diakses 11 Desember 2022.
- Singh, R., & Sadiq, N. M. 2022. **Cholinesterase inhibitors**. In *StatPearls [Internet]*. StatPearls Publishing.
- Singh, A.K. 2016. Chapter 2—Structure, Synthesis, and Application of Nanoparticles. *Engineered Nanoparticles*, 19-76. <https://doi.org/10.1016/B978-0-12-801406-6.00002-9>.
- Suwansa-Ard, S., Chaiyamon, A., Talarovicova, A., Tinikul, R., Tinikul, Y., Poomtong, T., & Sobhon, P. 2018. Transcriptomic discovery and comparative analysis of neuropeptide precursors in sea cucumbers (Holothuroidea). *Peptides*, 99, 231-240.
- Thomas, S., Shanks, R., & Chandran, S. (Eds.). 2015. **Design and applications of nanostructured polymer blends and nanocomposite systems**. William Andrew. New York.
- Walmsley, S. J., Rudnick, P. A., Liang, Y., Dong, Q., Stein, S. E., & Nesvizhskii, A. I. 2013. Comprehensive analysis of protein digestion using six trypsins reveals the origin of trypsin as a significant source of variability in proteomics. *Journal of proteome research*, 12(12), 5666-5680.

- Wang, H., Zhong, H., Gao, C., Zang, J., & Yang, D. 2021. The distinct properties of the consecutive disordered regions inside or outside protein domains and their functional significance. *International Journal of Molecular Sciences*, 22(19), 10677.
- Wang, Y., Tian, M., Chang, Y., Xue, C. and Li, Z., 2020. Investigation of structural proteins in sea cucumber (*Apostichopus japonicus*) body wall. *Scientific Reports*, 10(1), p.18744.
- Wei, W., Fan, X. M., Jia, S. H., Zhang, X. P., Zhang, Z., Zhang, X. J., & Zhang, Y. W. 2021. Sea cucumber intestinal peptide induces the apoptosis of MCF-7 cells by inhibiting PI3K/AKT pathway. *Frontiers in nutrition*, 1012.
- Williams, A., & Frasca, V. 1998. Ion-exchange chromatography. *Current protocols in molecular biology*, 44(1), 10-10.
- Woo, S. P., Yasin, Z., Tan, S. H., Kajihara, H., & Fujita, T. 2015. Sea cucumbers of the genus *Stichopus* Brandt, 1835 (Holothuroidea, Stichopodidae) in Straits of Malacca with description of a new species. *ZooKeys*, (545), 1.
- WoRMS. 2024. *Holothuria pardalis* Selenka, 1867. <https://www.marinespecies.org/aphia.php?p=taxdetails&id=732374>.  
Diakses 9 Januari 2024.
- Xu, X., Liang, R., Li, D., Jiang, C., & Lin, S. 2020. Evaluation of sea cucumber peptides-assisted memory activity and acetylation modification in hippocampus of test mice based on scopolamine-induced experimental animal model of memory disorder. *Journal of Functional Foods*, 68, 103909.

- Yang, Y. H., Aloysius, H., Inoyama, D., Chen, Y., & Hu, L. Q. 2011. Enzyme-mediated hydrolytic activation of prodrugs. *Acta Pharmaceutica Sinica B*, 1(3), 143-159.
- Yiannopoulou, K. G., & Papageorgiou, S. G. 2020. Current and future treatments in Alzheimer disease: an update. *Journal of central nervous system disease*, 12, 1179573520907397.
- Yunita, N., Amalia, A., Ponkiyawati, F. A., Janah, L. N., Khasanah, L. U., Gavintri, M. B., ... & Epilurahman, R. 2022. Diversity of holothuroidea by spicule type in the intertidal zone of Sepanjang Beach, Gunungkidul, Yogyakarta. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1036, No. 1, p. 012053). IOP Publishing.
- Zaky, A. A., Simal-Gandara, J., Eun, J. B., Shim, J. H., & Abd El-Aty, A. M. 2021. Bioactivities, applications, safety, and health benefits of bioactive peptides from food and by-products: a review. *Frontiers in Nutrition*, 8.