



DAFTAR PUSTAKA

- Adhi, D. (2007). *Ilmu Penyakit Kulit dan Kelamin*. Balai Penerbit FKUI.
- Aditya, M., & Ariyanti, P. R. (2016). Manfaat Gambir (*Uncaria gambir Roxb.*) sebagai Antioksidan. *Majority*, 5(3), 129–133.
- American Academy of Dermatology. (2019). *Sunscreen FAQ*. American Academy of Dermatology.
- Amorati, R., & Valgimigli, L. (2018). Methods to Measure the Antioxidant Activity of Phytochemicals and Plant Extracts. *Journal of Agricultural and Food Chemistry*, 66(13), 3324–3329.
- Anggraini, T., Tai, A., Yoshino, T., & Itani, T. (2011). Antioxidative activity and catechin content of four kinds of *Uncaria gambir* extracts from West Sumatra, Indonesia. *African Journal of Biochemistry Research*, 5(1), 33–38.
- Anjani, I. (2017). *Karakteristik Morfologi Tanaman Nyamplung (*Calophyllum inophyllum linn.*) di Purworejo [Skripsi]*. Universitas Sebelas Maret Fakultas Pertanian.
- Annaura, S., Yogik Ferdianiko, I., Faisal Amin, A., Rahmayanti, M., Lestari, R. I., & Salsabila, D. F. (2022). Formulation of Gambir Extract Nanoemulgel with Maggot Oil as Oil Phase. *Akta Kimia Indonesia*, 7(2), 107.
- Arumsari, A. G. (2021). Analysis of Catechins in Gambir West Sumatra. *ARRUS Journal of Engineering and Technology*, 1(2).
- Badan Pusat Statistik. (2010). *Statistik Perdagangan Luar Negeri Ekspor*. Badan Pusat Statistik.
- Badan Standarisasi Nasional Indonesia. (2000). *SNI 01-3391-2000: Gambir*.
- Baliyan, S., Mukherjee, R., Priyadarshini, A., Vibhuti, A., Gupta, A., Pandey, R. P., & Chang, C. M. (2022). Determination of Antioxidants by DPPH Radical Scavenging Activity and Quantitative Phytochemical Analysis of *Ficus religiosa*. *Molecules*, 27, 1326–19.
- Cassien, M., Mercier, A., Thétiot-Laurent, S., Culcasi, M., Ricquebourg, E., Asteian, A., Herbette, G., Bianchini, J. P., Raharivelomanana, P., & Pietri, S. (2021). Improving the antioxidant properties of *calophyllum inophyllum* seed oil from french polynesia: Development and biological applications of resinous ethanol-soluble extracts. *Antioxidants*, 10(2), 1–23.
- Centers for Disease Control and Prevention. (2013, April 18). *Sun Safety*.
- COLIPA. (2006). *COLIPA Guidelines: International Sun Protection Factor Test Method*.



Coqwallon. (2018, December 6). *Gambier (Uncaria gambir)*. INaturalist.

Salvadi, H., Patel, N., & Parmar, K. (2017). Systematic development of design of experiments (DoE) optimised self-microemulsifying drug delivery system of Zotepine. *Journal of Microencapsulation*, 34(3), 308–318.

Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. In *Pharmaceutics* (Vol. 10, Issue 2). MDPI AG.

Date, A. A., Desai, N., Dixit, R., & Nagarsenker, M. (2010). Self-nanoemulsifying drug delivery systems: Formulation insights, applications and advances. *Nanomedicine*, 5(10), 1595–1616.

Diffey, B. (2019). Sunscreens: expectation and realization Conflicts of interest. *Photodermatology, Photoimmunology, & Photomedicine*, 25, 233–236.

Dipahayu, D., & Kusumo, G. G. (2021). Formulasi dan Evaluasi Nano Partikel Ekstrak Etanol Daun Ubi Jalar Ungu (*Ipomoea batatas L.*) Varietas Antin-3. *Jurnal Sains Dan Kesehatan*, 3(6), 781–785.

D'Orazio, J., Jarrett, S., Amaro-Ortiz, A., & Scott, T. (2013). UV radiation and the skin. *International Journal of Molecular Sciences*, 14(6), 12222–12248.

Ekowati, D. (2013). *OPTIMASI KOMPOSISI EMULGATOR KRIM MINYAK BIJI NYAMPLUNG (Calophyllum inophyllum L.) SEBAGAI SUNSCREEN dan ANTIOKSIDAN DENGAN METODE SIMPLEX LATTICE DESIGN*. Universitas Gadjah Mada.

Fauzy, A. (2012). *Pengaruh konsentrasi minyak ikan terhadap penetrasi kurkumin dalam sediaan mikroemulsi gel [Skripsi]*. Universitas Indonesia.

Fink, J. (2020). *HYDRAULIC FRACTURING CHEMICALS AND FLUIDS TECHNOLOGY* (K. Hamon & D. McLean, Eds.; 2nd ed.). Joe Hayton.

Firdausni, F., & Kamsina, K. (2018). Pengaruh Pemakaian Jahe Emprit dan Jahe Merah Terhadap Karakteristik Fisik, Total fenol, dan Kandungan Gingerol, Shogaol Ting-ting Jahe (*Zingiber officinale*). *Jurnal Litbang Industri*, 8(2), 61–66.

Gunawan, Y., Pangkahila, A., & Darwinata, A. E. (2021). Topical administration of Tamanu Oil (*Calophyllum inophyllum*) inhibited the increase of matrix metalloproteinase-1 (MMP-1) expressions and decrease of collagen dermis amount in male wistar rats exposed to ultraviolet B. *Neurologico Spinale Medico Chirurgico*, 4(3), 114–118.



Handayani, I. A., Purba, A. V., & Rahmat, D. (2020). Nilai Antioksidan dan SPF dari Kombinasi Minyak Biji Nyamplung (*Calophyllum inophyllum L*) dan Minyak Kelapa Sawit (*Elaeis guineensis*). *Majalah Farmaseutik*, 16(2), 176.

Hartanto, H. (2018). UJI AKTIVITAS ANTIOKSIDAN DENGAN METODE DPPH EKSTRAK DAUN KATUK (*Sauvopus androgynus* (L.) Merr) SERTA UJI STABILITAS PENGARUH KONSENTRASI EMULGATOR ASAM STEARAT DAN TRIETANOLAMIN TERHADAP FORMULASI KRIM ANTIOXIDANT ACTIVITIES TEST WITH DPPH METHOD KATUK LEAVES EXTRACT (*Sauvopus androgynus* (L.) Merr) AND STABILITY TEST EFFECT OF EMULSIFIER CONCENTRATION STEARIC ACID AND TRIETHANOLAMINE ON CREAM FORMULATION. *Indonesia Natural Research Pharmaceutical Journal*, 3(1), 2502–8421.

Haryanto, S. (2009). *Ensiklopedia Tanaman Obat Indonesia*. Palmal.

Heckman, C. J., Chandler, R., Kloss, J. D., Benson, A., Rooney, D., Munshi, T., Darlow, S. D., Perlis, C., Manne, S. L., & Oslin, D. W. (2013). Minimal Erythema Dose (MED) testing. *Journal of Visualized Experiments : JoVE*, 75,

Hendradi, E., Purwanti, T., & Suryanto, A. A. (2012). KARAKTERISASI SEDIAAN DAN UJI PELEPASAN NATRIUM DIKLOFENAK DENGAN SISTEM MIKROEMULSI DALAM BASIS GEL HPC-M. *PharmaScientia*, 1(2), 12–20.

Ida, O., Usman, A., & Leila, E. (2023). Sun Protection: A Comprehensive 2022 Dermatologic Review. *Journal of Family Medicine and Disease Prevention*, 9(1), 154.

Indis, N. A., & Kurniawan, F. (2016). Determination of free radical scavenging activity from aqueous extract of Curcuma mangga by DPPH method. *Journal of Physics: Conference Series*, 710(1).

Jafar G, Muhsinin S, & Hayatunnufus A. (2017). FORMULASI DAN EVALUASI MIKROEMULGEL DARI EKSTRAK DAUN SIRSAK (*Annona muricata L.*). *Jurnal Farmasi Udayana*, 6(2), 6–14.

Jesus, A., Mota, S., Torres, A., Cruz, M. T., Sousa, E., Almeida, I. F., & Cidade, H. (2023). Antioxidants in Sunscreens: Which and What For? *Antioxidants*, 12(1).

Kalangi, S. J. R. (2013). HISTOFISIOLOGI KULIT. *Jurnal Biomedik*, 12–20.

Kamal, S., Febriyenti, Zaini, E., & Hamidi, D. (2022). DETERMINATION OF THE STABILITY OF CATECHIN FROM GAMBIR (*UNCARIA GAMBIR* (HUNTER) ROXB) THROUGH SOLUBILIZATION MECHANISM. *International Journal of Applied Pharmaceutics*, 14(Special Issue 1), 1–3.



Kementrian Koordinator Bidang Perekonomian. (2021, June 25). *Komoditas Gambir Indonesia Unggul di Mancanegara*.

Khotimah, H., Agustina, R., & Ardana, M. (2018). Pengaruh Lama Penyimpanan Terhadap Aktivitas Antioksidan Ekstrak Daun Miana (*Coleus atropurpureus* L. Benth). *Proceeding of Mulawarman Pharmaceuticals Conferences*, 8, 1–7.

Korać, R. R., & Khambholja, K. M. (2011). Potential of herbs in skin protection from ultraviolet radiation. In *Pharmacognosy Reviews* (Vol. 5, Issue 10, pp. 164–173).

Kumar, S., & Pandey, A. K. (2013). Chemistry and biological activities of flavonoids: An overview. *The Scientific World Journal*, 2013.

Leksono, B., Hendrati, R., Windyarini, E., & Hasnah, T. (2013). Coumarins Content of Seed and Crude Oil of Nyamplung (Calophyllum Inophyllum) From Forest Stands In Indonesia. *International Seminar "Forest & Medicinal Plants for Better Human Welfare*, 114–115.

Liu, D., Liu, R., Zhuang, Z., Yao, B., Qin, C., Ma, F., & Shi, J. (2023). Preparation of Self-microemulsion Solids of Kaempferia galanga (L.) Volatile Oil and Its Effect on Rats with Gastric Ulcer. *AAPS PharmSciTech*, 24(8), 243.

Malik, M. A., Wani, M. Y., & Hashim, M. A. (2012). Microemulsion method: A novel route to synthesize organic and inorganic nanomaterials. 1st Nano Update. In *Arabian Journal of Chemistry* (Vol. 5, Issue 4, pp. 397–417).

Manogaran, S., & Nimal, R. (2018). Antioxidant and Antibacterial Activities of Calophyllum inophyllum L.. *Asian Pacific Journal of Tropical Biomedicine*, 239–243.

McGlone, F., Wessberg, J., & Olausson, H. (2014). Discriminative and Affective Touch: Sensing and Feeling. In *Neuron* (Vol. 82, Issue 4, pp. 737–755). Cell Press.

Melia, S., Novia, D., & Juliayarsi, I. (2015). Antioxidant and antimicrobial activities of gambir (*Uncaria gambir Roxb.*) extracts and their application in rendang. *Pakistan Journal of Nutrition*, 14(12), 938–941.

Mescher, A. L. (2010). *Junquiera's Basic Histology Text & Atlas*. The McGraw-Hill Companies, Inc.

Mumtazah, Edlia, F., Salsabila, S., Lestari, E. S., Khoirul Rohmatin, A., Noviana Ismi, A., Aulia Rahmah, H., Mugiarto, D., Daryanto, I., Billah, M., Stefani Salim, O., Renaldi Damaris, A., Dwi Astra, A., Binti Zainudin, L., & Noorrizka Veronika Ahmad, G. (2020). PENGETAHUAN MENGENAI SUNSCREEN DAN BAHAYA PAPARAN SINAR MATAHARI SERTA PERILAKU



MAHASISWA TEKNIK SIPIL TERHADAP PENGGUNAAN SUNSCREEN. In *Jurnal Farmasi Komunitas* (Vol. 7, Issue 2).

- Munggari, I. P., Kurnia, D., Deawati, Y., & Julaeha, E. (2022). Current Research of Phytochemical, Medicinal and Non-Medicinal Uses of *Uncaria gambir Roxb.*: A Review. *Molecules*, 27(19).
- Musa, K. H., Abdullah, A., Kuswandi, B., & Hidayat, M. A. (2013). A novel high throughput method based on the DPPH dry reagent array for determination of antioxidant activity. *Food Chemistry*, 141(4), 4102–4106.
- Pane, Y., MacHrina, Y., Hasan, S., Lumongga, F., & Yunanda, Y. (2021). Natural product of gambier (*Uncaria gambier Roxb.*) extracts to counter against hepatotoxicity effects due to monosodium glutamate induction in male mice. *Journal of Advanced Pharmaceutical Technology and Research*, 12(1), 104–108.
- Petrou, A. L., Petrou, P. L., Ntanios, T., & Liapis, A. (2018). A possible role for singlet oxygen in the degradation of various antioxidants. A meta-analysis and review of literature data. *Antioxidants*, 7, 35.
- Pratama, A., & Zulkarnain, K. (2015). UJI SPF IN VITRO DAN SIFAT FISIK BEBERAPA PRODUK TABIR SURYA YANG BEREDAR DI PASARAN. *Tahun*, 11(1), 275–283.
- Pratiwi, A. R., Yusran, Islawati, & Artati. (2023). ANALISIS KADAR ANTIOKSIDAN PADA EKSTRAK DAUN BINAHONG HIJAU Anredera cordifolia (Ten.) Steenis. *BIOMA: Jurnal Biologi Makassar*, 8(2), 66–74.
- Proksch, E., Brandner, J. M., & Jensen, J. M. (2008). The skin: An indispensable barrier. *Experimental Dermatology*, 17(12), 1063–1072.
- Rai, N., Morales, L. O., & Aphalo, P. J. (2021). Perception of solar UV radiation by plants: photoreceptors and mechanisms. *Plant Physiology*, 186(3), 1382–1396.
- Rastogi, R. P., Richa, Kumar, A., Tyagi, M. B., & Sinha, R. P. (2010). Molecular mechanisms of ultraviolet radiation-induced DNA damage and repair. *Journal of Nucleic Acids*.
- Razali, R. N., & Ismail, N. I. (2023). Effects of surfactants on extra virgin coconut oil-in-water microemulsion formation and properties for topical application. *Materials Today: Proceedings*.
- Regina, O., Sudrajad, H., Syaflita, D., Fisika, P., & Riau, U. (2018). MEASUREMENT OF VISCOSITY USES AN ALTERNATIVE VISCOMETER PENGUKURAN VISKOSITAS MENGGUNAKAN VISKOMETER ALTERNATIF. *Jurnal Geliga Sains*, 6(2), 127–132.



Rejeki, S., Wahyuningsih, S., Farmasi, P., & Mulia, P. B. (2015). *FORMULASI GEL TABIR SURYA MINYAK NYAMPLUNG (TAMANU OIL) DAN UJI NILAI SPF SECARA IN VITRO*.

Rinnerthaler, M., Bischof, J., Streubel, M. K., Trost, A., & Richter, K. (2015). Oxidative stress in aging human skin. *Biomolecules*, 5(2), 545–589.

Romanovsky, A. A. (2014). Skin temperature: Its role in thermoregulation. *Acta Physiologica*, 210(3), 498–507.

Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients*. American Pharmaceutical Association.

Sabarni. (2015). Teknik Pembuatan Gambir (*Uncaria gambir Roxb*) Secara Tradisional. *Journal of Islamic Science and Technology*, 1(1).

Saechan, C., Kaewsrichan, J., Leelakanok, N., & Petchsomrit, A. (2021). Antioxidant in cosmeceutical products containing *Calophyllum inophyllum* oil. *OCL - Oilseeds and Fats, Crops and Lipids*, 28, 28.

Sampurno, Ketut, R., Niniek, S. A., Evie, L., Sidik, M., Suwidjio, P., & Isnaeni, K. (2007). *Acuan Sediaan Herbal Deputi Bidang Pengawasan Obat Tradisional, Kosmetik dan Produk Komplemen*. Badan POM RI.

Santoso, B., Pemanfaatan Ekstrak Gambir pada Pembuatan Permen Jelly Fungsional, dkk, Nurul Huda, D., & Aldila Din Pangawikan, dan. (2021). *PEMANFAATAN EKSTRAK GAMBIR (Uncaria gambir Roxb) PADA PEMBUATAN PERMEN JELLY FUNGSIONAL UTILIZATION OF GAMBIR EXTRACT IN MAKING FUNCTIONAL JELLY CANDY*.

Sari, D. E. M., Susiloringrum, D., Tinggi Ilmu Kesehatan Cendekia Utama Kudus Jl Lingkar Raya Kudus -Pati Km, S., & Kec Mejobo, J. (2022). *PENENTUAN NILAI SPF KRIM TABIR SURYA YANG MENGANDUNG EKSTRAK TEMU MANGGA (Curcuma mangga Valeton & Zijp) DAN TITANIUM DIOKSIDA*. 6(1).

Sarwono, E., Erzha, N., & Nining Widarti, B. (2017). PENGOLAHAN BIODIESEL DARI BIJI NYAMPLUNG (*CALOPHYLLUM INOPHYLLUM* L) MENGGUNAKAN KATALIS KOH. *Prosiding Seminar Nasional Teknologi IV*.

Sayre, R. M., Agin, P. P., Levee, G. J., & Maruiwe, E. (1979). *A COMPARISON OF IN VIVO AND IN VITRO TESTING OF SUNSCREENING FORMULAS* (Vol. 29).

Shahidi, F. (2015). Antioxidants: Principles and applications. In *Handbook of Antioxidants for Food Preservation* (pp. 1–14). Elsevier Inc.



- Shanbhag, S., Nayak, A., Narayan, R., & Nayak, U. Y. (2019). Anti-aging and sunscreens: Paradigm shift in cosmetics. In *Advanced Pharmaceutical Bulletin* (Vol. 9, Issue 3, pp. 348–359). Tabriz University of Medical Sciences.
- Sofyan, S., Failisnur, F., Silfia, S., Sy, S., & Ardinal, A. (2020). Natural Liquid Dyestuff from Wastewater of Gambier Processing (*Uncaria gambir Roxb.*) as Textile Dye. *International Journal on Advanced Science Engineering Information Technology*, 10(6), 2512–2517.
- Solano, F. (2020). Photoprotection and skin pigmentation: Melanin-related molecules and some other new agents obtained from natural sources. *Molecules*, 25, 1537.
- Sukma, Y. C. (2018). *Formulasi Sediaan Tabir Surya Mikroemulsi Ekstrak Kulit Buah Nanas dan Uji In Vitro Nilai Sun Protection Factor (SPF)* [Skripsi]. Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Maulana Malik Ibrahim.
- Swastika NSP, A., & Purwanto, M. (2013). ANTIOXIDANT ACTIVITY OF CREAM DOSAGE FORM OF TOMATO EXTRACT (*Solanum lycopersicum L.*). *Traditional Medicine Journal*, 18(3), 132–140.
- Tartaro, G., Mateos, H., Schirone, D., Angelico, R., & Palazzo, G. (2020). Microemulsion microstructure(s): A tutorial review. *Nanomaterials*, 10(9), 1–40.
- Tojo, C., de Dios, M., & Barroso, F. (2010). Surfactant effects on microemulsion-based nanoparticle synthesis. *Materials*, 4(1), 55–72.
- Tristantini, D., Ismawati, A., Tegar Pradana, B., & Gabriel Jonathan, J. (2016). Pengujian Aktivitas Antioksidan Menggunakan Metode DPPH pada Daun Tanjung (*Mimusops elengi L.*). *Prosiding Smeinar Nasional Teknik Kimia “Kejuangan,”* 1–7.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M. T. D., Mazur, M., & Telser, J. (2007). Free radicals and antioxidants in normal physiological functions and human disease. In *International Journal of Biochemistry and Cell Biology* (Vol. 39, Issue 1, pp. 44–84).
- Wollinger, A., Perrin, É., Chahboun, J., Jeannot, V., Touraud, D., & Kunz, W. (2016). Antioxidant activity of hydro distillation water residues from *Rosmarinus officinalis L.* leaves determined by DPPH assays. *Comptes Rendus Chimie*, 19(6), 754–765.
- Yousef, H., Alhajj, M., & Sharma, S. (2022, November 14). *Anatomy, Skin (Integument), Epidermis.* . StatPearls.



UNIVERSITAS
GADJAH MADA

Formulasi Sediaan Sunscreen Spray dari Ekstrak Gambir (*Uncaria gambir Roxb.*) dan Minyak

Nyamplung

(*Calophyllum inophyllum*) serta Uji SPF dan Antioksidan

ADELYN VALENCIA DHARMAWI, Dr. rer. nat. Ronny Martien, M.Si.; Dr. apt. Soni Siswanto, M.Biomed.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yuliani, S. H., Hartini, M., Pudyastuti, B., & Perdana Istyastono, E. (2016). COMPARISON OF PHYSICAL STABILITY PROPERTIES OF POMEGRANATE SEED OIL NANOEMULSION DOSAGE FORMS WITH LONG-CHAIN TRIGLYCERIDE AND MEDIUM-CHAIN TRIGLYCERIDE AS THE OIL PHASE PERBANDINGAN STABILITAS FISIS SEDIAAN NANOEMULSI MINYAK BIJI DELIMA DENGAN FASE MINYAK LONG-CHAIN TRIGLYCERIDE DAN MEDIUM-CHAIN TRIGLYCERIDE. *Traditional Medicine Journal*, 21(2), 93–98.

Yulianti, E., Adelsa, A., & Putri, A. (2015). Penentuan nilai SPF (Sun Protection Factor) Ekstrak Etanol 70 % Temu Mangga (Curcuma mangga) dan Krim Ekstrak Etanol 70 % Temu Mangga (Curcuma mangga) secara In Vitro Menggunakan Metode Spektrofotometri The Determination of SPF (Sun Protection Factor) Value of 70 % Ethanol Extract Curcuma Mangga and 70 % Ethanol Extract Curcuma Mangga Cream In Vitro using Spektrofotometry Method. *Majalah Kesehatan FKUB*, 2(1), 41–50.

Zhou, S.-S., Li, D., Zhou, Y.-M., & Cao, J.-M. (2012). The skin function: a factor of anti-metabolic syndrome. *Diabetology & Metabolic Syndrome*, 4, 15.