



DAFTAR PUSTAKA

- Aba, L., & Rusliadi, R. (2020). Inventarisasi jenis teripang (Holothuroidea) pada zona intertidal di perairan Pulau Ottouwe Wakatobi. *SAINTIFIK*, 6(1): 31-43.
- Abdulkadir, W. S. (2019). Uji in vivo efek hepatoprotektor ekstrak teripang laut (*Holothuria scabra*) dalam variasi dosis dengan parameter SGPT terhadap hewan uji yang diinduksi parasetamol dosis hepatotoksik. *Pharmacy Medical Journal*, 2(1): 37-45.
- Agamy, E. (2012). Histopathological liver alterations in juvenile rabbit fish (*Siganus canaliculatus*) exposed to light arabian crude oil, dispersed oil and dispersant. *Ecotoxicology and Environmental Safety*, 75(1): 171-179.
- Albuntana, A., & Yasman, W. W. (2011). Uji toksisitas ekstrak empat jenis teripang suku Holothuriide dari Pulau Penjaliran Timur Kepulauan Seribu, Jakarta menggunakan *brine shrimp lethality test* (BSLT). *Jurnal Ilmu dan Teknologi Tropis*, 3(1): 65-72.
- Amelia, T. R. N., Sumarmi, S. & Nuringtyas, T. R. (2017). Efektivitas ekstrak etanol daun mahoni (*Swietenia mahagoni* (L.) Jacq.) terhadap larva *Aedes aegypti* L. *Jurnal Florea*, 4(2): 23-31.
- Arisma, A., Sukmanadi, M., Plumeriastuti, H., Effendi, M. H., Budiaستuti, & Yanestria, S. M. (2022). The effectiveness of cinnamomum (*Cinnamomum burmannii*) essential oil on the reduction of inflammation levels in white rat livers (*Rattus norvegicus*) induced by streptozotocin. *Ecology, Environment and Conservation Journal*, 2022(28): S32-S38.
- Bhadauria M. (2012). Propolis prevents hepatorenal injury induced by chronic exposure to carbon tetrachloride. *Evidence-Based Complementary and Alternative Medicine*, 2012(1): 1-12.
- Bordbar, S., Anwar, F., & Saari, N. (2011). High-value components and bioactives from sea cucumbers for functional foods—a review. *Marine Drugs*, 9(10): 1761–1805.
- Caulier, G., Dyck, S. V., Gerbaux, P., Eeckhaut, I., & Flammang, P. (2011). Review of saponin diversity in sea cucumber belonging to the family Holothuriidae. *SPC Beche-de-mer Information Bulletin*, 31(1): 48–54.
- Ceesay, A., Shamsudin, M. N., Aliyu-Paiko, M., Ismail, I. S., m Nazarudin, M. F., & Alipiah, N. M. (2019). Extraction and characterization of organ components of the Malaysian sea cucumber *Holothuria leucospilota* yielded bioactives exhibiting diverse properties. *BioMed Research International*, 2019(1): 1-16.
- Du, K., Williams, C.D., McGill, M.R., & Jaeschke, H. (2014). Lower susceptibility of female mice to acetaminophen hepatotoxicity: Role of mitochondrial glutathione, oxidant stress and c-jun N-terminal kinase. *Toxicology and Applied Pharmacology*, 281(1): 58-66.
- Elfidasari, D., Noriko, N., Wulandari, N., & Perdana, A. T. (2012). Identifikasi jenis teripang genus *Holothuria* asal perairan sekitar Kepulauan Seribu berdasarkan perbedaan morfologi. *Jurnal Al-Azhar Indonesia Seri Sains dan Teknologi*, 1(3): 140-147.
- Esmat, A. Y., Said, M. M., Soliman, A. A., El-Masry, K. S. H., & Badiea, E. A. (2013). Bioactive compounds, antioxidant potential, and hepatoprotective



activity of sea cucumber (*Holothuria atra*) against thioacetamide intoxication in rats. *Nutrition*, 29(1): 258–267.

Fahmi, M., Fahrimal, Y., Aliza, D., Budiman, H., Aisyah, S., & Hambal, M. (2015). Gambaran histopatologi hepar tikus (*Rattus novergicus*) yang diinfeksi *Trypanosoma evansi* setelah pemberian ekstrak kulit batang jaloh (*Salix tetrasperma Roxb.*). *Jurnal Medika Veterania*. 9(2):141- 145.

Harith, M. N., Desa, M. H. I. M., & Ilias, Z. (2018). *Holothuria leucospilota* population in Satang Besar Island, Sarawak, Malaysia. *International Journal of Zoology*. 2018(2): 1-6.

Isdadiyanto, S., Pratiwi, A. R., & Mardiat, S. M. (2022). Liver histopathology of rats induced by high-fat feed after giving neem leaf ethanol extract. *Journal of Biology & Biology Education*, 14(2): 254-262.

Jaeschke, H., Xie, Y., & McGill, M.R. (2014) Acetaminophen-induced liver injury: From animal models to humans. *Journal of Clinical and Translational Hepatology*, 2(3): 153-161.

Jaeschke, H., & Ramachandran, A. (2020). The role of oxidant stress in acetaminophen-induced liver injury. *Current Opinion in Toxicology*, 20(21): 9-14.

Junqueira, L. C., Carneiro, J., & Kelley, R. O. (2017). *Histologi Dasar Edisi 13*. Jakarta: EGC, 370-387.

Kerr, A. M., & Kim, J. (2001). Phylogeny of holothuroidea (echinodermata) inferred from morphology. *Zoological Journal of the Linnean Society*, 133(1): 63–81.

Kumar, V., Abbas, A. K., & Aster, J. C. (2007). *Robbins Basic Pathology*, 9th ed. Elsevier, Philadelphia, p. 95-96.

Li, N., & Hua, J. (2017). Immune cells in liver regeneration. *Oncotarget*, 8(2): 3628-3639.

Lu, F. C. (2012). *Basic Toxicology: Fundamentals, Target Organs, and Risk Assessment 6th ed.*, Informa Healthcare USA, Inc., New York. pp: 85, 108, 188-190.

McGill, M. R., Williams, C. D., Xie, Y., Ramachandran, A. and Jaeschke, H. (2012). Acetaminophen-induced liver injury in rats and mice: comparison of protein adducts, mitochondrial dysfunction, and oxidative stress in the mechanism of toxicity. *Toxicology and Applied Pharmacology*, 264(3): 387-394.

Muhammad-Azam, F., Nur-Fazila, S. H., Ain-Fatin, R., Noordin, M. M., & Yimer, N. (2019) Histopathological changes of acetaminophen-induced liver injury and subsequent liver regeneration in BALB/C and ICR mice. *Veterinary World*, 12(11): 1682-1688.

Pargaputri, A. F., Andriani, D., Hartono, M. R., & Widowati, K. (2022). Effect of hyperbaric oxygen treatment on liver hepatocyte damage in oral candidiasis immunosuppressed rats. *Dental Journal*, 9(2): 319-326.

Purkon, D. B., Kusmiyati, M., Trinovani, E, Fadhlillah, F. M., Widyastiwi, W., Roseno, M. H., Khristian, E., & Nadhifah, A. (2022). The hepatoprotective effect of *Marchantia paleacea* bertol extract against acetaminophen-induced liver damage in rat: Biochemical and histological evidence. *Journal of Research in Pharmacy*, 26(6): 1857-1867.



- Rafita, I. D., Lisdiana, Marianti, A. (2015) Pengaruh ekstrak kayu manis terhadap gambaran histopatologi dan kadar SGOT-SGPT hepar tikus yang diinduksi parasetamol. *Unnes Journal of Life Science*, 4(1): 29-37.
- Roni, A., Al-mu'ti, A. S., & Kusriani, R. H. (2020). Antioxidant and antibacterial activities from meat and intestines sea cucumber extract (*Stichopus variegatus*). *Jurnal Ilmiah Farmako Bahari*, 11(1): 31-37.
- Rohmatin, A. R., Susetyarini, E., & Hadi, S. (2012). The damage of hepar cells of white male mice (*Rattus norvegicus*) which are induced by carbon tetrachloride (CCL4) after being given bawang dayak (*Eleutherine palmifolia merr.*) ethanol extract. In *Proceeding Biology Education Conference: Biology, Science, Environmental, and Learning*. 12(1): 942-946
- Sijid, Aisyah., Muthiadin, C., Zulkarnain., Hidayat, A. S., & Ria, R. A. (2020). Pengaruh pemberian tuak terhadap gambaran histopatologi hepar mencit (*Mus musculus*) ICR jantan. *Jurnal Pendidikan Matematika dan IPA*, 11(2): 193-205.
- Silvani, F. N., Sukohar, A., & Rudiyanto, W. (2019). Pengaruh ekstrak etanol belimbing wuluh (*Averrhoa bilimbi* Linn.) sebagai antioksidan terhadap histopatologi hepar tikus galur sprague dawley yang diinduksi parasetamol. *Majority*, 8(1): 95-101.
- Sulistyowati, E., Purnomo, Y., Nuri, S., & Audra, F. (2013). Pengaruh diet sambal tomat ranti pada struktur dan fungsi hepar tikus yang diinduksi tawas. *Jurnal Kedokteran Brawijaya*, 27(3): 156-161.
- Utami, A. R., Berata, I. K., Samsuri, & Merdana, I. M. (2017). Efek pemberian propolis terhadap gambaran histopatologi hepar tikus putih yang diberi parasetamol. *Buletin Veteriner Udayana*, 9(1): 87-93.
- Woolbright, B. L., & Jaeschke, H. (2017). Role of the inflammasome in acetaminophen-induced liver injury and acute liver failure. *Journal of Hepatology*, 66(4): 836-848.
- WoRMS (2023). *Holothuria (Mertensiothuria) leucospilota* (Brandt, 1835). Accessed at: <https://www.marinespecies.org/aphia.php?p=taxdetails&id=210881> on 2023-12-13.
- Wulandari, N., Krisanti, M., & Elfidasari, D. (2012). Keragaman teripang asal Pulau Pramuka, Kepulauan Seribu Teluk Jakarta. *Life Science*. 1(2): 133- 139.
- Yuvaraja, K. R., Santhiagu, A., Jasemine, S., & Gopalasatheeskumar, K. (2020). Hepatoprotective activity of *Ehretia microphylla* on paracetamol induced liver toxic rats. *Journal of Research in Pharmacy*, 25(1):89–98.
- Zaidah, L. N., Soewondo, A., & Fatchiyah, F. (2020). Repairing cell structure of jejunum tissue in RA-CFA rat model improved by caprine CSN1S2 protein. *The Journal of Experimental Life Science*, 10(1): 55-61.
- Zhong, Y., Khan, M. A. & Shahidi, F. (2007). Compositional characteristics and antioxidant properties of fresh and processed sea cucumber (*Cucumaria frondosa*). *Journal of Agricultural and Food Chemistry*, 55(4):1188–1192.