



UNIVERSITAS
GADJAH MADA

Identifikasi Polimorfisme C275R pada Gen Reseptor Melanocortin 1 (MC1R) di Keluarga dengan

Rambut

Merah di Sulawesi Utara

Hervin Indra Cahyana, Dr. Niken Satuti Nur Handayani, M.Sc.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

DAFTAR PUSTAKA

- Andersen, J. D., Pereira, V., Pietroni, C., Mikkelsen, M., Johansen, P., Børsting, C., & Morling, N. 2014. Next-generation sequencing of multiple individuals per barcoded library by deconvolution of sequenced amplicons using endonuclease fragment analysis. *BioTechniques*, 57(2), 91-94. Available at: <https://doi.org/10.2144/000114200>.
- Araki, Y., Okamura, K., Munkhbat, B., Tamiya, G., Erdene-Ochir, B., Nemekhbaatar, L., & Suzuki, T. 2016. Whole-exome sequencing confirmation of multiple MC1R variants associated with extensive freckles and red hair: analysis of a Mongolian family. *Journal of dermatological science*, 84(2), 216-219.
- Bastiaens, M. T., Ter Huurne, J. A., Kielich, C., Gruis, N. A., Westendorp, R. G., Vermeer, B. J., & Bavinck, J. N. B. 2001. Melanocortin-1 receptor gene variants determine the risk of nonmelanoma skin cancer independently of fair skin and red hair. *The American Journal of Human Genetics*, 68(4), 884-894.
- Beaumont, K. A., Shekar, S. N., Cook, A. L., Duffy, D. L., & Sturm, R. A. 2008. Red hair is the null phenotype of MC1R. *Human mutation*, 29(8), E88- E94.
- Belisle, E. S., & Park, H. Y. 2014. Metformin: A potential drug to treat hyperpigmentation disorders. *Journal of Investigative Dermatology*, 134(10), 2488-2491.
- Bergqvist, C., & Ezzedine, K. 2020. Vitiligo: a review. *Dermatology*, 236(6), 571-592.
- Bernard, B. A., Saint-Léger, D., & Leclaire, J. 2018. The multifaceted human facial appearance: beyond skin and hair. *J Dermat Cosmetol*, 2(2), 147- 154.
- Box, N. F., Wyeth, J. R., O'Gorman, L. E., Martin, N. G., & Sturm, R. A. 1997. Characterization of melanocyte stimulating hormone receptor variant alleles in twins with red hair. *Human molecular genetics*, 6(11), 1891-1897.
- BPK RI, "Pemerintah Provinsi Sulawesi Utara.".2022. [Online]. Available: [https://sulut.bpk.go.id/pemerintah-provinsi-sulawesi-utara/#:~:text=Total%20populasi%20di%20provinsi%20ini,%25\)%2C%20Tionghoa%20\(3%25\).](https://sulut.bpk.go.id/pemerintah-provinsi-sulawesi-utara/#:~:text=Total%20populasi%20di%20provinsi%20ini,%25)%2C%20Tionghoa%20(3%25).)
- Branicki, W., Brudnik, U., Kupiec, T., Wolańska-Nowak, P., & Wojas-Pelc, A. 2007. Determination of phenotype associated SNPs in the MC1R gene. *Journal of forensic sciences*, 52(2), 349-354.
- Branicki, W., Liu, F., van Duijn, K., Draus-Barini, J., Pośpiech, E., Walsh, S., ... & Kayser, M. 2011. Model-based prediction of human hair color using DNA variants. *Human genetics*, 129(4), 443-454.



Identifikasi Polimorfisme C275R pada Gen Reseptor Melanocortin 1 (MC1R) di Keluarga dengan Rambut Merah di Sulawesi Utara
Hervin Indra Cahyana, Dr. Niken Satuti Nur Handayani, M.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Chang, A. Y., Wanat, K. A., & Seykora, J. T. 2014. Pathobiology of Human Disease || Melanocytes and Vitiligo (and Hair Graying). *Elsevier*, 1148– 1157. doi:10.1016/b978-0-12-386456-7.03505-x

Durdíková, J., Kamodyová, N., Ostatníková, D., Vlková, B., & Celeg, P. 2012. Comparison of different collection procedures and two methods for DNA isolation from saliva. *Clinical chemistry and laboratory medicine*, 50(4), 643-647.

D'Mello, S. A., Finlay, G. J., Baguley, B. C., & Askarian-Amiri, M. E. 2016. Signaling pathways in melanogenesis. *International journal of molecular sciences*, 17(7), 1144.

Frändberg, P. A., Doufexis, M., Kapas, S., & Chhajlani, V. 2001. Cysteine residues are involved in structure and function of melanocortin 1 receptor: substitution of a cysteine residue in transmembrane segment two converts an agonist to antagonist. *Biochemical and biophysical research communications*, 281(4), 851-857.

Frost, P., Kleisner, K., & Flegr, J. 2017. Health status by gender, hair color, and eye color: Red-haired women are the most divergent. *PLoS One*, 12(12), e0190238.

García-Borrón, J. C., Sánchez-Laorden, B. L., & Jiménez-Cervantes, C. 2005. Melanocortin-1 receptor structure and functional regulation. *Pigment cell research*, 18(6), 393-410.

Gawad, J., Chavan, B., Bawane, P., Mhaske, A., & Tauro, S. 2015. Overview of Cell Signalling and Cell Communication. *Journal of Pharmaceutical Biology*, 5(2), 104-107.

Grimes, E. A., Noake, P. J., Dixon, L., & Urquhart, A. 2001. Sequence polymorphism in the human melanocortin 1 receptor gene as an indicator of the red hair phenotype. *Forensic Science International*, 122(2-3), 124- 129.

Hall, J.E .2016. *Guyton and Hall Textbook of Medical Physiology*. Philadelphia, PA: Elsevier Saunders. hlm. 930–937

Han, J., Kraft, P., Nan, H., Guo, Q., Chen, C., Qureshi, A., ... & Hunter, D. J. 2008. A genome-wide association study identifies novel alleles associated with hair color and skin pigmentation. *PLoS genetics*, 4(5), e1000074.

Herraiz, C., Garcia-Borron, J. C., Jiménez-Cervantes, C., & Olivares, C. 2017. *MC1R* signaling. Intracellular partners and pathophysiological implications. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1863(10), 2448-2461.

Hilmia, N., Rahmat, D., & Hadi, D. N. 2019. Single nucleotide polymorphism on exon 2 leptin gene of pasundan cattle. In *IOP Conference Series: Earth and Environmental Science* (Vol. 334, No. 1, p. 012013). IOP Publishing.



Ihase, O. L., Horn, R., Anoliefo, G. O., Eke, C. R., Afolabi, A. S., & Asemota, O. 2016. Development of a method for DNA extraction from oil palm leaves and the effects of pH and ionic strength on nucleic acid quantification. *Journal of Biological Methods*, 3(2), e37-e37.

Jensen, A. S. M., Sparre-Ulrich, A. H., Davis-Poynter, N., & Rosenkilde, M. M. 2012. Structural diversity in conserved regions like the DRY-motif among viral 7TM receptors—a consequence of evolutionary pressure. *Advances in virology*, 2012.

Kaur, T., Kataria, A. S., & Sethi, A. 2015. Verrucous epidermal nevus on female genitalia: A rare presentation. *Indian Journal of Paediatric Dermatology*, 16(2), 110-111.

Kanetsky, P. A., Rebbeck, T. R., Hummer, A. J., Panossian, S., Armstrong, B. K., Kricker, A., ... & Genes Environment and Melanoma Study Group. 2006. Population-based study of natural variation in the melanocortin-1 receptor gene and melanoma. *Cancer research*, 66(18), 9330-9337.

Lazi, H., Efendi, R., & Purwandari, E. P. 2017. Deteksi warna kulit menggunakan model warna cielab neural network untuk identifikasi ras manusia (studi kasus ras: kaukasoid, mongoloid, dan negroid). *Jurnal Rekursif*, 5(2), 121-133.

Lehraiki, A., Abbe, P., Cerezo, M., Rouaud, F., Regazzetti, C., Chignon-Sicard, B., & Rocchi, S. 2014. Inhibition of melanogenesis by the antidiabetic metformin. *Journal of Investigative Dermatology*, 134(10), 2589-2597.

Makova, K., & Norton, H. 2005. Worldwide polymorphism at the *MC1R* locus and normal pigmentation variation in humans. *Peptides*, 26(10), 1901- 1908.

Mall, A., & Mazumdar, S. G. 2012. Skin Tone Based Face Recognition and Training using Neural Network. *Internasional Journal of Emerging Technology and Advanced Engineering*, 1-5.

Mengel-From, J., Wong, T. H., Morling, N., Rees, J. L., & Jackson, I. J. 2009. Genetic determinants of hair and eye colours in the Scottish and Danish populations. *BMC genetics*, 10(1), 1-13.

Moffat, Alistair, 2017. "Celts' red hair could be attributed to the cloudy weather". Irish Central.

Moffat, Alistair; Wilson, James, 2011. The Scots: A Genetic Journey. Birlinn.

Mostert, A. B. 2021. Melanin, the what, the why and the how: An introductory review for materials scientists interested in flexible and versatile polymers. *Polymers*, 13(10), 1670.

Motorina, A. V., Palkina, N. V., Komina, A. V., Ruksha, T. G., Artyukhov, I. P., &



UNIVERSITAS
GADJAH MADA

Identifikasi Polimorfisme C275R pada Gen Reseptor Melanocortin 1 (MC1R) di Keluarga dengan Rambut

Merah di Sulawesi Utara

Hervin Indra Cahyana, Dr. Niken Satuti Nur Handayani, M.Sc.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Kozlov, V. V. 2018. Genetic analysis of melanocortin 1 receptor red hair color variants in a Russian population of Eastern Siberia. *European Journal of Cancer Prevention*, 27(2), 192.

NCBI. 2005. *Clustered RefSNPs (rs) and Other Data Computed in House*. National Library of Medicine. Diakses 25 Desember 2023 dari https://www.ncbi.nlm.nih.gov/books/NBK573500/#Cnt_Clustered_RefSNP.what_is_a_reference

Pavan, W. J., & Sturm, R. A. 2019. The genetics of human skin and hair pigmentation. *Annual review of genomics and human genetics*, 20, 41- 72.

Povlich, L. K., Feldman, K. E., Wei, B., Eom, T., Shim, B. S., & Martin, D. C. 2017. *Comprehensive Biomaterials II // 1.29 Electroactive Polymeric Biomaterials.*, 664–687. doi:10.1016/B978-0-12-803581-8.10233-4

Pratama, G., Wangko, S., & Jacobs, J. N. 2010. Reseptor Melanokortin 1 (MC1R) Asal Usul Dan Struktur Protein. *Jurnal Biomedik: JBM*, 2(1).

Preedy, V. R. 2012. Handbook of hair in health and disease. 1. vol. 1. Wageningen.

Pullman, B., & Pullman, A. 1959. The electronic structure of the purine- pyrimidine pairs of DNA. *Biochimica et biophysica acta*, 36(2), 343-350.

Raimondi, S., Sera, F., Gandini, S., Iodice, S., Caini, S., Maisonneuve, P., & Farnoli, M. C. 2008. MC1R variants, melanoma and red hair color phenotype: a meta-analysis. *International journal of cancer*, 122(12), 2753-2760.

Rees, J. L. 2000. The melanocortin 1 receptor (MC1R): more than just red hair. *Pigment Cell Research*, 13(3), 135-140.

Rees, J. L. 2003. Genetics of hair and skin color. *Annual review of genetics*, 37(1), 67-90.

Regan, K. O. 2014. Red hair in popular culture and the relationship with anxiety and depression. *Unpublished honour's thesis). University of Cork, Ireland*.

Riley, P. A. (1997). Melanin. *The international journal of biochemistry & cell biology*, 29(11), 1235-1239.

Ringholm, A., Klovins, J., Rudzish, R., Phillips, S., Rees, J. L., & Schiöth, H. B. 2004. Pharmacological characterization of loss of function mutations of the human melanocortin 1 receptor that are associated with red hair. *Journal of Investigative Dermatology*, 123(5), 917-923.

Rosenberg, M. S., Subramanian, S., & Kumar, S. 2003. Patterns of transitional mutation biases within and among mammalian genomes. *Molecular biology and evolution*, 20(6), 988-993.



Salvo, N. M., Janssen, K., Kirsebom, M. K., Meyer, O. S., Berg, T., & Olsen, G.

A. 2022. Predicting eye and hair colour in a Norwegian population using Verogen's ForenSeq™ DNA signature prep kit. *Forensic Science International: Genetics*, 56, 102620.

Sawicki, M. P., Samara, G., Hurwitz, M., & Passaro Jr, E. 1993. Human genome project. *The American journal of surgery*, 165(2), 258-264.

Schaffer, J. V., & Bolognia, J. L. 2001. The melanocortin-1 receptor: red hair and beyond. *Archives of dermatology*, 137(11), 1477-1485.

Setyadi, A. P. P. 2021. Desain Primer Untuk Analisis Sekuen Gen MC1R, Reseptor Gen Penentu Pigmentasi Rambut Dan Kulit. *Skripsi*. Yogyakarta: Universitas Gadjah Mada.

Shim, S. M., Kim, J. H., Jung, S. E., Kim, D. J., Oh, J. H., Han, B. G., & Jeon, J. P. 2010. Multilaboratory assessment of variations in spectrophotometry-based DNA quantity and purity indexes. *Biopreservation and Biobanking*, 8(4), 187-192.

Siewierska-Gorska, A., Sitek, A., Żądzińska, E., Bartosz, G., & Strapagiel, D. 2017. Association of five SNPs with human hair colour in the Polish population. *Homo*, 68(2), 134-144.

Smith, M. (March 13, 2023). Electrophoresis. Genome.gov.

<https://www.genome.gov/genetics-glossary/Electrophoresis#:~:text=Definition&text=Electrophoresis%20is%20a%20laboratory%20technique,a%20gel%20or%20other%20matrix>.

Sulem, P., Gudbjartsson, D. F., Stacey, S. N., Helgason, A., Rafnar, T., Jakobsdottir, M., ... & Stefansson, K. 2008. Two newly identified genetic determinants of pigmentation in Europeans. *Nature genetics*, 40(7), 835-837.

Sýkorová, K., Fiala, V., Hlaváčová, J., Kaňková, Š., & Flegr, J. 2022. Redheaded women are more sexually active than other women, but it is probably due to their suitors. *Frontiers in Psychology*, 13.

The GeneCards Human Gene Database. 2009. Melanocortin 1 receptor (alpha melanocyte stimulating hormone receptor). GeneCards Weizmann Institute of Science. Version 2.4

Thody, A. J., Higgins, E. M., Wakamatsu, K., Ito, S., Burchill, S. A., & Marks, J.M. 1991. Pheomelanin as well as eumelanin is present in human epidermis. *Journal of Investigative Dermatology*, 97(2), 340-344.

Tobin, D. J. 2008. Human hair pigmentation–biological aspects. *International journal of cosmetic science*, 30(4), 233-257.



Identifikasi Polimorfisme C275R pada Gen Reseptor Melanocortin 1 (MC1R) di Keluarga dengan Rambut Merah di Sulawesi Utara

Hervin Indra Cahyana, Dr. Niken Satuti Nur Handayani, M.Sc.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Valenzuela, R. K., Henderson, M. S., Walsh, M. H., Garrison, N. A., Kelch, J. T., Cohen-Barak, O., ... & Brilliant, M. H. 2010. Predicting phenotype from genotype: normal pigmentation. *Journal of forensic sciences*, 55(2), 315-322.

Valverde, P., Healy, E., Jackson, I., Rees, J. L., & Thody, A. J. 1995. Variants of the melanocyte-stimulating hormone receptor gene are associated with red hair and fair skin in humans. *Nature genetics*, 11(3), 328-330.

Videira, I. F. D. S., Moura, D. F. L., & Magina, S. 2013. Mechanisms regulating melanogenesis. *Anais brasileiros de dermatologia*, 88, 76-83.

Wallingford, C. K., Demeshko, A., Krishnakripa, A. K., Smit, D. J., Duffy, D. L., Betz-Stablein, B., ... & McInerney-Leo, A. M. 2023. The MC1R r allele does not increase melanoma risk in MITF E318K carriers. *British Journal of Dermatology*, 188(6), 770-776.

Walsh, S., Liu, F., Wollstein, A., Kovatsi, L., Ralf, A., Kosiniak-Kamysz, A., ... & Kayser, M. 2012. The HIrisPlex system for simultaneous prediction of hair and eye colour from DNA. *Forensic Science International: Genetics*, 7(1), 98-115.

Yaar, M., & Park, H. Y. 2012. Melanocytes: a window into the nervous system. *Journal of investigative dermatology*, 132(3), 835-845.

Yamaguchi, K., Watanabe, C., Kawaguchi, A., Sato, T., Naka, I., Shindo, M., ... & Kimura, R. 2012. Association of melanocortin 1 receptor gene (MC1R) polymorphisms with skin reflectance and freckles in Japanese. *Journal of human genetics*, 57(11), 700-708.

Yin, L., Coelho, S. G., Ebsen, D., Smuda, C., Mahns, A., Miller, S. A., ... & Hearing, V. J. 2014. Epidermal gene expression and ethnic pigmentation variations among individuals of Asian, European and African ancestry. *Experimental dermatology*, 23(10), 731-735.

Zorina-Lichtenwalter, K., Lichtenwalter, R. N., Zaykin, D. V., Parisien, M., Gravel, S., Bortsov, A., & Diatchenko, L. 2019. A study in scarlet: MC1R as the main predictor of red hair and exemplar of the flip-flop effect. *Human molecular genetics*, 28(12), 2093-2106.