



DAFTAR PUSTAKA

- Adaikalakoteswari, A., Rabbani, N., Waspadji, S., Tjokroprawiro, A., Kariadi, S.H.K.S., Adam, J.M.F., *et al.* (2012). Disturbance of B-vitamin status in people with type 2 diabetes in Indonesia-Link to renal status, glycemic control and vascular inflammation. *Diabetes Res. Clin. Pract.* 95 : 415–424.
- Adepu, S.P.R., Sam, S., Omanakuttan, C., K V, R., & Yashaswini, Y. (2018). Assessment of Pharmacist Mediated Education on Medication Adherence Behavior in Type 2 Diabetes Mellitus Patients in South Indian Rural Population. *Int. J. Pharm. Pharm. Sci.* 10 : 39.
- Adikusuma, W., & Qiyaam, N. (2018). Adherence level and blood sugar control of type 2 diabetes mellitus patients who gets counseling and short messages service as reminder and motivation. *Asian J. Pharm. Clin. Res.* 11 : 219–222.
- Agrimon, O.H. (2014). Exploring the Feasibility of Implementing Self-Management and Patient Empowerment through a Structured Diabetes Education Programme in Yogyakarta City Indonesia: A Pilot Cluster Randomised Controlled Trial. *Univ. Adelaide*. The University of Adelaide.
- Aguiar, P.M., da Silva, C.H.P., Chiann, C., Dórea, E.L., Lyra, D.P., & Storpirtis, S. (2018). Pharmacist–physician collaborative care model for patients with uncontrolled type 2 diabetes in Brazil: results from a randomized controlled trial. *J. Eval. Clin. Pract.* 24 : 22–30.
- Albikawi, Z.F. (2014). The effect of diabetes self efficacy enhancing intervention on diabetes self care management behaviors and psychological wellbeing among Jordanian type two diabetes patients 2 : 34–48.
- Alfian, Sofa Dewi, Sukandar, H., Arisanti, N., & Abdulah, R. (2016). Complementary and alternative medicine use decreases adherence to prescribed medication in diabetes patients. *Ann. Trop. Med. Public Heal.* 9 : 174–179.
- Alfian, Sofa D, Sukandar, H., Lestari, K., & Abdulah, R. (2016). Medication Adherence Contributes to an Improved Quality of Life in Type 2 Diabetes Mellitus Patients: A Cross-Sectional Study. *Diabetes Ther.* 7 : 755–764.



- Ali, M., Schifano, F., Robinson, P., Phillips, G., Doherty, L., Melnick, P., *et al.* (2012). Impact of community pharmacy diabetes monitoring and education programme on diabetes management: A randomized controlled study. *Diabet. Med.* 29 : 326–333.
- Alinia, H., & Feldman, S.R. (2014). Assessing medication adherence using indirect self-report. *JAMA Dermatology* 150 : 813–814.
- American Diabetes Association (2023). Standards of Care in Diabetes -2023. *Diabetes Care* 46 : 1–298.
- American Diabetes Association (2020). Standards of medical care in diabetes-2020. *J. Clin. Appl. Res. Educ.* 43 : S1–S206.
- American Diabetes Association (2019). Introduction: Standards of Medical Care in Diabetes—2019. *Diabetes Care* 42 : S1–S2.
- American Diabetes Association (2016). 5. Glycemic targets. *Diabetes Care* 39 : S39–S46.
- American Diabetes Association (2009). Standards of medical care in diabetes-2009. *Diabetes Care* 32 : S1–S100.
- Annis, A.M., Caulder, M.S., Cook, M.L., & Duquette, D. (2005). Family history, diabetes, and other demographic and risk factors among participants of the national health and nutrition examination survey 1999-2002. *Prev. Chronic Dis.* 2 : 1–12.
- Ardiani, H.E., Permatasari, T.A.E., & Sugiatmi, S. (2021). Obesitas, Pola Diet, dan Aktifitas Fisik dalam Penanganan Diabetes Melitus pada Masa Pandemi Covid-19. *Muhammadiyah J. Nutr. Food Sci.* 2 : 1–12.
- Armor, B.L., Britton, M.L., Dennis, V.C., & Letassy, N.A. (2010). A review of pharmacist contributions to diabetes care in the united states. *J. Pharm. Pract.* 23 : 250–264.
- Aronson, J.K. (2007). Compliance, concordance, adherence. *Br. J. Clin. Pharmacol.* 63 : 383–384.
- Aronson, R., Orzech, N., Ye, C., Goldenberg, R., & Brown, V. (2015). Specialist-led



- diabetes registries and predictors of poor glycemic control in type 2 diabetes: Insights into the functionally refractory patient from the LMC Diabetes Registry database. *J. Diabetes* 8 : 76–85.
- Atolagbe, E.T., Sivanandy, P., & Ingle, P.V. (2023). Effectiveness of educational intervention in improving medication adherence among patients with diabetes in Klang Valley, Malaysia. *Front. Clin. Diabetes Healthc.* 4 : 1–11.
- Badan Penyelenggara Jaminan Sosial (2014). Panduan Praktis PROLANIS (Program Pengelolaan Penyakit Kronis). Jakarta : Badan Penyelenggara Jaminan Sosial.
- Bandura, A. (1997). Self-Efficacy The Exercise of Control. New York : W.H.Freeman and Company.
- Bandura, A. (1989). Social cognitive theory, Greenwich, CT: JAI Press. Greenwich, CT: JAI Press.
- Bartholomew, L.K., Parcel, G.S., Kok, G., & Gottlieb, N.H. (2006). Planning health promotion programs An Intervention Mapping Approach, First Edit. ed, Jossey-Bass. San Fransisco : Jossey-Bass.
- Bate, K.L., & Jerums, G. (2003). 3: Preventing complications of diabetes. *Med. J. Aust.* 179 : 498–503.
- Beagley, J., Guariguata, L., Weil, C., & Motala, A.A. (2014). Global estimates of undiagnosed diabetes in adults. *Diabetes Res. Clin. Pract.* 103 : 150–160.
- Besemah, N.A., Sartika, R.A.D., & Sauriasari, R. (2021). Effect of Pharmacist Intervention on Medication Adherence and Clinical Outcomes of Type 2 Diabetes Mellitus Outpatients in Primary Healthcare in Indonesia. *J. Res. Pharm. Pract.* 9 : 186–195.
- Borges, A.P.D.S., Guidoni, C.M., Ferreira, L.D., Freitas, O. De, & Pereira, L.R.L. (2010). The pharmaceutical care of patients with type 2 diabetes mellitus. *Pharm. World Sci.* 32 : 730–736.
- Borhaninejad, V., Iranpour, A., Shati, M., Tahami, A.N., Yousefzadeh, G., & Fadayevatan, R. (2017). Predictors of Self-care among the Elderly with Diabetes Type 2: Using Social Cognitive Theory. *Diabetes Metab. Syndr. Clin. Res. Rev.*



UNIVERSITAS
GADJAH MADA

11 : 163–166.

- Boye, K.S., Curtis, S.E., Lage, M.J., & Garcia-Perez, L.E. (2016). Associations between adherence and outcomes among older, type 2 diabetes patients: Evidence from a Medicare Supplemental database. *Patient Prefer. Adherence* 10 : 1573–1581.
- Browning, C., Chapman, A., Yang, H., Liu, S., Zhang, T., Enticott, J.C., et al. (2016). Management of type 2 diabetes in China: The Happy Life Club, a pragmatic cluster randomised controlled trial using health coaches. *BMJ Open* 6.
- Butt, M., Ali, A.M., & Bakry, M.M. (2018). Health-Related Quality of Life in Poorly Controlled Type 2 Diabetes Patients - Association of Patients' Characteristics With Eq-5D Domains, Mean Eq-5D Scores, and Visual Analog Scale Score. *Asian J. Pharm. Clin. Res.* 11 : 93–98.
- Butt, M., Mhd Ali, A., Bakry, M.M., & Mustafa, N. (2016). Impact of a pharmacist led diabetes mellitus intervention on HbA1c, medication adherence and quality of life: A randomised controlled study. *Saudi Pharm. J.* 24 : 40–48.
- Cai, C., & Hu, J. (2016). Effectiveness of a Family-based Diabetes Self-management Educational Intervention for Chinese Adults With Type 2 Diabetes in Wuhan, China. *Diabetes Educ.* 42 : 697–711.
- Carlen, J.J.L.G.M.G.T.L.S.M. (2010). Health Promotion Programs From Theory To Practise, First Edit. ed, Jossey-Bass. San Francisco : Jossey-Bass.
- Carls, G.S., Tuttle, E., Tan, R.D., Huynh, J., Yee, J., Edelman, S. V., et al. (2017). Understanding the gap between efficacy in randomized controlled trials and effectiveness in real-world use of GLP-1 RA and DPP-4 therapies in patients with type 2 diabetes. *Diabetes Care* 40 : 1469–1478.
- Castejón, A.M., Calderón, J.L., Perez, A., Millar, C., McLaughlin-Middlekauf, J., Sangasubana, N., et al. (2013). A community - Based pilot study of a diabetes pharmacist intervention in latinos: Impact on weight and hemoglobin A1c. *J. Health Care Poor Underserved* 24 : 48–60.
- Chatterjee, S., Davies, M.J., Heller, S., Speight, J., Snoek, F.J., & Khunti, K. (2017).



- Diabetes structured self-management education programmes: a narrative review and current innovations. *Lancet Diabetes Endocrinol.* 1–13.
- Chen, J.H., Ou, H.T., Lin, T.C., Lai, E.C.C., & Yang Kao, Y.H. (2016). Pharmaceutical care of elderly patients with poorly controlled type 2 diabetes mellitus: a randomized controlled trial. *Int. J. Clin. Pharm.* 38 : 88–95.
- Chow, E.P., Hassali, M.A., Saleem, F., & Aljadhey, H. (2016). Effects of pharmacist-led patient education on diabetes-related knowledge and medication adherence: A home-based study. *Health Educ. J.* 75 : 1–13.
- Chrvala, C.A., Sherr, D., & Lipman, R.D. (2016). Diabetes self-management education for adults with type 2 diabetes mellitus: A systematic review of the effect on glycemic control. *Patient Educ. Couns.* 99 : 926–943.
- Chung, W.W., Chua, S.S., Lai, P.S.M., & Chan, S.P. (2014). Effects of a pharmaceutical care model on medication adherence and glycemic control of people with type 2 diabetes. *Patient Prefer. Adherence* 8 : 1185–1194.
- Clifford, R.M., Davis, W.A., Batty, K.T., & Davis, T.M.E. (2005). Effect of a pharmaceutical care program on vascular risk factors in type 2 diabetes: The Fremantle Diabetes Study. *Diabetes Care* 28 : 771–776.
- Coppell, K.J., Kataoka, M., Williams, S.M., Chisholm, A.W., Vorgers, S.M., & Mann, J.I. (2010). Nutritional intervention in patients with type 2 diabetes who are hyperglycaemic despite optimised drug treatment - Lifestyle over and above drugs in diabetes (LOADD) study: Randomised controlled trial. *BMJ* 341 : 237.
- Creswell (2017). Research Design Pendekatan Metode Kualitatif, Kuantitatif dan Campuran, Edisi ke-4. ed. Yogyakarta : Pustaka Pelajar.
- Creswell (2007). Qualitative Inquiry & Research Design: Choosing Among Five Approaches, Second Edi. ed. USA : Sage Publications.
- Damayanti, M.R., Antari, G.A.A., & Nopriani, N.L.P. (2021). Effect of a ten-week short message service-based intervention on self-management of type-2 diabetes patients in Bali, Indonesia. *Nurse Media J. Nurs.* 11 : 177–186.
- Dans, A., Ng, N., Varghese, C., Tai, E.S., Firestone, R., & Bonita, R. (2011). The rise

- of chronic non-communicable diseases in southeast Asia: Time for action.
Lancet 377 : 680–689.
- Diana, L. (2021). What Do Your Fasting Blood Glucose and Hemoglobin A1c Levels Mean? [WWW Document]. *Insid. Tracker*. URL
<https://blog.insidetracker.com/understand-fasting-blood-glucose-hemoglobin-a1c> (accessed 7.21.23).
- DiBenedetto, M.K., & Bembenuity, H. (2013). Within the pipeline: Self-regulated learning, self-efficacy, and socialization among college students in science courses. *Learn. Individ. Differ.* 23 : 218–224.
- Dinas Kesehatan DIY (2021). Profil Kesehatan D.I. Yogyakarta Tahun 2021. Daerah Istimewa Yogyakarta : .
- Dinas Kesehatan DIY (2018). Profil Kesehatan D.I Yogyakarta tahun 2018. Daerah Istimewa Yogyakarta : .
- Dinas Kesehatan Kabupaten Sleman (2020). Profil Kesehatan Kabupaten Sleman Tahun 2020. Sleman : .
- Dunham, P.J., & Karkula, J.M. (2012). Effects of a Pharmacy-Care Program on Adherence and Outcomes. *Am. J. Pharm. Benefits* 4 : 8–14.
- Dzaki Rif'at I., Hasneli N. Y, & Indriati G (2023). Gambaran Komplikasi Diabetes Melitus Pada Penderita Diabetes Melitus. *J. Keperawatan Prof.* 11.
- Ebid, A.H.I., Mobarez, M.A., Ramadan, R.A., & Mahmoud, M.A. (2022). Impact of a Clinical Pharmacist Intervention Program on the Follow-up of Type-2 Diabetic Patients. *Hosp. Pharm.* 57 : 76–82.
- Edelman, S. V, & Polonsky, W.H. (2017). Type 2 Diabetes in the Real World: The Elusive Nature of Glycemic Control. *Diabetes Care* 40 : 1425–1432.
- Elfahmi, Woerdenbag, H.J., & Kayser, O. (2014). Jamu: Indonesian traditional herbal medicine towards rational phytopharmacological use. *J. Herb. Med.* 4 : 51–73.
- Erku, D.A., Ayele, A.A., Mekuria, A.B., Belachew, S.A., Hailemeskel, B., & Tegegn, H.G. (2017). The impact of pharmacist-led medication therapy management on medication adherence in patients with type 2 diabetes mellitus: A randomized



- controlled study. *Pharm. Pract. (Granada)*. 15 : 1–7.
- Fadhila, R., & Rima Novia, P. (2019). Pengaruh Latihan Fisik Terhadap Kadar Glukosa Darah Penyandang Diabetes Melitus Tipe 2: Literature Review. *J. Keperawatan Abdurrah* 3 : 17–24.
- Fajriansyah, Iskandarsyah, A., Puspitasari, I.M., & Lestari, K. (2020). Impact of pharmacist counseling on health-related quality of life of patients with type 2 diabetes mellitus: a cluster randomized controlled study. *J. Diabetes Metab. Disord.* 19 : 675–682.
- Fan, L., & Sidani, S. (2009). Effectiveness of diabetes self-management education intervention Elements: A meta-analysis. *Can. J. Diabetes* 33 : 18–26.
- Farsaei, S., Sabzghabaee, A.M., Zargarzadeh, A.H., & Amini, M. (2011). Effect of pharmacist-led patient education on glycemic control of type 2 diabetics: A randomized controlled trial. *J. Res. Med. Sci.* 16 : 43–49.
- Fiaril, H.Z.P., Nasution, A., & Dalimunthe, A. (2019). Impact of pharmacist intervention on improving the quality of life of patients with type 2 diabetes mellitus. *Open Access Maced. J. Med. Sci.* 7 : 1401–1405.
- Fitzgerald, J.T., Davis, W.K., Connell, C.M., Hess, G.E., Funnel, M.M., & Roland G Hiss (1996). Development And Validation Of The Diabetes Care Profile, in: *Evaluation & The Health Professions*. pp. 208–230, Sage Publications, Inc.
- Fowler, M.J. (2008). Microvascular and macrovascular complications of diabetes. *Clin. Diabetes* 26 : 77–82.
- Gatlin, T.K., Serafica, R., & Johnson, M. (2017). Systematic review of peer education intervention programmes among individuals with type 2 diabetes. *J. Clin. Nurs.* 26 : 4212–4222.
- Gehlawat, M., Lakshminarayanan, S., & Kar, S.S. (2019). Structured Diabetes Education Program for Improving Self-Care Behavior in Primary Care Settings of Puducherry: Evidence from a Randomized Controlled Trial. *Indian J. Community Med.* 44 : 107–112.
- George, D., & Mallery, P. (2019). IBM SPSS Statistics 25 Step by Step, Fifteenth. ed,



UNIVERSITAS
GADJAH MADA

- IBM SPSS Statistics 25 Step by Step. titles: SPSS for Windows step by step.
Description: Fifteenth edition. | New York, NY : Routledge.
- Ghoreishi, M.S., Vahedian-shahroodi, M., Jafari, A., & Tehranid, H. (2019). Self-care behaviors in patients with type 2 diabetes: Education intervention base on social cognitive theory. *Diabetes Metab. Syndr. Clin. Res. Rev.* 13 : 2049–2056.
- Goruntla, N., Mallela, V., & Nayakanti, D. (2019). Impact of Pharmacist-directed Counseling and Message Reminder Services on Medication Adherence and Clinical Outcomes in Type 2 Diabetes Mellitus. *J. Pharm. Bioallied Sci.* 11 : 69–76.
- Grant, J.S., & Davis, L.L. (1997). Selection and use of content experts for instrument development. *Res. Nurs. Health* 20 : 269–274.
- Guariguata, L., Whiting, D.R., Hambleton, I., Beagley, J., Linnenkamp, U., & Shaw, J.E. (2014). Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabetes Res. Clin. Pract.* 103 : 137–149.
- Gubernur Daerah Istimewa Yogyakarta (2021). Penetapan Upah Minimum Kabupaten/Kota Tahun 2022. *Keputusan Gubernur Drh. Istimewa Yogyakarta*.
- Guénette, L., Moisan, J., Breton, M.C., Sirois, C., & Grégoire, J.P. (2013). Difficulty adhering to antidiabetic treatment: Factors associated with persistence and compliance. *Diabetes Metab.* 39 : 250–257.
- Guillausseau, P.J. (2003). Influence of oral antidiabetic drugs compliance on metabolic control in type 2 diabetes. A survey in general practice. *Diabetes Metab.* 29 : 79–81.
- Haas, L., Maryniuk, M., Beck, J., Cox, C.E., Duker, P., Edwards, L., et al. (2013). National Standards for Diabetes Self-Management Education and Support. *Diabetes Care* 36 : S100–S108.
- Hakim, D. Lukman (2018). Hubungan Tingkat Sosial Ekonomi : Pendidikan, Penghasilan, dan Fasilitas dengan Pencegahan Komplikasi Kronis pada Penyandang Diabetes Melitus Tipe 2 Di Surakarta. *Progr. Stud. Keperawatan Fak. Ilmu Kesehat. Univ. Muhammadiyah Surakarta*. Universitas



Muhammadiyah Surakarta.

- Handayani, O.W.K., Rahayu, S.R., Nugroho, E., & Hermawati, B. (2019). The Contribution of Family History and Overview of the Early Age of Diabetes Mellitus (Case Study in Urban Areas of Central Java Indonesia). *Adv. Soc. Sci. Educ. Humanit. Res.* 362 : 327–329.
- Hartayu, T.S., MI, M.I., & Suryawati, S. (2012). Improving of Type 2 Diabetic Patients' Knowledge, Attitude and Practice Towards Diabetes Self-care by Implementing Community-Based Interactive Approach-Diabetes Mellitus Strategy. *BMC Res. Notes* 5 : 315.
- Hastuti, D., & Widhiana, E. (2017). Gambaran Pola Pengobatan Pasien Diabetes Melitus Tipe II Di Instalasi Rawat Jalan Puskesmas Mlati II Sleman Yogyakarta Periode Oktober – Desember 2016. *AKFARINDO* 2 : 9–13.
- Hawthorne, K., Robles, Y., Cannings-John, R., & Edwards, A.G.K. (2010). Culturally appropriate health education for Type 2 diabetes in ethnic minority groups: a systematic and narrative review of randomized controlled trials. *Diabet. Med.* 27 : 613–623.
- Heiss, V.J., & Petosa, R.L. (2015). Social cognitive theory correlates of moderate-intensity exercise among adults with type 2 diabetes. *Psychol. Health Med.* 21 : 92–101.
- Horng, W.B., Lee, C.P., & Chen, C.W. (2001). Classification of age groups based on facial features. *Tamkang J. Sci. Eng.* 4 : 183–192.
- Hsu, C., Lemon, J.M., Wong, E.S., Carson-Cheng, E., Perkins, M., Nordstrom, M.S., et al. (2014). Factors affecting medication adherence: patient perspectives from five veterans affairs facilities. *BMC Health Serv. Res.* 14 : 1–14.
- Hussain, M.A., Mamun, A. Al, Reid, C., & Huxley, R.R. (2016). Prevalence, Awareness, Treatment and Control of Hypertension in Indonesian Adults Aged ≥40 Years: Findings from the Indonesia Family Life Survey (IFLS). *PLoS One* 11 : 1–16.
- International Diabetes Federation (2019). IDF Diabetes Atlas, 9th ed, International



UNIVERSITAS
GADJAH MADA

- Diabetes Federation. International Diabetes Federation.
- International Diabetes Federation (2015). IDF Diabetes Atlas, Seventh Ed. ed.
- International Diabetes Federation.
- Jacobs, M., Sherry, P.S., Taylor, L.M., Amato, M., Tataronis, G.R., & Cushing, G. (2012). Pharmacist assisted medication program enhancing the regulation of diabetes (PAMPERED) study. *J. Am. Pharm. Assoc.* 52 : 613–621.
- Jahangard-Rafsanjani, Z., Sarayani, A., Nosrati, M., Saadat, N., Rashidian, A., Hadjibabaie, M., et al. (2015). Effect of a Community Pharmacist-Delivered Diabetes Support Program for Patients Receiving Specialty Medical Care: A Randomized Controlled Trial. *Diabetes Educ.* 41 : 127–135.
- Jarab, A.S., Alqudah, S.G., Mukattash, T.L., Shattat, G., & Al-Qirim, T. (2012). Randomized Controlled Trial of Clinical Pharmacy Management of Patients with Type 2 Diabetes in an Outpatient Diabetes Clinic in Jordan. *J. Manag. Care Pharm.* 18 : 516–526.
- Joo, J.Y. (2014). Effectiveness of Culturally Tailored Diabetes Interventions for Asian Immigrants to the United States: A Systematic Review. *Diabetes Educ.* 40 : 605–615.
- Kaaffah, S., Soewondo, P., Riyadina, W., Renaldi, F.S., & Sauriasari, R. (2021). Adherence to treatment and glycemic control in patients with type 2 diabetes mellitus: A 4-year follow-up ptm bogor cohort study, indonesia. *Patient Prefer. Adherence* 15 : 2467–2477.
- Kasim, M., Currie, G.M., Tjahjono, M., Siswanto, B.B., Harimurti, G.M., & Kiat, H. (2013). Myocardial Perfusion SPECT Utility in Predicting Cardiovascular Events Among Indonesian Diabetic Patients. *Open Cardiovasc. Med. J.* 7 : 82–89.
- Kementerian Kesehatan Republik Indonesia (2018a). Hasil Utama Riskesdas 2018, Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia (2018b). Profil Kesehatan Indonesia Tahun 2017. Kementerian Kesehatan Republik Indonesia.



UNIVERSITAS
GADJAH MADA

- Khan, A.H., Iqbal, M.Z., Sulaiman, S.A.S., Ibrahim, A., Nor Shaffinaz Binti Yusoff Azmi, M.S.I., & Albassam, A.A. (2020). Impact of Pharmacist-led Educational Intervention on Predictors of Diabetic Foot at Two Different Hospitals of Malaysia. *J. Pharm. Bioallied Sci.* 13 : 108–115.
- Kjeldsen, L.J., Bjerrum, L., Dam, P., Larsen, B.O., Rossing, C., Søndergaard, B., et al. (2014). Safe and effective use of medicines for patients with type 2 diabetes - A randomized controlled trial of two interventions delivered by local pharmacies. *Res. Soc. Adm. Pharm.* 11 : 47–62.
- Kogut, S.J., Andrade, S.E., Willey, C., & Larrat, E.P. (2004). Nonadherence as a predictor of antidiabetic drug therapy intensification (augmentation). *Pharmacoepidemiol. Drug Saf.* 13 : 591–598.
- Korcegez, E.I., Sancar, M., & Demirkan, K. (2017). Effect of a Pharmacist-Led Program on Improving Outcomes in Patients with Type 2 Diabetes Mellitus from Northern Cyprus: A Randomized Controlled Trial. *J. Manag. Care Spec. Pharm.* 23 : 573–582.
- Krapek, K., King, K., Warren, S.S., George, K.G., Caputo, D.A., Mihelich, K., et al. (2004). Medication adherence and associated hemoglobin A 1c in type 2 diabetes. *Ann. Pharmacother.* 38 : 1357–1362.
- Kristianingrum, N.D., Wiarsih, W., & Nursasi, A.Y. (2018). Perceived family support among older persons in diabetes mellitus self-management. *BMC Geriatr.* 18 : 1–5.
- Kurniawan, F. (2017). Efektivitas Program Sehat Dalam Mencegah Obesitas Pada Murid SD di Jakarta Utara. Universitas Gadjah Mada.
- Lastya, A., Saraswati, M.R., & Suastika, K. (2014). The low level of glucagon-like peptide-1 (glp-1) is a risk factor of type 2 diabetes mellitus. *BMC Res. Notes* 7 : 1–4.
- Lauffenburger, J.C., Ghazinouri, R., Jan, S., Makanji, S., Ferro, C.A., Lewey, J., et al. (2019a). Impact of a novel pharmacist-delivered behavioral intervention for patients with poorly-controlled diabetes: The ENhancing outcomes through Goal



UNIVERSITAS
GADJAH MADA

- Assessment and Generating Engagement in Diabetes Mellitus (ENGAGE-DM) pragmatic randomized trial. *PLoS One* 14 : 1–15.
- Lauffenburger, J.C., Lewey, J., Jan, S., Makanji, S., Ferro, C.A., Krumme, A.A., et al. (2019b). Effectiveness of Targeted Insulin-Adherence Interventions for Glycemic Control Using Predictive Analytics Among Patients With Type 2 Diabetes: A Randomized Clinical Trial. *JAMA Netw. open* 2 : e190657.
- Lemeshow, S., Hosmer, D.W., Klar, J., & Lwanga, S.K. (1990). Adequacy of Sample Size in Health Studies., John Wiley & Sons Ltd. England : John Wiley & Sons Ltd.
- Lestari, S., Machrina, Y., & Daulay, M. (2017). Profile of Obesity and Diabetes Mellitus in Adult Female Population in North Sumatera, Indonesia. *IOP Conf. Ser. Mater. Sci. Eng.* 180 : 012244.
- Lim, P.C., Lim, K., Embee, Z.C., Hassali, M.A., Thiagarajan, A., & Khan, T.M. (2016). Study investigating the impact of pharmacist involvement on the outcomes of diabetes medication therapy adherence program Malaysia. *Pak. J. Pharm. Sci.* 29 : 595–601.
- Little, T. V., Wang, M.L., Castro, E.M., Jiménez, J., & Rosal, M.C. (2014). Community Health Worker Interventions for Latinos With Type 2 Diabetes: a Systematic Review of Randomized Controlled Trials. *Curr. Diab. Rep.* 14 : 1–16.
- Loveman, E., Frampton, G., & Clegg, A. (2008). The clinical effectiveness of diabetes education models for Type 2 diabetes: a systematic review. *Health Technol. Assess. (Rockv)*. 12 : 1–18.
- Luszczynska, A., & Schwarzer, R. (2005). Predicting Health Behaviour, Second Edi. ed. Open University Press.
- Lyons, I., Barber, N., Raynor, D.K., & Wei, L. (2016). The Medicines Advice Service Evaluation (MASE): A randomised controlled trial of a pharmacist-led telephone based intervention designed to improve medication adherence. *BMJ Qual. Saf.* 25 : 759–769.



UNIVERSITAS
GADJAH MADA

- Mahwi, T.O., & Obeid, K.A. (2013). Role of the Pharmaceutical Care in the Management of Patients With. *Int. J. Pharm. Sci. Res.* 4 : 1363–1369.
- Manik, C.M., & Ronoatmodjo, S. (2019). Hubungan Diabetes Melitus dengan Hipertensi pada Populasi Obesitas di Indonesia (Analisis Data IFLS-5 Tahun 2014). *J. Epidemiol. Kesehat. Indones.* 3 : 19–24.
- Markle-Reid, M., Ploeg, J., Fraser, K.D., Fisher, K.A., Bartholomew, A., Griffith, L.E., et al. (2018). Community Program Improves Quality of Life and Self-Management in Older Adults with Diabetes Mellitus and Comorbidity. *J. Am. Geriatr. Soc.* 66 : 263–273.
- Markum, H.M.S., & Galastri, M. (2004). Diabetic nephropathy among type 2 diabetes mellitus patients in Dr. Cipto mangunkusumo hospital. *Med. J. Indones.* 13 : 161–165.
- Mehuys, E., Van Bortel, L., De Bolle, L., Van Tongelen, I., Annemans, L., Remon, J.P., et al. (2011). Effectiveness of a community pharmacist intervention in diabetes care: A randomized controlled trial. *J. Clin. Pharm. Ther.* 36 : 602–613.
- Menti, D., Limbert, C., & Lyrakos, G. (2019). Investigating the effectiveness of theory-based interventions for improving treatment adherence of patients with type 2 diabetes mellitus: A systematic review of randomised controlled clinical trials. *J. Heal. Soc. Sci.* 4 : 313–330.
- Michiels, Y., Bugnon, O., Chicoye, A., Dejager, S., Moisan, C., Allaert, F.-A., et al. (2019). Impact of a Community Pharmacist-Delivered Information Program on the Follow-up of Type-2 Diabetic Patients: A Cluster Randomized Controlled Study. *Adv. Ther.* 36 : 1291–1303.
- Mihardja, L., Delima, Manz, H.S., Ghani, L., & Soegondo, S. (2009). Prevalence and determinants of diabetes mellitus and impaired glucose tolerance in Indonesia (a part of basic health research/Riskesdas). *Acta Med. Indones.* 41 : 169–74.
- Mino-León, D., Reyes-Morales, H., & Flores-Hernández, S. (2015). Effectiveness of involving pharmacists in the process of ambulatory health care to improve drug treatment adherence and disease control. *J. Eval. Clin. Pract.* 21 : 7–12.



- Moleong, L.. (2018). Metodologi Penelitian Kualitatif, Revisi. ed. Bandung : PT. Remaja Rosdakarya.
- Mostafavi-Darani, F., Zamani-Alavijeh, F., Mahaki, B., & Salahshouri, A. (2020). Exploring the barriers of adherence to dietary recommendations among patients with type 2 diabetes: A qualitative study in Iran. *Nurs. Open* 7 : 1735–1745.
- National Cancer Institute (2005). Theory at a Glance A guide For Health Promotion Practice (Second Edition), Second Edi. ed, National Institutes Of Health. US : National Institutes Of Health.
- National Diabetes Advisory Board (1984). National Standards for Diabetes Patient Education Programs. *Diabetes Care* 9 : 11–13.
- National Institute for Health and Clinical Excellence (2009). NICE clinical guideline 87: Type 2 diabetes: The management of type 2 diabetes. London : National Institute for Health and Clinical Excellence.
- Ng, N., Stenlund, H., Bonita, R., Hakimi, M., Wall, S., & Weinehall, L. (2006). Preventable risk factors for noncommunicable diseases in rural Indonesia: Prevalence study using WHO STEPS approach. *Bull. World Health Organ.* 84 : 305–313.
- Norris, S.L., Nichols, P.J., Caspersen, C.J., Glasgow, R.E., Engelgau, M.M., Jack, L., et al. (2002). Increasing diabetes self-management education in community settings. A systematic review. *Am. J. Prev. Med.* 22 : 39–66.
- Nundy, S., Dick, J.J., Solomon, M.C., & Peek, M.E. (2013). Developing a behavioral model for mobile phone-based diabetes interventions. *Patient Educ. Couns.* 90 : 125–132.
- Nurfauzi, Y., & Nugroho, I.D.W. (2021). Pemantauan Apoteker terhadap Perubahan Obat DM Tipe 2 Pasien Prolanis dengan Partisipasi Edukatif dan Pemetaan Situasi. *Pharm. J. Farm. Indones. (Pharmaceutical J. Indones.)* 18 : 300.
- O'Brien, B.C., Harris, I.B., Beckman, T.J., Reed, D.A., & Cook, D.A. (2014). Standards for reporting qualitative research: A synthesis of recommendations. *Acad. Med.* 89 : 1245–1251.



- Odegard, P.S., & Christensen, D.B. (2012). MAP study: RCT of a medication adherence program for patients with type 2 diabetes. *J. Am. Pharm. Assoc.* 52 : 753–762.
- Ojo, O., Ojo, O.O., Adebawale, F., & Wang, X.H. (2018). The effect of dietary glycaemic index on glycaemia in patients with type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials. *Nutrients* 10 : 1–15.
- Okada, H., Onda, M., Shoji, M., Kotani, K., Nakayama, T., Nakagawa, Y., *et al.* (2016). Effects of Lifestyle Intervention Performed by Community Pharmacists on Glycemic Control in Patients with Type 2 Diabetes: The Community Pharmacists Assist (Compass) Project, a Pragmatic Cluster Randomized Trial. *Pharmacol. & Pharm.* 07 : 124–132.
- Padmawati, R.S., Ng, N., Prabandari, Y.S., & Nichter, M. (2009). Smoking among diabetes patients in Yogyakarta, Indonesia: Cessation efforts are urgently needed. *Trop. Med. Int. Heal.* 14 : 412–419.
- Pelawi, N.G., & Fauzia, D. (2022). Pola Penggunaan Obat Antidiabetik Oral Pada Pasien Diabetes Melitus tipe 2 di Puskesmas Tenayan Raya Kota Pekanbaru. *J. Kedokt. Syiah Kuala* 22 : 207–212.
- Pemayun, T.G.D., & Naibaho, R.M. (2017). Clinical profile and outcome of diabetic foot ulcer, a view from tertiary care hospital in Semarang, Indonesia. *Diabet. Foot Ankle* 8 : 1–10.
- PERKENI (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. PB PERKENI.
- Permatasari, T.A.E., & Chadirin, Y. (2020). Sweetened Condensed Consumption of More Than 1 Glass Per Day Has an Impact on Underweight Among Children Under Age Five. *Adv. Heal. Sci. Res.* 22 : 615–619.
- Perwitasari, D.A., & Urbayatun, S. (2016). Treatment Adherence and Quality of Life in Diabetes Mellitus Patients in Indonesia. *SAGE Open* 6 : 1–9.
- Pesantes, M.A., Del Valle, A., Diez-Canseco, F., Bernabé-Ortiz, A., Portocarrero, J., Trujillo, A., *et al.* (2018). Family Support and Diabetes: Patient's Experiences



UNIVERSITAS
GADJAH MADA

- From a Public Hospital in Peru. *Qual. Health Res.* 28 : 1871–1882.
- Peter, O.A., Joshua, E.F., Daughter, O.A., & Nelson, E.C. (2017). Co-Morbidities of Patients with Hypertension Admitted to Amassoma General Hospital, Bayelsa State South-South of Nigeria. *Glob. J. Pharm. Pharm. Sci.* 2 : 1–6.
- Pham, T.B., Nguyen, T.T., Truong, H.T., Trinh, C.H., Du, H.N.T., Ngo, T.T., et al. (2020). Effects of Diabetic Complications on Health-Related Quality of Life Impairment in Vietnamese Patients with Type 2 Diabetes. *J. Diabetes Res.* 2020.
- Pitaloka, D., & Hsieh, E. (2015). Health as submission and social responsibilities: Embodied experiences of Javanese women with type II diabetes. *Qual. Health Res.* 25 : 1155–1165.
- Pramono, L.A., Setiati, S., Soewondo, P., Subekti, I., Adisasmita, A., Kodim, N., et al. (2010). Prevalence and predictors of undiagnosed diabetes mellitus in Indonesia. *Acta Med. Indones.* 42 : 216–223.
- Presetiawati, I., Andrajati, R., & Sauriasari, R. (2017). Effectiveness of a medication booklet and counseling on treatment adherence in type 2 diabetes mellitus patients. *Int. J. Appl. Pharm.* 9 : 27–31.
- Primanda, Y., Kep, S., Kritpracha, C., & Thaniwattananon, P. (2011). Dietary Behaviors among Patients with Type 2 Diabetes Mellitus in Yogyakarta, Indonesia. *Nurse Media J. Nurs.* 1 : 211–223.
- Pujilestari, C.U. tami., Ng, N., Hakimi, M., & Eriksson, M. (2014). “It is not possible for me to have diabetes”-community perceptions on diabetes and its risk factors in Rural Purworejo District, Central Java, Indonesia. *Glob. J. Health Sci.* 6 : 204–218.
- Purwandari, C.A.A., Wirjatmadi, B., & Mahmudiono, T. (2022). Faktor Risiko Terjadinya Komplikasi Kronis Diabetes Melitus Tipe 2 pada Pra Lansia. *Amerta Nutr.* 6 : 262–271.
- Pusat Data dan Informasi Kementerian Kesehatan RI (2020). Infodatin 2020 Diabetes Melitus [WWW Document]. URL
<https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/Inf>



- odatin 2020 Diabetes Melitus.pdf (accessed 3.10.23).
- Puskesmas Depok II (2022). Profil Kesehatan Pusat Kesehatan Masyarakat Depok II
Tahun 2022. Sleman : .
- Puskesmas Mlati II (2021). Profil Puskesmas Mlati II Tahun 2021. Sleman : .
- Puskesmas Ngaglik II (2022). Profil Kesehatan Pusat Kesehatan Masyarakat Ngaglik
II Tahun 2022. Sleman : .
- Puskesmas Pakem (2022). Profil Kesehatan Pusat Kesehatan Masyarakat PAKEM
Tahun 2022, Puskesmas Pakem. Sleman : .
- Rabi, D.M., Edwards, A.L., Southern, D.A., Svenson, L.W., Sargious, P.M., Norton,
P., et al. (2006). Association of socio-economic status with diabetes prevalence
and utilization of diabetes care services. *BMC Health Serv. Res.* 6 : 1–7.
- Rachmawati, N. (2015). Gambaran Kontrol dan Kadar Gula Darah pada Pasien
Diabetes Melitus di Poliklinik Penyakit Dalam RSJ Prof.Dr.Soerojo Magelang.
Jur. Keperawatan Fak. Kedokt. Univ. Diponegoro Semarang. Universitas
Diponegoro.
- Radji, M., Putri, C.S., & Fauziyah, S. (2014). Antibiotic therapy for diabetic foot
infections in a tertiary care hospital in Jakarta, Indonesia. *Diabetes Metab.*
Syndr. Clin. Res. Rev. 8 : 221–224.
- Rahmah, G.N., Sukartini, T., & Utami, S. (2019). Factors Associated With Patients'
Adherence To Self-Care Behaviors Among Patients With Diabetes Mellitus: a
Literature Review. *Int. J. Nurs. Heal. Serv.* 2 : 205–212.
- Rao, M.N., Neylan, T.C., Grunfeld, C., Mulligan, K., Schambelan, M., & Schwarz,
J.M. (2015). Subchronic sleep restriction causes tissue-specific insulin
resistance. *J. Clin. Endocrinol. Metab.* 100 : 1664–1671.
- Reynolds, A.C., Dorrian, J., Liu, P.Y., van Dongen, H.P.A., Wittert, G.A., Harmer,
L.J., et al. (2012). Impact of five nights of sleep restriction on glucose
metabolism, leptin and testosterone in young adult men. *PLoS One* 7 : 1–10.
- Rianita, Bardosono, S., & Victor, A.A. (2008). Relationship between plasma lipid
profile and the severity of diabetic retinopathy in type 2 diabetes patients. *Med.*



UNIVERSITAS
GADJAH MADA

J. Indones. 17 : 221–225.

- Ricci-Cabello, I., Ruiz-Pérez, I., Nevot-Cordero, A., Rodriguez-Barranco, M., Sordo, L., & Gonçalves, D.C. (2013). Health care interventions to improve the quality of diabetes care in African Americans. *Diabetes Care* 36 : 760–768.
- Roemling, C., & Qaim, M. (2012). Obesity trends and determinants in Indonesia. *Appetite* 58 : 1005–1013.
- Rosen, M.I., Rigsby, M.O., Salahi, J.T., Ryan, C.E., & Cramer, J.A. (2004). Electronic monitoring and counseling to improve medication adherence. *Behav. Res. Ther.* 42 : 409–422.
- Rothman, R., Malone, R., Bryant, B., Horlen, C., & Pignone, M. (2003). Pharmacist Led, Primary Care-Based Disease Management Improves Hemoglobin Aic in High-Risk Patients With Diabetes. *Am. J. Med. Qual.* 18 : 51–58.
- Royal Australian College of General Practitioners (2020). Management of type 2 diabetes : A handbook for general practice. East Melbourne Victoria : The Royal Australian College of General Practitioners Ltd.
- Ruslialdi, M.A., Nurrachmayanti, A., Susanto, F., & Sie, S. (2015). Random blood glucose distribution in three different communities based setting: A pilot study in Jakarta area, Indonesia. *Pakistan J. Nutr.* 14 : 765–772.
- Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., et al. (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Res. Clin. Pract.* 157 : 107843.
- Sami, W., Ansari, T., Butt, N.S., Rashid, M., & Hamid, A. (2017). Effect Of Diet Counseling on Type 2 Diabetes Mellitus: A Review. *Int. J. Health Sci. (Qassim)*. 11 : 65–71.
- Sammulia, S.F., Rahmawati, F., & Andayani, T.M. (2016). Perbandingan Pill Box Dan Medication Chart Dalam Meningkatkan Kepatuhan Dan Outcome Klinik Geriatri Kota Batam. *J. Manaj. dan Pelayanan Farm.* 6 : 288–296.
- Samtia, A.M., Rasool, M.F., Ranjha, N.M., Usman, F., & Javed, I. (2013). A



- multifactorial intervention to enhance adherence to medications and disease-related knowledge in type 2 diabetic patients in Southern Punjab, Pakistan. *Trop. J. Pharm. Res.* 12 : 851–856.
- Santi, M.D.S. (2017). Pengaruh Intervensi Pill Reminder Dalam Penggunaan Obat Oral Anti Diabetes (OAD) Terhadap Peningkatan Kapatuhan Pasien Diabetes Mellitus Tipe 2 Di Rumah Diabetes Universitas Surabaya. *J. Ilm. Mhs. Univ. Surabaya* 6 : 567–576.
- Santoso, S.S., Waluyo, I., & Kasnodihardjo (2000). Profil Penderita Diabetes Melitus Yang Berobat ke Pengobat Tradisional di DKI Jakarta, di Yogyakarta, dan Surabaya. *Bul. Penelit. Kesehat.* 27 : 333–45.
- Sarayani, A., Mashayekhi, M., Nosrati, M., Jahangard-Rafsanjani, Z., Javadi, M., Saadat, N., *et al.* (2018). Efficacy of a telephone-based intervention among patients with type-2 diabetes; a randomized controlled trial in pharmacy practice. *Int. J. Clin. Pharm.* 40 : 345–353.
- Sasongko, M.B., Widyaputri, F., Agni, A.N., Wardhana, F.S., Kotha, S., Gupta, P., *et al.* (2017). Prevalence of Diabetic Retinopathy and Blindness in Indonesian Adults With Type 2 Diabetes. *Am. J. Ophthalmol.* 181 : 79–87.
- Sauriasari, R., Andrajati, R., Azizahwati, Dharmeizar, Saputri, D.A., Muris, R.U., *et al.* (2015). Marker of lipid peroxidation related to diabetic nephropathy in Indonesian type 2 diabetes mellitus patients. *Diabetes Res. Clin. Pract.* 108 : 193–200.
- Schmid, S.M., Hallschmid, M., Jauch-Chara, K., Wilms, B., Lehnert, H., Born, J., *et al.* (2011). Disturbed glucoregulatory response to food intake after moderate sleep restriction. *Sleep* 34 : 371–377.
- Schunck, D.H. (2012). Learning Theories: An Educational Perspective, Sixth Edit. ed, Pearson Education Inc. Boston, MA : Pearson Education Inc.
- Schwartz, S.S., Epstein, S., Corkey, B.E., Grant, S.F.A., Gavin, J.R., & Aguilar, R.B. (2016). The time is right for a new classification system for diabetes: Rationale and implications of the β-cell-centric classification schema. *Diabetes Care* 39 :



179–186.

- Seidu, S., Walker, N.S., Bodicoat, D.H., Davies, M.J., & Khunti, K. (2016). A systematic review of interventions targeting primary care or community based professionals on cardio-metabolic risk factor control in people with diabetes. *Diabetes Res. Clin. Pract.* 113 : 1–13.
- Shah, M., Kaselitz, E., & Heisler, M. (2013). The role of community health workers in diabetes: Update on current literature. *Curr. Diab. Rep.* 13 : 163–171.
- Shao, H., Chen, G., Zhu, C., Chen, Y., Liu, Y., He, Y., et al. (2017). Effect of pharmaceutical care on clinical outcomes of outpatients with type 2 diabetes mellitus. *Patient Prefer. Adherence* 11 : 897–903.
- Sibuea, W.H. (1997). Early metabolic defects in the first-degree relatives of patients with non-insulin-dependent diabetes mellitus. *Med. J. Indones.* 6 : 97.
- Singh, P., Arora, S., Goyal, A., Mittal, N., Singh, A., Sharma, S., et al. (2022). Influence of the Duration of Diabetes and Vibration Perception Threshold on the Severity of Erectile Dysfunction in Patients With Type 2 Diabetes Mellitus. *Acta Endocrinol. (Copenh.)*. 18 : 174–180.
- Sisson, E., & Kuhn, C. (2009). Pharmacist roles in the management of patients with type 2 diabetes. *J. Am. Pharm. Assoc.* (2003). 49 Suppl 1 : S41–S45.
- Sja'bani, M., Asdie, A.H., Widayati, K., Subroto, Y., Kariadi, S.H., Arifin, A.Y.L., et al. (2005). Microalbuminuria prevalence study in hypertensive patients with type 2 diabetes in Indonesia. *Acta Med. Indones.* 37 : 199–204.
- Smalls, B.L., Walker, R.J., Bonilha, H.S., Campbell, J.A., & Egede, L.E. (2015). Community Interventions to Improve Glycemic Control in African Americans with Type 2 Diabetes: A Systemic Review. *Glob. J. Health Sci.* 7 : 171–182.
- Soebardi, S., Purnamasari, D., Oemardi, M., Soewondo, P., Waspadji, S., & Soegondo, S. (2009). Dyslipidemia in newly diagnosed diabetes mellitus: the Jakarta primary non-communicable disease risk factors surveillance 2006. *Acta Med. Indones.* 41 : 186–190.
- Soegondo, S., Widyahening, I.S., Istantho, R., & Yunir, E. (2011). Prevalence of



- diabetes among suburban population of Ternate--a small remote island in the eastern part of Indonesia. *Acta Med. Indones.* 43 : 99–104.
- Soewondo, P., & Pramono, L.A. (2011). Prevalence, characteristics, and predictors of pre-diabetes in Indonesia. *Med. J. Indones.* 20 : 283–294.
- Soewondo, P., Purnamasari, D., Oemardi, M., Waspadji, S., & Soegondo, S. (2010). Prevalence of metabolic syndrome using NCEP/ATP III criteria in Jakarta, Indonesia: the Jakarta primary non-communicable disease risk factors surveillance 2006. *Acta Med. Indones.* 42 : 199–203.
- Streubert, H.J., & Carpenter, D.R. (2011). Qualitative Research In Nursing : Advancing The Humanistic Imperative, Fifth edit. ed. Lippincott Williams & Wilkins.
- Suastika, K., Dwipayana, P., Ratna Saraswati, I.M., Kuswardhani, T., Astika, N., Putrawan, I.B., et al. (2011). Relationship between age and metabolic disorders in the population of Bali. *J. Clin. Gerontol. Geriatr.* 2 : 47–52.
- Sugiharto, R., Hsu, Y.Y., Toobert, D.J., & Wang, S.T. (2019). The Validity and Reliability of The Summary of Diabetes Self-Care Activities Questionnaire: An Indonesian Version. *Indones. Nurs. J. Educ. Clin.* 4 : 25.
- Suhadi, R., Linawati, Y., Wulandari, E.T., Virginia, D.M., & Setiawan, C.H. (2017). The metabolic disorders and cardiovascular risk among lower socioeconomic subjects in Yogyakarta-Indonesia. *Asian J. Pharm. Clin. Res.* 10 : 367–372.
- Sullivan, J., Jett, B.P., Cradick, M., & Zuber, J. (2016). Effect of Clinical Pharmacist Intervention on Hemoglobin A1C Reduction in Veteran Patients With Type 2 Diabetes in a Rural Setting. *Ann. Pharmacother.* 50 : 1023–1027.
- Susanti, E., Donosepoetro, M., Patellongi, I., & Arif, M. (2010). Differences between several atherogenic parameters in patients with controlled and uncontrolled type 2 diabetes mellitus. *Med. J. Indones.* 19 : 103–108.
- Susanto, H., Nesse, W., Dijkstra, P.U., Agustina, D., Vissink, A., & Abbas, F. (2011). Periodontitis Prevalence and Severity in Indonesians With Type 2 Diabetes. *J. Periodontol.* 82 : 550–557.



UNIVERSITAS
GADJAH MADA

- Tan, M.Y., Magarey, J.M., Chee, S.S., Lee, L.F., & Tan, M.H. (2011). A brief structured education programme enhances self-care practices and improves glycaemic control in Malaysians with poorly controlled diabetes. *Health Educ. Res.* 26 : 896–907.
- Todorova, L., Soewondo, P., Hunt, B., & Suastika, K. (2012). Evaluation of the Long-Term Clinical and Economic Impact of a 1% HbA1C Reduction in Patients With Type 2 Diabetes in Indonesia. *Value Heal.* 15 : A500.
- Toobert, D.J., Hampson, S.E., & Glasgow, R.E. (2000). The summary of diabetes self-care activities measure: results from 7 studies and a revised scale. *Diabetes Care* 23 : 943–950.
- Triyanti, K., Suhardjono, Soewondo, P., & Shatri, H. (2008). Renal function decrement in type 2 diabetes mellitus patients in Cipto Mangunkusumo Hospital. *Acta Med. Indones.* 40 : 192–200.
- Usfar, A.A., Lebenthal, E., Atmarita, Achadi, E., Soekirman, & Hadi, H. (2010). Obesity as a poverty-related emerging nutrition problems: The case of Indonesia. *Obes. Rev.* 11 : 924–928.
- Veronica, V.P. (2021). Hubungan Self Control Gula Darah Dengan Perilaku Pengendalian Penyakit Diabetes Melitus Tipe II Pada Pasien Lansia Di Wilayah Kerja Puskesmas Dinoyo Kota Malang. STIKES Widyagama Husada.
- Vik, S.A., Maxwell, C.J., Hogan, D.B., Patten, S.B., Johnson, J.A., & Romonko-Slack, L. (2005). Assessing medication adherence among older persons in community settings. *Can. J. Clin. Pharmacol.* 12 : 5–9.
- Wardhani, V., Holipah, H., Dewanto, A., & Triastuti, E. (2014). A Community Empowerment Model To Promote Positive Health Behavior and Diabetes Mellitus Self Care. *Diabetes Res. Clin. Pract.* 106 : S85–S86.
- Waspadji, S., Soewondo, P., Subekti, I., Soebardi, S., Harbuwono, D.S., Pramono, L.A., et al. (2013). Ende diabetes study: Diabetes and its characteristics in rural area of East Nusa Tenggara. *Med. J. Indones.* 22 : 30–38.
- Wibowo, Y., Parsons, R., Sunderland, B., & Hughes, J. (2015). Evaluation of



- community pharmacy-based services for type-2 diabetes in an Indonesian setting: pharmacist survey. *Int. J. Clin. Pharm.* 37 : 873–882.
- Wibowo, Y., Sunderland, B., & Hughes, J. (2016). Pharmacist and physician perspectives on diabetes service delivery within community pharmacies in Indonesia: A qualitative study. *Int. J. Pharm. Pract.* 24 : 180–188.
- Wichit, N., Mnatzaganian, G., Courtney, M., Schulz, P., & Johnson, M. (2017). Randomized controlled trial of a family-oriented self-management program to improve self-efficacy, glycemic control and quality of life among Thai individuals with Type 2 diabetes. *Diabetes Res. Clin. Pract.* 123 : 37–48.
- Widayanti, A.W. (2018). Understanding health-seeking behaviours of people in Indonesia; and developing, piloting, and evaluating a culturally appropriate intervention for people with diabetes. The University of Otago, Dunedin, New Zealand.
- Widianingtyas, A., Purbowati, M.R., Dewantoro, L., & Mustikawati, I.F. (2021). Hubungan Keikutsertaan Prolanis (Program Pengelolaan Penyakit Kronis) dengan Tingkat Efikasi Diri Pasien Diabetes Mellitus Tipe 2 di Puskesmas 1 Kembaran. *Muhammadiyah J. Geriatr.* 1 : 33.
- Wild, H. (2012). The economic rationale for adherence in the treatment of type 2 diabetes mellitus. *Am. J. Manag. Care* 18 : S43-8.
- Wild, S., Roglic, G., Green, A., Sicree, R., & King, H. (2004). Global Prevalence of Diabetes. *Diabetes Care* 27 : 1047–1053.
- Wishah, R.A., Al-Khawaldeh, O.A., & Albsoul, A.M. (2015). Impact of pharmaceutical care interventions on glycemic control and other health-related clinical outcomes in patients with type 2 diabetes: Randomized controlled trial. *Diabetes Metab. Syndr. Clin. Res. Rev.* 9 : 271–276.
- World Health Organization (2016). Global Report on Diabetes, World Health Organization. France : World Health Organization.
- Wu, W.C., Taveira, T.H., Jeffery, S., Jiang, L., Tokuda, L., Musial, J., et al. (2018). Costs and effectiveness of pharmacist-led group medical visits for type-2



- diabetes: A multi-center randomized controlled trial. *PLoS One* 13 : 1–14.
- Wubben, D.P., & Vivian, E.M. (2008). Effects of pharmacist outpatient interventions on adults with diabetes mellitus: A systematic review. *Pharmacotherapy* 28 : 421–436.
- Yamada, S. (2017). Paradigm shifts in nutrition therapy for type 2 diabetes - nutrition therapy for diabetes -. *Keio J. Med.* 66 : 33–43.
- Yunir, E., Waspadji, S., & Rahajeng, E. (2009). The pre-diabetic epidemiological study in Depok, West Java. *Acta Med. Indones.* 41 : 181–185.
- Yusuf, S., Okuwa, M., Irwan, M., Rassa, S., Laitung, B., Thalib, A., et al. (2016). Prevalence and Risk Factor of Diabetic Foot Ulcers in a Regional Hospital, Eastern Indonesia. *Open J. Nurs.* 06 : 1–10.