

DAFTAR PUSTAKA

- Adaikalakoteswari, A., Rabbani, N., Waspadji, S., Tjokroprawiro, A., Kariadi, S.H.K.S., Adam, J.M.F., *et al.* (2012). Disturbance of B-vitamin status in people with type 2 diabetes in Indonesia-Link to renal status, glycemic control and vascular inflammation. *Diabetes Res. Clin. Pract.* 95 : 415–424.
- Adepu, S.P.R., Sam, S., Omanakuttan, C., K V, R., & Yashaswini, Y. (2018). Assessment of Pharmacist Mediated Education on Medication Adherence Behavior in Type 2 Diabetes Mellitus Patients in South Indian Rural Population. *Int. J. Pharm. Pharm. Sci.* 10 : 39.
- Adikusuma, W., & Qiyaam, N. (2018). Adherence level and blood sugar control of type 2 diabetes mellitus patients who gets counseling and short messages service as reminder and motivation. *Asian J. Pharm. Clin. Res.* 11 : 219–222.
- Agrimon, O.H. (2014). Exploring the Feasibility of Implementing Self-Management and Patient Empowerment through a Structured Diabetes Education Programme in Yogyakarta City Indonesia: A Pilot Cluster Randomised Controlled Trial. *Univ. Adelaide.* The University of Adelaide.
- Aguiar, P.M., da Silva, C.H.P., Chiann, C., Dórea, E.L., Lyra, D.P., & Storpirtis, S. (2018). Pharmacist–physician collaborative care model for patients with uncontrolled type 2 diabetes in Brazil: results from a randomized controlled trial. *J. Eval. Clin. Pract.* 24 : 22–30.
- Albikawi, Z.F. (2014). The effect of diabetes self efficacy enhancing intervention on diabetes self care management behaviors and psychological wellbeing among Jordanian type two diabetes patients 2 : 34–48.
- Alfian, Sofa Dewi, Sukandar, H., Arisanti, N., & Abdulah, R. (2016). Complementary and alternative medicine use decreases adherence to prescribed medication in diabetes patients. *Ann. Trop. Med. Public Heal.* 9 : 174–179.
- Alfian, Sofa D, Sukandar, H., Lestari, K., & Abdulah, R. (2016). Medication Adherence Contributes to an Improved Quality of Life in Type 2 Diabetes Mellitus Patients: A Cross-Sectional Study. *Diabetes Ther.* 7 : 755–764.

- Ali, M., Schifano, F., Robinson, P., Phillips, G., Doherty, L., Melnick, P., *et al.* (2012). Impact of community pharmacy diabetes monitoring and education programme on diabetes management: A randomized controlled study. *Diabet. Med.* 29 : 326–333.
- Alinia, H., & Feldman, S.R. (2014). Assessing medication adherence using indirect self-report. *JAMA Dermatology* 150 : 813–814.
- American Diabetes Association (2023). Standards of Care in Diabetes -2023. *Diabetes Care* 46 : 1–298.
- American Diabetes Association (2020). Standards of medical care in diabetes-2020. *J. Clin. Appl. Res. Educ.* 43 : S1–S206.
- American Diabetes Association (2019). Introduction: Standards of Medical Care in Diabetes—2019. *Diabetes Care* 42 : S1–S2.
- American Diabetes Association (2016). 5. Glycemic targets. *Diabetes Care* 39 : S39–S46.
- American Diabetes Association (2009). Standards of medical care in diabetes-2009. *Diabetes Care* 32 : S1–S100.
- Annis, A.M., Caulder, M.S., Cook, M.L., & Duquette, D. (2005). Family history, diabetes, and other demographic and risk factors among participants of the national health and nutrition examination survey 1999-2002. *Prev. Chronic Dis.* 2 : 1–12.
- Ardiani, H.E., Permatasari, T.A.E., & Sugiatmi, S. (2021). Obesitas, Pola Diet, dan Aktifitas Fisik dalam Penanganan Diabetes Melitus pada Masa Pandemi Covid-19. *Muhammadiyah J. Nutr. Food Sci.* 2 : 1–12.
- Armor, B.L., Britton, M.L., Dennis, V.C., & Letassy, N.A. (2010). A review of pharmacist contributions to diabetes care in the united states. *J. Pharm. Pract.* 23 : 250–264.
- Aronson, J.K. (2007). Compliance, concordance, adherence. *Br. J. Clin. Pharmacol.* 63 : 383–384.
- Aronson, R., Orzech, N., Ye, C., Goldenberg, R., & Brown, V. (2015). Specialist-led

diabetes registries and predictors of poor glycemic control in type 2 diabetes:

Insights into the functionally refractory patient from the LMC Diabetes Registry database. *J. Diabetes* 8 : 76–85.

Atolagbe, E.T., Sivanandy, P., & Ingle, P.V. (2023). Effectiveness of educational intervention in improving medication adherence among patients with diabetes in Klang Valley, Malaysia. *Front. Clin. Diabetes Healthc.* 4 : 1–11.

Badan Penyelenggara Jaminan Sosial (2014). Panduan Praktis PROLANIS (Program Pengelolaan Penyakit Kronis). Jakarta : Badan Penyelenggara Jaminan Sosial.

Bandura, A. (1997). Self-Efficacy The Exercise of Control. New York : W.H.Freeman and Company.

Bandura, A. (1989). Social cognitive theory, Greenwich, CT: JAI Press. Greenwich, CT: JAI Press.

Bartholomew, L.K., Parcel, G.S., Kok, G., & Gottlieb, N.H. (2006). Planning health promotion programs An Intervention Mapping Approach, First Edit. ed, Jossey-Bass. San Fransisco : Jossey-Bass.

Bate, K.L., & Jerums, G. (2003). 3: Preventing complications of diabetes. *Med. J. Aust.* 179 : 498–503.

Beagley, J., Guariguata, L., Weil, C., & Motala, A.A. (2014). Global estimates of undiagnosed diabetes in adults. *Diabetes Res. Clin. Pract.* 103 : 150–160.

Besemah, N.A., Sartika, R.A.D., & Sauriasari, R. (2021). Effect of Pharmacist Intervention on Medication Adherence and Clinical Outcomes of Type 2 Diabetes Mellitus Outpatients in Primary Healthcare in Indonesia. *J. Res. Pharm. Pract.* 9 : 186–195.

Borges, A.P.D.S., Guidoni, C.M., Ferreira, L.D., Freitas, O. De, & Pereira, L.R.L. (2010). The pharmaceutical care of patients with type 2 diabetes mellitus. *Pharm. World Sci.* 32 : 730–736.

Borhaninejad, V., Iranpour, A., Shati, M., Tahami, A.N., Yousefzadeh, G., & Fadayeveatan, R. (2017). Predictors of Self-care among the Elderly with Diabetes Type 2: Using Social Cognitive Theory. *Diabetes Metab. Syndr. Clin. Res. Rev.*

11 : 163–166.

- Boye, K.S., Curtis, S.E., Lage, M.J., & Garcia-Perez, L.E. (2016). Associations between adherence and outcomes among older, type 2 diabetes patients: Evidence from a Medicare Supplemental database. *Patient Prefer. Adherence* 10 : 1573–1581.
- Browning, C., Chapman, A., Yang, H., Liu, S., Zhang, T., Enticott, J.C., *et al.* (2016). Management of type 2 diabetes in China: The Happy Life Club, a pragmatic cluster randomised controlled trial using health coaches. *BMJ Open* 6.
- Butt, M., Ali, A.M., & Bakry, M.M. (2018). Health-Related Quality of Life in Poorly Controlled Type 2 Diabetes Patients - Association of Patients' Characteristics With Eq-5D Domains, Mean Eq-5D Scores, and Visual Analog Scale Score. *Asian J. Pharm. Clin. Res.* 11 : 93–98.
- Butt, M., Mhd Ali, A., Bakry, M.M., & Mustafa, N. (2016). Impact of a pharmacist led diabetes mellitus intervention on HbA1c, medication adherence and quality of life: A randomised controlled study. *Saudi Pharm. J.* 24 : 40–48.
- Cai, C., & Hu, J. (2016). Effectiveness of a Family-based Diabetes Self-management Educational Intervention for Chinese Adults With Type 2 Diabetes in Wuhan, China. *Diabetes Educ.* 42 : 697–711.
- Carlen, J.J.L.G.M.G.T.L.S.M. (2010). Health Promotion Programs From Theory To Practise, First Edit. ed, Jossey-Bass. San Fransisco : Jossey-Bass.
- Carls, G.S., Tuttle, E., Tan, R.D., Huynh, J., Yee, J., Edelman, S. V., *et al.* (2017). Understanding the gap between efficacy in randomized controlled trials and effectiveness in real-world use of GLP-1 RA and DPP-4 therapies in patients with type 2 diabetes. *Diabetes Care* 40 : 1469–1478.
- Castejón, A.M., Calderón, J.L., Perez, A., Millar, C., McLaughlin-Middlekauf, J., Sangasubana, N., *et al.* (2013). A community - Based pilot study of a diabetes pharmacist intervention in latinos: Impact on weight and hemoglobin A1c. *J. Health Care Poor Underserved* 24 : 48–60.
- Chatterjee, S., Davies, M.J., Heller, S., Speight, J., Snoek, F.J., & Khunti, K. (2017).

- Diabetes structured self-management education programmes: a narrative review and current innovations. *Lancet Diabetes Endocrinol.* 1–13.
- Chen, J.H., Ou, H.T., Lin, T.C., Lai, E.C.C., & Yang Kao, Y.H. (2016). Pharmaceutical care of elderly patients with poorly controlled type 2 diabetes mellitus: a randomized controlled trial. *Int. J. Clin. Pharm.* 38 : 88–95.
- Chow, E.P., Hassali, M.A., Saleem, F., & Aljadhey, H. (2016). Effects of pharmacist-led patient education on diabetes-related knowledge and medication adherence: A home-based study. *Health Educ. J.* 75 : 1–13.
- Chrvala, C.A., Sherr, D., & Lipman, R.D. (2016). Diabetes self-management education for adults with type 2 diabetes mellitus: A systematic review of the effect on glycemic control. *Patient Educ. Couns.* 99 : 926–943.
- Chung, W.W., Chua, S.S., Lai, P.S.M., & Chan, S.P. (2014). Effects of a pharmaceutical care model on medication adherence and glycemic control of people with type 2 diabetes. *Patient Prefer. Adherence* 8 : 1185–1194.
- Clifford, R.M., Davis, W.A., Batty, K.T., & Davis, T.M.E. (2005). Effect of a pharmaceutical care program on vascular risk factors in type 2 diabetes: The Fremantle Diabetes Study. *Diabetes Care* 28 : 771–776.
- Coppell, K.J., Kataoka, M., Williams, S.M., Chisholm, A.W., Vorgers, S.M., & Mann, J.I. (2010). Nutritional intervention in patients with type 2 diabetes who are hyperglycaemic despite optimised drug treatment - Lifestyle over and above drugs in diabetes (LOADD) study: Randomised controlled trial. *BMJ* 341 : 237.
- Creswell (2017). *Research Design Pendekatan Metode Kualitatif, Kuantitatif dan Campuran*, Edisi ke-4. ed. Yogyakarta : Pustaka Pelajar.
- Creswell (2007). *Qualitative Inquiry & Research Design: Choosing Among Five Approaches*, Second Edi. ed. USA : Sage Publications.
- Damayanti, M.R., Antari, G.A.A., & Nopriani, N.L.P. (2021). Effect of a ten-week short message service-based intervention on self-management of type-2 diabetes patients in Bali, Indonesia. *Nurse Media J. Nurs.* 11 : 177–186.
- Dans, A., Ng, N., Varghese, C., Tai, E.S., Firestone, R., & Bonita, R. (2011). The rise

of chronic non-communicable diseases in southeast Asia: Time for action.

Lancet 377 : 680–689.

Diana, L. (2021). What Do Your Fasting Blood Glucose and Hemoglobin A1c Levels Mean? [WWW Document]. *Insid. Tracker*. URL

<https://blog.insidetracker.com/understand-fasting-blood-glucose-hemoglobin-a1c> (accessed 7.21.23).

DiBenedetto, M.K., & Bembenutty, H. (2013). Within the pipeline: Self-regulated learning, self-efficacy, and socialization among college students in science courses. *Learn. Individ. Differ.* 23 : 218–224.

Dinas Kesehatan DIY (2021). Profil Kesehatan D.I. Yogyakarta Tahun 2021. Daerah Istimewa Yogyakarta : .

Dinas Kesehatan DIY (2018). Profil Kesehatan D.I Yogyakarta tahun 2018. Daerah Istimewa Yogyakarta : .

Dinas Kesehatan Kabupaten Sleman (2020). Profil Kesehatan Kabupaten Sleman Tahun 2020. Sleman : .

Dunham, P.J., & Karkula, J.M. (2012). Effects of a Pharmacy-Care Program on Adherence and Outcomes. *Am. J. Pharm. Benefits* 4 : 8–14.

Dzaki Rif'at I., Hasneli N. Y, & Indriati G (2023). Gambaran Komplikasi Diabetes Melitus Pada Penderita Diabetes Melitus. *J. Keperawatan Prof.* 11.

Ebid, A.H.I., Mobarez, M.A., Ramadan, R.A., & Mahmoud, M.A. (2022). Impact of a Clinical Pharmacist Intervention Program on the Follow-up of Type-2 Diabetic Patients. *Hosp. Pharm.* 57 : 76–82.

Edelman, S. V, & Polonsky, W.H. (2017). Type 2 Diabetes in the Real World: The Elusive Nature of Glycemic Control. *Diabetes Care* 40 : 1425–1432.

Elfahmi, Woerdenbag, H.J., & Kayser, O. (2014). Jamu: Indonesian traditional herbal medicine towards rational phytopharmacological use. *J. Herb. Med.* 4 : 51–73.

Erku, D.A., Ayele, A.A., Mekuria, A.B., Belachew, S.A., Hailemeskel, B., & Tegegn, H.G. (2017). The impact of pharmacist-led medication therapy management on medication adherence in patients with type 2 diabetes mellitus: A randomized

- controlled study. *Pharm. Pract. (Granada)*. 15 : 1–7.
- Fadhila, R., & Rima Novia, P. (2019). Pengaruh Latihan Fisik Terhadap Kadar Glukosa Darah Penyandang Diabetes Melitus Tipe 2: Literature Review. *J. Keperawatan Abdurrah* 3 : 17–24.
- Fajriansyah, Iskandarsyah, A., Puspitasari, I.M., & Lestari, K. (2020). Impact of pharmacist counseling on health-related quality of life of patients with type 2 diabetes mellitus: a cluster randomized controlled study. *J. Diabetes Metab. Disord.* 19 : 675–682.
- Fan, L., & Sidani, S. (2009). Effectiveness of diabetes self-management education intervention Elements: A meta-analysis. *Can. J. Diabetes* 33 : 18–26.
- Farsaei, S., Sabzghabae, A.M., Zargarzadeh, A.H., & Amini, M. (2011). Effect of pharmacist-led patient education on glycemic control of type 2 diabetics: A randomized controlled trial. *J. Res. Med. Sci.* 16 : 43–49.
- Fiaril, H.Z.P., Nasution, A., & Dalimunthe, A. (2019). Impact of pharmacist intervention on improving the quality of life of patients with type 2 diabetes mellitus. *Open Access Maced. J. Med. Sci.* 7 : 1401–1405.
- Fitzgerald, J.T., Davis, W.K., Connel, C.M., Hess, G.E., Funnel, M.M., & Roland G Hiss (1996). Development And Validation Of The Diabetes Care Profile, in: *Evaluation & The Health Professions*. pp. 208–230, Sage Publications, Inc.
- Fowler, M.J. (2008). Microvascular and macrovascular complications of diabetes. *Clin. Diabetes* 26 : 77–82.
- Gatlin, T.K., Serafica, R., & Johnson, M. (2017). Systematic review of peer education intervention programmes among individuals with type 2 diabetes. *J. Clin. Nurs.* 26 : 4212–4222.
- Gehlawat, M., Lakshminarayanan, S., & Kar, S.S. (2019). Structured Diabetes Education Program for Improving Self-Care Behavior in Primary Care Settings of Puducherry: Evidence from a Randomized Controlled Trial. *Indian J. Community Med.* 44 : 107–112.
- George, D., & Mallery, P. (2019). IBM SPSS Statistics 25 Step by Step, Fifteenth. ed,

IBM SPSS Statistics 25 Step by Step. titles: SPSS for Windows step by step.

Description: Fifteenth edition. | New York, NY : Routledge.

Ghoreishi, M.S., Vahedian-shahroodi, M., Jafari, A., & Tehranid, H. (2019). Self-care behaviors in patients with type 2 diabetes: Education intervention base on social cognitive theory. *Diabetes Metab. Syndr. Clin. Res. Rev.* 13 : 2049–2056.

Goruntla, N., Mallela, V., & Nayakanti, D. (2019). Impact of Pharmacist-directed Counseling and Message Reminder Services on Medication Adherence and Clinical Outcomes in Type 2 Diabetes Mellitus. *J. Pharm. Bioallied Sci.* 11 : 69–76.

Grant, J.S., & Davis, L.L. (1997). Selection and use of content experts for instrument development. *Res. Nurs. Health* 20 : 269–274.

Guariguata, L., Whiting, D.R., Hambleton, I., Beagley, J., Linnenkamp, U., & Shaw, J.E. (2014). Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabetes Res. Clin. Pract.* 103 : 137–149.

Gubernur Daerah Istimewa Yogyakarta (2021). Penetapan Upah Minimum Kabupaten/Kota Tahun 2022. *Keputusan Gubernur Drh. Istimewa Yogyakarta.*

Guénette, L., Moisan, J., Breton, M.C., Sirois, C., & Grégoire, J.P. (2013). Difficulty adhering to antidiabetic treatment: Factors associated with persistence and compliance. *Diabetes Metab.* 39 : 250–257.

Guillausseau, P.J. (2003). Influence of oral antidiabetic drugs compliance on metabolic control in type 2 diabetes. A survey in general practice. *Diabetes Metab.* 29 : 79–81.

Haas, L., Maryniuk, M., Beck, J., Cox, C.E., Duker, P., Edwards, L., *et al.* (2013). National Standards for Diabetes Self-Management Education and Support. *Diabetes Care* 36 : S100–S108.

Hakim, D. lukman (2018). Hubungan Tingkat Sosial Ekonomi : Pendidikan, Penghasilan, dan Fasilitas dengan Pencegahan Komplikasi Kronis pada Penyandang Diabetes Melitus Tipe 2 Di Surakarta. *Progr. Stud. Keperawatan Fak. Ilmu Kesehatan. Univ. Muhammadiyah Surakarta.* Universitas

Muhammdiyah Surakarta.

- Handayani, O.W.K., Rahayu, S.R., Nugroho, E., & Hermawati, B. (2019). The Contribution of Family History and Overview of the Early Age of Diabetes Mellitus (Case Study in Urban Areas of Central Java Indonesia). *Adv. Soc. Sci. Educ. Humanit. Res.* 362 : 327–329.
- Hartayu, T.S., MI, M.I., & Suryawati, S. (2012). Improving of Type 2 Diabetic Patients' Knowledge, Attitude and Practice Towards Diabetes Self-care by Implementing Community-Based Interactive Approach-Diabetes Mellitus Strategy. *BMC Res. Notes* 5 : 315.
- Hastuti, D., & Widhiana, E. (2017). Gambaran Pola Pengobatan Pasien Diabetes Melitus Tipe II Di Instalasi Rawat Jalan Puskesmas Mlati II Sleman Yogyakarta Periode Oktober – Desember 2016. *AKFARINDO* 2 : 9–13.
- Hawthorne, K., Robles, Y., Cannings-John, R., & Edwards, A.G.K. (2010). Culturally appropriate health education for Type 2 diabetes in ethnic minority groups: a systematic and narrative review of randomized controlled trials. *Diabet. Med.* 27 : 613–623.
- Heiss, V.J., & Petosa, R.L. (2015). Social cognitive theory correlates of moderate-intensity exercise among adults with type 2 diabetes. *Psychol. Health Med.* 21 : 92–101.
- Horng, W.B., Lee, C.P., & Chen, C.W. (2001). Classification of age groups based on facial features. *Tamkang J. Sci. Eng.* 4 : 183–192.
- Hsu, C., Lemon, J.M., Wong, E.S., Carson-Cheng, E., Perkins, M., Nordstrom, M.S., *et al.* (2014). Factors affecting medication adherence: patient perspectives from five veterans affairs facilities. *BMC Health Serv. Res.* 14 : 1–14.
- Hussain, M.A., Mamun, A. Al, Reid, C., & Huxley, R.R. (2016). Prevalence, Awareness, Treatment and Control of Hypertension in Indonesian Adults Aged ≥ 40 Years: Findings from the Indonesia Family Life Survey (IFLS). *PLoS One* 11 : 1–16.
- International Diabetes Federation (2019). IDF Diabetes Atlas, 9th ed, International

Diabetes Federation. International Diabetes Federation.

International Diabetes Federation (2015). IDF Diabetes Atlas, Seventh Ed. ed.

International Diabetes Federation.

Jacobs, M., Sherry, P.S., Taylor, L.M., Amato, M., Tataronis, G.R., & Cushing, G. (2012). Pharmacist assisted medication program enhancing the regulation of diabetes (PAMPERED) study. *J. Am. Pharm. Assoc.* 52 : 613–621.

Jahangard-Rafsanjani, Z., Sarayani, A., Nosrati, M., Saadat, N., Rashidian, A., Hadjibabaie, M., *et al.* (2015). Effect of a Community Pharmacist–Delivered Diabetes Support Program for Patients Receiving Specialty Medical Care: A Randomized Controlled Trial. *Diabetes Educ.* 41 : 127–135.

Jarab, A.S., Alqudah, S.G., Mukattash, T.L., Shattat, G., & Al-Qirim, T. (2012). Randomized Controlled Trial of Clinical Pharmacy Management of Patients with Type 2 Diabetes in an Outpatient Diabetes Clinic in Jordan. *J. Manag. Care Pharm.* 18 : 516–526.

Joo, J.Y. (2014). Effectiveness of Culturally Tailored Diabetes Interventions for Asian Immigrants to the United States: A Systematic Review. *Diabetes Educ.* 40 : 605–615.

Kaaffah, S., Soewondo, P., Riyadina, W., Renaldi, F.S., & Sauriasari, R. (2021). Adherence to treatment and glycemic control in patients with type 2 diabetes mellitus: A 4-year follow-up ptm bogor cohort study, indonesia. *Patient Prefer. Adherence* 15 : 2467–2477.

Kasim, M., Currie, G.M., Tjahjono, M., Siswanto, B.B., Harimurti, G.M., & Kiat, H. (2013). Myocardial Perfusion SPECT Utility in Predicting Cardiovascular Events Among Indonesian Diabetic Patients. *Open Cardiovasc. Med. J.* 7 : 82–89.

Kementerian Kesehatan Republik Indonesia (2018a). Hasil Utama Riskesdas 2018, Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan Republik Indonesia (2018b). Profil Kesehatan Indonesia Tahun 2017. Kementerian Kesehatan Republik Indonesia.

- Khan, A.H., Iqbal, M.Z., Sulaiman, S.A.S., Ibrahim, A., Nor Shaffinaz Binti Yusoff Azmi, M.S.I., & Albassam, A.A. (2020). Impact of Pharmacist-led Educational Intervention on Predictors of Diabetic Foot at Two Different Hospitals of Malaysia. *J. Pharm. Bioallied Sci.* 13 : 108–115.
- Kjeldsen, L.J., Bjerrum, L., Dam, P., Larsen, B.O., Rossing, C., S ndergaard, B., *et al.* (2014). Safe and effective use of medicines for patients with type 2 diabetes - A randomized controlled trial of two interventions delivered by local pharmacies. *Res. Soc. Adm. Pharm.* 11 : 47–62.
- Kogut, S.J., Andrade, S.E., Willey, C., & Larrat, E.P. (2004). Nonadherence as a predictor of antidiabetic drug therapy intensification (augmentation). *Pharmacoepidemiol. Drug Saf.* 13 : 591–598.
- Korcegez, E.I., Sancar, M., & Demirkan, K. (2017). Effect of a Pharmacist-Led Program on Improving Outcomes in Patients with Type 2 Diabetes Mellitus from Northern Cyprus: A Randomized Controlled Trial. *J. Manag. Care Spec. Pharm.* 23 : 573–582.
- Krapek, K., King, K., Warren, S.S., George, K.G., Caputo, D.A., Mihelich, K., *et al.* (2004). Medication adherence and associated hemoglobin A 1c in type 2 diabetes. *Ann. Pharmacother.* 38 : 1357–1362.
- Kristianingrum, N.D., Wiarsih, W., & Nursasi, A.Y. (2018). Perceived family support among older persons in diabetes mellitus self-management. *BMC Geriatr.* 18 : 1–5.
- Kurniawan, F. (2017). Efektivitas Program Sehat Dalam Mencegah Obesitas Pada Murid SD di Jakarta Utara. Universitas Gadjah Mada.
- Lastya, A., Saraswati, M.R., & Suastika, K. (2014). The low level of glucagon-like peptide-1 (glp-1) is a risk factor of type 2 diabetes mellitus. *BMC Res. Notes* 7 : 1–4.
- Lauffenburger, J.C., Ghazinouri, R., Jan, S., Makanji, S., Ferro, C.A., Lewey, J., *et al.* (2019a). Impact of a novel pharmacist-delivered behavioral intervention for patients with poorly-controlled diabetes: The ENhancing outcomes through Goal

- Assessment and Generating Engagement in Diabetes Mellitus (ENGAGE-DM) pragmatic randomized trial. *PLoS One* 14 : 1–15.
- Lauffenburger, J.C., Lewey, J., Jan, S., Makanji, S., Ferro, C.A., Krumme, A.A., *et al.* (2019b). Effectiveness of Targeted Insulin-Adherence Interventions for Glycemic Control Using Predictive Analytics Among Patients With Type 2 Diabetes: A Randomized Clinical Trial. *JAMA Netw. open* 2 : e190657.
- Lemeshow, S., Hosmer, D.W., Klar, J., & Lwanga, S.K. (1990). Adequacy of Sample Size in Health Studies., John Wiley & Sons Ltd. England : John Wiley & Sons Ltd.
- Lestari, S., Machrina, Y., & Daulay, M. (2017). Profile of Obesity and Diabetes Mellitus in Adult Female Population in North Sumatera, Indonesia. *IOP Conf. Ser. Mater. Sci. Eng.* 180 : 012244.
- Lim, P.C., Lim, K., Embee, Z.C., Hassali, M.A., Thiagarajan, A., & Khan, T.M. (2016). Study investigating the impact of pharmacist involvement on the outcomes of diabetes medication therapy adherence program Malaysia. *Pak. J. Pharm. Sci.* 29 : 595–601.
- Little, T. V., Wang, M.L., Castro, E.M., Jiménez, J., & Rosal, M.C. (2014). Community Health Worker Interventions for Latinos With Type 2 Diabetes: a Systematic Review of Randomized Controlled Trials. *Curr. Diab. Rep.* 14 : 1–16.
- Loveman, E., Frampton, G., & Clegg, A. (2008). The clinical effectiveness of diabetes education models for Type 2 diabetes: a systematic review. *Health Technol. Assess. (Rockv)*. 12 : 1–18.
- Luszczynska, A., & Schwarzer, R. (2005). Predicting Health Behaviour, Second Edi. ed. Open University Press.
- Lyons, I., Barber, N., Raynor, D.K., & Wei, L. (2016). The Medicines Advice Service Evaluation (MASE): A randomised controlled trial of a pharmacist-led telephone based intervention designed to improve medication adherence. *BMJ Qual. Saf.* 25 : 759–769.

- Mahwi, T.O., & Obeid, K.A. (2013). Role of the Pharmaceutical Care in the Management of Patients With. *Int. J. Pharm. Sci. Res.* 4 : 1363–1369.
- Manik, C.M., & Ronoatmodjo, S. (2019). Hubungan Diabetes Melitus dengan Hipertensi pada Populasi Obesitas di Indonesia (Analisis Data IFLS-5 Tahun 2014). *J. Epidemiol. Kesehat. Indones.* 3 : 19–24.
- Markle-Reid, M., Ploeg, J., Fraser, K.D., Fisher, K.A., Bartholomew, A., Griffith, L.E., *et al.* (2018). Community Program Improves Quality of Life and Self-Management in Older Adults with Diabetes Mellitus and Comorbidity. *J. Am. Geriatr. Soc.* 66 : 263–273.
- Markum, H.M.S., & Galastri, M. (2004). Diabetic nephropathy among type 2 diabetes mellitus patients in Dr. Cipto mangunkusumo hospital. *Med. J. Indones.* 13 : 161–165.
- Mehuys, E., Van Bortel, L., De Bolle, L., Van Tongelen, I., Annemans, L., Remon, J.P., *et al.* (2011). Effectiveness of a community pharmacist intervention in diabetes care: A randomized controlled trial. *J. Clin. Pharm. Ther.* 36 : 602–613.
- Menti, D., Limbert, C., & Lyrakos, G. (2019). Investigating the effectiveness of theory-based interventions for improving treatment adherence of patients with type 2 diabetes mellitus: A systematic review of randomised controlled clinical trials. *J. Heal. Soc. Sci.* 4 : 313–330.
- Michiels, Y., Bugnon, O., Chicoye, A., Dejager, S., Moisan, C., Allaert, F.-A., *et al.* (2019). Impact of a Community Pharmacist-Delivered Information Program on the Follow-up of Type-2 Diabetic Patients: A Cluster Randomized Controlled Study. *Adv. Ther.* 36 : 1291–1303.
- Mihardja, L., Delima, Manz, H.S., Ghani, L., & Soegondo, S. (2009). Prevalence and determinants of diabetes mellitus and impaired glucose tolerance in Indonesia (a part of basic health research/Riskesdas). *Acta Med. Indones.* 41 : 169–74.
- Mino-León, D., Reyes-Morales, H., & Flores-Hernández, S. (2015). Effectiveness of involving pharmacists in the process of ambulatory health care to improve drug treatment adherence and disease control. *J. Eval. Clin. Pract.* 21 : 7–12.

- Moleong, L.. (2018). *Metodologi Penelitian Kualitatif, Revisi*. ed. Bandung : PT. Remaja Rosdakarya.
- Mostafavi-Darani, F., Zamani-Alavijeh, F., Mahaki, B., & Salahshouri, A. (2020). Exploring the barriers of adherence to dietary recommendations among patients with type 2 diabetes: A qualitative study in Iran. *Nurs. Open* 7 : 1735–1745.
- National Cancer Institute (2005). *Theory at a Glance A guide For Health Promotion Practice (Second Edition)*, Second Edi. ed, National Institutes Of Health. US : National Institutes Of Health.
- National Diabetes Advisory Board (1984). National Standards for Diabetes Patient Education Programs. *Diabetes Care* 9 : 11–13.
- National Institute for Health and Clinical Excellence (2009). NICE clinical guideline 87: Type 2 diabetes: The management of type 2 diabetes. London : National Institute for Health and Clinical Excellence.
- Ng, N., Stenlund, H., Bonita, R., Hakimi, M., Wall, S., & Weinshall, L. (2006). Preventable risk factors for noncommunicable diseases in rural Indonesia: Prevalence study using WHO STEPS approach. *Bull. World Health Organ.* 84 : 305–313.
- Norris, S.L., Nichols, P.J., Caspersen, C.J., Glasgow, R.E., Engelgau, M.M., Jack, L., *et al.* (2002). Increasing diabetes self-management education in community settings. A systematic review. *Am. J. Prev. Med.* 22 : 39–66.
- Nundy, S., Dick, J.J., Solomon, M.C., & Peek, M.E. (2013). Developing a behavioral model for mobile phone-based diabetes interventions. *Patient Educ. Couns.* 90 : 125–132.
- Nurfauzi, Y., & Nugroho, I.D.W. (2021). Pemantauan Apoteker terhadap Perubahan Obat DM Tipe 2 Pasien Prolanis dengan Partisipasi Edukatif dan Pemetaan Situasi. *Pharm. J. Farm. Indones. (Pharmaceutical J. Indones.* 18 : 300.
- O'Brien, B.C., Harris, I.B., Beckman, T.J., Reed, D.A., & Cook, D.A. (2014). Standards for reporting qualitative research: A synthesis of recommendations. *Acad. Med.* 89 : 1245–1251.

- Odegard, P.S., & Christensen, D.B. (2012). MAP study: RCT of a medication adherence program for patients with type 2 diabetes. *J. Am. Pharm. Assoc.* 52 : 753–762.
- Ojo, O., Ojo, O.O., Adebawale, F., & Wang, X.H. (2018). The effect of dietary glycaemic index on glycaemia in patients with type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials. *Nutrients* 10 : 1–15.
- Okada, H., Onda, M., Shoji, M., Kotani, K., Nakayama, T., Nakagawa, Y., *et al.* (2016). Effects of Lifestyle Intervention Performed by Community Pharmacists on Glycemic Control in Patients with Type 2 Diabetes: The Community Pharmacists Assist (Compass) Project, a Pragmatic Cluster Randomized Trial. *Pharmacol. & Pharm.* 07 : 124–132.
- Padmawati, R.S., Ng, N., Prabandari, Y.S., & Nichter, M. (2009). Smoking among diabetes patients in Yogyakarta, Indonesia: Cessation efforts are urgently needed. *Trop. Med. Int. Heal.* 14 : 412–419.
- Pelawi, N.G., & Fauzia, D. (2022). Pola Penggunaan Obat Antidiabetik Oral Pada Pasien Diabetes Melitus tipe 2 di Puskesmas Tenayan Raya Kota Pekanbaru. *J. Kedokt. Syiah Kuala* 22 : 207–212.
- Pemayun, T.G.D., & Naibaho, R.M. (2017). Clinical profile and outcome of diabetic foot ulcer, a view from tertiary care hospital in Semarang, Indonesia. *Diabet. Foot Ankle* 8 : 1–10.
- PERKENI (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. PB PERKENI.
- Permatasari, T.A.E., & Chadirin, Y. (2020). Sweetened Condensed Consumption of More Than 1 Glass Per Day Has an Impact on Underweight Among Children Under Age Five. *Adv. Heal. Sci. Res.* 22 : 615–619.
- Perwitasari, D.A., & Urbayatun, S. (2016). Treatment Adherence and Quality of Life in Diabetes Mellitus Patients in Indonesia. *SAGE Open* 6 : 1–9.
- Pesantes, M.A., Del Valle, A., Diez-Canseco, F., Bernabé-Ortiz, A., Portocarrero, J., Trujillo, A., *et al.* (2018). Family Support and Diabetes: Patient's Experiences

- From a Public Hospital in Peru. *Qual. Health Res.* 28 : 1871–1882.
- Peter, O.A., Joshua, E.F., Daughter, O.A., & Nelson, E.C. (2017). Co-Morbidities of Patients with Hypertension Admitted to Amassoma General Hospital, Bayelsa State South-South of Nigeria. *Glob. J. Pharm. Pharm. Sci.* 2 : 1–6.
- Pham, T.B., Nguyen, T.T., Truong, H.T., Trinh, C.H., Du, H.N.T., Ngo, T.T., *et al.* (2020). Effects of Diabetic Complications on Health-Related Quality of Life Impairment in Vietnamese Patients with Type 2 Diabetes. *J. Diabetes Res.* 2020.
- Pitaloka, D., & Hsieh, E. (2015). Health as submission and social responsibilities: Embodied experiences of Javanese women with type II diabetes. *Qual. Health Res.* 25 : 1155–1165.
- Pramono, L.A., Setiati, S., Soewondo, P., Subekti, I., Adisasmita, A., Kodim, N., *et al.* (2010). Prevalence and predictors of undiagnosed diabetes mellitus in Indonesia. *Acta Med. Indones.* 42 : 216–223.
- Presetiawati, I., Andrajati, R., & Sauriasari, R. (2017). Effectiveness of a medication booklet and counseling on treatment adherence in type 2 diabetes mellitus patients. *Int. J. Appl. Pharm.* 9 : 27–31.
- Primanda, Y., Kep, S., Kritpracha, C., & Thaniwattananon, P. (2011). Dietary Behaviors among Patients with Type 2 Diabetes Mellitus in Yogyakarta, Indonesia. *Nurse Media J. Nurs.* 1 : 211–223.
- Pujilestari, C.U. tami., Ng, N., Hakimi, M., & Eriksson, M. (2014). “It is not possible for me to have diabetes”-community perceptions on diabetes and its risk factors in Rural Purworejo District, Central Java, Indonesia. *Glob. J. Health Sci.* 6 : 204–218.
- Purwandari, C.A.A., Wirjatmadi, B., & Mahmudiono, T. (2022). Faktor Risiko Terjadinya Komplikasi Kronis Diabetes Melitus Tipe 2 pada Pra Lansia. *Amerta Nutr.* 6 : 262–271.
- Pusat Data dan Informasi Kementerian Kesehatan RI (2020). Infodatin 2020 Diabetes Melitus [WWW Document]. URL <https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/Inf>

odatin 2020 Diabetes Melitus.pdf (accessed 3.10.23).

Puskesmas Depok II (2022). Profil Kesehatan Pusat Kesehatan Masyarakat Depok II

Tahun 2022. Sleman : .

Puskesmas Mlati II (2021). Profil Puskesmas Mlati II Tahun 2021. Sleman : .

Puskesmas Ngaglik II (2022). Profil Kesehatan Pusat Kesehatan Masyarakat Ngaglik

II Tahun 2022. Sleman : .

Puskesmas Pakem (2022). Profil Kesehatan Pusat Kesehatan Masyarakat PAKEM

Tahun 2022, Puskesmas Pakem. Sleman : .

Rabi, D.M., Edwards, A.L., Southern, D.A., Svenson, L.W., Sargious, P.M., Norton,

P., *et al.* (2006). Association of socio-economic status with diabetes prevalence and utilization of diabetes care services. *BMC Health Serv. Res.* 6 : 1–7.

Rachmawati, N. (2015). Gambaran Kontrol dan Kadar Gula Darah pada Pasien

Diabetes Melitus di Poliklinik Penyakit Dalam RSJ Prof.Dr.Soerojo Magelang.

Jur. Keperawatan Fak. Kedokt. Univ. Diponegoro Semarang. Universitas Diponegoro.

Radji, M., Putri, C.S., & Fauziyah, S. (2014). Antibiotic therapy for diabetic foot

infections in a tertiary care hospital in Jakarta, Indonesia. *Diabetes Metab.*

Syndr. Clin. Res. Rev. 8 : 221–224.

Rahmah, G.N., Sukartini, T., & Utami, S. (2019). Factors Associated With Patients’

Adherence To Self-Care Behaviors Among Patients With Diabetes Mellitus: a

Literature Review. *Int. J. Nurs. Heal. Serv.* 2 : 205–212.

Rao, M.N., Neylan, T.C., Grunfeld, C., Mulligan, K., Schambelan, M., & Schwarz,

J.M. (2015). Subchronic sleep restriction causes tissue-specific insulin

resistance. *J. Clin. Endocrinol. Metab.* 100 : 1664–1671.

Reynolds, A.C., Dorrian, J., Liu, P.Y., van Dongen, H.P.A., Wittert, G.A., Harmer,

L.J., *et al.* (2012). Impact of five nights of sleep restriction on glucose

metabolism, leptin and testosterone in young adult men. *PLoS One* 7 : 1–10.

Rianita, Bardosono, S., & Victor, A.A. (2008). Relationship between plasma lipid

profile and the severity of diabetic retinopathy in type 2 diabetes patients. *Med.*

- J. Indones.* 17 : 221–225.
- Ricci-Cabello, I., Ruiz-Pérez, I., Nevot-Cordero, A., Rodriguez-Barranco, M., Sordo, L., & Gonçalves, D.C. (2013). Health care interventions to improve the quality of diabetes care in African Americans. *Diabetes Care* 36 : 760–768.
- Roemling, C., & Qaim, M. (2012). Obesity trends and determinants in Indonesia. *Appetite* 58 : 1005–1013.
- Rosen, M.I., Rigsby, M.O., Salahi, J.T., Ryan, C.E., & Cramer, J.A. (2004). Electronic monitoring and counseling to improve medication adherence. *Behav. Res. Ther.* 42 : 409–422.
- Rothman, R., Malone, R., Bryant, B., Horlen, C., & Pignone, M. (2003). Pharmacist Led, Primary Care-Based Disease Management Improves Hemoglobin A1c in High-Risk Patients With Diabetes. *Am. J. Med. Qual.* 18 : 51–58.
- Royal Australian College of General Practitioners (2020). Management of type 2 diabetes : A handbook for general practice. East Melbourne Victoria : The Royal Australian College of General Practitioners Ltd.
- Ruslialdi, M.A., Nurrachmayanti, A., Susanto, F., & Sie, S. (2015). Random blood glucose distribution in three different communities based setting: A pilot study in Jakarta area, Indonesia. *Pakistan J. Nutr.* 14 : 765–772.
- Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., *et al.* (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Res. Clin. Pract.* 157 : 107843.
- Sami, W., Ansari, T., Butt, N.S., Rashid, M., & Hamid, A. (2017). Effect Of Diet Counseling on Type 2 Diabetes Mellitus: A Review. *Int. J. Health Sci. (Qassim)*. 11 : 65–71.
- Sammulia, S.F., Rahmawati, F., & Andayani, T.M. (2016). Perbandingan Pill Box Dan Medication Chart Dalam Meningkatkan Kepatuhan Dan Outcome Klinik Geriatri Kota Batam. *J. Manaj. dan Pelayanan Farm.* 6 : 288–296.
- Samtia, A.M., Rasool, M.F., Ranjha, N.M., Usman, F., & Javed, I. (2013). A

multifactorial intervention to enhance adherence to medications and disease-related knowledge in type 2 diabetic patients in Southern Punjab, Pakistan. *Trop. J. Pharm. Res.* 12 : 851–856.

Santi, M.D.S. (2017). Pengaruh Intervensi Pill Reminder Dalam Penggunaan Obat Oral Anti Diabetes (OAD) Terhadap Peningkatan Kepatuhan Pasien Diabetes Mellitus Tipe 2 Di Rumah Diabetes Universitas Surabaya. *J. Ilm. Mhs. Univ. Surabaya* 6 : 567–576.

Santoso, S.S., Waluyo, I., & Kasnodihardjo (2000). Profil Penderita Diabetes Melitus Yang Berobat ke Pengobat Tradisional di DKI Jakarta, di Yogyakarta, dan Surabaya. *Bul. Penelit. Kesehat.* 27 : 333–45.

Sarayani, A., Mashayekhi, M., Nosrati, M., Jahangard-Rafsanjani, Z., Javadi, M., Saadat, N., *et al.* (2018). Efficacy of a telephone-based intervention among patients with type-2 diabetes; a randomized controlled trial in pharmacy practice. *Int. J. Clin. Pharm.* 40 : 345–353.

Sasongko, M.B., Widyaputri, F., Agni, A.N., Wardhana, F.S., Kotha, S., Gupta, P., *et al.* (2017). Prevalence of Diabetic Retinopathy and Blindness in Indonesian Adults With Type 2 Diabetes. *Am. J. Ophthalmol.* 181 : 79–87.

Sauriasari, R., Andrajati, R., Azizahwati, Dharmeizar, Saputri, D.A., Muris, R.U., *et al.* (2015). Marker of lipid peroxidation related to diabetic nephropathy in Indonesian type 2 diabetes mellitus patients. *Diabetes Res. Clin. Pract.* 108 : 193–200.

Schmid, S.M., Hallschmid, M., Jauch-Chara, K., Wilms, B., Lehnert, H., Born, J., *et al.* (2011). Disturbed glucoregulatory response to food intake after moderate sleep restriction. *Sleep* 34 : 371–377.

Schunck, D.H. (2012). *Learning Theories: An Educational Perspective*, Sixth Edit. ed, Pearson Education Inc. Boston, MA : Pearson Education Inc.

Schwartz, S.S., Epstein, S., Corkey, B.E., Grant, S.F.A., Gavin, J.R., & Aguilar, R.B. (2016). The time is right for a new classification system for diabetes: Rationale and implications of the β -cell-centric classification schema. *Diabetes Care* 39 :

179–186.

- Seidu, S., Walker, N.S., Bodicoat, D.H., Davies, M.J., & Khunti, K. (2016). A systematic review of interventions targeting primary care or community based professionals on cardio-metabolic risk factor control in people with diabetes. *Diabetes Res. Clin. Pract.* 113 : 1–13.
- Shah, M., Kaselitz, E., & Heisler, M. (2013). The role of community health workers in diabetes: Update on current literature. *Curr. Diab. Rep.* 13 : 163–171.
- Shao, H., Chen, G., Zhu, C., Chen, Y., Liu, Y., He, Y., *et al.* (2017). Effect of pharmaceutical care on clinical outcomes of outpatients with type 2 diabetes mellitus. *Patient Prefer. Adherence* 11 : 897–903.
- Sibuea, W.H. (1997). Early metabolic defects in the first-degree relatives of patients with non-insulin-dependent diabetes mellitus. *Med. J. Indones.* 6 : 97.
- Singh, P., Arora, S., Goyal, A., Mittal, N., Singh, A., Sharma, S., *et al.* (2022). Influence of the Duration of Diabetes and Vibration Perception Threshold on the Severity of Erectile Dysfunction in Patients With Type 2 Diabetes Mellitus. *Acta Endocrinol. (Copenh).* 18 : 174–180.
- Sisson, E., & Kuhn, C. (2009). Pharmacist roles in the management of patients with type 2 diabetes. *J. Am. Pharm. Assoc. (2003).* 49 Suppl 1 : S41–S45.
- Sja'bani, M., Asdie, A.H., Widayati, K., Subroto, Y., Kariadi, S.H., Arifin, A.Y.L., *et al.* (2005). Microalbuminuria prevalence study in hypertensive patients with type 2 diabetes in Indonesia. *Acta Med. Indones.* 37 : 199–204.
- Smalls, B.L., Walker, R.J., Bonilha, H.S., Campbell, J.A., & Egede, L.E. (2015). Community Interventions to Improve Glycemic Control in African Americans with Type 2 Diabetes: A Systemic Review. *Glob. J. Health Sci.* 7 : 171–182.
- Soebardi, S., Purnamasari, D., Oemardi, M., Soewondo, P., Waspadji, S., & Soegondo, S. (2009). Dyslipidemia in newly diagnosed diabetes mellitus: the Jakarta primary non-communicable disease risk factors surveillance 2006. *Acta Med. Indones.* 41 : 186–190.
- Soegondo, S., Widyahening, I.S., Istantho, R., & Yunir, E. (2011). Prevalence of

- diabetes among suburban population of Ternate--a small remote island in the eastern part of Indonesia. *Acta Med. Indones.* 43 : 99–104.
- Soewondo, P., & Pramono, L.A. (2011). Prevalence, characteristics, and predictors of pre-diabetes in Indonesia. *Med. J. Indones.* 20 : 283–294.
- Soewondo, P., Purnamasari, D., Oemardi, M., Waspadji, S., & Soegondo, S. (2010). Prevalence of metabolic syndrome using NCEP/ATP III criteria in Jakarta, Indonesia: the Jakarta primary non-communicable disease risk factors surveillance 2006. *Acta Med. Indones.* 42 : 199–203.
- Streubert, H.J., & Carpenter, D.R. (2011). *Qualitative Research In Nursing : Advancing The Humanistic Imperative*, Fifth edit. ed. Lippincott Williams & Wilkins.
- Suastika, K., Dwipayana, P., Ratna Saraswati, I.M., Kuswardhani, T., Astika, N., Putrawan, I.B., *et al.* (2011). Relationship between age and metabolic disorders in the population of Bali. *J. Clin. Gerontol. Geriatr.* 2 : 47–52.
- Sugiharto, R., Hsu, Y.Y., Toobert, D.J., & Wang, S.T. (2019). The Validity and Reliability of The Summary of Diabetes Self-Care Activities Questionnaire: An Indonesian Version. *Indones. Nurs. J. Educ. Clin.* 4 : 25.
- Suhadi, R., Linawati, Y., Wulandari, E.T., Viriginia, D.M., & Setiawan, C.H. (2017). The metabolic disorders and cardiovascular risk among lower socioeconomic subjects in Yogyakarta-Indonesia. *Asian J. Pharm. Clin. Res.* 10 : 367–372.
- Sullivan, J., Jett, B.P., Cradick, M., & Zuber, J. (2016). Effect of Clinical Pharmacist Intervention on Hemoglobin A1C Reduction in Veteran Patients With Type 2 Diabetes in a Rural Setting. *Ann. Pharmacother.* 50 : 1023–1027.
- Susanti, E., Donosepoetro, M., Patellongi, I., & Arif, M. (2010). Differences between several atherogenic parameters in patients with controlled and uncontrolled type 2 diabetes mellitus. *Med. J. Indones.* 19 : 103–108.
- Susanto, H., Nesse, W., Dijkstra, P.U., Agustina, D., Vissink, A., & Abbas, F. (2011). Periodontitis Prevalence and Severity in Indonesians With Type 2 Diabetes. *J. Periodontol.* 82 : 550–557.

- Tan, M.Y., Magarey, J.M., Chee, S.S., Lee, L.F., & Tan, M.H. (2011). A brief structured education programme enhances self-care practices and improves glycaemic control in Malaysians with poorly controlled diabetes. *Health Educ. Res.* 26 : 896–907.
- Todorova, L., Soewondo, P., Hunt, B., & Suastika, K. (2012). Evaluation of the Long-Term Clinical and Economic Impact of a 1% HbA1C Reduction in Patients With Type 2 Diabetes in Indonesia. *Value Heal.* 15 : A500.
- Toobert, D.J., Hampson, S.E., & Glasgow, R.E. (2000). The summary of diabetes self-care activities measure: results from 7 studies and a revised scale. *Diabetes Care* 23 : 943–950.
- Triyanti, K., Suhardjono, Soewondo, P., & Shatri, H. (2008). Renal function decrement in type 2 diabetes mellitus patients in Cipto Mangunkusumo Hospital. *Acta Med. Indones.* 40 : 192–200.
- Usfar, A.A., Lebenthal, E., Atmarita, Achadi, E., Soekirman, & Hadi, H. (2010). Obesity as a poverty-related emerging nutrition problems: The case of Indonesia. *Obes. Rev.* 11 : 924–928.
- Veronica, V.P. (2021). Hubungan Self Control Gula Darah Dengan Perilaku Pengendalian Penyakit Diabetes Melitus Tipe II Pada Pasien Lansia Di Wilayah Kerja Puskesmas Dinoyo Kota Malang. STIKES Widyagama Husada.
- Vik, S.A., Maxwell, C.J., Hogan, D.B., Patten, S.B., Johnson, J.A., & Romonko-Slack, L. (2005). Assessing medication adherence among older persons in community settings. *Can. J. Clin. Pharmacol.* 12 : 5–9.
- Wardhani, V., Holipah, H., Dewanto, A., & Triastuti, E. (2014). A Community Empowerment Model To Promote Positive Health Behavior and Diabetes Mellitus Self Care. *Diabetes Res. Clin. Pract.* 106 : S85–S86.
- Waspadji, S., Soewondo, P., Subekti, I., Soebardi, S., Harbuwono, D.S., Pramono, L.A., *et al.* (2013). Ende diabetes study: Diabetes and its characteristics in rural area of East Nusa Tenggara. *Med. J. Indones.* 22 : 30–38.
- Wibowo, Y., Parsons, R., Sunderland, B., & Hughes, J. (2015). Evaluation of

- community pharmacy-based services for type-2 diabetes in an Indonesian setting: pharmacist survey. *Int. J. Clin. Pharm.* 37 : 873–882.
- Wibowo, Y., Sunderland, B., & Hughes, J. (2016). Pharmacist and physician perspectives on diabetes service delivery within community pharmacies in Indonesia: A qualitative study. *Int. J. Pharm. Pract.* 24 : 180–188.
- Wichit, N., Mnatzaganian, G., Courtney, M., Schulz, P., & Johnson, M. (2017). Randomized controlled trial of a family-oriented self-management program to improve self-efficacy, glycemic control and quality of life among Thai individuals with Type 2 diabetes. *Diabetes Res. Clin. Pract.* 123 : 37–48.
- Widayanti, A.W. (2018). Understanding health-seeking behaviours of people in Indonesia; and developing, piloting, and evaluating a culturally appropriate intervention for people with diabetes. The University of Otago, Dunedin, New Zealand.
- Widianingtyas, A., Purbowati, M.R., Dewantoro, L., & Mustikawati, I.F. (2021). Hubungan Keikutsertaan Prolanis (Program Pengelolaan Penyakit Kronis) dengan Tingkat Efikasi Diri Pasien Diabetes Mellitus Tipe 2 di Puskesmas 1 Kembaran. *Muhammadiyah J. Geriatr.* 1 : 33.
- Wild, H. (2012). The economic rationale for adherence in the treatment of type 2 diabetes mellitus. *Am. J. Manag. Care* 18 : S43-8.
- Wild, S., Roglic, G., Green, A., Sicree, R., & King, H. (2004). Global Prevalence of Diabetes. *Diabetes Care* 27 : 1047–1053.
- Wishah, R.A., Al-Khawaldeh, O.A., & Albsoul, A.M. (2015). Impact of pharmaceutical care interventions on glycemic control and other health-related clinical outcomes in patients with type 2 diabetes: Randomized controlled trial. *Diabetes Metab. Syndr. Clin. Res. Rev.* 9 : 271–276.
- World Health Organization (2016). Global Report on Diabetes, World Health Organization. France : World Health Organization.
- Wu, W.C., Taveira, T.H., Jeffery, S., Jiang, L., Tokuda, L., Musial, J., *et al.* (2018). Costs and effectiveness of pharmacist-led group medical visits for type-2

diabetes: A multi-center randomized controlled trial. *PLoS One* 13 : 1–14.

Wubben, D.P., & Vivian, E.M. (2008). Effects of pharmacist outpatient interventions on adults with diabetes mellitus: A systematic review. *Pharmacotherapy* 28 : 421–436.

Yamada, S. (2017). Paradigm shifts in nutrition therapy for type 2 diabetes - nutrition therapy for diabetes -. *Keio J. Med.* 66 : 33–43.

Yunir, E., Waspadji, S., & Rahajeng, E. (2009). The pre-diabetic epidemiological study in Depok, West Java. *Acta Med. Indones.* 41 : 181–185.

Yusuf, S., Okuwa, M., Irwan, M., Rassa, S., Laitung, B., Thalib, A., *et al.* (2016). Prevalence and Risk Factor of Diabetic Foot Ulcers in a Regional Hospital, Eastern Indonesia. *Open J. Nurs.* 06 : 1–10.