



PUSTAKA ACUAN

- Ahmad, W.N.W., K. Shaari, A. Khatib, A.A. Hamid, and M. Hamid. 2018. Chemical profile, total phenolic content, DPPH free radical scavenging and α -glucoside inhibitory activities of *Cosmos caudatus* Kunth. leaves. *Tropical Agricultural Science*, 41(3): 1367-1381.
- Ajaykumar, T.V., K. Anandarajagopal, J.A.J. Sunilson, A. Arshad, and N. Vankateshan. 2012. Anti-inflammatory activity of *Cosmos caudatus*. *International Journal of Universal Pharmacy and Bio sciences*, 2: 40-48.
- Ali, S., S. Zameer, and M. Yaqoob. 2017. Ethnobotanical, pyrochemical, and pharmacological properties of *Galinsoga parviflora* (Asteraceae) : a review. *Tropical Journal of Pharmaceutical Research*, 16 (12).
- Amarowicz, R. 2007. Tannins: the new natural antioxidants? *Europen Journal of Lipid Science and Technology*, 109(6): 549-551.
- Andarwulan, N., D. Kurniasih, R. Aris, H. Rahmat, A.V. Roto, and B.W. Bolling 2012. Polyphenols , carotenoids , and ascorbic acid in underutilized medicinal vegetables. *Journal of Functional Foods*. Elsevier Ltd, 4(1): 339–347. DOI: 10.1016/j.jff.2012.01.003.
- Andarwulan, N., R. Batari, D.A. Sandrasari, B. Bolling, and H. Wijaya. 2010. Flavonoid content and antioxidant activity of vegetables from Indonesia. *Food Chemistry*, 121(4): 1231-1235.
- Andrushchenko, O. and V. Levon. 2021. The content of flavonoids in *Comsos sulphureus*. *Plant Introduction*, 88: 83–88. DOI: 10.46341/P12021003.
- Antari, N.M.R.O., N.M. Wartini, and S. Mulyani. 2015. Pengaruh Ukuran Partikel dan Lama Ekstraksi Terhadap Karakteristik Ekstrak Warna Alami Buah Pandan (*Pandanus tectorius*). *Jurnal Rekayasa dan Manajemen Agroindustri*, 3(4): 30–40.
- Antasionasti, I. 2021. Correlation Analysis of Antioxidant Activities with Tannin , Total Flavonoid , and Total Phenolic Contents of Nutmeg (*Myristica*



fragrans Houtt) Fruit Precipitated by Egg white. *Borneo Journal of Pharmacy*, 4(4): 301–310.

Aryal, S. M.K. Baniya, K. Danekhu, P. Kunwar, G. Roshani, and K. Nirajan.

2019. Total phenolic content, flavonoid content and antioxidant potential of wild vegetables from western Nepal. *Plants*, 8 (96): 1-12.

Azwanida, Z.N.N., O.E.Jonathan, and H. Melanie-jaynes. 2020. Tropical Journal of Natural Product Research Aqueous *Cosmos caudatus* Kunth (Asteraceae) Leaf Extract. *Tropical Journal of Natural Product Research*, 4(December): 1124–1130.

Bahriul, P., N. Rahman, and A.W.M. Diah. 2014. Uji Aktivitas Antioksidan Ekstrak Daun Salam (*Syzygium polyanthum*) dengan Menggunakan DPPH. *Jurnal Akademika Kimia*, 3(3): 143–149.

Beck, C. B. 2010. *An Introduction to Plant Structure and Development*. 1st edn. Cambridge University Press : New York.

Berdai, M.A., S. Labib, K. Chetouani, and M. Harandou. 2012. *Atropa belladonna* intoxication: a case report. *PanAfrican Medical Journal*, 11(72): 1-4.

Bhattacharyya, B. and Johri, B.M. 1998. *Flowering Plants: Taxonomy and Phylogeny*. Springer-Verlag.: New York.

Botterweck, A., H. Verhagen, R.A. Goldbhom, J. Kleinjans, and P.A.V. den Brandt, 2000. Intake of butylated hydroxyanisole and butylated hydroxytoluene and stomach cancer risk: results from analyses in the Netherlands Cohort Study. *Food Chem. Toxicol*, 2(38): 599–605.

Bunawan, H., S.N. Baharum, S.N. Bunawan, N.M. Amin, and N.M. Noor. 2014. *Cosmos caudatus* Kunth: a traditional medicinal herb. *Global Journal of Pharamcology*, 8(3): 420-426.

Chan, E.W.C., Y.Y. Lim, S.K. Wong, K.K. Lim, S.P. Tan, F.S. Lianto, and M.Y. Yong. 2009. Effects of different drying methods on the antioxidants



properties of leaves and tea of ginger species. *Food Chemistry*, 113: 166–172.

Chandran, K.C. and Indira, G. 2016. Quantitative estimation of total phenolic, flavonoids, tannin and chlorophyll content of leaves of *Strobilanthes kunthiana* (Neelakurinji). *Journal of Medicinal Plants Studies*, 4(4): 282–286.

Cheng, S.H., H.E. Khoo, A. Ismail, A. Abdul-Hamid, and M.Y. Barakatun-Nisak. 2016. Influence of Extraction Solvents on *Cosmos caudatus* Leaf Antioxidant Properties. *Iranian Journal of Science and Technology, Transactions A: Science*, 40: 51–58. DOI: 10.1007/s40995-016-0007-x.

Cruz, J.C.D., M.A. Marquez, J.S.F. Ronquillo, and V.H.C. Sebastian. 2020. Blood type identification through spectrophotometry and optical density analysis. *2020 IEEE 8th R10 Humanitarian Technology Conference (R10-HTC)*, Kuching, Malaysia: 1-6. DOI: 10.1109/R10-HTC49770.2020.9357052.

Dadi, M., and M. Yasir. 2022. Spectroscopy and Spectrophotometry: Principles and Applications for Colorimetric and Related Other Analysis in Samantha, A.K. *Colorimetry*. IntechOpen. Available at: <http://dx.doi.org/10.5772/intechopen.101106>.

Davies, K.L. and M.P. Turner. 2004. Morphology of floral papillae in *Maxillaria Ruiz & Pav.* (Orchidaceae). *Annals of Botany*, 93(1): 75-86. DOI: 10.1093/aob/mch007.

De Caro, C., and H. Claudia. 2015. *UV/VIS Spectrophotometry - Fundamentals and Applications*. Metler Toledo AG Analytical: Swiss.

De Luna, S.L.R., R.E. Ramírez-Garza, and S.O.S Saldívar. 2020. Environmentally friendly methods for flavonoid extraction from plant material: impact of their operating conditions on yield and antioxidant properties. *The Scientific World Journal*, 1: 1-38. DOI: 10.1155/2020/6792069.



- Del-Toro-Sánchez, C.L., M. Gutiérrez-Lomelí, E. Lugo-Cervantes, F. Zurita, M. A. Robles-García, S. Ruiz-Cruz, J.A. Aguillar, J.A.M. Rio, and P.J. Guerrero-Medina. 2015. Storage effect on phenolics and on the antioxidant activity of extracts from *Anemopsis californica* and inhibition of elastase enzyme. *Journal of Chemistry*, 1: 1-8. DOI: 10.1155/2015/602136.
- Di Renzo L., P. Gualtieri, G. Frank, A. De Lorenzo. 2023. Nutrition for Prevention and Control of Chronic Degenerative Diseases and COVID-19. *Nutrients*, 15(10): 1-4. DOI: 10.3390/nu15102253.
- Dian-Nashiela, F., A. Noriham, H. Nooraain, and A.H. Azizah. 2015. Antioxidant activity of herbal tea prepared from *Cosmos caudatus* leaves at different maturity stages. *International Food Research Journal*, 22(3): 1189-1194.
- Echioda, S., A. Obuwabunmi, S. Salisu, A.A. Abdulrasheed, I.Y. Chindo, and A.M. Kolo. 2021. UV-Vis spectrophotometric determination of selected heavy metals (Pb, Cr, Cd, and As) in environmental, water and biological samples with synthesized glutaraldehyde phenyl hydrazone as the chromogenic reagent. *European Journal of Advanced Chemistry Research*, 2(3): 1-5. DOI: 10.24018/ejchem.2021.2.3.59.
- Engin, A.B., N. Bukan, O. Kurukahvecioglu, L. Memis, and A. Engin. 2011. Effect of butylated hydroxytoluene (E321) pretreatment versus L-arginine on liver injury after sub-lethal dose of endotoxin administration. *Environmental Toxicology and Pharmacology*, 32(3): 457-464.
- Evert, R.F. & S. E. Eichhorn. 2013. *Raven Biology of Plants*. 4th ed. W.H. Freeman and Company: New York.
- Fauziana, M. and R. Susandarini. 2019. Species diversity and potential use of Asteraceae in Tawangmangu, Karanganyar Regency, Central Java. *Journal of Tropical Biodiversity and Biotechnology*, 4(1): 18-23.
- Fernandez, M.T., L. Mira, M. Santos, R. Rocha, M.H. Florencio, and K.R. Jennings. 2002. Interactions of flavonoids with iron and copper ions: a



mechanism for their antioxidant activity. *Free Radical Research*, 36(11): 1199-1208.

Ferreyra, M.L.F., S.P. Rius, and P. Casati. 2012. Flavonoids: biosynthesis, biological functions, and biotechnological application. *Frontiers in Science*, 3(222): 1-15. DOI: 10.3389/fpls.2012.00222.

Florence, T.M. 1995. The role of free radicals in disease. *Aust N Z J Ophthalmol.*, 23 (1): 3-7. DOI: 10.1111/j.1442-9071.1995.tb01638.x.

Santos-Sánchez, F.N., R. Salas-Coronado, B. Hernández-Carlos, and C. Villanueva-Cañongo. 2019. *Shikimic Acid Pathway in Biosynthesis of Phenolic Compounds*. IntechOpen. doi: 10.5772/intechopen.83815.

Ganesh, S., F. Khan, M.K Ahmed, P. Velavendan, N.K. Pandey, and U.K. Mudali. 2012. Spectrophotometric determination of trace amounts of phosphate in water and soil. *Water Science and Technology*, 66(12): 2653-2658. DOI: <https://doi.org/10.2166/wst.2012.468>.

Gęgotek, A. and E. Skrzylęwska. 2022. Antioxidative and Anti-Inflammatory Activity of Ascorbic Acid. *Antioxidants*, 11(10): 1-18. DOI: 10.3390/antiox11101993.

Goswami, S. and R.P. Singh. 2018. Quantitative estimation of phytoconstituents and *in vitro* anthelmintic assesment of leaf extracts of *Tagetes erecta* Linn. *Research Journal of Pharmacy and Technology*, 11(5): 2058-2063.

Gourlay, G. and C.P. Constabel. 2019. Condensed tannins are inducible antioxidants and protect hybrid poplar against oxidative stress. *Tree Physiology*, 39(3): 345-355. DOI: 10.1093/treephys/tpy143.

Grotewold, E. 2006. *The Science of Flavonoid*. Springer: New York.

Gunasekaran, D., N.I. Tahir, M.A. Akbar, S. Basir, I. Ismail, and H. Bunawan. 2021. Discovery of Anthocyanin Biosynthetic Pathway in *Cosmos caudatus* Kunth. Using Omics Analysis. *Agronomy*, 11(661): 1–23. Available at: <https://doi.org/agronomy11040661>.



- Haile, M., and W.H. Kang. 2019. Antioxidant activity, total polyphenol, flavonoid, and tannin content of fermented green coffee beans with selected yeast. *Fermentation*, 5(29): 1-13. DOI: 10.3390/fermentation5010029.
- Haminiuk, C.W.I, M.S.V Plata-Oviedo, G. de Mattos, S.T. Carpes, and I.G. Branco. 2014. Extraction and quantification of phenolic acids and flavonols from *Eugenia pyriformis* using different solvents. *Journal of Food Science and Technology*, 51: 2862-2866. DOI: 10.1007/s13197-012-0759-z.
- Hanifah, H.N., G. Hadisoebroto, and L. Dewi. 2021. Comparison of phenolic, flavonoid, and tannin contents from ethanol extract of Kratom stem (*Mitragyna speciosa* Korth.) and senggani flower (*Melastoma malabathrum* L.). *Journal of Physics: Conference Series*, 1869(1): 1-7.
- Hassan WE. 2006. *Healing Herbs of Malaysia*. Federal Land Development Authority (FELDA): Kuala Lumpur.
- Hatwalne, M.S. 2012. Free radical scavengers in anaesthesiology and critical care. *Indian Journal of Anaesthesia*, 56(3): 227-233.
- Hayes, J.D., A.T. Dinkova-Kostova, and K.D. Tew. 2020. Oxidative Stress in Cancer. *Cancer Cell*, 38(2): 167-197.
- Hidayah, N. 2016. Pemanfaatan senyawa metabolit sekunder tanaman (tanin dan saponin) dalam mengurangi emisi metan ternak ruminansia. *Jurnal Sains Peternakan Indonesia*, 11(2): 89-98.
- Hidayat, R. and W. Patricia. 2021. Methods of Extraction: Maceration, Percolation and Decoction. *Eureka Herba Indonesia*, 2(1): 73–79. DOI: 10.37275/ehi.v2i1.15.
- Ilmi, H.M., B. Elya., and R. Handayani. 2019. Association between total phenol and flavonoid contents in *Artocarpus heterophyllus* (Jackfruit) bark and leaf extracts and lipoxygenase inhibition. *International Journal of Applied Pharmaceutics*, 12(1): 252-256. DOI: 10.22159/ijap/2020/v12s1.FF055.



ITIS. 2022. *Cosmos caudatus* Kunth. Available at https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=37163#null (Accessed: 22 March 2022).

Jadon, H., and P. Prakash. 2012. Phytochemical strength of tannins isolated from Calotropis procera of Eastern India. *Current Advances in Agricultural Sciences*, 4(1): 41-44.

Jaradat, N., F. Hussen, and A.A. Ali. 2015. Preliminary phytochemical screening, quantitative estimation of total flavonoids, total phenols and antioxidant activity of *Ephedra alata* decne. *Journal of Materials and Environmental Science*, 6(6): 1771–1778.

Jeong, S. H., B.Y. Kim, H.G. Kang, H.O. Ku, and J.H. Cho. 2005. Effect of butylated hydroxyanisole on development and functions of reproductive system in rats. *Toxicology*, 208 (1): 49-62.

Johansen, D.A. (1940). *Plant Microtechnique*. : Mc-Graw Hill: New York.

Kaisoon, O., L. Koncznack, S. Siriamornpun. 2012. Potential health enhancing properties of edible flowers from Thailand. *Food Research International*, 46(2): 563-571. DOI: 10.1016/j.foodres.2011.06.016.

Kamtekar, S., V. Keer, and V. Patil. 2014. Estimation of phenolic content, flavonoid content, antioxidant, and alpha amylase inhibitory activity of marketed polyherbal formulation. *Journal of Applied Pharmaceutical Science*, 4(09): 61-65.

Kementrian Kesehatan Republik Indonesia. 2020. <https://sehatnegeriku.kemenkes.go.id/baca/umum/20200704/4434329/penyakit-tidak-menular-kini-ancam-usia-muda>. Acessed: 29 Maret 2022.

Koistinen, J. M. Sjöblom, and K. Spilling. 2020. Total nitrogen determination by a spectrophotometric method. *Methods Mol. Biol.*, 1980: 81-86. DOI: 10.1007/7651_2019_206.



- Kumar, S., and A.K. Pandey. 2013. Chemistry and biological activities of flavonoids: an overview. *The Scientific World Journal*, 1: 1-16. <https://doi.org/10.1155/2013/162750>.
- Kusuma, S.B., S. Wulandari, R.A. Nurfitriani, and A. Awaludin. 2022. The potential solvent for tannin extraction as a feed additive made of coffee husk (*Coffea canephora*) using soxhlet method. *IOP Conference Series: Earth and Environmental Science*, 980(1): 1-5. DOI: 10.1088/1755-1315/980/1/012024.
- Lingwan, M., A.A. Pradhan, A.K. Kushwaha, M.A. Dar, L. Bhagavatula, and S. Datta. 2023. Photoprotective role of plant secondary metabolites: Biosynthesis, photoregulation, and prospects of metabolic engineering for enhanced protection under excessive light. *Environmental and Experimental Botany*, 209: 1-15. DOI: 10.1016/j.envexpbot.2023.105300.
- Lobo, V., A. Patil, and N. Chandra. 2010. Free radicals, antioxidants, and functional foods: Impact on human health. *Phcog Rev*, 4 (6): 118-126.
- Lupitana, L., N.R. Amaliah, and R.D. Dwiyanti. 2017. Daya hambat ekstrak daun kenikir (*Cosmos caudatus*) terhadap *Staphylococcus aureus*. *Meditory*, 5(2): 83-91.
- Mamari, H.H.A. 2021. *Phenolic Compounds - Chemistry, Synthesis, Diversity, Non-Conventional Industrial, Pharmaceutical and Therapeutic Applications*. IntechOpen: London. DOI: 10.5772/intechopen.98958.
- Masturi, D. Alighiri, K. Nuzulina, M. Rodhiyah, and A. Drastisianti. 2019. Optimization of condition extraction in quantification of total flavonoid content in the seeds of the Arummanis (*Mangifera indica* L.) mango from Indonesia. *Journal of Physics Conference Series*, 1321 (2). DOI: 10.1088/1742-6596/1321/2/022041.
- Mathesius, U. 2018. Flavonoid function in plants and their interactions with other organisms. *Plants*, 7(20): 1-3. DOI: 10.3390/plants7020030.



- Martins, G.B., F.M. Alvaro, R.L.A. Felipe, and S. S. Ayla. 2021. A validated Folin-Ciocalteu method for total phenolics quantification of condensed tannin-rich acai (*Euterpe oleracea* Mart.) seeds extract. *Journal of Food Science Technology*, 58(12): 4693-4702. <https://doi.org/10.1007/s13197-020-04959-5>.
- Mediani, A., F. Abas, A. Khatib, and C.P. Tan. 2013. *Cosmos caudatus* as potential source of polyphenolic compounds: optimisation of oven drying conditions and characterization of its functional properties. *Molecules*, 18(2013): 10425-10464. DOI: 10.3390/molecules180910452.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci. Technol.*, 26(2): 211-219.
- Moshawih, S., M.S. Cheema, Z. Ahmad, and Z.A. Zakaria. 2017. A comprehensive review on *Cosmos caudatus* (Ulam Raja): pharmacology, ethnopharmacology, and phytochemistry. *International Research Journal of Education Sciences*, 1(1): 14-31.
- Motrescu, I., S. Oancea, A. Rapa, and A. Airinei. 2006. Spectrophotometric analysis of the blood plasma for different mammals. *Romanian Journal of Biophysics*, 16(3): 215-220.
- Mufliahah, Y. M., G. Gollavelli, and Y.C. Ling. 2021. Correlation study of antioxidant activity with phenolic and flavonoid compounds in 12 indonesian indigenous herbs. *Antioxidants*, 10(10): 1–15. DOI: 10.3390/antiox10101530.
- Mustafa, R.A., A.A. Hamid, S. Mohamed, and F.A. Bakar. 2010. Total Phenolic Compounds, Flavonoids, and Radical Scavenging Activity of 21 Selected Tropical Plants. *Journal of Food Science*, 75(1): C28–C35. DOI: 10.1111/j.1750-3841.2009.01401.x.
- Nelson, D.L. and Cox, M.M. (2017). *Lehninger Principles of Biochemistry*. 7th ed. W.H. Freeman: New York.



Nichols, L. (2017). *Organic Chemistry Laboratory Techniques*. LibreText: California Available at: <http://dx.doi.org/10.1039/d1qo00478f>.

Ninama, V., H. Shah, C. Kapadia, A. Italiya, R. Datta, S. Singh, and A. Singh.. 2024. Assesment of phytochemicals, nutritional compositions and metabolite profiling using GCMS- from annual edible flowers. *Scientia Horticulturae*, 323: 1-16 DOI: 10.1016/j.scientia.2023.112551.

Nogia, P. and P.K. Pati. 2021. Plant secondary metabolite transpoters: diversity, functiomality, and their modulation. *Frontier Plant Science*, 12: 758202. DOI: 10.3389/fpls.2021.758202.

Nugroho, L. H. 2017. *Struktur dan Produk Jaringan Sekretori Tumbuhan*. Gadjah Mada University Press: Yogyakarta.

Nurhayati, B.I.G.R., S.F. Rinaldi, W.S. Zaini, E. Afifah, S. Arumwardana, H.S.W. Kusuma, Rizal, and W. Widowati. 2018. The antioxidant and cytotoxic effects of *Cosmos caudatus* ethanolic extract on cervical cancer. *The Indonesian Biomedical Journal*, 10(3): 243-249.

Okoye, C.O.B., A.M. Chukwuneke, N.R. Ekere, and J.N. Ihedioha. 2013. Simultaneous ultraviolet-visible (UV-Vis) spectrophotometric quantitative determination of Pb, Hg, Cd, As, and Ni ions in aqueous solutions using cyanidin as a chromogenic agent. *International Journal of Physical Sciences*, 8(3): 98-102. DOI: 10.5897/IJPS12.670.

Okuda, T., and H. Ito. 2011. Tannins of constant structure in medicinal and food plants-hydrolyzable tannins and polyphenols related to tannins. *Molecules*, 16(2011): 2191-2217.

Olayinka, U.B., R.D. Alex, and E.E Obukohwo. 2015. Phytochemical and proximate composition of *Tithonia diversifolia* (Hemsl.) A. Gray. *Annals. Food Science and Technology*, 16(1): 195-200.

Ortega-medrano, R.J., L.F. Ceja-Torres, M. Vázquez-Sánchez, G.C.G. Martinez-Ávila, and J.R. Medina-Medrano. 2023. Characterization of *Cosmos sulphureus* Cav, (Asteraceae): Phytochemical Screening, Antioxidant



Activity, and Chromatography Analysis. *Plants*, 12(896): 1–14. DOI: 10.3390/plants12040596.

Pekal, A. and Pyrzynska, K. 2014. Evaluation of aluminium complexation reaction for flavonoid content assay. *Food Analytical Method*, 7: 1776-1782. DOI: 10.1007/s12161-014-9814-x.

Pellegrini, N., R. Re, A. Proteggente, A. Pannala, M. Yang, and C. Rice-Evans.. 1999. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radic Biol Med*, 26(10): 1231-1237.

Pham-Huy, L.A., H. He, and C. Pham-Huy. 2008. Free radicals and antioxidants in disease and health. *International Journal of Biomedical Sciences*, 4(2): 89-96.

Phaniendra, A., D.B. Jestadi, and L. Periyasamy. 2015. Free radicals: properties, sources, and their implication in various diseases. *Indian Journal of Clinical Biochemistry*, 30: 11-26.

Phong, H.X, N.T. Viet, N.T.N. Quyen, P.V. Thinh, N.M. Trung, and T.T.K. Ngan. 2022. Phytochemical screening, total phenolic, flavonoid contents, and antioxidant activities of four spices commonly used in Vietnamese traditional medicine. *Materials Today: Proceedings*. Elsevier Ltd, 56(3): A1–A5. DOI: 10.1016/j.matpr.2021.12.142.

Predescu, N.C., C. Papuc, V. Nicorescu, I. Gajaila, G.V. Goran, C.D. Petcu, and G. Stefan. 2016. The influence of solid-to-solvent ratio and extraction method on total phenolic content, flavonoid content, and antioxidant properties of some ethanolic plant extracts. *Rev. Chim.*, 67: 1922-1927.

Purnobasuki, H., G.A. Rakhashiwi, J. Junairah, D.K. Wahyuni, R.E. Putra, R. Raffiudin, and R.C.H. Soesilohadi. 2022. Morpho-anatomical characterization and DNA barcode of *Cosmos caudatus* Kunth. *Biodiversitas*, 23(8): 4097–4108. DOI: 10.13057/biodiv/d230830.



Quattrocchi, U. 2012. *CRC World Dictionary of Medicinal and Poisonous Plants: Common Name, Scientific Name, Eponyms, Synonyms, and Etymology*. 1st ed. CRC Press: Florida.

Rameli, N.M., M.A. Kader, A.S. Aznan, and N. Musa. 2018. Effect of *Cosmos caudatus* extract on antibacterial activity and lethality activity of brine shrimp. *Bioinflux*, 11(3): 606-612.

Robinson, T. 1983. *The Organic Constituents of Higher Plants Their Chemistry and Interrelationships*. 5th Ed. North Amherst: Cordus Press.

Sadeer, N.B., D. Montesano, S. Albrizio, G. Zengin, and M.F. Mahomoodally. 2022. The versatility of antioxidant assays in food science and safety – chemsity, applications, strength, and limitations. *Antioxidants*, 9, 790. DOI: 10.3390/antiox908709.

Sagar, R. 1996. *Together With Chemistry*. 1st ed. Rachman Sagar: New Delhi.

Sharma, R.M. and B. Singh. 2020. *Secondary Metabolites of Medicinal Plants: Ethnopharmacological Properties, Biological Activity, and Production Strategies*. 1st ed. Wiley-VCH: Weinheim.

Shekhar, T.C. and G. Anju. 2014. Antioxidant activity by DPPH radical scavenging method of *Ageratum conyzoides* Linn. leaves. *American Journal of Ethnomedicine*, 1(4): 244-249.

Shirazi, O.U., M.M.A.K. Khattak, and N.A.M. Shukri. 2014. Determination of total phenolic, flavonoid content and free radical scavenging activities of common herbs and spices. *Journal of Pharacognosy and Phytochemistry*, 3(3): 104-108.

Shui, G. L., P. Leong, and S.P Wong. 2005. Rapid screening and characterization of antioxidants of *Cosmos caudatus* using liquid chromatography coupled with mass spectrometry. *Journal of Chromatography*, B (827): 127-138.

Simanjuntak, H.A. 2017. Potensi famili Asteraceae sebagai obat tradisional masyarakat etnis Simalungun Kabupaten Simalungun Provinsi Sumatera Utara. *BioLink*, 4(1): 11-18.



- Stevani, E., Y. Setyaningsih, and E. Harfiani. 2021. Uji efektivitas ekstrak daun kenikir (*Cosmos caudatus* Kunth) terhadap penghambatan pertumbuhan jamur *Malassezia furfur*. *Seminar Nasional Riset Kedokteran*, 2: 202-213.
- Sukrasno, S., I. Fidriany, K. Anggadiredja, W.A. Handayani, and K. Anam. 2011. Influence of drying method on flavonoid content of *Cosmos caudatus* (Kunth) leaves. *Research Journal of Medicinal Plant*, 5(2): 189–195. DOI: 10.3923/rjmp.2011.189.195.
- Sukri, N. A. B. 2012. *Effect of different types of solvent on extraction of phenolic compound from Cosmos caudatus*. Univesiti Malaysia Pahang.
- Sulaiman, I.S.C., M. Basri, H.R.F. Masoumi, W.J. Chee, S.E. Ashari, and M. Ismail. 2017. Effects of temperature, time, and solvent ratio on the extraction of phenolic compounds and the anti-radical activity of *Clinacanthus nutans* Lindau leaves by response surface methodology. *Chemistry Central Journal*, 11(54). <https://doi.org/10.1186/s13065-017-0285-1>.
- Supriningrum, R., H. Nurhasnawati, dan S. Faisah. 2020. Penetapan konsentrasi fenolik total ekstrak etanol daun serunai (*Chromoalena odorata* L.) dengan metode spektrofotometri UV-Vis. *Al Ulum Sains dan Teknologi*, 5(2): 54-57.
- Tashi, S. and N.D. Tamang. 2020. Effect of drying time and temperature on biochemical composition of *Moringa oleifera* leaf powder, *Research Journal of Agriculture and Forestry*, 8(1): 34-39.
- Tejaswi, J., M. Senapathi, P. Sasank, V. Bobbarala, and K. Prameela. 2022. Evaluation of anti-oxidant, anti-microbial, and phytochemical analysis of different parts of *C. bippinatus*. *Research Journal of Pharmacy and Technology*, 15(4): 1455-1460. DOI: 10.52711/0974-360X.2022.00241.
- Teshome, T., Sintheayehu, B., Yohannes, H., Gebrelibanos, M., Karim, A., Gomathi, P., & Yarlagadda, R. (2015). Radical scavenging activity and preliminary phytochemical screening on aerial part extracts of *Cineraria*



abyssinica sch. bip. EXA. *Journal of Pharmacognosy and Phytochemistry*, 3(6): 239-243.

Tong, Z., W. He, X. Fan, and A. Guo. 2022. Biological Function of Plant Tannin and Its Application in Animal Health. *Frontiers in Veterinary Science*, 8(January): 1–7. DOI: 10.3389/fvets.2021.803657.

Tristantini, D., A. Ismawati, B.T. Pradana, dan J. Gabriel. 2016. Pengujian aktivitas antioksidan menggunakan metode DPPH pada daun tanjung (*Mimusops elengi* L.). *Kejuangan*. ISSN 1693-4393.

Ukoha, P.O., E.A.C. Cemaluk, O.L. Nnamdi, and E.P. Madus. 2011. Tannins and other phytochemicals of the Samanaea saman pods and their antimicrobial activities. *African Journal of Pure and Applied Chemistry*, 5(8): 237-244.

Uppu, R.M., S.N. Murthy, W.A. Pryor, and N/L. Parinandi. 2010. *Free Radicals and Antioxidant Protocols*. 2nd ed. Humana Press: USA.

Valyova, M., S. Stoyanov, Y. Markovska, and Y. Ganeva. 2012. Evaluation of in vitro antioxidant activity and free radical scavenging potential of variety of *Tagetes erecta* L . flowers growing in Bulgaria. *International Journal of Applied Research in Natural Products*, 5(2), pp. 19–25.

Wang, W., A.G. Asimakopoulos, K.O. Abualnaja, A. Covaci, B. Gevao, B. Johnson-Restrepo, T.A. Kumosani, G. Malarvannan, T.B. Minh, H.B. Moon, H. Nakata, R.K. Sinha, and K. Kannan. 2016. Synthetic phenolic antioxidants and their metabolites in indoor dust from homes and microenvironments. *Environmental Science & Technology*, 50 (1026): 428-434.

Wang, W., and K. Kannan. 2018. Inventory, loading, and discharge of synthetic phenolic antioxidant and their metabolites in wastewater treatment plants. *Water Research*, 129 (2018): 413-418.

Wathoni, N., C.Y. Shan, W.Y. Shan, T. Rostinawati, R.B. Indradi, R. Pratiwi, and M. Muchtaridi. 2019. Characterization and atioxidant activity of pectin



from Indonesian mangosteen (*Garcinia magostana* L.) rind. *Heliyon*, Elsevier, 5(2019).

Wenzel, T. 2023. *Molecular and Atomic Spectroscopy*. LibreTexts: [1.2: Beer's Law - Chemistry LibreTexts](#).

World Health Organization. 2023. *Noncommunicable diseases*. WHO. <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases>.

Widyantoro, A. and Harlia. 2020. Aktivitas antioksidan ekstrak daun kenikir (*Cosmos caudatus* Kunth) dengan berbagai metode ekstraksi. *Indonesian Journal of Pure and Applied Chemistry*, 3(1): 9-14.

Xiu-Qin, L., J. Chao, S. Yan-Yan, Y. Min-Li, and C. Xiao-Gang. 2009. Analysis of synthetic antioxidants and preservatives in edible vegetable oil by HPLC/TOF-MS. *Food Chemistry*, 113 (2009): 692-700.

Yuliani, S.H., P.D.T. Aji, A.S. Sandrapitaloka, F.R. Restiana, M.R. Gani, and F.D.O. Riswanto. 2019. Effects of particle size, extraction time, and solvent on daidzein yield extracted from tempeh. *Jurnal Farmasi Sains dan Komunitas*, 16(1): 44-49. DOI: <http://dx.doi.org/10.24071/jpsc.001794>.

Zaia, D., A., M., F.R. Marques, and C.T.B.V. Zaia. 2005. Spectrophotometric Determination of Total Proteins in Blood Plasma: A Comparative Study Among Dye-Binding Methods. *Brazilian Archives of Biology and Technology*, 48(May): 385–388.

Zhang, Q. W., L.G. Lin, and W.C. Ye. 2018. Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*. BioMed Central, 13(1): 1–26. DOI: 10.1186/s13020-018-0177-x.

Zhao, S., J.Y. Liu, S.Y. Chen., L.L. Shi, Y.J. Liu, and C. Ma. 2011. Antioxidant potential of polyphenol and tannin from burs of *Castanea mollissima* Blume. *Molecules*, 16: 8590-8600.