



DAFTAR PUSTAKA

- Abdelbaky, A. S., & Diab, Y. M. (2021). Effect of Various Extraction Methods and Solvent Types on Yield, Phenolic and Flavonoid Content and Antioxidant Activity of *Spathodea nilotica* Leaves. *Egyptian Journal of Chemistry*, 64(12), 7483–7489. <https://doi.org/10.21608/EJCHEM.2021.96557.4518>
- Abdullah, R. (2019). Insecticidal Activity of Secondary Metabolites of Locally Isolated Fungal Strains against some Cotton Insect Pests. *Journal of Plant Protection and Pathology*, 10(12), 647–653. <https://doi.org/10.21608/jppp.2019.79456>
- Adham, D., Taufiqurrahman, I., & Helmi, Z. N. (2019). Flavonoid Level Analysis of Binjai Leaf Extract (*Mangifera caesia*) In Ethanol, Methanol, And N-Hexane Solvents. *Dentino*, 4(1), 46–49.
- Agati, G., Azzarello, E., Pollastri, S., & Tattini, M. (2012). Flavonoids as antioxidants in plants: Location and functional significance. *Plant Science*, 196, 67–76. <https://doi.org/10.1016/j.plantsci.2012.07.014>
- Aguilar-Marcelino, L., Pineda-Alegría, J. A., Salinas-Sánchez, D. O., Hernández-Velázquez, V. M., Silva-Aguayo, G. I., Navarro-Tito, N., & Sotelo-Leyva, C. (2022). In Vitro Insecticidal Effect of Commercial Fatty Acids, β-Sitosterol, and Rutin against the Sugarcane Aphid, *Melanaphis sacchari* Zehntner (Hemiptera: Aphididae). *Journal of Food Protection*, 85(4), 671–675. <https://doi.org/10.4315/JFP-21-329>
- Aisyah. 2015. Daya Hambat Ekstrak Pandan Wangi (*Pandanus amaryllifolius* Roxb.) Terhadap Pertumbuhan Bakteri *Staphylococcus aureus*. Fakultas Kedokteran Gigi. Universitas Hasanuddin. Makasar.
- Al-Qahtani, W. H., Dinakarkumar, Y., Arokiyaraj, S., Saravanakumar, V., Rajabathar, J. R., Arjun, K., Gayathri, P. K., & Nelson Appaturi, J. (2022). Phyto-chemical and biological activity of *Myristica fragrans*, an ayurvedic medicinal plant in Southern India and its ingredient analysis: Phyto-chemical and biological activity of *Myristica fragrans*. *Saudi Journal of Biological Sciences*, 29(5), 3815–3821. <https://doi.org/10.1016/j.sjbs.2022.02.043>
- Ardiansyah, S., Siluh, N., Nuryanti, P., & Wahyudi, A. (2022). *Toxicity Of Jatropha curcas and Cymbopogon nardus Extracts Against Pests Callosobruchus chinensis On Mung Beans*. 5(2), 135–140.
- Atanasov, A. G., Waltenberger, B., Pferschy-Wenzig, E. M., Linder, T., Wawrosch, C., Uhrin, P., Temml, V., Wang, L., Schwaiger, S., Heiss, E. H., Rollinger, J. M., Schuster, D., Breuss, J. M., Bochkov, V., Mihovilovic, M. D., Kopp, B., Bauer, R., Dirsch, V. M., & Stuppner, H. (2015). Discovery and resupply of pharmacologically active plant-derived natural products: A review. *Biotechnology Advances*, 33(8), 1582–1614. <https://doi.org/10.1016/j.biotechadv.2015.08.001>



- Bahagiawati. 2002. Penggunaan *Bacillus thuringiensis* Sebagai Bioinsektisida. Balai Penelitian Bioteknologi dan Sumberdaya Genetik Pertanian. Bogor.
- Baker JR (1966) Cytological technique—the principles underlying routine methods, 5th edn. Menthuen & Co Ltd, London
- Bangkit Ary Pratama, Dwi Astuti, dan Ambarwati. 2010. Pemanfaatan Ekstrak Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb) Sebagai Larvasida Alami. Jurnal Kesehatan. <http://ejournals.ums.ac.id/jurnal/2010/pemanfaatan-ekstrak-daun-pandanwangi-sebagai-larvasida-alami.pdf>. diakses tanggal 5 Februari 2023
- Capinera, J. 2006. "Beet Armyworm (EENY-105)" (On-line). Featured Creatures. <http://edis.ifas.ufl.edu/in262>. Diakses pada 04 Februari 2023
- Carlo, G. Di, Mascolo, N., Angelo, A., & Capasso, F. (1999). Bowler, Shaun, David M. Farrell, and Richard S. Katz. 1999. "Party Cohesion, Party Discipline, and PDF. *Life Sciences*, 65(4), 337–353.
- Castañeda-Ramírez, G. S., López-Guillén, G., Aguilar-Marcelino, L., Siu-Rivas, A., & Cruz-López, L. (2024). Insecticidal effect of metabolites identified in edible mushrooms against *Rhyssomatus nigerrimus* Fahraeus | Efeito inseticida dos metabólitos identificados nos cogumelos comestíveis contra *Rhyssomatus nigerrimus* Fahraeus. *Brazilian Journal of Biology*, 84, 1–5.
- Chalker-scott, L., & Krahnre, R. L. (n.d.). *Chalker-Scott*. 345–346.
- Charrière-Ladreix Y (1973) Répartition intracellulaire du sécrétat favonique de *Populus nigra* L. *Planta* 129:167–174
- Chasani M., Purwati, Widyaningsih S. dan Larasati B., 2013. Formulasi Deterjen Berbahan Aktif Etil Ester Sulfonate dari Minyak Biji Ketapang (Terminalia cattapa), Jurnal Sains dan Teknologi Kimia, 4(2), 142-146
- Cheetangdee V, Siree C. Free Amino Acid and Reducing Sugar Composition of Pandan (*Pandanus amaryllifolius*) Leaves. Thailand: Departement of Food Science and Technology, Faculty of Agro-Industry, Kasetsart University; 2006.
- Christiana, O.A., Johnbull, O.E., Raphael, C.M., Joseph, O.O., Paul, M.O., Emmanuel, G.J., 2019. Gas Chromatographic Study of Bio-active Compounds in Methanolic Extract of Leaf of *Crateva adansonii* DC. In Journal of Physics: Conference Series, 2019, 1299, No. 1, p. 012014. IOP Publishing
- Chong, H. Z., Yeap, S. K., Rahmat, A., Akim, A. M., Alitheen, N. B., Othman, F., & Gwendoline-Ee, C. L. (2012). In vitro evaluation of *Pandanus amaryllifolius* ethanol extract for induction of cell death on non-hormone dependent human breast adenocarcinoma MDA-MB-231 cell via apoptosis. *BMC Complementary and Alternative Medicine*, 12. <https://doi.org/10.1186/1472-6882-12-134>



- Chu, S. S., Liu, Q. Z., Jiang, G. H., & Liu, Z. L. (2013). Chemical Composition and Insecticidal Activity of the Essential Oil Derived from *Phlomis umbrosa* Against Two Grain Storage Insects. *Journal of Essential Oil-Bearing Plants*, 16(1), 51–58. <https://doi.org/10.1080/0972060X.2013.764184>
- Cui, C., Yang, Y., Zhao, T., Zou, K., Peng, C., Cai, H., Wan, X., & Hou, R. (2019). Insecticidal Activity and Insecticidal Mechanism of Total Saponins from *Camellia oleifera*. *Molecules*, 24(24). <https://doi.org/10.3390/molecules24244518>
- Dalimarta S. Indonesian Medicinal Plants Atlas (Atlas Tumbuhan Obat Indonesia). Jakarta: Trubus Agriwidya; 2009.
- David R, Carde JP (1964) Coloration différentielle des inclusions lipidique et terpéniques des pseudophylles du pin maritime au moyen du réactif Nadi. C R Acad Sci Paris 258:1338–1340
- Demain, A. L., & Sanchez, S. (2009). Microbial drug discovery: 80 years of progress. *The Journal of Antibiotics*, 62(1), 5–16. <https://doi.org/10.1038/ja.2008.16>
- Departemen Kesehatan RI, 2000, Parameter Standar Umum Ekstrak Tumbuhan Obat, Cetakan Pertama, 3-11, 17-19, Dikjen POM, Direktorat Pengawasan Obat Tradisional
- de Souza, P. M., & e Magalhães, P. de O. (2010). Application of microbial α -amylase in industry - a review. *Brazilian Journal of Microbiology*, 41(4), 850–861. <https://doi.org/10.1590/s1517-83822010000400004>
- Devonshire, A. L., & Moores, G. D. (1982). A carboxylesterase with broad substrate specificity causes organophosphorus, carbamate and pyrethroid resistance in peach-potato aphids (*Myzus persicae*). *Pesticide Biochemistry and Physiology*, 18(2), 235–246. [https://doi.org/10.1016/0048-3575\(82\)90110-9](https://doi.org/10.1016/0048-3575(82)90110-9)
- Djenar, N. S., Mulyono, E. W. S., & Saputra, T. R. (2020). The effect of microwave power variations on phytochemical characteristic of pandan leaves (*Pandanus Amaryllifolius*) using the Microwave-Assisted Extraction (MAE). *Journal of Physics: Conference Series*, 1450(1). <https://doi.org/10.1088/1742-6596/1450/1/012007>
- Dr. Meksy Dianawati, SP, M.Si (Peneliti BPTP Balitbangtan Jawa Barat), Kiki Kusyaeri H (Peneliti BPTP Balitbangtan Jawa Barat) dan Wawan Wahyudin (Teknisi Litkayasa BPTP Balitbangtan Jawa Barat)
- Duan, C.B.; Du, Y.; Hou, X.; Yan, N.; Dong, W.; Mao, X.; Zhang, Z. Chemical Basis of the Fungicidal Activity of Tobacco Extracts against *Valsa mali*. *Molecules* 2016, 21, 1743.
- El-Aswad, A. F., Aisu, J., & Khalifa, M. H. (2023). Biological activity of tannins extracts from processed *Camellia sinensis* (black and green tea), *Vicia faba* and *Urtica dioica* and *Allium cepa* essential oil on three economic insects.



Journal of Plant Diseases and Protection, 130(3), 495–508.
<https://doi.org/10.1007/s41348-022-00680-x>

Elgar, M.A.; Zhang, D.; Wang, Q.; Wittwer, B.; Thi Pham, H.; Johnson, T.L.; Freelance, C.B.; Coquilleau, M. Insect Antennal Morphology: The Evolution of Diverse Solutions to Odorant Perception. *Yale J. Biol. Med.* 2018, 91, 457–469

Faras, A. F., Wadkar, S. S., & Ghosh, J. S. (2014). Effect of leaf extract of pandanus amaryllifolius (Roxb.) on growth of Escherichia coli and Micrococcus (Staphylococcus) aureus. *International Food Research Journal*, 21(1), 421–423.

Febrianasari, R., H. Tarno., dan A. Afandhi. 2014. Efektivitas Klorantraniliprol Dan Flubendiamid Pada Ulat Bawang Merah (*Spodoptera exigua* Hübner) (Lepidoptera: Noctuidae). *Jurnal HPT Vol 2(4)*.

Feng, H., K. Wu, D. Cheng, Y. Guo. 2003. Radar observations of the autumn migration of the beet armyworm *Spodoptera exigua* (Lepidoptera: Noctuidae) and other moths in northern China. *Bulletin of Entomological Research*, 93: 115-124.

Finney, D. J. 1971. Probit Analysis. 3th Aufl. Cambridge University Press. XV, 333 S., 41 Rechenbeispiele, 20 Diagr., 8 Tab., 231 Lit., L 5.80.

Firmansyah E, & Pusparani S. 2019. The potential leaf extract of *Sphagneticola trilobata* as botanical insecticide to control *Spodoptera litura* larvae. *Musamus J. Agrotech. Research (MJAR)*, II(I): 13–19

F.M. Nor, Suhaila Mohamed, Nor Aini Idris, Razali Ismail (2008). Antioxidative properties of Pandanus amaryllifolius leaf extracts in accelerated oxidation and deep frying studies. *Food Chemistry* 110: 319-327. doi:10.1016/j.foodchem.2008.02.00

Fowsiya, J., & Madhumitha, G. (2020). A review of bioinsecticidal activity and mode of action of plant derived alkaloids. *Research Journal of Pharmacy and Technology*, 13(2), 963–973. <https://doi.org/10.5958/0974-360X.2020.00181.X>

Fukai, T., Marumo, A., Kaitou, K., Kanda, T., Terada, S., & Nomura, T. (2002). Antimicrobial activity of licorice flavonoids against methicillin-resistant *Staphylococcus aureus*. *Fitoterapia*, 73(6), 536-539. [https://doi.org/10.1016/S0367-326X\(02\)00168-5](https://doi.org/10.1016/S0367-326X(02)00168-5)

Ghasemzadeh, A., & Jaafar, H. Z. E. (2013). Profiling of phenolic compounds and their antioxidant and anticancer activities in pandan (*Pandanus amaryllifolius* Roxb.) extracts from different locations of Malaysia. *BMC Complementary and Alternative Medicine*, 13. <https://doi.org/10.1186/1472-6882-13-341>

Glas, J. J., Schimmel, B. C. J., Alba, J. M., Escobar-Bravo, R., Schuurink, R. C., & Kant, M. R. (2012). Plant glandular trichomes as targets for breeding or



engineering of resistance to herbivores. *International Journal of Molecular Sciences*, 13(12), 17077–17103. <https://doi.org/10.3390/ijms131217077>

Gliszczyńska, A., Dancewicz, K., Gabryś, B., Świtalska, M., Wietrzyk, J., & Maciejewska, G. (2021). Synthesis of novel phytol-derived γ -butyrolactones and evaluation of their biological activity. *Scientific Reports*, 11(1), 1–14. <https://doi.org/10.1038/s41598-021-83736-6>

Götz, M. E., Sachse, B., Schäfer, B., & Eisenreich, A. (2022). Myristicin and Elemicin: Potentially Toxic Alkenylbenzenes in Food. *Foods*, 11(13), 1–26. <https://doi.org/10.3390/foods11131988>

Gopalkrishnan B, Agashe S, Kumavat U. Pharmacognostical Screening of Flavouring Leaves *Pandanus amaryllifolius* Rox. International Journal of Pharmacognosy and Phytochemical Research, 2015.Vol:7(4). Page no:745-749. Available at website: <https://www.researchgate.net/publication/283690188>

Hartini, E., Yulianto, Y., Sudartini, T., & Pitriani, E. (2022). EFKASI EKSTRAK DAUN KIPAHIT (*Tithonia diversifolia*) TERHADAP MORTALITAS ULAT BAWANG (*Spodoptera exigua* Hubn.). *Media Pertanian*, 7(1), 23–33. <https://doi.org/10.37058/mp.v7i1.4775>

Haryoto dan Priyanto, 2018, Potensi Buah Salak Sebagai Suplemen Obat dan Pangan, Muhammadiyah University Press, Pp.107

Hur, J. M., Yang, C. H., Han, S. H., Lee, S. H., You, Y. O., Park, J. C., & Kim, K. J. (2004). Antibacterial effect of *Phellinus linteus* against methicillin-resistant *Staphylococcus aureus*. *Fitoterapia*, 75(6), 603-605. <https://doi.org/10.1016/j.fitote.2004.06.005>

Jayaprakasha, G.K., L.J.M. Rao, K.K. Sakariah. 2002, Improved HPLC method for determination of curcumin, demethoxycurcumin, and bisdemethoxycurcumin. *Agric. Food Chem.* 50:3668- 3672.

Johansen DA (1940) Plant microtechnique, 1st edn. McGraw Hill, New York

Julianto, T. S. 2019. Fitokimia: Tinjauan Metabolit Sekunder dan Skrining Fitokimia. UII Press. Yogyakarta, hal. 9-15; 17-32.

Kardinan, Agus, 2002, Pestisida Nabati: Ramuan dan Aplikasi, Penebar Swadaya, Jakarta.

Kaur, R., Kaur, N., and Gupta, A. K. (2014). Structural features, substrate specificity, kinetic properties of insect α -amylase and specificity of plant α -amylase inhibitors. *Pestic. Biochem. Physiol.* 116, 83–93. doi: 10.1016/j.pestbp.2014.09.005

Khotimah, K. (2016). Skrining fitokimia dan identifikasi metabolit sekunder senyawa karpain pada ekstrak metanol daun *Carica pubescens* Lenne dan K. Koch dengan LC/MS. In Uin Maulana Malik Ibrahim Malang (Issue januari).



- Kim, J.-S., Kwon, C.-S., & Son, K. H. (2000). Inhibition of Alpha-glucosidase and Amylase by Luteolin, a Flavonoid. In *Biosci. Biotechnol. Biochem.* (Vol. 64, Issue 11, pp. 2458–2461). <https://doi.org/10.1176/ajp.109.12.922>
- Knogge W, Weissenböck G. Tissue-distribution of secondary phenolic biosynthesis in developing primary leaves of *Avena sativa* L. *Planta*. 1986 Feb;167(2):196-205. doi: 10.1007/BF00391415. PMID: 24241851.
- Koche, D. (2014) ‘Role of Secondary Metabolites in Plants ’ Defense Mechanism’, Hislop College Publication Cell, 1(August), pp. 1–16.
- Kumar, K., Gill, K. S., Katyal, R., Tewari, P., Rahman, S. J., & Pajni, H. R. (2001). Susceptibility Status of Immature and Adult Stages of *Aedes aegypti* Against Conventional Insecticides in Delhi, India. *Journal of Communicable Diseases*, 25, 84–87.
- Leksono, W. B., Pramesti, R., Santosa, G. W., & Setyati, W. A. (2018). Jenis Pelarut Metanol Dan N-Heksana Terhadap Aktivitas Antioksidan Ekstrak Rumput Laut *Gelidium* sp. Dari Pantai Drini Gunungkidul – Yogyakarta. *Jurnal Kelautan Tropis*, 21(1), 9-16. <https://doi.org/10.14710/jkt.v21i1.2236>
- Li, Y., Kong, D., Fu, Y., Sussman, M. R., & Wu, H. (2020). The effect of developmental and environmental factors on secondary metabolites in medicinal plants. *Plant Physiology and Biochemistry*, 148(January), 80–89. <https://doi.org/10.1016/j.plaphy.2020.01.006>
- Liu SB, Lin R, Hu ZH. Histochemical localization of ginsenosides in *Gynostemma pentaphyllum* and the content changes of total gypenosides. *Shi Yan Sheng Wu Xue Bao*. 2005;
- Liu, Xue-gui., Fu-yu Jiang, Pin-yi Gao, Mei Jin, Di Yang, Zhong-feng Nian, and Zhen-xue Zhang, 2014. Optimization of Extraction Conditions for Flavonoids of *Physalis alkekengi* var. *franchetii* Stems by Response Surface Methodology and Inhibition of Acetylcholinesterase Activity. *Journal of The Mexican Chemical Society* vol 59 no.1. Mexico
- Lopez DC, Nonato MG. Alkaloid from *Pandanus amaryllifolius* collected from marikina, Philippines. *Phil J of Sci* 2012;134(1):39B-44.
- Mabry TJ, Markham KR, Thomas MB (1970) The systematic identification of flavonoids. Springer, Berlin
- Marjoni, Riza. (2016). Dasar-dasar Fitokimia untuk Diploma III Farmasi. Jakarta: CV Trans Info Media
- Matsushita, H., Takenaka, M., & Ogawa, H. (2002). Porcine pancreatic α -amylase shows binding activity toward N-linked oligosaccharides of glycoproteins. *Journal of Biological Chemistry*, 277(7), 4680–4686. <https://doi.org/10.1074/jbc.M105877200>



- Moch Sodiq. 2009. Ketahanan Tanaman terhadap Hama. Fakultas Pertanian. Universitas Pembangunan Nasional “Veteran” Jawa Timur, Surabaya
- Moekasan, dan Tonny, 2000, Penerapan PHT pada Sistem Tumpang Gilir Bawang Merah dan Cabai, Graha Media, Jakarta.
- Morallo-Rejesus B. 1986. *Botanical insecticides against the diamondback moth*. University of the Phillipines at Los Banos, College, Laguna, Philipines.
- M. Sayuti, “Pengaruh perbedaan metode ekstraksi, bagian dan jenis pelarut terhadap randemen dan aktifitas antioksidan bambu laut (*Isis hippuris*),” *Technol. Sci. Eng. J.*, vol. 1, no. 3, pp. 166–174, 2017
- Muhimmah, I. (2014). Uji Efektivitas Ekstrak Daun Pandan Wangi (*Pandanus amaryllifolius Roxb*) Sebagai Insektisida Nabati Dalam Mengurangi Jumlah Lalat Selama Proses Penjemuran Ikan Kembung (Rastrelliger kanagurta) Asin. Malang, Indonesia.
- Mukhriani. 2014. Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*. Vol 7 (2) : 361-367.
- Murhadi, Suharyono, A., & Susilawati. (2007). Aktivitas antibakteri ekstrak daun salam (*Syzygium polyanta*) dan daun pandan (*Pandanus amaryllifolius*). In *Teknologi dan Industri Pangan* (Vol. 18, Issue 1, p. 17).
- Natwick, E., J. Stapleton, C. Stoddard. 2012. "Armyworms" (On-line). UC Pest Management Guidelines. <http://www.ipm.ucdavis.edu/PMG/r116301311.html>. Diakses pada 21 Januari 2023.
- Nissim, I., Dagan-Wiener, A., & Niv, M. Y. (2017). The taste of toxicity: A quantitative analysis of bitter and toxic molecules. *IUBMB Life*, 69(12), 938–946. <https://doi.org/10.1002/iub.1694>
- Nursal, W., Sri dan Wilda S. 2006.” Bioaktifitas Jahe (*Zingiber officinale* Roxb.) Dalam Menghambat Pertumbuhan Koloni Bakteri *Escherichia coli* dan *Bacillus subtilis*”. *Jurnal Biogenesis*.
- Oberdörster, E., Clay, M. A., Cottam, D. M., Wilmot, F. A., McLachlan, J. A., & Milner, M. J. (2001). Common phytochemicals are ecdysteroid agonists and antagonists: A possible evolutionary link between vertebrate and invertebrate steroid hormones. *Journal of Steroid Biochemistry and Molecular Biology*, 77(4–5), 229–238. [https://doi.org/10.1016/S0960-0760\(01\)00067-X](https://doi.org/10.1016/S0960-0760(01)00067-X)
- Prameswari, O. M., & Widjanarko, S. B. (2014). UJI EFEK EKSTRAK AIR DAUN PANDAN WANGI TERHADAP PENURUNAN KADAR GLUKOSA DARAH DAN HISTOPATOLOGI TIKUS DIABETES MELLITUS. *Jurnal Pandan Dan Agroindustri*, 2(2), 16–27. <https://doi.org/10.25077/jpt.3.2.56-64.2019>
- Qaderi, M. M., Martel, A. B., & Strugnell, C. A. (2023). Environmental Factors



Regulate Plant Secondary Metabolites. *Plants*, 12(3), 1–27.
<https://doi.org/10.3390/plants12030447>

Rahmasiah, R., Hadiq, S., & Yulianti, T. (2023). SKRINING FITOKIMIA EKSTRAK METANOL DAUN PANDAN WANGI (*Pandanus amaryllifolius* Roxb.). *Journal of Pharmaceutical Science and HerbalTechnology*, 1(1), 33–39.

Putri, D. A. 2016. Pengaruh pemberian ekstrak daun kersen (*Muntingia calabura*) terhadap lalat buah Bactrocera carambolae. *Journal of Biology*, 9 (2): 139–143.

Putri, Irma Novita Andini. (2021). EFEKTIVITAS EKSTRAK DAUN PANDAN WANGI (*Pandanus amaryllifolius*) SEBAGAI BIOLARVASIDA TERHADAP LARVA *Culex* Sp. *Jurnal Ruwa Jurai* Volume 15 (3): 109-117. DOI : <http://dx.doi.org/10.26630/rj.v15i3.3067>

Rahmatullah. 2022. EFEKTIVITAS EKSTRAK KOKON *Samia ricini* (Drury, 1773) SEBAGAI ULTRAVIOLET PROTEKTAN *Bacillus thuringiensis* var. kurstaki PENGENDALI *Spodoptera exigua* (Hübner, 1808) DENGAN PAPARAN SINAR MATAHARI. THESIS. Tidak diterbitkan. Universitas Gadjah Mada; Yogyakarta

Ramalingan K, Ravindranath MH (1970) Histochemical significance of green metachromasia to toluidine blue. *Histochemie* 24:322–327

Rio Tri Rahmawati. 2022. *UV PROTEKSI BACULOVIRUS DENGAN SERISIN Samia ricini Drury (Lepidoptera : Saturniidae) PENGENDALI Spodoptera exigua (Hübner) (Lepidoptera : Noctuidae)*. SKRIPSI. Tidak diterbitkan. Universitas Gadjah Mada; Yogyakarta.

Rohmaniyah, M. (2016). Uji antioksidan ekstrak Etanol 80% dan Fraksi aktif rumput bambu (*Lophatherum Gracile Brongn*) menggunakan metode Dpph berta identifikasi senyawa aktifnya (Doctoral dissertation, Universitas Islam Negeri Maulana Malik Ibrahim)

Robinson, T. 1995. Kandungan Organik Tumbuhan Tinggi. Bandung: ITB

Rukmana, R., & Oesman, Y. Y. (2002). Nimba tanaman penghasil pestisida alami. Yogyakarta: Kanisius

Rustaman; Abdurahman, Maman; Al Anshori, J. (2006). Skrining Fitokimia Tumbuhan di Kawasan Gunung Kuda Kabupaten Bandung sebagai Penelaahan Keanekaragaman Hayati – DRPM (1st ed.). DRPM Universitas Padjadjaran. <http://drpmi.unpad.ac.id/archives/4040>

Sabrina A. Potential Test of (*Pandanus amaryllifolius* Roxb.) as Insecticide to *Musca Domestica* (Uji Potensi Dekok Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb.) Sebagai Insektisida Dengan Metode Racun Perut Terhadap Lalat Rumah (*Musca Domestica*)). Malang: Fakultas Kedokteran Universitas Brawijaya; 2010



- Saenong, M. S. 2016. Tumbuhan Indonesia Potensial Sebagai Insektisida Nabati Untuk Mengendalikan Hama Kumbang Bubuk Jagung (*Sitophilus* Spp.). *Jurnal Penelitian dan Pengembangan Pertanian*, 35(3), 131-142.
- Sahputra FM. Potensi Ekstrak Kulit dan Daging Buah Salak Sebagai Antidiabetes. (Proposal Tesis) Institut Pertanian. Bogor.2008
- Salunke, B. K., Kotkar, H. M., Mendki, P. S., Upasani, S. M., & Maheshwari, V. L. (2005). Efficacy of flavonoids in controlling *Callosobruchus chinensis* (L.) (Coleoptera: Bruchidae), a post-harvest pest of grain legumes. *Crop Protection*, 24(10), 888–893. <https://doi.org/10.1016/j.cropro.2005.01.013>
- Schorderet, W.S.; Kaminski, K.P.; Perret, J.-L.; Leroy, P.; Mazurov, A.; Peitsch, M.C.; Ivanov, N.V.; Hoeng, J. Antiparasitic properties of leaf extracts derived from selected Nicotiana species and Nicotiana tabacum varieties. *Food Chem. Toxicol.* 2019, 132, 110660
- Shorey, H. H., & Hale, R. L. (1965). Mass-Rearing of the Larvae of Nine Noctuid Species on a Simple Artificial Medium12. *Journal of Economic Entomology*, 58(3), 522–524. <https://doi.org/10.1093/jee/58.3.522>
- S.G. Cabrera, I.F.R. Perez, L.J.L. Aguilar, M.C. Caringal, A.G. Dado and D.M, Asia Pacific Journal of Multidisciplinary Research, 3(4), 34-40(2015).
- Simmonds, M. S. J. (2001). Importance of flavonoids in insect-plant interactions: Feeding and oviposition. *Phytochemistry*, 56(3), 245–252. [https://doi.org/10.1016/S0031-9422\(00\)00453-2](https://doi.org/10.1016/S0031-9422(00)00453-2)
- Sopialena, 2017. Segitiga Penyakit Tanaman. Mulawarman University Press. Samarinda
- Stiani, S. N., Sari, S. P., & Kuncoro, B. (2018). Formulasi dan Evaluasi Sediaan Gel Ekstrak Etanol 96% Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb.) Sebagai Sediaan Anti Nyamuk *Aedes aegypti*. *Farmagazine*, 5(2), 39–46. <https://ejournals.stfm.ac.id/index.php/JurnalFarmagazine/article/view/93>
- Stiani, Sofi N., et al. "Formulasi dan Evaluasi Sediaan Gel Ekstrak Etanol 96% Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb.) sebagai Sediaan Antinyamuk *Aedes Aegypti*." *Jurnal Farmagazine*, vol. 5, no. 2, 2018, pp. 39-46, doi:[10.47653/farm.v5i2.93](https://doi.org/10.47653/farm.v5i2.93).
- S. Sukirno, J. Situmorang, S. Sumarmi, R.C. Hidayat, Soesilohadi, R. Pratiwi, Evaluation of artificial diets for attacus atlas (Lepidoptera: Saturniidae) in Yogyakarta Special Region, Indonesia, *Journal of Economic Entomology*, 2013, pp. 2364-2370.
- Suparjo. 2008. Saponin, Peran dan Pengaruhnya bagi Ternak dan Manusia. [Karya Tulis Ilmiah]. Jambi: Fakultas Peternakan Universitas Jambi.
- Sylwia, G., Leszczynski, B., & Wieslaw, O. (2006). Effect of low and high-saponin lines of alfalfa on pea aphid. *Journal of Insect Physiology*, 52(7), 737–743. <https://doi.org/10.1016/j.jinsphys.2006.04.001>



Tadera, K., Minami, Y., Takamatsu, K., & Matsuoka, T. (2006). Inhibition of α -glucosidase and α -amylase by flavonoids. *Journal of Nutritional Science and Vitaminology*, 52(2), 149–153. <https://doi.org/10.3177/jnsv.52.149>

Tim Pengajar DIHT HPT FPN UGM, 2022. Pengendalian dengan Pemuliaan / Ketahanan Varietas, teknik pengembangan Ketahanan, sifat Ketahanan Tanaman terhadap Serangga. Jogjakarta

Tiwari, P., Kumar, B., Kaur, M., Kaur, G., & Kaur, H. (2011). Phytochemical screening and extraction: a review. *Internationale pharmaceutica sciencia*, 1(1), 98-106.

Tsiodras, S., Gold, H. S., Sakoulas, G., Eliopoulos, G. M., Wennersten, C., Venkataraman, L., ... & Ferraro, M. J. (2001). Linezolid resistance in a clinical isolate of *Staphylococcus aureus*. *The Lancet*, 358(9277), 207-208. [https://doi.org/10.1016/S0140-6736\(01\)05410-1](https://doi.org/10.1016/S0140-6736(01)05410-1)

Widyaningrum, I., Wibisono, N., & Kusumawati, A. H.. (2020). Effect of extraction method on antimicrobial activity against *staphylococcus aureus* of tapak liman (*elephantopus scaber* l.) leaves. *International Journal of Health & Medical Sciences*, 3(1), 105-110. <https://doi.org/10.31295/ijhms.v3n1.181>

Wink, M. (2010). Introduction: Biochemistry, Physiology and Ecological Functions of Secondary Metabolites. *Biochemistry of Plant Secondary Metabolism: Second Edition*, 40, 1–19. <https://doi.org/10.1002/9781444320503.ch1>

Wuri N, Djoko AB, Dwi RI. Potential Test of *Artocarpusaltilis* Leaf to *Musca Domestica* Flies Using Spray Method (Uji Potensi Ekstrak Daun Sukun (*Artocarpusaltilis*) terhadap Lalat Rumah (*Musca domestica*) Dengan Metode Semprot). Malang: Universitas Brawijaya; 2013.

Xia, X., Chen, C., Yang, L., Wang, Y., Duan, A., & Wang, D. (2022). Analysis of metabolites in young and mature *Docynia delavayi* (Franch.) Schneid leaves using UPLC-ESI-MS/MS. *PeerJ*, 10, 1–15. <https://doi.org/10.7717/peerj.12844>

Zeb, A., Ullah, F., Ayaz, M., Ahmad, S., & Sadiq, A. (2017). Demonstration of biological activities of extracts from *Isodon rugosus* Wall. Ex Benth: Separation and identification of bioactive phytoconstituents by GC-MS analysis in the ethyl acetate extract. *BMC Complementary and Alternative Medicine*, 17(1), 1–16. <https://doi.org/10.1186/s12906-017-1798-9>