DAFTAR PUSTAKA

Arad, S.M., Moppes, D.V. 2013. In: Richmond A, Hu Q (eds) *Handbook of microalgal culture: applied phycology and biotechnology*, Wiley, UK, pp 406-416.

Atobe, S., Saga., Hasegawa, F., Furuhashi K., Tashiro, Y., Suzuki, T., Okada, S., Imou, K. 2015. Efect of amphiphilic polysaccharides released from Botryococcus braunii Showa on hydrocarbon recovery. *Algal Research* 10:172-176.

Bakku, R.K., Yamamoto, Y., Inaba Y., Hiranuma T., Gianino E., Amarianto L., Mahrous W., Suzuki H., and Suzuki K. 2023. New insights into raceway cultivation of *Euglena* gracilis under long-term semi-continuous nitrogen starvation. *Scientific Reports*. 13:7123.

Becker, E.W. 1994. *Oil production. In: Baddiley, et al., editors.* Microalgaee: biotechnology and microbiology. Cambridge University Press.

Becker, E.W. 2013. *In: Richmond A, Hu Q (eds) Handbook of microalgal culture: applied phycology and biotechnology*, 2nd edn. Wiley, UK, pp. 461–503.

Benavente-Valdes, J.R. Aguilar, C. Juan, C.C. Alejandro, M. Julio, M. 2016. Strategies to Enhance the Production of Photosynthetic Pigments and Lipids in Chlorophycae Species. *Biotechnology Reports*, 10: 117 – 125

Bligh, E.G. and Dyer, W.J. 1959. A rapid method of total lipid extraction and purification. *Canadian Journal Biochemistry and Physiology*. 37: 911-917.

Borowitzka, M.A. 2013. High-value products from microalgae – their developmentand commercialisation. *Journal of Applied Phycology*. 25:743–756.

Cavalier-Smith, T. 2016. Higher classification and phylogeny of Euglenozoa. *European Journal of Protistology* 56: 250–276.

Chapman, R.S. 2013. Algae: the world's most important "plants"- an introduction. Miting Adapt Strateg Glob Change, 18:5-12.

Chen, C.Y., Zhao, X.Q., Yen, H.W., Ho, S.H., Cheng, C.L., Lee, D.J., Bai, F.W., Chang, J.S. 2013. Microalgae-based carbohydrates for biofuel production. *Biochemical Engineering Journal* 78:1–10.

Chrismadha T and Borowitzka MA. 1994. Effect of cell density and irradiance on growth, proxymate Berita Biologi 8(3) - Desember 2006 composition and eicosapentanoic acid production of *Phaeodactylum tricornutum* grown in a tubular photobioreactor. *Journal of Phycology* 6:67-74.

Chrismadha T. 1994. Growth and lipid production of Phaeodactylum tricornutum in a tubular photobioreactor. Master Thesis, Murdoch University, Perth, Western Australia, p. 211.

Chu F.F., Chu P.N., Cai P.J., Li W.W., Lam P.K.S., Zeng R.J. 2013. Phosphorus plays an important role in enhancing biodiesel productivity of Chlorella vulgaris under nitrogen deficiency. *Bioresour. Technol.* 134:341–346. doi: 10.1016/j.biortech.2013.01.131.

Coleman, L., Rosen, B.H., Schwartzbach, S.D. 1998. Environmental control of arbohydrate and lipid synthesis in *Euglena Plant Cell Physiol.*, 29:423-432.

Dai, J., He, Jiayi., Chen, Z., Qin, H., Du, M., Lei, A., Zhao, L., Wang, J., 2022. *Euglena* gracilis Promotes Lactobacillus Growth and Antioxidants Accumulation as a Potential Next-Generation Prebiotic. *Nutrition and Microbes*, 9:1-5.

Dharmawan, A.H., Nuva., Sudaryanti, D.A., Prameswari, A.A., Amalia, R., Dermawan, A. 2018. Pengembangan Bioenergi di Indonesia. Working Paper 242. Bogor, Indonesia: CIFOR. Pp:2-5.

Draaisma, R.B,, Wijfels, R.H., Slegers (Ellen), P.M., Brentner, L.B., Roy, A., Barbosa, M.J. 2013. Food commodities from microalgae. *Current Opinion in Biotechnology* 24:169–177.

El-Baky, Abd. Hanaa H., El-Baz, Farouk K., El-Baroty, G.S., 2003, Spirulina species as source of carotenoids and alfa-tocopherol and its anticarcinoma factors. *Journal of Biotechnology*, 2: 222-240.

Ellis C. O'Neill, Kuhaudomlarp, S., Rejzek, m., Fangel, J.U., Alagesan, k., Kolarich, D., Willats, w.g.t., Field, R.A. 2017. *Exploring the Glycans of Euglena gracilis.* Multidisciplinary Digital Publishing Institute, Biology Basel. 6(4): 45.

Erfianti, T. *et al.,* 2023. Nitrogen Surces Affect the Growth f Local Strain *Euglena* sp. isolated from Dieng Peatland, Central Java, Indonesia, and their potential as bio-avtur. *IOP Conference Series: Earth and Enviromental Science,* Volume 1151, The 1st 2022.

Goldman, J.C. 1979. Outdoor algal mass culture. II. Photosynthetic yield limitations. *Water Research* 13:119-136.

Green, A.G. 2004. From alpha to omega—producing essential fatty acids in plants *Nature Biotechnology.,* 22 p. 680.

Guiry, M.D. & Guiry, G.M. 2020. AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. Available: *http://www.algaebase.org*. Accessed on 20 April 2020.

Gultom, S.A. 2018. Mikroalga: Sumber Energi Terbarukan Masa Depan. *Jurnal Kelautan*, 11(1): 1-2.

Gunerken, E., D'Hondt, E., Eppink, M.H.M., Garcia-Gonzalez, L., Elst, K., Wijfels, R.H. 2015. Cell disruption for microalgae biorefneries. *Biotechnology Advances*. 33:243–260.

Hadiyanto., Azim, M. 2012. *Mikroalga: Sumber Pangan dan Energi Masa Depan, edisi pertama,* Undip Press, Semarang.

Hadiyanto., Azim, Maulana., 2012, Mikroalga: Sumber Pangan dan Energi Masa Depan, edisi pertama, Undip Press, Semarang.

Henrikson, R. 2009. *Earth food Spirulina.* Ronore Enterprises, Hawaii. P.10.

Jung, J-M, Kim, J.Y., jung, S., Choi, Y-E, and Kwon, E.E. 2021. Quantitative study on lipid productivity of *Euglena gracilis* and its biodiesel production according to the cultivation conditions. *Journal of Cleaner Production*. 291(125218)

Keng, P.S., Basri, M., Zakaria, M.R.S., Rahman, M.B.A., Arif, A.B., Rahman, R.N.Z.A., Salleh, A.B. 2009. Newly synthesized palm esters for cosmetic industry. *Industrial Crops and Products.* 29:37–4.

Koller, M., Muhr, A., Braunegg, G. 2014 Microalgae as versatile cellular factories for valued products. *Algal Research* 6:52–63.

Kottuparambil, S., Thankamony, R.L., Agusti, S. 2019. *Euglena* as a potential natural source of value-added metabolites. *Algal Research.* 37:154-159.

Latsos, C., Houcke, J.v., and Timmermans, K.R. 2020. The Effect of Nitrogen Starvation on Biomass Yield and Biochemical Constituents of *Rhodomonas* sp. *Frontiers in Marine Science*. 7:563333.

Lavens, P and Sorgeloos, P. 1996. *Manual on the production and use of live food for aquaculture. FAO Fisheries Technical* Paper. No. 361. Food and Agriculture Organization of the United Nations. Rome.

Lee, Y.K. and Shen, H. 2004. Basic Culturing Techniques. Dalam: Richmond, A. (ed.) *Handbook of Microalgal Culture: Biotechnology and applied Phycology*. Blackwell Publishing Ltd. Oxford.

Leema, J.T.,Mary., Kirubagaran, R., Vinithkumar, N.V., Dheenan, P.S., Karhikayulu, S., 2010, High value pigment production from Arthispira (*Spirulina) platensis* cultured in seawater. Bioresource Techology 101: 9221-9227.

Liu, L., Wenyu, L., Yichen, Z., Jing, Z., & Fujie, Z. 2015. Effect of Nitrogen containing Compounds on Growth Characteristic of the Oleaginous Microalga *Chlorella ellipsoidea SD-0701*. *Electronic Journal of Biology*, 11(1): 1 – 7.

Lourenço, S.O., Barbarino, E., Lavín, P.L., Marquez, U.M.L., Aidar, E. 2004 Distribution of intracellular nitrogen in marine microalgae: calculation of new nitrogen-to-protein conversion factors. *Europian Journal of Phycology* 39:17–32.

Mahapatra, D.M., Chanakya, H., Ramachandra, T. 2013. *Euglena* sp. as a suitable source of lipids for potential use as biofuel and sustainable wastewater treatment. *Journal of Applied Phycology*. 25: 855-865.

Marrez, D.A., Mohamed, M.N., Yousef, Y.S., Zakaria, Y.D. & Aziz, M.H. 2014. Evaluation of Chemical Composition for *Spirulina platensis* in Different Culture Media. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 5(4): 1161 – 1171.

Martin, C.A., Almeida, V.V., Ruiz, M.R., Visentainer, J.E.L., Matshushita, M., Souza, N.E.,Visentainer, J.V. 2006. Ácidos graxos poliinsaturados omega 3 e omega 6: importância e ocorrência em alimentos. *Review of Nutrition* 19:761-770.

Mata, T.M., Martins, A.A., Caetano, N.S. 2010. Microalgae for biodiesel production and other applications: a review Renew. *Sustanable Energy Review.* 14:217-232.

Muhaemin, M., Practica, F., Rosi, D.S. & Tri, A. 2017. Starvasi Nitrogen dan Pengaruhnya Terhadap Biomassa dan Protein Total *Nannochloropsis* sp. *Maspari Journal*, 6(2): 98 – 103.

Nur, M.M.A. 2014. Potensi Mikroalga sebagai Sumber Pangan Fungsional di Indonesia (overview). *Eksergi*. Vol. 11(2): 1-6.

O'Neill EC, Kuhaudomlarp S, Rejzek M, Fangel JU, Alagesan K, Kolarich D, Willats WGT, and Field RA. 2017. Exploring the Glycans of *Euglena gracilis*. *Biology (Basel).* 6(4):45. doi: 10.3390/biology6040045.

Olaveson, M.M., Nalewajko, C. 2000. Effects of acidity on the growth of two *Euglena* species. *Hydrobiologia*. 433: 39–56.

Perumal, P., Prasath, B.B., Santhanam, P., Ananth, S., Devi, A.S, and Kumar, S.D. 2015. Isolation and Culture of Microalgae. *Advances in Marine and Brackishwater Aquaculture*, no. February: 1–262.

Potvin, G., Zhang, Z. 2010. Strategies for High Level Recombinant Protein Expression in Transgenic Microalgaee: A review. *Biotechnology Advance*, Vol. 28: 910-918.

Pratama, I. 2011. *Pengaruh Metode Pemanenan Mikroalga terhadap Biomassa dan Kandungan Esensial Chlorella vulgaris.* Skripsi. Fakultas Teknik Program Sarjana. Universitas Indonesia. Depok.

Pratiwi. 2007. Protein Vitamin Dan Bahan Pangan. Gajah Mada University Press, Yogyakarta.

Rahmat, T. A. 2013. Kultivasi *Botryococcus Braunii Memanfaatkan Air Dadih (Whey) Tahu sebagai Potensi Biodiesel.* Skripsi: Jurusan Teknik Kimia Fakultas Teknik Universitas Diponegoro.

Ranoemihardjo, B. S., S. U. & Kustiyo. 1985. Pupuk dan Pemupukan Tambak. INFIS (Indenesia Fisheries Information Systen). Manual Seri No. 14. Direktorat Jenderal Perikanan, Jakarta.

Regnault, A., Chervin, D., Chammai, A., Piton, F., Calvayrac, R., Mazliak, P. 1995. Lipid composition of *Euglena* gracilis in relation to carbon-nitrogen *balance Phytochemistry,* 40, pp. 725-733.

Richardson, B., Orcutt, D.M., Schwertner, H.A., Martinez, C.L. and Wickline, H.E. 1969. Effects of nitrogen limitation on the growth and composition of unicellular algae in continuous culture. *Applied Microbiology.* 1(8):245-250.

Rodolfi, L., Zittelli, G.C., Bassi, N., Padovani, G., Biondi, N., Bonini, G., Tredici,x M.R. 2009. Microalgae for oil: strain selection, induction of lipid synthesis and outdoor mass cultivation in a low-cost photobioreactor. *Biotechnology and Bioengineering,* 102: 100–112.

Sadovskaya, I., Souissi, A., Souissi, S., Grard, T., Lencel, P., Greene, C.M., Duin, S., Dmitrenok, P.S., Chizhov, A.O., Shashkov, A.S., Usov, A.I. 2014. Chemical structure and biological activity of a highly branched (1 → 3,1 → 6)-β-d-glucan from Isochrysis galbana. *Carbohydrate Polymers* 111:139–148.

Sajjadi, B., Chen, W., Raman, A.A..A., Ibrahim, S. 2018. Microalgae lipid and biomass for biofuel production: A comprehensive review on lipid enhancement strategies and their effects on fatty acid composition. *Renewable and Sustainable Energy Reviews.* 97:200-232.

Shalaby, E.A., Shanab S.M.M., Singh, V., 2010, Salt stress enhancement of antioxidant and antiviral efficiency of Spirulina platensis. *Journal of Medical Plant Research.* 4 (24): 2622-2632.

Shibakani, M., Tsubouchi, G., Sohma, M., Hayashi, M. 2016. Synthesis of nanofber-formable carboxymethylated *Euglena*-derived β-1,3-glucan. *Carbohydrate Polymers* 152:468–478.

Singh, S. and Sahu, J. 2019. Effect of Nitrogen for Increasing Carbohydrate Content in Microalgae. *Bulletin of Environment, Pharmacology, and Life Sciences*. 9(1):170-175.

Smedes, F., and Thomasen, T.K. 1996. Evaluation of the Bligh & Dyer Lipid Determination Method. *Marine Pollution Bulletin,* 32 (1): 681–688.

Sujatha, K., Nagarajan, P., 2013, Optimization of growth conditions for carotenoid production from Spirulina platensis (Geitler). Int. J. Current Microbiol. *Applied Science*, 2 (10): 325-328.

Sukenik A. 1991. Ecophysiological consideration in optimization of eicosapentanoic acid production by *Nannochloropsis* sp. (Eustigmatophyceae). *Bioresource Technology* 35:263-269.

Thomas, W.H, Siebert, D.L.R., Alden, M, Neori A and Eldridge, P. 1984. Yield, photosynthetic efficiencies and proximate composition of dense marine microalgal cultures. Introduction and *Phaeodactylum tricornutum* experiments. *Biomass* 5(2):181-209.

Tibbetts, S.M., Milley, J.E., Lall, S.P. 2014 Chemical composition and nutritional properties of freshwater and marine microalgal biomass cultured in photobioreactors. *Journal Applied of Phycology* 27:1109–1119.

Tredici, M.R., Papuzzo, T. and Tomaselli, L.,1986, Outdoor mass culture of Spirulina maxima in seawater. Appl. Microbiol. *Biotechnology*. 24:47-50.

Tucci, S., Vacula, R., Krajcovic, J., Proksch, P., and Martin, W. (2010). Variability of wax ester fermentation in natural and bleached *Euglena* gracilis strains in response to oxygen and the elongase inhibitor flufenacet. *Journal Eukaryotic Microbiology.* 56:63–69. doi: 10.1111/j.15507408 .2009.00452.x

Turu, I.C., Kayhan, C.T., Kazan, A., Ozturk, E.Y., Akgo, l.S., Celiktas, O.Y. 2016. Synthesis and characterization of cryogel structures for isolation of Tasic MB, Pinto LFR, Klein BC, Velikovic VB, Filho RM (2016). Botryococcus braunii for biodiesel production. *Renewable Sustainable Energy Review* 64:260–270.

Ulya, S., Sedjati, S., dan Yudiati, E. 2018. Kandungan Protein Spirulina platensis Pada Media Kultur Dengan Konsentrasi Nitrat (KNO3) yang Berbeda. Buletin *Oseanografi Marina.* 7(2):98–102

Varshney, P., Mikulic, P., Vonshak, A., Beardall, J., Wangikar, P.P. 2015. Extremophilic microalgae and their potential contribution in biotechnology. *Bioresource Technology* 184:363–372.

Wang, Y., Seppa¨nen-Laakso, T., Rischer H, Wiebe, M.G. 2018. *Euglena* gracilis growth and cell composition under different temperature, light and trophic conditions. *PLoS ONE* 13(4): e0195329.

Widjaja, Arif., Chein, Chao-Chang., Ju, Yi-Hsu., 2009, Study of increasing lipid production from fresh water microalgae *Chlorella vulgaris*. J. Taiwan Inst. *Chemical Engineering*, 40: 13-20.

Yaakob, M.A., Mohamed, R.M.S.R., Al-Gheethi, A., Gokare, R.A. and Ambati, R.R. 2021. Influence of Nitrogen and Phosphorus on Microalgal Growth, Biomass, Lipid, and Fatty Acid Production: An Overview. *Cells*. 10(2): 393.

Yamada, K., Suzuki, H., Takeuchi, T., Kazama, Y., Mitra, S., Abe, T., *et al*. (2016). Efficient selective breeding of live oil-rich *Euglena* gracilis with fluorescence activated cell sorting. *Science Rep*. 6:1–8. doi: 10.1038/srep26327

Worsfold *et al*., 2019 P. Worsfold, A. Townshend, C.F. Poole, M. Miró Encyclopedia of Analytical Science Elsevier (2019).

Zarrinmehr M.J., Farhadian O., Heyrati F.P., Keramat J., Koutra E., Kornaros M., Daneshvar E. Effect of nitrogen concentration on the growth rate and biochemical composition of the microalga, *Isochrysis galbana*. (2019). *Egyptian Journal of Aquatic Research*. 46:1687–4285. doi: 10.1016/j.ejar.2019.11.003.

Zhu, S., Wang, Y., Shang, C., Wang, Z., Xu, J., & Yuan, Z. 2015. Characterization of lipid and fatty acids composition of Chlorella zofingiensis in response to nitrogen starvation. *Journal of Bioscience and Bioengineering*, 120(2): 205 – 209.