

REFERENCES

- Akbar, A. and Anal, A.K., 2014, Zinc oxide nanoparticles loaded active packaging, a challenge study against *Salmonella typhimurium* and *Staphylococcus aureus* in ready-to-eat poultry meat, *Food Control*, 38, 88–95.
- Alzahrani, G.S., Alzahrani, F.S., and Nahhas, A.M., 2020, Specific Factors Effecting the PV Solar Cell's Efficiency in Saudi Arabia, *Sustain. Energy*, 8, 6–11.
- Aziz, S.B., Abdulwahid, R.T., Hamsan, M.H., Brza, M.A., Abdullah, R.M., Kadir, M.F., and Muzakir, S.K., 2019, Proton Conducting Chitosan-Based Polymer Blend Electrolytes with High Electrochemical Stability, *Molecules*, 24, 1–15.
- Bella, F., Ozzello, E.D., Sacco, A., Bianco, S., and Bongiovanni, R., 2014, Polymer electrolytes for dye-sensitized solar cells prepared by photopolymerization of PEG-based oligomers, *Int. J. Hydrogen Energy*, 39, 3036–3045.
- Buraidah, M.H., Teo, L.P., Majid, S.R., Yahya, R., Taha, R.M., and Arof, A.K., 2010, Characterizations of Chitosan-Based Polymer Electrolyte Photovoltaic Cells, *Int. J. Photoenergy*, 2010.
- Capiglia, C., Yang, J., Imanishi, N., Hirano, A., Takeda, Y., and Yamamoto, O., 2002, Composite polymer electrolyte: The role of filler grain size, *Solid State Ionics*, 154–155, 7–14.
- Chandni-Bhatt, Ram Swaroop, Anil Arya, and A.L. Sharma, 2015, Effect of Nano-Filler on the Properties of Polymer Nanocomposite Films of PEO/PAN Complexed with NaPF₆, *J. Mater. Sci. Eng. B*, 5, 418–434.
- Chawla, P., Srivastava, A., and Tripathi, M., 2019, Performance of chitosan based polymer electrolyte for natural dye sensitized solar cell, *Environ. Prog. Sustain. Energy*, 38, 630–634.
- Chowdhury, D.R., Spiccia, L., Amritphale, S.S., Paul, A., and Singh, A., 2016, A robust iron oxyhydroxide water oxidation catalyst operating under near neutral and alkaline conditions, *J. Mater. Chem. A*, 4, 3655–3660.
- Conibeer, G., 2007, Third-generation photovoltaics, *Mater. Today*, 10, 42–50.
- Edalati, K., Shakiba, A., Vahdati-Khaki, J., and Zebarjad, S.M., 2016, Low-temperature hydrothermal synthesis of ZnO nanorods: Effects of zinc salt concentration, various solvents and alkaline mineralizers, *Mater. Res. Bull.*, 74, 374–379.
- Fatoni, A., Afrizal, M.A., Rasyad, A.A., and Hidayat, N. i, 2021, ZnO Nanoparticles and Its Interaction With Chitosan : Profile Spectra and Their Activity Against Bacterial, *JKPK (Jurnal Kim. dan Pendidik. Kim.)*, 6, 216.

- Fatoni, A., Hariani, P.L., Hermansyah, and Lesbani, A., 2018, Synthesis and characterization of chitosan linked by methylene bridge and schiff base of 4,4-diaminodiphenyl ether-vanillin, *Indones. J. Chem.*, 18, 92–101.
- Hatmanto, A.D., 2012, Gel Elektrolit Berbasis Kitosan Sebagai Elektrolit Redoks Semipadat Dalam Sel Surya Berbasis Zat Warna, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta
- Ileperuma, O.A., 2013, Gel polymer electrolytes for dye sensitised solar cells: A review, *Mater. Technol.*, 28, 65–70.
- Jayathilaka, P.A.R.D., Dissanayake, M.A.K.L., Albinsson, I., and Mellander, B.E., 2002, Effect of nano-porous Al₂O₃ on thermal, dielectric and transport properties of the (PEO)9LiTFSI polymer electrolyte system, *Electrochim. Acta*, 47, 3257–3268.
- Khair, A.S.A., Puteh, R., and Arof, A.K., 2006, Conductivity studies of a chitosan-based polymer electrolyte, *Phys. B Condens. Matter*, 373, 23–27.
- Kim, Y.E., Chae, Y., Moon, J., Lee, J.Y., Baek, U.C., and Park, J.T., 2021, Tailored ZnO Nanostructure Based Quasi-Solid-State Electrolyte and Mesoporous Carbon Electrocatalyst for Solar Energy Conversion, *ECS J. Solid State Sci. Technol.*, 10, 085005.
- Kumar, V., Gupta, R., and Bansal, A., 2021, Hydrothermal Growth of ZnO Nanorods for Use in Dye-Sensitized Solar Cells, *ACS Appl. Nano Mater.*, 4, 6212–6222.
- Kusumawati, Y., Hutama, A.S., Wellia, D. V., and Subagyo, R., 2021, Natural resources for dye-sensitized solar cells, *Heliyon*, 7, e08436.
- Lin, F.S., Sakthivel, M., Fan, M.S., Lin, J.J., Jeng, R.J., and Ho, K.C., 2021, A novel multifunctional polymer ionic liquid as an additive in iodide electrolyte combined with silver mirror coating counter electrodes for quasi-solid-state dye-sensitized solar cells, *J. Mater. Chem. A*, 9, 4907–4921.
- Martins, A.M., Eng, G., Caridade, G., Mano, F., and Reis, R.L., 2014, Electrically Conductive Chitosan/Carbon Scaffolds for Cardiac Tissue Engineering, *Biomacromolecules*, 15, 635–643
- Mishra, P.K., Mishra, H., Ekielski, A., Talegaonkar, S., and Vaidya, B., 2017, Zinc oxide nanoparticles: a promising nanomaterial for biomedical applications, *Drug Discov. Today*, 22, 1825–1834.
- Mohammed, H.N., Al-Khazraji, H.A., 2022, Synthesis and study of zinc oxide nanoparticles and their nanocomposites, *J. Pharm. Negative Results*, 13(4), 790-797

- Nagaraju, G., Udayabhanu, Shivaraj, Prashanth, S.A., Shastri, M., Yathish, K. V., Anupama, C., and Rangappa, D., 2017, Electrochemical heavy metal detection, photocatalytic, photoluminescence, biodiesel production and antibacterial activities of Ag–ZnO nanomaterial, *Mater. Res. Bull.*, 94, 54–63.
- O'Regan, B., and Grätzel, M., 1991, A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films, *Nature*, 353, 737–740.
- Osman, D.A.M., and Mustafa, M.A., 2015, Synthesis and Characterization of Zinc Oxide Nanoparticles using Zinc Acetate Dihydrate and Sodium Hydroxide, *J. Nanosci. Nanoeng.*, 1(4), 248-251
- Osman, Z., Ibrahim, Z.A., and Arof, A.K., 2001, Conductivity enhancement due to ion dissociation in plasticized chitosan based polymer electrolytes, *Carbohydr. Polym.*, 44, 167–173.
- Ojur-Dennis, J., Ali, M.KM., Ibnaouf, K.H., Aldaghri, O., All, N.F.MA., Adam, A.A., Usman, F., Hassan, Y.M., and Abdulkadir, B.A., 2022, Effect of ZnO Nanofiller on structural and Electrochemical Performance Improvement of Solid Polymer Electrolytes Based on Polivynil Alcohol-Cellulose Acetate-Potassium Carbonate Composites, *Molecules*, 27, 5528
- Praveen, E., Peter, I.J., Kumar, A.M., Ramachandran, K., and Jayakumar, K., 2019, Performance of ZnO/ZnS nanocomposite based dye-sensitized solar cell with chitosan-polymer electrolyte, *Mater. Today Proc.*, 35, 27–30.
- Pullanjiot, N. and Swaminathan, S., 2019, Enhanced electrochemical properties of metal oxide interspersed polymer gel electrolyte for QSDSSC application, *Sol. Energy*, 186, 37–45.
- Rahman, M.Y.A., Roza, L., Umar, A.A., and Salleh, M.M., 2015, Effect of boric acid composition on the properties of ZnO thin film nanotubes and the performance of dye-sensitized solar cell (DSSC), *J. Alloys Compd.*, 648, 86–91.
- Shamsudin, N.H., Shafie, S., Ab Kadir, M.Z.A., Ahmad, F., Sulaiman, Y., Chachuli, S.A.M., and Razali, M.C., 2023, Flexible back-illuminated dye sensitised solar cells (DSSCs) with titanium dioxide/silver nanoparticles composite photoanode for improvement of power conversion efficiency, *Optik (Stuttg.)*, 272, 170237.
- Sharma, K., Sharma, V., and Sharma, S.S., 2018, Dye-Sensitized Solar Cells: Fundamentals and Current Status, *Nanoscale Res. Lett.*, 13, .
- Venkatesan, S., Liu, I.P., Hung, W.N., Teng, H., and Lee, Y.L., 2019, Highly efficient quasi-solid-state dye-sensitized solar cells prepared by printable electrolytes for room light applications, *Chem. Eng. J.*, 367, 17–24.
- Wang, Z., Li, H., Tang, F., Ma, J., and Zhou, X., 2018, A Facile Approach for the Preparation of Nano-size Zinc Oxide in Water/Glycerol with Extremely Concentrated Zinc Sources, *Nanoscale Res. Lett.*, 13, 1–9.

- Weisspfennig, C.T., Hollman, D.J., Menelaou, C., Stranks, S.D., Joyce, H.J., Johnston, M.B., Snaith, H.J., and Herz, L.M., 2014, Dependence of dye regeneration and charge collection on the pore-filling fraction in solid-state dye-sensitized solar cells, *Adv. Funct. Mater.*, 24, 668–677.
- Yahya, M.Z.A. and Arof, A.K., 2002, Studies on lithium acetate doped chitosan conducting polymer system, *Eur. Polym. J.*, 38, 1191–1197.
- Yusof, N.A.A., Zain, N.M., and Pauzi, N., 2019, Synthesis of chitosan / zinc oxide nanoparticles stabilized by chitosan via microwave heating, *Bull. Chem. React. Eng. & Catal.*, 14, 450–458.
- Zebardastan, N., khanmirzaei, M.H., Ramesh, S., and Ramesh, K., 2017, Performance enhancement of poly (vinylidene fluoride-co-hexafluoro propylene)/polyethylene oxide based nanocomposite polymer electrolyte with ZnO nanofiller for dye-sensitized solar cell, *Org. Electron.*, 49, 292–299.
- Zhang, X., Yang, H., Xiong, H.M., Li, F.Y., and Xia, Y.Y., 2006, A quasi-solid-state dye-sensitized solar cell based on the stable polymer-grafted nanoparticle composite electrolyte, *J. Power Sources*, 160, 1451–1455.
- Zhao, D., Yu, S., Sun, B., Gao, S., Guo, S., and Zhao, K., 2018, Biomedical applications of chitosan and its derivative nanoparticles, *Polymers (Basel)*, 10, .
- Zong, Z., Kimura, Y., Takahashi, M., and Yamane, H., 2000, Characterization of chemical and solid state structures of acylated chitosans, *Polymer (Guildf)*, 41, 899–906.
- Zulkifli, A.M., Said, N.I.A.M., Aziz, S.B., Hisham, S., Shah, S., Bakar, A.A., Abidin, Z.H.Z., Tajuddin, H.A., Sulaiman, L., Brza, M.A., Hadi, J.M., and Al-Zangana, S., 2020, Electrochemical characteristics of phthaloyl chitosan based gel polymer electrolyte for dye sensitized solar cell application, *Int. J. Electrochem. Sci.*, 15, 7434–7447.