

DAFTAR PUSTAKA

- Ahmad, Z. (2012). Polymer Dielectric Materials. In *Dielectric Material*. InTech.
<https://doi.org/10.5772/50638>
- Anbarani, M. Z., Ramavandi, B., & Bonyadi, Z. (2023). Modification of *Chlorella vulgaris* carbon with Fe₃O₄ nanoparticles for tetracycline elimination from aqueous media. *Heliyon*, 9(3), e14356.
<https://doi.org/10.1016/j.heliyon.2023.e14356>
- Astuti, Arief, S., Muldarisnur, M., Zulhadjri, & Usna, S. R. A. (2023). Enhancement in photoluminescence performance of carbon-based Fe₃O₄@ZnO-C nanocomposites. *Vacuum*, 211, 111935.
<https://doi.org/10.1016/j.vacuum.2023.111935>
- Bhardwaj, B., Singh, P., Kumar, A., Kumar, S., & Budhwar, V. (2020). Eco-Friendly Greener Synthesis of Nanoparticles. *Advanced Pharmaceutical Bulletin*, 10(4), 566–576. <https://doi.org/10.34172/apb.2020.067>
- Bojabady, F., Kamali-Heidari, E., & Sahebian, S. (2023). Hydrothermal synthesis of highly aligned Fe₃O₄ nanosplates on nickel foam. *Materials Chemistry and Physics*, 305, 127828.
<https://doi.org/10.1016/j.matchemphys.2023.127828>
- Cao, J., Shi, T., Wang, H., Zhu, F., Wang, J., Wang, Y., Cao, F., & Su, E. (2023). *Moringa oleifera* leaf protein: Extraction, characteristics and applications. *Journal of Food Composition and Analysis*, 119, 105234.
<https://doi.org/10.1016/j.jfca.2023.105234>
- Chahal, S., Macairan, J.-R., Yousefi, N., Tufenkji, N., & Naccache, R. (2021). Green synthesis of carbon dots and their applications. *RSC Advances*, 11(41), 25354–25363. <https://doi.org/10.1039/D1RA04718C>
- Chaudhary, J., Jandu, S., Tailor, G., & Chetna. (2023). Green synthesis and characterization of iron nanoparticles using *Moringa oleifera* (Leaves) and their phytochemical screening with biological significance. *Chemical Data Collections*, 47, 101065. <https://doi.org/10.1016/j.cdc.2023.101065>

- Chauhan, A. (2014). Powder XRD Technique and its Applications in Science and Technology. *Journal of Analytical & Bioanalytical Techniques*, 5(6). <https://doi.org/10.4172/2155-9872.1000212>
- Cuana, R., Panre, A. M., Istiqomah, N. I., Tumbelaka, R. M., Sunaryono, Wicaksono, S. T., & Suharyadi, E. (2022). Green Synthesis of Fe₃O₄/Chitosan Nanoparticles Utilizing Moringa Oleifera Extracts and Their Surface Plasmon Resonance Properties. *ECS Journal of Solid State Science and Technology*, 11(8), 083015. <https://doi.org/10.1149/2162-8777/ac8b36>
- Demchenko, A. P., & Dekaliuk, M. O. (2013). Novel fluorescent carbonic nanomaterials for sensing and imaging. *Methods and Applications in Fluorescence*, 1(4), 042001. <https://doi.org/10.1088/2050-6120/1/4/042001>
- Emi Kurnia Sari. (2023). *FABRIKASI DAN KARAKTERISASI NANOKOMPOSIT GREEN-SYNTHESIZED Fe₃O₄/CDOTS SERTA POTENSI APLIKASINYA UNTUK MENGURANGI POLUTAN DALAM AIR*. Universitas Gadjah Mada.
- Fahmi, M. Z., Chen, J.-K., Huang, C.-C., Ling, Y.-C., & Chang, J.-Y. (2015). Phenylboronic acid-modified magnetic nanoparticles as a platform for carbon dot conjugation and doxorubicin delivery. *Journal of Materials Chemistry B*, 3(27), 5532–5543. <https://doi.org/10.1039/C5TB00289C>
- Fahrian, F., Dewi, R., & Fisika, Z. J. (n.d.). *FABRIKASI DAN KARAKTERISASI Ba 0,9 Sr 0,1 TiO 3 MENGGUNAKAN SPEKTROSKOPI IMPEDANSI*.
- Fouad, D., Bachra, Y., Ayoub, G., Ouaket, A., Bennamara, A., Knouzi, N., & Berrada, M. (2020). A Novel Drug Delivery System Based on Nanoparticles of Magnetite Fe₃O₄ Embedded in an Auto Cross-Linked Chitosan. In *Chitin and Chitosan - Physicochemical Properties and Industrial Applications [Working Title]*. IntechOpen. <https://doi.org/10.5772/intechopen.94873>

- Hari, D., Staf, S., Jurusan, P., Mesin, T., & Sendawar, P. (2017). DAMPAK UKURAN BUTIR NANOPARTIKEL COPPER FERRITE (CUFE₂O₄) TERHADAP SIFAT DIELEKTRIK. *Jurnal Mekanikal*, 8(2), 777–783.
- Hriishu, A., & Maisnam, M. (2023). Frequency dependence studies of dielectric, impedance and permeability properties of Y³⁺ substituted Li_{0.5}Zn_{0.1}Ti_{0.1}Fe_{2.3}O₄ ferrites. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2023.05.685>
- Jamaluddin K. (2010). *X-RD (X-Ray Diffractions)*.
- Jiananda, A., Sari, E. K., Larasati, D. A., Tumbelaka, R. M., Ardiyanti, H., Darmawan, M. Y., Istiqomah, N. I., Sunaryono, Wicaksono, S. T., & Suharyadi, E. (2023). Optical, microstructural, and magnetic hyperthermia properties of green-synthesized Fe₃O₄/carbon dots nanocomposites utilizing Moringa oleifera extract and watermelon rinds. *Carbon Trends*, 13, 100305. <https://doi.org/10.1016/j.cartre.2023.100305>
- Johannes, A. Z., Pingak, R. K., & Bukit, M. (2020). Tauc Plot Software: Calculating energy gap values of organic materials based on Ultraviolet-Visible absorbance spectrum. *IOP Conference Series: Materials Science and Engineering*, 823(1), 012030. <https://doi.org/10.1088/1757-899X/823/1/012030>
- Lim, S. Y., Shen, W., & Gao, Z. (2015). Carbon quantum dots and their applications. *Chemical Society Reviews*, 44(1), 362–381. <https://doi.org/10.1039/C4CS00269E>
- Liu, L., Li, Y., AL-Huqail, A. A., Ali, E., Alkhalifah, T., Alturise, F., & Ali, H. E. (2023). Green synthesis of Fe₃O₄ nanoparticles using Alliaceae waste (Allium sativum) for a sustainable landscape enhancement using support vector regression. *Chemosphere*, 334, 138638. <https://doi.org/10.1016/j.chemosphere.2023.138638>
- Liu, M. L., Chen, B. Bin, Li, C. M., & Huang, C. Z. (2019). Carbon dots: synthesis, formation mechanism, fluorescence origin and sensing

applications. *Green Chemistry*, 21(3), 449–471.
<https://doi.org/10.1039/C8GC02736F>

Liu, S., Yu, B., Wang, S., Shen, Y., & Cong, H. (2020). Preparation, surface functionalization and application of Fe₃O₄ magnetic nanoparticles. *Advances in Colloid and Interface Science*, 281, 102165.
<https://doi.org/10.1016/j.cis.2020.102165>

Lu, H., Tang, S.-Y., Yun, G., Li, H., Zhang, Y., Qiao, R., & Li, W. (2020). Modular and Integrated Systems for Nanoparticle and Microparticle Synthesis—A Review. *Biosensors*, 10(11), 165.
<https://doi.org/10.3390/bios10110165>

Mabarroh, N., Alfansuri, T., Aji Wibowo, N., Imani Istiqomah, N., Marsel Tumbelaka, R., & Suharyadi, E. (2022). Detection of green-synthesized magnetite nanoparticles using spin-valve GMR-based sensor and their potential as magnetic labels. *Journal of Magnetism and Magnetic Materials*, 560, 169645. <https://doi.org/10.1016/j.jmmm.2022.169645>

Meng, W., Bai, X., Wang, B., Liu, Z., Lu, S., & Yang, B. (2019). Biomass-Derived Carbon Dots and Their Applications. *ENERGY & ENVIRONMENTAL MATERIALS*, 2(3), 172–192.
<https://doi.org/10.1002/eem2.12038>

Miao, S., Liang, K., Zhu, J., Yang, B., Zhao, D., & Kong, B. (2020). Hetero-atom-doped carbon dots: Doping strategies, properties and applications. *Nano Today*, 33, 100879. <https://doi.org/10.1016/j.nantod.2020.100879>

Monshi, A., Foroughi, M. R., & Monshi, M. R. (2012). Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD. *World Journal of Nano Science and Engineering*, 02(03), 154–160.
<https://doi.org/10.4236/wjnse.2012.23020>

Moros, J., Garrigues, S., & Guardia, M. de la. (2010). Vibrational spectroscopy provides a green tool for multi-component analysis. *TrAC Trends in Analytical Chemistry*, 29(7), 578–591.
<https://doi.org/10.1016/j.trac.2009.12.012>

- Murtaza, A., Song, X., Ghani, A., Zuo, W., Kabir, F., Saeed, A., Yaseen, M., Li, K., & Yang, S. (2023). Intrinsic defects and grain boundaries formulated magnetism and dielectric response in ZnO:(Mn + Tb) nanocrystals. *Materials Letters*, 343, 134364. <https://doi.org/10.1016/j.matlet.2023.134364>
- Murugan, B., Rahman, M. Z., Fatimah, I., Anita Lett, J., Annaraj, J., Kaus, N. H. M., Al-Anber, M. A., & Sagadevan, S. (2023). Green synthesis of CuO nanoparticles for biological applications. *Inorganic Chemistry Communications*, 155, 111088. <https://doi.org/10.1016/j.inoche.2023.111088>
- Nieves, C. A., & Lanagan, M. T. (2023). Exploring the dielectric polarization and ionic conduction mechanisms in sodium-containing silicate and borosilicate glasses. *Journal of Non-Crystalline Solids*, 617, 122505. <https://doi.org/10.1016/j.jnoncrysol.2023.122505>
- Novita, D., & Astuti, A. (2023). Sintesis dan Karakterisasi Sifat Optik Nanokomposit Fe₃O₄@CQD (Carbon Quantum Dots). *Jurnal Fisika Unand*, 12(2), 310–315. <https://doi.org/10.25077/jfu.12.2.310-315.2023>
- Park, S., Kim, C.-H., Lee, W.-J., Sung, S., & Yoon, M.-H. (2017a). Sol-gel metal oxide dielectrics for all-solution-processed electronics. *Materials Science and Engineering: R: Reports*, 114, 1–22. <https://doi.org/10.1016/j.mser.2017.01.003>
- Park, S., Kim, C.-H., Lee, W.-J., Sung, S., & Yoon, M.-H. (2017b). Sol-gel metal oxide dielectrics for all-solution-processed electronics. *Materials Science and Engineering: R: Reports*, 114, 1–22. <https://doi.org/10.1016/j.mser.2017.01.003>
- Piro, N. S., Hamad, S. M., Mohammed, A. S., & Barzinjy, A. A. (2023). Green Synthesis Magnetite (Fe₃O₄) Nanoparticles From *Rhus coriaria* Extract: A Characteristic Comparison With a Conventional Chemical Method. *IEEE Transactions on NanoBioscience*, 22(2), 308–317. <https://doi.org/10.1109/TNB.2022.3187344>

- Prasad, C., Sreenivasulu, K., Gangadhara, S., & Venkateswarlu, P. (2017). Bio inspired green synthesis of Ni/Fe₃O₄ magnetic nanoparticles using Moringa oleifera leaves extract: A magnetically recoverable catalyst for organic dye degradation in aqueous solution. *Journal of Alloys and Compounds*, 700, 252–258. <https://doi.org/10.1016/j.jallcom.2016.12.363>
- Priyan V, V., Kumar, N., & Narayanasamy, S. (2022). Toxicological assessment and adsorptive removal of lead (Pb) and Congo red (CR) from water by synthesized iron oxide/activated carbon (Fe₃O₄/AC) nanocomposite. *Chemosphere*, 294, 133758. <https://doi.org/10.1016/j.chemosphere.2022.133758>
- Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe₃O₄/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, 6(4), 274–286. <https://doi.org/10.1016/j.crcon.2023.04.003>
- Shalali, F., Cheraghi, S., & Taher, M. A. (2022). A sensitive electrochemical sensor amplified with ionic liquid and N-CQD/Fe₃O₄ nanoparticles for detection of raloxifene in the presence of tamoxifen as two essentials anticancer drugs. *Materials Chemistry and Physics*, 278, 125658. <https://doi.org/10.1016/j.matchemphys.2021.125658>
- Shi, J., Ao, K., Firdous, I., Zhang, X., Fahim, M., Wang, L., & Daoud, W. A. (2023). Dynamic quantification of the overall effect of dielectric polarization. *Nano Energy*, 105, 108029. <https://doi.org/10.1016/j.nanoen.2022.108029>
- Suharyadi, E. (2015). KAJIAN SIFAT DIELEKTRIK PADA NANOPARTIKEL MAGNETITE (Fe₃O₄) YANG DIENKAPSULASI POLIMER POLYETHYLENE GLYCOL (PEG-4000). In *Jurnal Fisika dan Aplikasinya* (Vol. 16, Issue 3).

- Sun, A.-C. (2018). Synthesis of magnetic carbon nanodots for recyclable photocatalytic degradation of organic compounds in visible light. *Advanced Powder Technology*, 29(3), 719–725. <https://doi.org/10.1016/j.appt.2017.12.013>
- Sun, X., & Lei, Y. (2017). Fluorescent carbon dots and their sensing applications. *TrAC Trends in Analytical Chemistry*, 89, 163–180. <https://doi.org/10.1016/j.trac.2017.02.001>
- Sutanto, H., Alkian, I., Romanda, N., Lewa, I. W. L., Marhaendrajaya, I., & Triadyaksa, P. (2020). High green-emission carbon dots and its optical properties: Microwave power effect. *AIP Advances*, 10(5). <https://doi.org/10.1063/5.0004595>
- Suvarna, R. P., Rao, K. R., & Subbarangaiah, K. (2002). A simple technique for a.c. conductivity measurements. *Bulletin of Materials Science*, 25(7), 647–651. <https://doi.org/10.1007/BF02707898>
- Tabib, A., Sdiri, N., Elhouichet, H., & Férid, M. (2015a). Investigations on electrical conductivity and dielectric properties of Na doped ZnO synthesized from sol gel method. *Journal of Alloys and Compounds*, 622, 687–694. <https://doi.org/10.1016/j.jallcom.2014.10.092>
- Tabib, A., Sdiri, N., Elhouichet, H., & Férid, M. (2015b). Investigations on electrical conductivity and dielectric properties of Na doped ZnO synthesized from sol gel method. *Journal of Alloys and Compounds*, 622, 687–694. <https://doi.org/10.1016/j.jallcom.2014.10.092>
- Triwardiati, D., & Ermawati, I. R. (2018). *Analisis Bandgap Karbon Nanodots (C-Dots) Kulit Bawang Merah Menggunakan Teknik Microwave*. 3.
- Tukimin. (2012). *STUDI SPEKTROSKOPI IMPEDANSI BAHAN PEROVSKITE (BaSr)TiO₃, PADA TEMPERATUR TINGGI*. Universitas Indonesia.
- Yoga Darmawan, M., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023). Green synthesis of Fe₃O₄/Ag composite nanoparticles using Moringa oleifera: Exploring microstructure,

optical, and magnetic properties for magnetic hyperthermia applications.

Results in Chemistry, 6, 100999.

<https://doi.org/10.1016/j.rechem.2023.100999>

Zha, J.-W., Tian, Y., Zheng, M.-S., Wan, B., Yang, X., & Chen, G. (2023a).

High-temperature energy storage polyimide dielectric materials: polymer multiple-structure design. *Materials Today Energy*, 31, 101217.

<https://doi.org/10.1016/j.mtener.2022.101217>

Zha, J.-W., Tian, Y., Zheng, M.-S., Wan, B., Yang, X., & Chen, G. (2023b).

High-temperature energy storage polyimide dielectric materials: polymer multiple-structure design. *Materials Today Energy*, 31, 101217.

<https://doi.org/10.1016/j.mtener.2022.101217>

Zhang, S., Zhao, X., Niu, H., Shi, Y., Cai, Y., & Jiang, G. (2009).

Superparamagnetic Fe₃O₄ nanoparticles as catalysts for the catalytic oxidation of phenolic and aniline compounds. *Journal of Hazardous Materials*, 167(1–3), 560–566.

<https://doi.org/10.1016/j.jhazmat.2009.01.024>