

DAFTAR PUSTAKA

- [1] J. S. Kim, S. K. Kwon, M. Sanchez, and G. C. Cho, "Geological storage of high level nuclear waste," *KSCE Journal of Civil Engineering*, vol. 15, no. 4, pp. 721–737, 2011, doi: 10.1007/s12205-011-0012-8.
- [2] P. V Brady, "Deep Borehole Disposal of Nuclear Waste Chapter X in Geological Repository Systems for Safe Disposal of Spent Nuclear Fuels and Radioactive Waste, 2nd Edition," no. Kuhn 2004, pp. 1–24, 2016, [Online]. Available: <http://www2.epa.gov/uic/class-i-industrial-and-municipal-waste->
- [3] L. Krall, "Nuclear waste disposal: Why the case for deep boreholes is ... full of holes - Bulletin of the Atomic Scientists," *Bulletin of the Atomic Scientist*. Accessed: Oct. 26, 2023. [Online]. Available: <https://thebulletin.org/2020/03/nuclear-waste-disposal-why-the-case-for-deep-boreholes-is-full-of-holes/>
- [4] International Atomic Energy Agency., *Development of specifications for radioactive waste packages*. International Atomic Energy Agency, 2006.
- [5] International Atomic Energy Agency, "IAEA Safety Standards Geological Disposal Facilities for Radioactive Waste for protecting people and the environment No. SSG-14 Specific Safety Guide," Vienna, 2011. [Online]. Available: <http://www-ns.iaea.org/standards/>
- [6] E. O. Egbogah, "EOR target oil and techniques of its estimation," 1994.
- [7] C. Ofwona, "Introduction to Geophysical Well Logging and Flow Testing," *Short Course V on Conceptual Modelling of Geothermal Systems*, pp. 1–6, 2010, [Online]. Available: <http://www.os.is/gogn/unu-gtp-sc/UNU-GTP-SC-11-35.pdf>
- [8] A. X. Chen, A. J. Antolak, and K. N. Leung, "Electronic neutron sources for compensated porosity well logging," *Nucl Instrum Methods Phys Res A*, vol. 684, pp. 52–56, 2012, doi: 10.1016/j.nima.2012.04.053.
- [9] H. Liu, *Principles and Applications of Well Logging*. 2017. doi: 10.1007/978-3-662-54977-3.
- [10] S. Ghosh, "A review of basic well log interpretation techniques in highly deviated wells," *Journal of Petroleum Exploration and Production Technology*, vol. 12, no. 7. Springer Science and Business Media Deutschland GmbH, pp. 1889–1906, Jul. 01, 2022. doi: 10.1007/s13202-021-01437-2.



- [11] R. P. Alger, S. Well, ces S. Locke, H. Sherman, and S.-D. Research Gnter, "The D~ual-Spacing Naitron Log-CNL."
- [12] C. R. Peeples, M. Mickael, and R. P. Gardner, "On replacing Am-Be neutron sources in compensated porosity logging tools," *Applied Radiation and Isotopes*, vol. 68, no. 4–5, pp. 926–931, 2010, doi: 10.1016/j.apradiso.2009.11.042.
- [13] L. J. Bond, "Evaluation of Non-Nuclear Techniques for Well Logging: Technology Evaluation," 2010.
- [14] J. Liu, "A method to improve the sensitivity of neutron porosity measurement based on D-T source," *J Nat Gas Sci Eng*, vol. 33, pp. 879–884, Jul. 2016, doi: 10.1016/j.jngse.2016.06.028.
- [15] S. Al Arfi, A. El Shahat, O. El Farouk, H. Mostafa, M. El Kholy, and M. El Komy, "SPE-183019-MS Using Cf-252 as a Short Half-Life Neutron Source Provides a Safe and Reliable Porosity Alternative When Drilling in a Middle East Carbonate Reservoir," 2016.
- [16] F. D. Becchetti, M. Febbraro, R. Torres-Isea, M. Ojaruega, and L. Baum, "252 Cf fission-neutron spectrum using a simplified time-of-flight setup: An advanced teaching laboratory experiment ," *Am J Phys*, vol. 81, no. 2, pp. 112–119, 2013, doi: 10.1119/1.4769032.
- [17] W. Wu, M. Tong, L. Xiao, and J. Wang, "Porosity Sensitivity Study Of The Compensated Neutron Logging Tool," *J Pet Sci Eng*, vol. 108, pp. 10–13, 2013, doi: 10.1016/j.petrol.2013.04.020.
- [18] E. Ali and A. Muraikhi, "Optimization of A Combined Carbon/Oxygen and Neutron Porosity Oil Well Logging Tool Recommended Citation 'Optimization of A Combined Carbon/Oxygen And Neutron Porosity Oil Well Logging Tool,'" 2017, [Online]. Available: https://scholarworks.uaeu.ac.ae/all_thesesTheses.624.https://scholarworks.uaeu.ac.ae/all_theses/624
- [19] L. L. S. Jalut, N. N. Rupiasih, and Y. Sardjono, "Analysis Dosage of Boron in BNCT with Simulation Method Using PHITS (Particle and Heavy Ion Transport Code System) Program," *BULETIN FISIKA*, vol. 21, no. 1, p. 1, Feb. 2020, doi: 10.24843/bf.2020.v21.i01.p01.
- [20] T. Sato, "Overview of particle and heavy ion transport code system PHITS," *Ann Nucl Energy*, vol. 82, pp. 110–115, Aug. 2015, doi: 10.1016/j.anucene.2014.08.023.
- [21] Canadian Nuclear Safety Commission, "REGDOC-1.2.1, Guidance on Deep Geological Repository Site Characterization - Canadian Nuclear



- Safety Commission.” Accessed: Oct. 31, 2023. [Online]. Available: <https://nuclearsafety.gc.ca/eng/acts-and-regulations/regulatory-documents/published/html/regdoc1-2-1/index.cfm#sec-1>
- [22] D. Ojha, “ON ENHANCED OIL RECOVERY By Department of Chemical Engineering,” no. July, pp. 0–43, 2022, doi: 10.5281/zenodo.6816528.
 - [23] W. A. Metwally, “Porosity calculations using a C/O logging tool with boron-lined NaI detectors,” *Applied Radiation and Isotopes*, vol. 69, no. 1, pp. 217–219, Jan. 2011, doi: 10.1016/j.apradiso.2010.08.003.
 - [24] W. A. Metwally and A. G. Emam, “Experimental validation and testing of a NaI boron-lined neutron detector,” *Nucl Instrum Methods Phys Res B*, vol. 422, pp. 7–11, May 2018, doi: 10.1016/j.nimb.2018.02.021.
 - [25] Mokhammad Naufal Alatas, “PENGARUH SUMBER NEUTRON, BORON-LINING, DAN KEBERADAAN PARAFIN DALAM SUMUR BOR TERHADAP SENSITIVITAS PENGUKURAN POROSITAS FORMASI TANAH MENGGUNAKAN METODE CNL (COMPENSATED NEUTRON LOG),” pp. 32–32, 2021.
 - [26] S. Al Arfi, A. El Shahat, O. El Farouk, H. Mostafa, M. El Kholy, and M. El Komy, “SPE-183019-MS Using Cf-252 as a Short Half-Life Neutron Source Provides a Safe and Reliable Porosity Alternative When Drilling in a Middle East Carbonate Reservoir,” 2016.
 - [27] P. L. Eisler, “EXPLORATION AND GRADE CONTROL NEUTRON LOGGING,” pp. 1–23, 2016.
 - [28] J. Liu, F. Zhang, X. Wang, F. Han, and Z. Yuan, “Numerical study on determining formation porosity using a boron capture gamma ray technique and MCNP,” *Applied Radiation and Isotopes*, vol. 94, pp. 266–271, 2014, doi: 10.1016/j.apradiso.2014.08.013.
 - [29] I. S. Alley, C. W. Tittl, R. I. Cal D, and W. Eli, “DUAL-SPACED NEUTRON LOGGING FOR POROSITY_t,” 1967.
 - [30] R. García-Baonza, A. Murcia-Morales, and E. Gallego, “Comparison of PHITS2.88 and MCNP6.1 for the characterization of a LUPIN-II neutron area monitor,” *Applied Radiation and Isotopes*, vol. 188, Oct. 2022, doi: 10.1016/j.apradiso.2022.110407.
 - [31] M. Leitner, “Physics with neutrons,” p. 2016, 2017.
 - [32] E. Bash, “Neutron-Indonesia,” *PhD Proposal*, vol. 1, pp. 7–37, 2015.
 - [33] K. Almenas and R. Lee, “Neutron Interaction with Matter,” *Nuclear Engineering*, pp. 53–82, 1992, doi: 10.1007/978-3-642-48876-4_3.



- [34] P. Sigmund, *Elastic Scattering*, no. January 2006. 2017. doi: 10.1007/3-540-31718-X.
- [35] K.-H. Beckurts and K. Wirtz, *Neutron physics*. Springer Science & Business Media, 2013.
- [36] U. U. C, N. D. A. N. Menggunakan, P. Akselerator, B. Ptapb, and C. Unsur, “Analisis aktivasi neutron gamma seketika untuk unsur c, n dan 0 menggunakan generator neutron,” no. November, pp. 2–3, 2010.
- [37] A. V. Wegst, *Radiation Detection and Measurement*, by G. F. Knoll, “*Medical Physics*, vol. 7, no. 4. pp. 397–398, 1980. doi: 10.1118/1.594739.
- [38] C. Simenel, P. McGlynn, A. S. Umar, and K. Godbey, “Comparison of fission and quasi-fission modes,” *Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics*, vol. 822, p. 136648, 2021, doi: 10.1016/j.physletb.2021.136648.
- [39] L. M. Etnyre, *Finding Oil and Gas from Well Logs*. 1989. doi: 10.1007/978-1-4757-5230-4.
- [40] M. Rider, “The Geological Interpretation of Well Logs,” *Rider-French Consulting Ltd*. p. 290, 2002.
- [41] J. Sumberdaya Bumi Berkelanjutan, F. Rizki Widiatmoko, and M. Margareta Zau Beu, “Editorial Team Editor Team.” [Online]. Available: <https://ejurnal.itats.ac.id/semitan>
- [42] © M Ragheb, “NEUTRON DIFFUSION IN NONMULTIPLYING MEDIA,” 2520.
- [43] E. C. Donaldson, *Well logging for earth scientists*, vol. 2, no. 4. 1989. doi: 10.1016/0920-4105(89)90013-2.
- [44] N. Schunck and D. Regnier, “Theory of nuclear fission,” *Progress in Particle and Nuclear Physics*, vol. 125. Elsevier B.V., Jul. 01, 2022. doi: 10.1016/j.ppnp.2022.103963.
- [45] H. Devold, *Oil and gas production handbook an introduction to oil and gas production, transport, refining and petrochemical industry*. [Online]. Available: www.wikimedia.org.
- [46] G. Antariksa, H. Danusaputr, and T. Yulianto, “ANALISIS POROSITAS DAN SATURASI AIR DALAM INTEGRASI PETROPHYSICS DAN SEISMIC MULTIATTRIBUTES UNTUK KARAKTERISASI RESERVOIR,” 2016.
- [47] I. S. Alley, C. W. Tittl, R. I. Cal D, and W. Eli, “DUAL-SPACED NEUTRON LOGGING FOR POROSITYt,” 1967.



- [48] F. Qiu, F. Zhang, X. Zhang, Q. Chen, J. Fan, and B. Lu, "A study on characteristics of background gamma spectrum from LaCl₃ detector in pulsed neutron logging," *Applied Radiation and Isotopes*, vol. 195, May 2023, doi: 10.1016/j.apradiso.2023.110738.
- [49] Cywicka-Jakiel T, WoŹnicka U, and Zorski T, "THE USE OF THE MCNP CODE FOR THE QUANTITATIVE ANALYSIS OF ELEMENTS IN GEOLOGICAL FORMATIONS."
- [50] F. Piscitelli, G. Mauri, A. Laloni, and R. Hall-Wilton, "Verification of He-3 proportional counters' fast neutron sensitivity through a comparison with He-4 detectors: He-3 and He-4 proportional counters' fast neutron sensitivity and evaluation of the cosmic neutron fluxes at ESS," *Eur Phys J Plus*, vol. 135, no. 7, Jul. 2020, doi: 10.1140/epjp/s13360-020-00600-8.
- [51] M. I. Pinilla, "An MCNP simulation study of an oil well logging benchmarking tool and a test enclosure," 2019.
- [52] D. I. Igwesi, "Investigation of The Effects Of Variation Of Neutron Source-Detector Distance On The Emitted Neutron Dose Equivalent," 2015. [Online]. Available: www.jmest.org
- [53] B. Won, S. Hwang, and J. Shin, "An Analysis on Response Characteristics of a Dual Neutron Logging using Monte Carlo Simulation," *The Journal of Engineering Geology*, vol. 27, no. 4, pp. 429–438, 2017, doi: 10.9720/kseg.2017.4.429.
- [54] O. Dewanto and Henramanto, *ESTIMASI NILAI TEMPERATUR FORMASI PADA SUMUR MINYAK MENGGUNAKAN METODE CORE DAN LOG*. Lampung: Universitas Lampung, 2007. [Online]. Available: <http://lemlit.unila.ac.id>
- [55] H. Budiman., "INTERPRETASI DATA LOG SUMUR X-15 LAPANGAN Y DALAM PENENTUAN JUMLAH CADANGAN HIDROKARBON," Sumatera Selatan.
- [56] O. Dewanto, A. Surtono, and R. Fatridal, "ANALISIS PERUBAHAN SIFAT FISIKA BATUAN TERHADAP AWAL TERBENTUKNYA MINYAK BUMI PADA BATUAN RESERVOIR," Lampung, 2007.
- [57] H. Budiman, D. Pratiwi Harisun, P. Studi Teknik Eksplorasi Produksi Migas, J. Teknik Perminyakan Kampus Politeknik Akamigas Palembang Jl Kebon Jahe, and K. Plaju Palembang, "INTERPRETASI DATA LOG SUMUR X-15 LAPANGAN Y UNTUK PENENTUAN AWAL ISI HIDROKARBON DI TEMPAT," 2016.



- [58] P. Glover, “Chapter 15 - The Neutron Log,” *Petrophysics - MSc Petroleum Geology*, pp. 150–171, 2013.

