

DAFTAR PUSTAKA

- Abdallah, O. M., Tolba, S. T. M., & Mohamed, M. R. (2022). Antimicrobial, antioxidant and anticancer potential of *Streptomyces* species isolated from the rhizosphere of *Avicennia marina* (Forssk.) Vierh. *Indian Journal of Experimental Biology*, 60(February), 81–90. <https://doi.org/10.56042/ijeb.v60i02.36578>
- Abdelaziz, R., Tartor, Y. H., Barakat, A. B., EL-Didamony, G., Gado, M. M., Berbecea, A., & Radulov, H. dr I. (2023). Bioactive metabolites of *Streptomyces misakiensis* display broad-spectrum antimicrobial activity against multidrug-resistant bacteria and fungi. *Frontiers in Cellular and Infection Microbiology*, 13(April), 1–15. <https://doi.org/10.3389/fcimb.2023.1162721>
- Abdelfattah, M. S., Elmallah, M. I. Y., Hawas, U. W., El-Kassem, L. A., & El-Desoky, A. H. (2016). Isolation and characterization of marine-derived actinomycetes with cytotoxic activity from the Red Sea coast. *Asian Pacific Journal of Tropical Biomedicine*, 6(8), 651–657. <https://doi.org/10.1016/j.apjtb.2016.06.004>
- Akilandeswari, P., & Pradeep, B. V. (2017). Microbial Pigments: Potential Functions and Prospects. In O. V. Singh (Ed.), *Bio-Pigmentation and Biotechnological Implementations. First Edition* (pp. 241–261). John Wiley and Sons, Inc. <https://doi.org/10.1002/9781119166191.ch11>
- Al-Shaibani, M. M., Mohamed, R. M. S. R., Sidik, N. M., Enshasy, H. A. El, Al-Gheethi, A., Noman, E., Al-Mekhlafi, N. A., & Zin, N. M. (2021). Biodiversity of secondary metabolites compounds isolated from phylum actinobacteria and its therapeutic applications. *Molecules*, 26(15), 1–22. <https://doi.org/10.3390/molecules26154504>
- Alam, K., Mazumder, A., Sikdar, S., Zhao, Y. M., Hao, J., Song, C., Wang, Y., Sarkar, R., Islam, S., Zhang, Y., & Li, A. (2022). *Streptomyces*: The biofactory of secondary metabolites. *Frontiers in Microbiology*, 13(September), 1–21. <https://doi.org/10.3389/fmicb.2022.968053>
- Almuhayawi, M. S., Mohamed, M. S. M., Abdel-Mawgoud, M., Selim, S., Al Jaouni, S. K., & Abdelgawad, H. (2021). Bioactive potential of several actinobacteria isolated from microbiologically barely explored desert habitat, Saudi Arabia. *Biology*, 10(3). <https://doi.org/10.3390/biology10030235>
- Andayani, D. G. S., Sukandar, U., Sukandar, E. Y., & Adnyana, I. K. (2015). Antibacterial, Antifungal and Anticancer Activity of Five Strains of Soil Microorganisms Isolated From Tangkuban Perahu Mountain by Fermentation. *HAYATI Journal of Biosciences*, 22(4), 186–190. <https://doi.org/10.1016/j.hjb.2016.01.003>

- Anggelina, A. C., Pringgenies, D., & Setyati, W. A. (2021). Presence of biosynthetic gene clusters (NRPS/PKS) in actinomycetes of mangrove sediment in Semarang and Karimunjawa, Indonesia. *Environment and Natural Resources Journal*, 19(5), 391–401. <https://doi.org/10.32526/ennrj/19/202100050>
- Ansari, M. Z., Yadav, G., Gokhale, R. S., & Mohanty, D. (2004). NRPS-PKS : a knowledge-based resource for analysis of NRPS / PKS megasynthases. *Nucleic Acids Research*, 32, 405–413. <https://doi.org/10.1093/nar/gkh359>
- Anupama, M., Narayana, K. J. P., & Vijayalakshmi, M. (2007). Screening of *Streptomyces purpeofuscus* f.pdf. In *Research Journal of Microbiology* (Vol. 2, Issue 12, pp. 992–994).
- Aslam, M. S., Naveed, S., Ahmed, A., Abbas, Z., Gull, I., & Athar, M. A. (2014). Side Effects of Chemotherapy in Cancer Patients and Evaluation of Patients Opinion about Starvation Based Differential Chemotherapy. *Journal of Cancer Therapy*, 05(08), 817–822. <https://doi.org/10.4236/jct.2014.58089>
- Bahri, A., Moazamian, E., & Azarpira, N. (2017). Molecular Identification, Isolation and Evaluation of Persian Gulf Actinomycetes as Candidates of Cytotoxic Metabolites Against Breast Cancer. *Multidisciplinary Cancer Investigation*, 1(3), 10–14. <https://doi.org/10.21859/mci-01035>
- Barka, E. A., Vatsa, P., Sanchez, L., Nathalie Gaveau-Vaillant, C. J., Klenk, H.-P., Clément, C., Ouhdouch, Y., & P. van Wezeld, G. (2016). Taxonomy, Physiology and Natural Products of Actinobacteria. *American Society for Microbiology*, 80(1), 1–43. <https://doi.org/10.1128/MMBR.00019-15.Address>
- Bhosale, H., Bismile, P., Kadam, T., & Shaheen, U. (2016). Antioxidant, enzyme inhibitory and antifungal activities of actinomycetes isolated from *Curcuma longa* Rhizosphere. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(2), 307–311.
- Bioline. (2017). *MyTaq™ HS Red Mix Kit*. 1–2.
- Burdall, S. E., Hanby, A. M., RJ, L. M., & Valerie, S. (2003). Breast Cancer cell lines : friend or foe? In *Breast cancer research* (Vol. 5).
- Busi, S., & Pattanaik, S. S. (2018). Current Status and Applications of Actinobacteria in the Production of Anticancerous Compounds. In *New and Future Developments in Microbial Biotechnology and Bioengineering*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63994-3.00009-6>
- Cheng, J., Jin, Y. Y., Yang, S. H., & Suh, J. W. (2013). Isolation and characterization of anti-methicillinresistant *Staphylococcus aureus*/vancomycinresistant *Enterococcus* compound from *Streptomyces bungoensis* MJM 2077. *Journal of the Korean Society for Applied Biological Chemistry*, 56(1), 107–111. <https://doi.org/10.1007/s13765-012-2227-x>

- Dat, T. T. H., Steinert, G., Cuc, N. T. K., Cuong, P. V., Smidt, H., & Sipkema, D. (2023). Diversity of Bacterial Secondary Metabolite Biosynthetic Gene Clusters in Three Vietnamese Sponges. *Marine Drugs*, 21(29), 1–18. <https://doi.org/https://doi.org/10.3390/md21010029>
- Davies-Bolorunduro, O. F., Adeleye, I. A., Akinleye, M. O., & Wang, P. G. (2019). Anticancer potential of metabolic compounds from marine actinomycetes isolated from Lagos Lagoon sediment. *Journal of Pharmaceutical Analysis*, 9(3), 201–208. <https://doi.org/10.1016/j.jpha.2019.03.004>
- Eguchi, T., Takada, N., Nakamura, S., Tanaka, T., Makino, T., & Oshima, Y. (1993). *Streptomyces bungoensis*. *International Journal of Systematic Bacteriology*, 43(4), 794–798.
- Elkhateeb, W. A., Mohamed, M. A., Fayad, W., Emam, M., Nafady, I. M., & Daba, G. M. (2020). Molecular identification, metabolites profiling, anti-breast cancer, anti-colorectal cancer, and antioxidant potentials of streptomyces zaomycticus AA1 isolated from a remote bat cave in EGYPT. *Research Journal of Pharmacy and Technology*, 13(6), 3072–3080. <https://doi.org/10.5958/0974-360X.2020.00545.4>
- Elmallah, M. I. Y., Cogo, S., Constantinescu, A. A., Elifio-Esposito, S., Abdelfattah, M. S., & Micheau, O. (2020). Marine Actinomycetes-Derived Secondary Metabolites Overcome TRAIL-Resistance via the Intrinsic Pathway through Downregulation of Survivin and XIAP. *Cells*, 9(8). <https://doi.org/10.3390/cells9081760>
- Elshamy, S. ., El-Zawawy, H. ., Elsebaay, H. ., & Shatta, A. . (2022). Antifungal activity of *Streptomyces Bungoensis* (BF26) Against *Alternaria Sesame*, *Fusarium Oxysporum* and *Rhizoctonia Solani* in Vitro. *Al-Azhar Journal of Agricultural Research*, 47(2), 52–62. <https://doi.org/10.21608/ajar.2022.277830>
- Erwin, G. S., Heikkinen, J., Halimaa, P., & Haber, C. L. (2020). *Streptomyces lasalocidi* sp. nov. (formerly ' *Streptomyces lasaliensis*'), an actinomycete isolated from soil which produces the polyether antibiotic lasalocid. *International Journal of Systematic and Evolutionary Microbiology*, 70(5), 3076–3083. <https://doi.org/10.1099/IJSEM.0.004135>
- Farida, Y., Widada, J., & Meiyanto, E. (2007). Combination Methods for Screening Marine Actinomycetes Producing Potential Compounds as Anticancer. *Indonesian Journal of Biotechnology*, 12(2), 988–997. <https://doi.org/10.22146/IJBIOTECH.7772>
- Fatmawati, U., Meryandini, A., Asih Nawangsih, A., & Tri Wahyudi, A. (2019). Screening and characterization of actinomycetes isolated from soybean rhizosphere for promoting plant growth. *Biodiversitas*, 20(10), 2970–2977. <https://doi.org/10.13057/biodiv/d201027>
- Ferdous, K. J., Afroz, F., Islam, M. R., Mazid, M. A., & Sohrab, M. H. (2019).

Isolated Endophytic Fungi from the Plant *Curcuma longa* and Their Potential Bioactivity—A Review. *Pharmacology & Pharmacy*, 10(05), 244–270. <https://doi.org/10.4236/pp.2019.105021>

- Fitriana, N., Rifa'i, M., Masruri, M., Wicaksono, S. T., & Widodo, N. (2022). Potential of *Curcuma xanthorrhiza* ethanol extract in inhibiting the growth of T47D breast cancer cell line: In vitro and bioinformatic approach. *Journal of Pharmacy & Pharmacognosy Research*, 10(6), 1015–1025. https://doi.org/10.56499/jppres22.1448_10.6.1015
- Gade, P., Erlandson, A., Ullah, A., Chen, X., Mathews, I. I., Mera, P. E., & Kim, C. Y. (2023). Structural and functional analyses of the echinomycin resistance conferring protein Ecm16 from *Streptomyces lasalocidi*. *Scientific Reports*, 13(1), 1–11. <https://doi.org/10.1038/s41598-023-34437-9>
- Gao, Q., Deng, S., & Jiang, T. (2022). Recent developments in the identification and biosynthesis of antitumor drugs derived from microorganisms. *Engineering Microbiology*, 2(4), 100047. <https://doi.org/10.1016/j.engmic.2022.100047>
- Gokulan, K., Khare, S., & Cerniglia, C. (2014). Metabolic Pathways: Production of Secondary Metabolites of Bacteria. In *Encyclopedia of Food Microbiology: Second Edition* (Second Edi, Vol. 2). Elsevier. <https://doi.org/10.1016/B978-0-12-384730-0.00203-2>
- Goodfellow, M., Kampfer, P., Busse, H.-J., Trujillo, M. E., Suzuki, K., Ludwig, W., & Whitman, W. B. (2012). *Bergey's Manual of Systematic Bacteriology Vol.5, Parts A dan B* (W. B. Whitman (Ed.); 2nd ed.). Department of Microbiology, University of Georgia. <https://doi.org/10.1201/b17871>
- Grimm, A., Madduri, K., Ali, A., & Hutchinson, C. R. (1994). Characterization of the *Streptomyces peucetius* ATCC 29050 genes encoding doxorubicin polyketide synthase. *Gene*, 151(1–2), 1–10. [https://doi.org/10.1016/0378-1119\(94\)90625-4](https://doi.org/10.1016/0378-1119(94)90625-4)
- Gull, N., Arshad, F., Naikoo, G. A., Hassan, I. U., Pedram, M. Z., Ahmad, A., Aljabali, A. A. A., Mishra, V., Satija, S., Charbe, N., Negi, P., Goyal, R., Serrano-Aroca, Á., Al Zoubi, M. S., El-Tanani, M., & Tambuwala, M. M. (2022). Recent Advances in Anticancer Activity of Novel Plant Extracts and Compounds from *Curcuma longa* in Hepatocellular Carcinoma. *Journal of Gastrointestinal Cancer*, 0123456789. <https://doi.org/10.1007/s12029-022-00809-z>
- Guneydas, G., & Topcul, M. R. (2022). Antiproliferative Effects of Curcumin Different Types of Breast Cancer. *Asian Pacific Journal of Cancer Prevention*, 23(3), 911–917. <https://doi.org/10.31557/APJCP.2022.23.3.911>
- Hakobyan, L., Gabrielyan, L., & Trchounian, A. (2012). Yeast extract as an effective nitrogen source stimulating cell growth and enhancing hydrogen photoproduction by *Rhodobacter sphaeroides* strains from mineral springs.

International Journal of Hydrogen Energy, 37(8), 6519–6526.
<https://doi.org/10.1016/j.ijhydene.2012.01.077>

Harbeck, N., Penault-Llorca, F., Cortes, J., Gnant, M., Houssami, N., Poortmans, P., Ruddy, K., Tsang, J., & Cardoso, F. (2019). Breast cancer. In *Nature Reviews Disease Primers* (Vol. 5, Issue 1). <https://doi.org/10.1038/s41572-019-0111-2>

Haryanti, S., & Widiyastuti, Y. (2017). Aktivitas Sitotoksik pada Sel MCF-7 dari Tumbuhan Indonesia untuk Pengobatan Tradisional Kanker Payudara. *Media Penelitian Dan Pengembangan Kesehatan*, 27(4). <https://doi.org/10.22435/mpk.v27i4.5010.247-254>

Hu, S., Xu, Y., Meng, L., Huang, L., & Sun, H. (2018). Curcumin inhibits proliferation and promotes apoptosis of breast cancer cells. *Experimental and Therapeutic Medicine*, 16(2), 1266–1272. <https://doi.org/10.3892/etm.2018.6345>

Huang, X., Chaparro, J. M., Reardon, K. F., Zhang, R., Shen, Q., & Vivanco, J. M. (2014). *Rhizosphere interactions: root exudates, microbes, and microbial communities 1*. 275(February), 267–275.

Indrayanto, G., Putra, G. S., & Suhud, F. (2021). Validation of in-vitro bioassay methods: Application in herbal drug research. In *Profiles of Drug Substances, Excipients and Related Methodology* (1st ed., Vol. 46). Elsevier Inc. <https://doi.org/10.1016/bs.podrm.2020.07.005>

Isono, K., Anzai, K., & Suzuki, S. (1983). Tubermycins A and B, New Antibiotics I. *Journal of Antibiotics*, 36(12), 1777–1780. <https://doi.org/10.7164/antibiotics.36.1777>

Khamna, S., Yokota, A., & Lumyong, S. (2009). Actinomycetes isolated from medicinal plant rhizosphere soils: Diversity and screening of antifungal compounds, indole-3-acetic acid and siderophore production. *World Journal of Microbiology and Biotechnology*, 25(4), 649–655. <https://doi.org/10.1007/s11274-008-9933-x>

Kim, M. J., Chae, D. H., Cho, G., Kim, D. R., & Kwak, Y. S. (2019). Characterization of antibacterial strains against kiwifruit bacterial canker pathogen. *Plant Pathology Journal*, 35(5), 473–485. <https://doi.org/10.5423/PPJ.OA.05.2019.0154>

Komaki, H. (2023). Recent Progress of Reclassification of the Genus *Streptomyces*. *Microorganisms*, 11. <https://doi.org/10.3390/microorganisms11040831>

Komaki, H., & Tamura, T. (2020). Polyketide Synthase and Nonribosomal Peptide Synthetase Gene Clusters in Type Strains of the Genus *Phytohhabitans*. *Life*, 10, 257.

Komaki, H., & Tamura, T. (2023). Profile of PKS and NRPS Gene Clusters in the Genome of *Streptomyces cellostaticus* NBRC 12849T. *Fermentation*, 9(11),

924. <https://doi.org/10.3390/fermentation9110924>

- Kumar, R. R., & Jadeja, V. J. (2016). Isolation of Actinomycetes: A Complete Approach. *International Journal of Current Microbiology and Applied Sciences*, 5(5), 606–618. <https://doi.org/10.20546/ijcmas.2016.505.062>
- Labeda, D. P., Dunlap, C. A., Rong, X., Huang, Y., Doroghazi, J. R., Ju, K. S., & Metcalf, W. W. (2017). Phylogenetic relationships in the family Streptomycetaceae using multi-locus sequence analysis. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 110(4), 563–583. <https://doi.org/10.1007/s10482-016-0824-0>
- Lauterbach, L., & Dickschat, J. S. (2020). Sesquiterpene synthases for bungenone, pentalenene and: Epi-isozizaene from *Streptomyces bungenensis*. *Organic and Biomolecular Chemistry*, 18(24), 4547–4550. <https://doi.org/10.1039/d0ob00606h>
- Lestari, D. A., Azrianingsih, R., & Hendrian, H. (2018). Filogenetik Jenis-jenis Annonaceae dari Jawa Timur Koleksi Kebun Raya Purwodadi Berdasarkan Coding dan Non-coding sekuen DNA. *Journal of Tropical Biodiversity and Biotechnology*, 3(1), 1. <https://doi.org/10.22146/jtbb.28308>
- Li, Q., Chen, X., Jiang, Y., & Jiang, C. (2016). Morphological Identification of Actinobacteria. *Actinobacteria - Basics and Biotechnological Applications*, i. <https://doi.org/10.5772/61461>
- Li, Y., Wang, M., Sun, Z.-Z., & Xie, B.-B. (2021). Comparative Genomic Insights Into the Taxonomic Classification, Diversity, and Secondary Metabolic Potentials of *Kitasatospora*, a Genus Closely Related to *Streptomyces*. *Frontiers in Microbiology*, 12(June), 1–13. <https://doi.org/10.3389/fmicb.2021.683814>
- Mabrouk, M., Elkhoory, T. A., & Amer, S. K. (2021). Actinomycete strain type determines the monodispersity and antibacterial properties of biogenically synthesized silver nanoparticles. *Journal of Genetic Engineering and ...*, 19(57). <https://doi.org/10.1186/s43141-021-00153-y>
- Malisorn, K., Embaen, S., Sribun, A., Saeng-in, P., Phongsopitanun, W., & Tanasupawat, S. (2020). Identification and antimicrobial activities of *Streptomyces*, *Micromonospora*, and *Kitasatospora* strains from rhizosphere soils. *Journal of Applied Pharmaceutical Science*, 10(2), 123–128. <https://doi.org/10.7324/JAPS.2020.102018>
- Mandale, S. D., Dagar, V., & Dagar, V. (2017). “Antimicrobial activity of rhizospheric bacteria of *Curcuma longa* (Turmeric) producing metabolites against human pathogens.” *IOSR Journal of Pharmacy and Biological Sciences*, 12(01), 37–42. <https://doi.org/10.9790/3008-1201013742>
- Manivasagan, P., Venkatesan, J., Sivakumar, K., & Kim, S. K. (2014). Pharmaceutically active secondary metabolites of marine actinobacteria.

Microbiological Research, 169(4), 262–278.
<https://doi.org/10.1016/J.MICRES.2013.07.014>

Mishra, S., & Goel, B. (2020). Pharmaceutical and Nutritional Properties of Turmeric (*Curcuma longa*): A Mini Review. *Advances in Zoology and Botany*, 8(3), 83–86. <https://doi.org/10.13189/azb.2020.080302>

Mulyani, P. D. (2021). *Isolasi dan Karakterisasi Lignoselulase Bakteri Saluran Pencernaan Rayap (Isoptera : Rhinotermitidae dan Termitidae)*. Universitas Gadjah Mada Yogyakarta.

Nadar Rajivgandhi, G., Ramachandran, G., Li, J. L., Yin, L., Manoharan, N., Rajesh Kannan, M., Antony Joseph Velanganni, A., Alharbi, N. S., Kadaikunnan, S., Khaled, J. M., & Li, W. J. (2020). Molecular identification and structural detection of anti-cancer compound from marine *Streptomyces akiyoshiensis* GRG 6 (KY457710) against MCF-7 breast cancer cells. *Journal of King Saud University - Science*, 32(8), 3463–3469. <https://doi.org/10.1016/J.JKSUS.2020.10.008>

Nanjwade, B. K., Chandrashekhara, S., Shamarez, A. M., Goudanavar, P. S., & Manvi, F. V. (2010). Isolation and morphological characterization of antibiotic producing actinomycetes. *Tropical Journal of Pharmaceutical Research*, 9(3), 231–236. <https://doi.org/10.4314/tjpr.v9i3.56282>

Nordin, M. L., Kadir, A. A., Zakaria, Z. A., Abdullah, R., Nazrul, M., & Abdullah, H. (2018). In vitro investigation of cytotoxic and antioxidative activities of *Ardisia crispa* against breast cancer cell lines , MCF-7 and. *BMC Complementary and Alternative Medicine*, 18(87), 1–10. <https://doi.org/https://doi.org/10.1186/s12906-018-2153-5>

Nurjannah, L., Azhari, A., & Supratman, U. (2022). Secondary Metabolites of Endophytes Associated with the Zingiberaceae Family and Their Pharmacological Activities. *Scientia Pharmaceutica*, 91(1), 3. <https://doi.org/10.3390/scipharm91010003>

Nurkanto, A., & Agusta, A. (2015). Identifikasi Molekular dan Karakterisasi Morfo - Fisiologi Actinomycetes Penghasil Senyawa Antimikroba (Molecular Identification and Morpho - Physiological Characterization of Actinomycetes with Antimicrobial Properties). *Jurnal Biologi Indonesia*, 11(2), 195–203.

Oberhofer, M., Hess, J., Leutgeb, M., Gössnitzer, F., Rattei, T., Wawrosch, C., & Zotchev, S. B. (2019). Exploring Actinobacteria Associated With Rhizosphere and Endosphere of the Native Alpine Medicinal Plant *Leontopodium nivale* Subspecies *alpinum*. *Frontiers in Microbiology*, 10, 1–13. <https://doi.org/10.3389/fmicb.2019.02531>

Olano, C., Méndez, C., & Salas, J. A. (2009). Antitumor compounds from marine actinomycetes. *Marine Drugs*, 7, 210–248. <https://doi.org/10.3390/MD7020210>

- Osama, N., Bakeer, W., Raslan, M., Soliman, H. A., Abdelmohsen, U. R., & Sebak, M. (2022). Anti-cancer and antimicrobial potential of five soil Streptomyces: A metabolomics-based study. *Royal Society Open Science*, 9(2). <https://doi.org/10.1098/rsos.211509>
- Osaro-Matthew, R. C., Ire, F. S., & Frank-Peterside, N. (2020). Screening of Actinomycetes from Turmeric (*Curcuma longa* L.) and Ginger (*Zingiber officinale*) Rhizosphere for Antifungal Activity. *Journal of Advances in Microbiology*, 20(2), 18–28. <https://doi.org/10.9734/jamb/2020/v20i230214>
- Pavlopoulos, G. A., Soldatos, T. G., Barbosa-Silva, A., & Schneider, R. (2010). A reference guide for tree analysis and visualization. *BioData Mining*, 3(1), 1–24. <https://doi.org/10.1186/1756-0381-3-1>
- Peña-Morán, O. A., Villarreal, M. L., Álvarez-Berber, L., Meneses-Acosta, A., & Rodríguez-López, V. (2016). Cytotoxicity, post-treatment recovery, and selectivity analysis of naturally occurring podophyllotoxins from *Bursera fagaroides* var. *fagaroides* on breast cancer cell lines. *Molecules*, 21(8), 1–15. <https://doi.org/10.3390/molecules21081013>
- Peng, F., Zhang, M. Y., Hou, S. Y., Chen, J., Wu, Y. Y., & Zhang, Y. X. (2020). Insights into *Streptomyces* spp. isolated from the rhizospheric soil of *Panax notoginseng*: Isolation, antimicrobial activity and biosynthetic potential for polyketides and non-ribosomal peptides. *BMC Microbiology*, 20, 1–16. <https://doi.org/10.1186/s12866-020-01832-5>
- Perrone, D., Ardito, F., Giannatempo, G., Dioguardi, M., Troiano, G., Lo Russo, L., De Lillo, A., Laino, L., & Lo Muzio, L. (2015). Biological and therapeutic activities, and anticancer properties of curcumin (Review). *Experimental and Therapeutic Medicine*, 10(5), 1615–1623. <https://doi.org/10.3892/etm.2015.2749>
- Pinu, F. R., & Villas-Boas, S. G. (2017). Extracellular microbial metabolomics: The state of the art. *Metabolites*, 7(3). <https://doi.org/10.3390/metabo7030043>
- Plant of The Worlds Online*. (n.d.). <https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:796451-1>
- Putri, A. L., Lisdiyanti, P., & Kusmiati, M. (2018). Identifikasi Aktinomisetes Sedimen Air Tawar Mamasa, Sulawesi Barat Dan Aktivasnya Sebagai Antibakteri Dan Pelarut Fosfat. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, 5(2), 139. <https://doi.org/10.29122/jbbi.v5i2.2953>
- Quintanilla-Licea, R., Gomez-Flores, R., Samaniego-Escamilla, M. Á., Hernández-Martínez, H. C., Tamez-Guerra, P., & Morado-Castillo, R. (2016). Cytotoxic Effect of Methanol Extracts and Partitions of Two Mexican Desert Plants against the Murine Lymphoma L5178Y-R. *American Journal of Plant Sciences*, 07(11), 1521–1530. <https://doi.org/10.4236/ajps.2016.711143>
- Rajkumari, S., & Sanatombi, K. (2018). Nutritional value, phytochemical

- composition, and biological activities of edible *Curcuma* species: A review. *International Journal of Food Properties*, 20(3), S2668–S2687. <https://doi.org/10.1080/10942912.2017.1387556>
- Rante, H., Alam, G., Pakki, E., Usmar, U., & Ali, A. (2020). Identification and Antibacterial Activity of Actinomycetes Isolated From Medicinal Plant *Andrographis paniculata* Rhizosphere Soil. *Crescent Journal of Medical and Biological Sciences*, 7(4), 467–473.
- Rawlings, B. J. (1999). Biosynthesis of polyketides (other than actinomycete macrolides). *Natural Product Reports*, 16, 425–484. <https://doi.org/10.1039/a900566h>
- Romero-Arguelles, R., Romo-Sáenz, C. I., Morán-Santibáñez, K., Tamez-Guerra, P., Quintanilla-Licea, R., Orozco-Flores, A. A., Ramírez-Villalobos, J. M., Tamez-Guerra, R., Rodríguez-Padilla, C., & Gomez-Flores, R. (2022). In Vitro Antitumor Activity of Endophytic and Rhizosphere Gram-Positive Bacteria from *Ibervillea sonora* (S. Watson) Greene against L5178Y-R Lymphoma Cells. *International Journal of Environmental Research and Public Health*, 19(2). <https://doi.org/10.3390/ijerph19020894>
- Safari, W. F., Chasanah, E., & Wahyudi, A. T. (2016). Antibacterial and Anticancer Activities of Marine Bacterial Extracts and Detection of Genes for Bioactive Compounds Synthesis. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(2). <https://innovareacademics.in/journals/index.php/ijpps/article/viewFile/9778/3815.pdf>
- Sapkota, A., Thapa, A., Budhathoki, A., Sainju, M., Shrestha, P., & Aryal, S. (2020). Isolation, Characterization, and Screening of Antimicrobial-Producing Actinomycetes from Soil Samples. *International Journal of Microbiology*. <https://doi.org/10.1155/2020/2716584>
- Saraswathi, K., Mahalakshmi, S., Khusro, A., Arumugam, P., Khaloud Mohammed, A., & Alkufeidy, R. M. (2020). In vitro biological properties of *Streptomyces cangkringensis* isolated from the floral rhizosphere regions. *Saudi Journal of Biological Sciences*, 27, 3249–3257. <https://doi.org/10.1016/j.sjbs.2020.09.035>
- Selim, M. S. M., Abdelhamid, S. A., & Mohamed, S. S. (2021). Secondary metabolites and biodiversity of actinomycetes. *Journal, Genetic Engineering & Biotechnology*, 19(1). <https://doi.org/10.1186/S43141-021-00156-9>
- SHABIRA, A. P., TJAHOLEKSONO, A., & ... (2022). Endophytic actinobacteria of *Eleutherine palmifolia* as antioxidant producer. In *Biodiversitas Journal of ...* smujo.id. <https://smujo.id/biodiv/article/download/11433/6028>
- Shabira, A. P., Tjahjoleksono, A., & Lestari, Y. (2022). Endophytic actinobacteria of *Eleutherine palmifolia* as antioxidant producer. *Biodiversitas*, 23(8), 4209–4215. <https://doi.org/10.13057/biodiv/d230844>

- Shan, W., Zhou, Y., Liu, H., & Yu, X. (2018). Endophytic actinomycetes from tea plants (*Camellia sinensis*): Isolation, abundance, antimicrobial, and plant-growth-promoting activities. *BioMed Research International*. <https://doi.org/10.1155/2018/1470305>
- Shirling, E. B., & Gottlieb, D. (1966). Methods for Characterization of *Streptomyces* species. *International Journal of Systematic Bacteriology*, 16(3), 313–340.
- Singh, M., Kumar, A., Singh, R., & Pandey, K. D. (2017). Endophytic bacteria: a new source of bioactive compounds. *3 Biotech*, 7, 1–14. <https://doi.org/10.1007/s13205-017-0942-z>
- Singh, R., & Dubey, A. K. (2018). Diversity and applications of endophytic actinobacteria of plants in special and other ecological niches. *Frontiers in Microbiology*, 9(AUG). <https://doi.org/10.3389/fmicb.2018.01767>
- Sithranga Boopathy, N., & Kathiresan, K. (2010). Anticancer drugs from marine flora: An overview. *Journal of Oncology*, 2010. <https://doi.org/10.1155/2010/214186>
- Sontsa-Donhoung, A.-M. M., Bahdjolbe, M., Hawaou, & Nwaga, D. (2022). Selecting Endophytes for Rhizome Production, Curcumin Content, Biocontrol Potential, and Antioxidant Activities of Turmeric (*Curcuma longa*). *BioMed Research International*, 2022. <https://doi.org/10.1155/2022/8321734>
- Sultana, S., Munir, N., Mahmood, Z., Riaz, M., Akram, M., Rebezov, M., Kuderinova, N., Moldabayeva, Z., Shariati, M. A., Rauf, A., & Rengasamy, K. R. R. (2021). Molecular targets for the management of cancer using *Curcuma longa* Linn. phytoconstituents: A Review. *Biomedicine and Pharmacotherapy*, 135, 111078. <https://doi.org/10.1016/j.biopha.2020.111078>
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. In *CA: A Cancer Journal for Clinicians* (Vol. 71, Issue 3, pp. 209–249). <https://doi.org/10.3322/caac.21660>
- Taechowisan, T., Chaisaeng, S., & Phutdhawong, W. S. (2017). Antibacterial, antioxidant and anticancer activities of biphenyls from *Streptomyces* sp. BO-07: an endophyte in *Boesenbergia rotunda* (L.) Mansf A. *Food and Agricultural Immunology*, 28(6), 1330–1346. <https://doi.org/10.1080/09540105.2017.1339669>
- Takahashi, Y. (2017). Genus *Kitasatospora*, taxonomic features and diversity of secondary metabolites. *The Journal of Antibiotics*, 70(5), 506–513. <https://doi.org/10.1038/ja.2017.8>
- Tomeh, M. A., Hadianamrei, R., & Zhao, X. (2019). A review of curcumin and its

- derivatives as anticancer agents. *International Journal of Molecular Sciences*, 20(5). <https://doi.org/10.3390/ijms20051033>
- Wai, K. Z., Luechapudiporn, R., Tedsree, N., Phongsopitanun, W., Malisorn, K., & Tanasupawat, S. (2022). *Streptomyces barringtoniae* sp. nov., isolated from rhizosphere of plant with antioxidative potential. *International Journal of Systematic and Evolutionary Microbiology*, 72(5), 005364. <https://doi.org/10.1099/IJSEM.0.005364/CITE/REFWORKS>
- Wang, J., Zhang, R., Chen, X., Sun, X., Yan, Y., Shen, X., & Yuan, Q. (2020). Biosynthesis of aromatic polyketides in microorganisms using type II polyketide synthases. *Microbial Cell Factories*, 19(1), 1–11. <https://doi.org/10.1186/s12934-020-01367-4>
- Werdyani, S., Wijayanti, N., Fitria, A., & Rahmawati, S. (2017). Cytotoxic effects of ethyl acetate fractions from secondary metabolites of *Streptomyces* Sp. GMY01 on human breast cancer MCF7 cell lines. *Asian Journal of Pharmaceutical and Clinical Research*, 10(Special Issue August), 9–11. <https://doi.org/10.22159/ajpcr.2017v10s3.21351>
- Widyananda, M. H., Wicaksono, S. T., Rahmawati, K., Puspitarini, S., Ulfa, S. M., Jatmiko, Y. D., Masruri, M., & Widodo, N. (2022). A Potential Anticancer Mechanism of Finger Root (*Boesenbergia rotunda*) Extracts against a Breast Cancer Cell Line. *Scientifica*, 2022. <https://doi.org/10.1155/2022/9130252>
- Yan, J., Liu, W., Cai, J., Wang, Y., Li, D., Hua, H., & Cao, H. (2021). Advances in phenazines over the past decade: Review of their pharmacological activities, mechanisms of action, biosynthetic pathways and synthetic strategies. *Marine Drugs*, 19(11). <https://doi.org/10.3390/md19110610>
- Ye, J. J., Zou, R. J., Zhou, D. D., Deng, X. L., Wu, N. L., Chen, D. D., & Xu, J. (2023). Insights into the phylogenetic diversity, biological activities, and biosynthetic potential of mangrove rhizosphere Actinobacteria from Hainan Island. *Frontiers in Microbiology*, 14. <https://doi.org/10.3389/fmicb.2023.1157601>
- Yin, C., Casa Vargas, J. M., Schlatter, D. C., Hagerty, C. H., Hulbert, S. H., & Paulitz, T. C. (2021). Rhizosphere community selection reveals bacteria associated with reduced root disease. *Microbiome*, 9(1), 1–18. <https://doi.org/10.1186/s40168-020-00997-5>
- Yu, S., Kim, T., Yoo, K. H., & Kang, K. (2017). The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal A subtype of breast cancer. *Biochemical and Biophysical Research Communications*, 486(3), 752–758. <https://doi.org/10.1016/j.bbrc.2017.03.114>
- Yusuf, H., Satria, D., Suryawati, S., & Fahriani, M. (2020). Combination therapy of eurycomanone and doxorubicin as anticancer on T47D and MCF-7 cell lines. *Systematic Reviews in Pharmacy*, 11(10), 335–341.

<https://doi.org/10.31838/srp.2020.10.55>

Zoi, V., Galani, V., Lianos, G. D., Voulgaris, S., Kyritsis, A. P., & Alexiou, G. A. (2021). The role of curcumin in cancer treatment. *Biomedicines*, 9(9), 1–19. <https://doi.org/10.3390/biomedicines9091086>