

DAFTAR PUSTAKA

- Ahyar, H., Maret, U. S., Andriani, H., Sukmana, D. J., Mada, U. G., Hardani, S.Pd., M. S., Nur Hikmatul Auliya, G. C. B., Helmina Andriani, M. S., Fardani, R. A., Ustiawaty, J., Utami, E. F., Sukmana, D. J., & Istiqomah, R. R. (2020). *Buku Metode Penelitian Kualitatif & Kuantitatif* (Issue March).
- Basuki, S. (2011). *Ilmu Ukur Tanah* (Edisi Revisi). Universitas Gadjah Mada Press.
- Bergkvist, J. (2015). *Optimal Design of Network for Control of Total Station Instrumens*. 3135.
- Bond, J., Chrzanowski, A., dan Kim, D. (2008), Bringing GPS into Harsh Environments for Fully Automated Deformation Monitoring. *GPS Solution*, Vol. 12, Issue. 1–11.
- Cosser, E., Roberts, G. W., Meng, X., & Dodson, A. H. (2003). Measuring the dynamic deformation of bridges using a total station. *Proceedings of 11th FIG Symposium on Deformation Monitoring, Meng 2002*. <http://www.fig.net/commission6/santorini/I-Monitoring Static and Dyn/I9.pdf>.
- DPUPKP, (2020). Sistem Irigasi Kalibawang, Penyedia Irigasi Utama Kulon Progo. <https://dpu.kulonprogokab.go.id/detil/379/sistem-irigasi-kalibawang-penyediairigasi-utama-kulon-progo>
- Dwidjaka, A. (2006). Pengaruh Variasi Kadar Air terhadap Deformasi. Disertasi, Departemen Teknik Sipil. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta
- Chua, C. S. (2004). *Testing of Robotic Total Stations for Dynamic Tracking*. University of Southern Queensland.
- Ghilani, C. D. (2017). *Adjustment Computations Spatial Data Analysis*. (6th Edition, Vol. 53, Issue 9). John Wiley & Sons. New Jersey
- Grimm, D. E. and Hornung, U. (2015). Leica ATRplus - Leistungssteigerung der automatischen Messung und Verfolgung von Prismen. *AVN*, pages 269–276.
- Grimm, K., Kleemaier, G., & Zogg, H. (2015). *Leica ATRplus White paper*, Leica Geosystems AG. Heerbrugg, Switzerland.
- Herusiswoyo, M. A., (2021). Pengamatan Lendutan PADA Uji Beban Jembatan Menggunakan Total Station dan Waterpass. Skripsi. Departemen Teknik Geodesi. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta.

- Hill, C. D. and Sippel, K. D. (2002). "Modern Deformation Monitoring: A Multi Sensor Approach." FIG XXII International Congress, Washington DC, USA, pp.
- Höglund, R., & Large, P. (2003). Direct Reflex EDM Technology for the Surveyor and Civil Engineer Direct Reflex EDM Technology for the Surveyor and Civil Engineer. *Trimble White Paper*, 10. http://www.amerisurv.com/PDF/Direct_Reflex_EDM_Technology_White_Paper.pdf
- Hudnut, K. (2001). "Southern California Integrated GPS Network (SCIGN) Home Page." Retrieved on 10 October 2001 from the World Wide Web. <http://www.scign.org/>
- Kementrian Pekerjaan Umum Direktorat Jenderal Sumber Daya Air. (2013). *Standar Perencanaan Irigasi KP-04 Bagian Bangunan*. 391.
- Khodabandehlou, H., Pekcan, G. and Fadali, M.S., (2019). "Vibration-Based Structural Condition Assessment Using Convolution Neural Networks". *Structural Control and Health Monitoring*, 26(2) :2308.
- Leick, A. (2004). GPS satellite. In *Surveying* (3rd Edition). John Wiley and Sons Inc.
- Leica. (n.d.). *Integrated Monitoring Solution Large Infrastructure Monitoring*. 7.
- Leica. (2015). *Leica TS16 Robotic Total Station: Survey It*.
- Leica Geosystems (2016). *Leica TS16 User Manual*, Leica Geosystems, Heerbrugg, Switzerland.
- Leica Geosystems AG. (2017). *Leica Captivate Technical Reference Manual*.
- Leica Geosystems (2023). *Leica Geosystem - Leica GeoMoS Monitoring Solution*. <https://leica-geosystems.com/products/total-stations/software/leica-geomos>
- Lemmon, T., & Jung, R. (2005). *Trimble S6 With Magdrive Servo Technology*. 100, 1–9.
- Lienhart, W. (2017). Geotechnical monitoring using total stations and laser scanners: critical aspects and solutions. *Journal of Civil Structural Health Monitoring*, 7(3), 315–324. <https://doi.org/10.1007/s13349-017-0228-5>
- Lienhart, W., Ehrhart, M., & Grick, M. (2017). High frequent total station measurements for the monitoring of bridge vibrations. *Journal of Applied Geodesy*, 11(1), 1–8. <https://doi.org/10.1515/jag-2016-0028>
- Lutes, J. a. (2002). Automated Dam Displacement Monitoring Using a Robotic Total

Station. *Engineering*, 214.

- Ma'ruf, B., (2015). Pola Geometri Rayapan Tanah di Segmen Km 15,9 Saluran Irigasi Kalibawang Kulon Progo dengan Metode Kalman Filtering. Disertasi. Departemen Teknik Geodesi. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta.
- Massaroh, A. (2014). Perhitungan Struktur Jembatan Rangka (Truss Bridge) Bentang 60 Meter Di Samboja Kabupaten Kutai Kartanegara. *Jurnal Keilmuan Dan Aplikasi Teknik Sipil*, vol 4, no 1, 1–13. <http://bappeda.kutaikartanegarakab.go.id>
- Ogundare, J.O., (2015). "Precision Surveying: The Principles and Geomatics Practice". John Wiley & Sons.
- Ogundare, J. O. (2019). Understanding Least Squares Estimation and Geomatics Data Analysis. John Wiley & Sons.
- Peraturan Menteri Pekerjaan Umum dan Perumahan Rakyat No. 41 tahun 2015 tentang Penyelenggaraan Keamanan Jembatan dan Terowongan Jalan.
- Peraturan Pemerintah No. 34 Tahun 2006 tentang Jalan.
- Putra, W. G. (2013). Penentuan Pergeseran Lereng Menggunakan Hitungan Kuadrat Terkecil Metode Parameter dan Hitungan Software GeoMoS. Skripsi. Departemen Teknik Geodesi. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta.
- RSNI T-02-2005. Standar Pembebanan Untuk Jembatan. Badan Litbang Pekerjaan Umum Departemenen Pekerjaan Umum.
- Sanjaya, M. D. A. (2017). Evaluasi Aspek Geometrik Jaring Kontrol GNSS dan RTS pada Pemantauan Deformasi di Kawasan Bendungan Jatigede. (Vol. 5, Issue 1). Tesis. Departemen Teknik Geodesi. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta.
- Siami, G. A., (2021). Optimasi Geometri Jaring GNSS dan RTS Untuk Pemantauan Deformasi Kontinu Saluran Induk Kalibawang di Jembatan Talang Bowong, Kabupaten Kulon Porgo Skripsi. Departemen Teknik Geodesi. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta.
- Sin, F. K., & Zainon, O. (2021). Monitoring Of Concrete Bridge Using Robotic Total Station. *Journal of Advanced Geospatial and Science Technology*, 1(1), 163–192.
- Stempfhuber, W. and Kirschner, H. (2008). Kinematische Leistungsfähigkeit von

- zielverfolgenden Tachymetern – Ein Beitrag zum Stand der Technik am Beispiel des Leica TPS1200+. AVN, pages 216–224.
- Struyk, H. J., dan Van der Veen, K. H. C. W., (1984). *Jembatan-Konstruksi*, Terjemahan Soemargono, PT. Pradnya Paramita.
- Sugiyono. (2018). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta
- Toyota. (2022). *Leaflet Toyota All New Avanza & Innova*. n.d.
- Tumbeva, M. D., Thrall, A. P., & Zoli, T. P. (2022). Investigating the redundancy of steel truss bridges composed of modular joints. *Journal of Constructional Steel Research*, 188, 107038. <https://doi.org/10.1016/j.jcsr.2021.107038>
- US Army Corps of Engineers. (2018). *Structural Deformation Surveying Engineer Manual*. February, 365. http://www.publications.usace.army.mil/Portals/76/Publications/EngineerManuals/EM_1110-2-1009.pdf.
- Usman, M. N. (2016). *Studi Deformasi Jembatan dengan Metode Sipat Datar (Studi Kasus: Jembatan Merr Ii-C, Surabaya)*. https://repository.its.ac.id/1369/%0Ahttps://repository.its.ac.id/1369/1/3511100048-Undergraduate_Theses.pdf
- Wardana, P. (2001) *Aplikasi Metoda Perkuatan Jembatan Rangka Baja Australia (RBA)*. Laporan Akhir. Pusat Penelitian dan Pengembangan Prasarana Transportasi.
- Widjajanti, N. (2017). *Statistik dan Teori Kesalahan*. Diktat. Teknik Geodesi Universitas Gadjah Mada. Yogyakarta
- Zhou, J., Shi, B., Liu, G., & Ju, S. (2021). Accuracy analysis of dam deformation monitoring and correction of refraction with robotic total station. *PLoS ONE*, 16(5 May), 1–20. <https://doi.org/10.1371/journal.pone.0251281>