

DAFTAR PUSTAKA

- Ali, M.R. *et al.* (2021) 'Functional Strawberry and Red Beetroot Jelly Candies Rich in Fibers and Phenolic Compounds', *Food systems*, 4(2), pp. 82–88. Available at: <https://doi.org/10.21323/2618-9771-2021-4-1-82-88>.
- Anggraini, J. and Lo, D. (2023) 'Health Impact of Carrageenan and Its Application in Food Industry: A Review', *IOP Conference Series: Earth and Environmental Science*, 1169(1). Available at: <https://doi.org/10.1088/1755-1315/1169/1/012098>.
- Bonsembiante, L., Targher, G. and Maffeis, C. (2021) 'Type 2 Diabetes and Dietary Carbohydrate Intake of Adolescents and Young Adults: What Is the Impact of Different Choices?', *Nutrients*, 13(10). Available at: <https://doi.org/10.3390/NU13103344>.
- BPOM (2022) *Peraturan Badan Pengawas Obat Dan Makanan Nomor 1 Tahun 2022 Tentang Pengawasan Klaim Pada Label Dan Iklan Pangan Olahan, Peraturan BPOM*.
- Cha, M.J. and Lee, J.H. (2018) 'Quality and Antioxidant Properties of Jelly Incorporated with Corn Concentrate', *Korean Journal of Food Preservation*, 25(4), pp. 436–440. Available at: <https://doi.org/10.11002/KJFP.2018.25.4.436>.
- Choi, J.E. and Lee, J.H. (2014) 'Quality and Antioxidant Property of Gelatin Jelly Incorporated with Jujube Concentrate', *Food Engineering Progress*, 18(1), pp. 65–69. Available at: <https://doi.org/10.13050/FOODENGPROG.2014.18.1.65>.
- Christie, W.W. and Han, X. (2012) 'Lipids: Their Structures and Occurrence', *Lipid Analysis*, pp. 3–19. Available at: <https://doi.org/10.1533/9780857097866.3>.
- Compaore-Sereme, D. *et al.* (2022) 'A Review on Dietary Fiber: Definitions, Classification, Importance and Advantages for Human Diet and Guidelines to Promote Consumption', *International Journal of Biological and Chemical Sciences*, 16(6), pp. 2916–2929. Available at: <https://doi.org/10.4314/ijbcs.v16i6.36>.
- Day, L., Cakebread, J.A. and Loveday, S.M. (2022) 'Food Proteins from Animals and Plants: Differences in the Nutritional and Functional Properties', *Trends in Food Science and Technology*, 119(December 2021), pp. 428–442. Available at: <https://doi.org/10.1016/j.tifs.2021.12.020>.
- Diaconeasa, Z. *et al.* (2019) 'Phytochemical Characterization of Commercial Processed Blueberry, Blackberry, Blackcurrant, Cranberry, and Raspberry and Their Antioxidant Activity', *Antioxidants 2019, Vol. 8, Page 540*, 8(11), p. 540. Available at: <https://doi.org/10.3390/ANTIOX8110540>.
- Estiasih, T. *et al.* (2021) 'Senyawa Bioaktif dan Potensi Bekatul Beras (*Oryza Sativa*) sebagai Bahan Pangan Fungsional', *Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*, 12(1), pp. 30–43. Available at: <https://doi.org/10.35891/TP.V12I1.2308>.

- FAO and WHO (2023) *Steviol Glycosides - Evaluations of the Joint FAO/WHO Expert Committee on Food Additives (JECFA)*, World Health Organization. Available at: <https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/267> (Accessed: 19 December 2023).
- Francenia Santos-Sánchez, N. *et al.* (2019) 'Antioxidant Compounds and Their Antioxidant Mechanism', *Antioxidants*, pp. 1–28. Available at: <https://doi.org/10.5772/intechopen.85270>.
- Gonçalves, A.C. *et al.* (2021) 'Dietary Effects of Anthocyanins in Human Health: A Comprehensive Review', *Pharmaceuticals*, 14(7), p. 690. Available at: <https://doi.org/10.3390/PH14070690>.
- Gulcin, İ. (2020) 'Antioxidants and Antioxidant Methods: An Updated Overview', *Archives of Toxicology* 2020 94:3, 94(3), pp. 651–715. Available at: <https://doi.org/10.1007/S00204-020-02689-3>.
- Harris, G.K. and Marshall, M.R. (2017) 'Ash Analysis', 16(1), pp. 287–297. Available at: https://doi.org/10.1007/978-3-319-45776-5_16.
- Hayes, M. (2020) 'Measuring Protein Content in Food: An Overview of Methods', *Foods*, 9(10). Available at: <https://doi.org/10.3390/FOODS9101340>.
- Holesh, J.E., Aslam, S. and Martin, A. (2023) 'Physiology, Carbohydrates', *StatPearls* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK459280/> (Accessed: 19 December 2023).
- Hwang, E.S. and Shon, E.M. (2022) 'Quality Characteristics and Antioxidant Activity of Stick Jelly Prepared with Aronia Juice', *Korean Journal of Food Preservation*, 29(2), pp. 222–232. Available at: <https://doi.org/10.11002/KJFP.2022.29.2.222>.
- Insel, P. *et al.* (2014) *Nutrition*. Fifth Edit. Burlington: Jones & Bartlett Publishers.
- Ji, S.-H. *et al.* (2016) 'Comparison of Ash and Mineral Contents in Local Agricultural Products', *The Korean Journal of Food And Nutrition*, 29(6), pp. 1015–1022. Available at: <https://doi.org/10.9799/KSFAN.2016.29.6.1015>.
- Jiang, B. *et al.* (2014) 'Food Safety: Food Analysis Technologies/Techniques', *Encyclopedia of Agriculture and Food Systems*, 3, pp. 273–288. Available at: <https://doi.org/10.1016/B978-0-444-52512-3.00052-8>.
- Kardum, N. and Glibetic, M. (2018) *Polyphenols and Their Interactions With Other Dietary Compounds: Implications for Human Health*. 1st edn, *Advances in Food and Nutrition Research*. 1st edn. Elsevier Inc. Available at: <https://doi.org/10.1016/bs.afnr.2017.12.001>.
- Kilic, I., Yeşiloğlu, Y. and Bayrak, Y. (2014) 'Spectroscopic Studies on the Antioxidant Activity of Ellagic Acid', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 130, pp. 447–452. Available at: <https://doi.org/10.1016/J.SAA.2014.04.052>.
- Kotan, T.E. (2018) 'Mineral Composition and Some Quality Characteristics of Ice Creams Manufactured with the Addition of Blueberry', *GIDA*, 43(4), pp.

635–643. Available at: <https://doi.org/10.15237/GIDA.GD18042>.

- Kuang, L. *et al.* (2022) 'Factor Analysis and Cluster Analysis of Mineral Elements Contents in Different Blueberry Cultivars', *Journal of Food Composition and Analysis*, 109, p. 104507. Available at: <https://doi.org/10.1016/J.JFCA.2022.104507>.
- Lee, J.H. and Kim, S.Y. (2019) 'Quality and Antioxidant Properties of Jelly Supplemented with Apricot Juice Concentrate', *Korean Journal of Food Preservation*, 26(4), pp. 425–430. Available at: <https://doi.org/10.11002/KJFP.2019.26.4.425>.
- Lucas, B.F. *et al.* (2022) 'Extruded Snacks Enriched with Açai Berry: Physicochemical Properties and Bioactive Constituents', *Food Science and Technology*, 42, p. e14822. Available at: <https://doi.org/10.1590/FST.14822>.
- Maphosa, Y. and Jideani, V.A. (2016) 'Dietary Fiber Extraction for Human Nutrition—A Review', *Food Reviews International*, 32(1), pp. 98–115. Available at: <https://doi.org/10.1080/87559129.2015.1057840>.
- Mayasari, D.F. (2012) *Pengaruh Setiap Tahap Pengolahan Terhadap Komposisi Proksimat Tempe Jagung*. Universitas Muhammadiyah Surakarta.
- McGill, J. and Hartel, R.W. (2020) 'Water Relations in Confections', *Water Activity in Foods: Fundamentals and Applications*, pp. 483–500. Available at: <https://doi.org/10.1002/9781118765982.CH20>.
- Meijaard, E. *et al.* (2022) 'Dietary Fats, Human Nutrition and the Environment: Balance and Sustainability', *Frontiers in Nutrition*, 9, p. 878644. Available at: <https://doi.org/10.3389/FNUT.2022.878644/BIBTEX>.
- Michalska, A. and Łysiak, G. (2015) 'Bioactive Compounds of Blueberries: Post-Harvest Factors Influencing the Nutritional Value of Products', *International Journal of Molecular Sciences* 2015, Vol. 16, Pages 18642–18663, 16(8), pp. 18642–18663. Available at: <https://doi.org/10.3390/IJMS160818642>.
- Montesano, D. *et al.* (2018) 'Lipids and Food Quality', *Journal of Food Quality*, 2018. Available at: <https://doi.org/10.1155/2018/4046381>.
- Mukherjee, P.K. (2019) 'Phyto-Pharmaceuticals, Nutraceuticals and Their Evaluation', *Quality Control and Evaluation of Herbal Drugs*, pp. 707–722. Available at: <https://doi.org/10.1016/b978-0-12-813374-3.00020-x>.
- Munteanu, I.G. and Apetrei, C. (2021a) 'Analytical Methods Used in Determining Antioxidant Activity: A Review', *International Journal of Molecular Sciences* 2021, Vol. 22, Page 3380, 22(7), p. 3380. Available at: <https://doi.org/10.3390/IJMS22073380>.
- Munteanu, I.G. and Apetrei, C. (2021b) 'Analytical Methods Used in Determining Antioxidant Activity: A Review', *International Journal of Molecular Sciences* 2021, Vol. 22, Page 3380, 22(7), p. 3380. Available at: <https://doi.org/10.3390/IJMS22073380>.
- Myers, M.R., Vodovotz, Y. and Simons, C. (2018) 'Comparison of Consumer

Acceptance, Physico-chemical Properties, and Bioactive Delivery of Blueberry Extract and Whole Blueberry Powder Confections’.

- Nagy, R. *et al.* (2020) ‘Modifying Effects of Physical Processes on Starch and Dietary Fiber Content of Foodstuffs’, *Processes* 2021, Vol. 9, Page 17, 9(1), p. 17. Available at: <https://doi.org/10.3390/PR9010017>.
- Nielsen, S.S. and Ismail, B.P. (2017) ‘Ash Content Determination’, (1), pp. 117–119. Available at: https://doi.org/10.1007/978-3-319-44127-6_11.
- Nomaneci, N. *et al.* (2023) ‘Carbohydrate Analysis and Acceptability Test of Purple Sweet Potato Pudding with Palm Sugar as a Healthy Snack Alternative for Teenagers’, 1(8), pp. 693–704.
- Nwachukwu, I.D. *et al.* (2021) ‘A Concise Review of Current In Vitro Chemical and Cell-Based Antioxidant Assay Methods’, *Molecules* 2021, Vol. 26, Page 4865, 26(16), p. 4865. Available at: <https://doi.org/10.3390/MOLECULES26164865>.
- Okan, O.T. *et al.* (2018) ‘Antioxidant Activity, Sugar Content and Phenolic Profiling of Blueberries Cultivars: A Comprehensive Comparison’, *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 46(2), pp. 639–652. Available at: <https://doi.org/10.15835/NBHA46211120>.
- Perkeni (2021) *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*. PB. Perkeni. Available at: www.ginasthma.org.
- Pradhan, B. and Ki, J.S. (2023) ‘Biological Activity of Algal Derived Carrageenan: A Comprehensive Review in Light of Human Health and Disease’, *International Journal of Biological Macromolecules*, 238, p. 124085. Available at: <https://doi.org/10.1016/J.IJBIOMAC.2023.124085>.
- Rashwan, A.K. *et al.* (2023) ‘Unveiling the Mechanisms of the Development of Blueberries-Based Functional Foods: An Updated and Comprehensive Review’, *Food Reviews International* [Preprint]. Available at: <https://doi.org/10.1080/87559129.2023.2245025>.
- Reque, P.M. *et al.* (2014) ‘Characterization of Blueberry Fruits (*Vaccinium spp.*) and Derived Products’, *Food Science and Technology*, 34(4), pp. 773–779. Available at: <https://doi.org/10.1590/1678-457X.6470>.
- Schulz, R. and Slavin, J. (2021) ‘Perspective: Defining Carbohydrate Quality for Human Health and Environmental Sustainability’, *Advances in Nutrition*, 12(4), p. 1108. Available at: <https://doi.org/10.1093/ADVANCES/NMAB050>.
- Skrovankova, S. *et al.* (2015a) ‘Bioactive Compounds and Antioxidant Activity in Different Types of Berries’, *International journal of molecular sciences*, 16(10), pp. 24673–24706. Available at: <https://doi.org/10.3390/IJMS161024673>.
- Skrovankova, S. *et al.* (2015b) ‘Bioactive Compounds and Antioxidant Activity in Different Types of Berries’, *International Journal of Molecular Sciences* 2015, Vol. 16, Pages 24673-24706, 16(10), pp. 24673–24706. Available at: <https://doi.org/10.3390/IJMS161024673>.

- Skrovankova, S. *et al.* (2015c) 'Bioactive Compounds and Antioxidant Activity in Different Types of Berries', *International Journal of Molecular Sciences* 2015, Vol. 16, Pages 24673-24706, 16(10), pp. 24673–24706. Available at: <https://doi.org/10.3390/IJMS161024673>.
- de Souza, V.R. *et al.* (2015) 'Influence of Processing on the Antioxidant Capacity and Bioactive Compounds in Jellies from Different Blackberry Cultivars', *International Journal of Food Science & Technology*, 50(7), pp. 1658–1665. Available at: <https://doi.org/10.1111/IJFS.12819>.
- Su Lee, D., Hee Park, J. and Seok Yoo, S. (2015) 'Quality and Antioxidant Activity Characteristics of Blueberry-pyun with Different Amounts of Blueberry Juice', *Korean journal of food and cookery science*, 31(6), pp. 718–724. Available at: <https://doi.org/10.9724/KFCS.2015.31.6.718>.
- Sudarmadji, S., Haryono, B. and Suhardi (1997) *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Yogyakarta: Liberty.
- Sundari, D., Almasyhuri and Lamid, A. (2015) 'Effect of Cooking Process of Composition Nutritional Substances Some Food Ingredients Protein Source', *Media Litbangkes*, 25(4), pp. 235–242.
- Teixeira-Lemos, E. *et al.* (2021) 'Development and Characterization of Healthy Gummy Jellies Containing Natural Fruits', *Open Agriculture*, 6(1), pp. 466–478. Available at: <https://doi.org/10.1515/OPAG-2021-0029/MACHINEREADABLECITATION/RIS>.
- Tuarita, M.Z. *et al.* (2017) 'Pengembangan Bekatul sebagai Pangan Fungsional: Peluang, Hambatan, dan Tantangan', *JURNAL PANGAN*, 26(2), pp. 167–176. Available at: <https://doi.org/10.33964/JP.V26I2.354>.
- Wahyuni, S. (2009) *Uji Kadar Protein dan Lemak pada Keju Kedelai dengan Perbandingan Inokulum Lactobacillus bulgaricus dan Streptococcus lactis yang berbeda*. Universitas Muhammadiyah Surakarta.
- Watford, M. and Wu, G. (2018) 'Protein', *Advances in Nutrition*, 9(5), p. 651. Available at: <https://doi.org/10.1093/ADVANCES/NMY027>.
- Williams, B.A. *et al.* (2019) "Dietary Fibre": Moving Beyond the "Soluble/Insoluble" Classification for Monogastric Nutrition, with an Emphasis On Humans and Pigs', *Journal of Animal Science and Biotechnology*, 10(1), pp. 1–12. Available at: <https://doi.org/10.1186/S40104-019-0350-9/TABLES/1>.
- Wolfe, R.R. *et al.* (2018) 'Factors Contributing to the Selection of Dietary Protein Food Sources', *Clinical Nutrition*, 37(1), pp. 130–138. Available at: <https://doi.org/10.1016/J.CLNU.2017.11.017>.
- Wulansari, A.N. (2018) 'Alternatif Cantigi Ungu (*Vaccinium varigiaefolium*) sebagai Antioksidan', *Farmaka*, 16(2). Available at: <https://doi.org/10.24198/JF.V16I2.17574>.
- Xue, H. *et al.* (2022) 'Research Progress on Absorption, Metabolism, and Biological Activities of Anthocyanins in Berries: A Review', *Antioxidants* 2023, Vol. 12, Page 3, 12(1), p. 3. Available at: <https://doi.org/10.3390/ANTIOX12010003>.

- Yahia, E.M., Carrillo-López, A. and Bello-Perez, L.A. (2018) *Carbohydrates, Postharvest Physiology and Biochemistry of Fruits and Vegetables*. Elsevier Inc. Available at: <https://doi.org/10.1016/B978-0-12-813278-4.00009-9>.
- Yanuarto, T., Nurkhasanah and Hayu Nurani, L. (2022) 'Optimization of Jamblang (*Syzygium Cumini* (L.) Skeels) Fruit Extract Levels in Yoghurt Formulation as Antioxidant', *Pharmacology, Medical Reports, Orthopedic, and Illness Details (Comorbid)*, 1(1), pp. 51–60. Available at: <https://doi.org/10.55047/comorbid.v1i1.55>.
- Yulyana, A. *et al.* (2023) 'The Water Fraction of Cantigi (*Vaccinium Varingiaefolium* Bl. Miq.) Fruits Demonstrate the Highest Antimetabolic Syndrome Properties on Enzyme Assay', *Pharmacia*, 70(3), pp. 587–594. Available at: <https://doi.org/10.3897/pharmacia.70.e109333>.