

## DAFTAR PUSTAKA

- Adhayanti, E., Arpiwi, N. L., & Darsini, N. N. (2022). Formulasi Sediaan Masker Gel Peel-off Ekstrak Daun Kelor (*Moringa oleifera* Lam.) dan Minyak Atsiri Serai Wangi (*Cymbopogon nardus* L. Rendle). *Metamorfosa: Journal of Biological Sciences*, 9(1), 101–111. <https://doi.org/10.24843/metamorfosa.2022.v09.i01.p10>
- Allen, L. V. (2016). *The Art, Science and Technology of Pharmaceutical Compounding* (Fifth). American Pharmacists Association.
- Allen, L. V., & Ansel, H. C. (2014). *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems* (Tenth). Wolters Kluwer.
- Andini, T., Yusriadi, & Yuliet. (2017). Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel off Sari Buah Labu Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan. *Jurnal Farmasi Galenika*, 3(2), 165–173. <https://doi.org/10.22487/j24428744.0.v0.i0.8773>
- Arsitowati, K. (2014). *Optimasi Formula Sediaan Gel Antijerawat Basis Karbopol dan CMC-Na Ekstrak Kulit Buah Manggis dengan Metode SLD (Simplex Lattice Design)*. Universitas Gadjah Mada.
- Baki, G., & Alexander, K. S. (2015). *Introduction to Cosmetic Formulation and Technology*. John Wiley & Sons.
- BPOM RI. (2019). Peraturan Badan Pengawas Obat dan Makanan Nomor 23 Tahun 2019 Tentang Persyaratan Teknis Bahan Kosmetika. Dalam *Badan Pengawas Obat dan Makanan Republik Indonesia*.
- D'Orazio, J., Jarrett, S., Amaro-Ortiz, A., & Scott, T. (2013). UV radiation and the skin. *International Journal of Molecular Sciences*, 14(6), 12222–12248. <https://doi.org/10.3390/ijms140612222>
- Dunaway, S., Odin, R., Zhou, L., Ji, L., Zhang, Y., & Kadekaro, A. L. (2018). Natural antioxidants: Multiple mechanisms to protect skin from solar radiation. *Frontiers in Pharmacology*, 9(392). <https://doi.org/10.3389/fphar.2018.00392>
- Ermawati, D. E., & Ramadhani, C. I. (2019). Formulation of Anti-Acne Gel of *Moringa oleifera* L Ethanolic Extract and Antibacterial Test on *Staphylococcus epidermidis*. *Journal of Food and Pharmaceutical Sciences*, 7(1), 34–44. [www.journal.ugm.ac.id/v3/JFPS](http://www.journal.ugm.ac.id/v3/JFPS)
- Fatimi, H. A., Zulkarnain, A. K., & Laksitorini, M. D. (2022). Potensi senyawa 4-Hidroksikalkon sebagai agen tabir surya. *Health Sciences and Pharmacy Journal*, 6(3), 139–147. <https://doi.org/10.32504/hspj.v%vi%i.802>

- Fonseca, A., & Rafaela, N. (2013). Determination of Sun Protection Factor by UV-Vis Spectrophotometry. *Health Care: Current Reviews*, 1(1). <https://doi.org/10.4172/2375-4273.1000108>
- Geoffrey, K., Mwangi, A. N., & Maru, S. M. (2019). Sunscreen products: Rationale for use, formulation development and regulatory considerations. *Saudi Pharmaceutical Journal*, 27(7), 1009–1018. <https://doi.org/10.1016/j.jsps.2019.08.003>
- Godic, A., Poljšak, B., Adamic, M., & Dahmane, R. (2014). The Role of Antioxidants in Skin Cancer Prevention and Treatment. *Oxidative Medicine and Cellular Longevity*, 2014. <https://doi.org/10.1155/2014/860479>
- Guan, L. L., Lim, H. W., & Mohammad, T. F. (2021). Sunscreens and Photoaging: A Review of Current Literature. *American Journal of Clinical Dermatology*, 22(6), 819–828. <https://doi.org/10.1007/s40257-021-00632-5>
- Gulcin, İ. (2020). Antioxidants and antioxidant methods: an updated overview. *Archives of Toxicology*, 94, 651–715. <https://doi.org/10.1007/s00204-020-02689-3>
- Gunarti, N. S., & Fikayuniar, L. (2019). Formulasi dan uji aktivitas gel tabir surya dari ekstrak buah blackberry (*Rubus fruticosus*) secara in vitro dengan spektrofotometri Uv-visibel. *Kartika: Jurnal Ilmiah Farmasi*, 7(2), 66–72. <https://doi.org/10.26874/kjif.v7i2.227>
- Hamouda, S. A., Alshawish, N. K., Abdalla, Y. K., & Ibrahim, M. K. (2022). Ultraviolet Radiation: Health Risks and Benefits. *Saudi Journal of Engineering and Technology*, 7(10), 533–541. <https://doi.org/10.36348/sjet.2022.v07i10.001>
- Hawilla, A., Zulkarnain, A. K., & Lukitaningsih, E. (2023). Stabilitas dan Sifat Fisik Sediaan Mikroemulgel Resveratrol Sebagai Tabir Surya dan Antiaging Secara In Vitro. *Majalah Farmaseutik*, 19(2), 155–163. <https://doi.org/10.22146/farmaseutik.v19i2.83497>
- Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A review of its' effects on human health. *Foods*, 6(10). <https://doi.org/10.3390/foods6100092>
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2021). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120. <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Irianto, I. D. K., Purwanto, & Mardan, M. T. (2020). Aktivitas Antibakteri dan Uji Sifat Fisik Sediaan Gel Dekokta Sirih Hijau (*Piper betle* L.) Sebagai Alternatif Pengobatan Mastitis Sapi. *Majalah Farmaseutik*, 16(2), 202–210. <https://doi.org/10.22146/farmaseutik.v16i2.53793>
- Iskandar, B., Lukman, A., Tartilla, R., Surboyo, M. D. C., & Leny. (2021). Formulasi, Karakterisasi dan Uji Stabilitas Mikroemulsi Minyak Nilam

- (*Pogostemon cablin* Benth.). *Jurnal Ilmiah Ibnu Sina*, 6(2), 282–291.  
<https://doi.org/10.36387/jiis.v6i2.724>
- Kresnawati, Y., Fitrianiingsih, S., & Purwaningsih, C. P. (2022). Formulasi dan Uji Potensi Sediaan Spray Gel Niasiamida Dengan Propilenglikol Sebagai Humektan. *Cendekia Journal of Pharmacy*, 6(2), 281–290.  
<http://cjp.jurnal.stikescendekiautamakudus.ac.id>
- Kusriani, H., Marliani, L., & Apriliani, E. (2017). Aktivitas Antioksidan dan Tabir Surya dari Tongkol dan Rambut Jagung (*Zea Mays* L.). *Indonesian Journal of Pharmaceutical Science and Technology*, 4(1), 10–17.  
<https://doi.org/10.15416/ijpst.v4i1.10428>
- Kusuma, T. M., Azalea, M., Dianita, P. S., & Syifa, N. (2018). Pengaruh Variasi Jenis dan Konsentrasi Gelling Agent terhadap Sifat Fisik Gel Hidrokortison. *Jurnal Farmasi Sains dan Praktis*, 4(1), 44–49.
- Latha, M., Martis, J., V, S., Shinde, R. S., Bangera, S., Krishnankutty, B., Bellary, S., Varughese, S., Rao, P., & Kumar, N. (2013). Sunscreening Agents: A Review. *The Journal of Clinical and Aesthetic Dermatology*, 6(1), 16–26.
- Mansur, J. S., Breder, M. N. R., Mansur, M. C. A., & Azulay, R. D. (1986). Determinação do fator de proteção solar por espectrofotometria. *An. Bras. Dermatol.*, 61, 121–124.
- Mayangsari, F. D., Pratiwi, E. D., & Sari, D. I. K. (2022). Physical Characteristics and Hedonic Test of Hand Cream with Eucalyptus and Sweet Orange Oil Fransisca. *Proceedings of the International Conference on Sustainable Innovation on Health Sciences and Nursing (ICOSI-HSN 2022)*, 113–121.  
<https://doi.org/10.2991/978-94-6463-070-1>
- Mayba, J. N., & Gooderham, M. J. (2017). A Guide to Topical Vehicle Formulations. *Journal of Cutaneous Medicine and Surgery*, 00(0), 1–6.  
<https://doi.org/10.1177/1203475417743234>
- National Center for Biotechnology Information. (2023). *PubChem Compound Summary for CID 22947, 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione*. <https://pubchem.ncbi.nlm.nih.gov/compound/DMDM-Hydantoin>
- Nindita, P. D. A. S., Suhartinah, & Handayani, S. R. (2022). Pengaruh Variasi Konsentrasi Carbopol 940 terhadap Formulasi dan Aktivitas Sediaan Gel Tabir Surya Ekstrak Etanol Daun Kemangi (*Ocimum Basilicum* L.). *Intan Husada: Jurnal Ilmiah Keperawatan*, 10(2), 94–107.  
<https://doi.org/10.52236/ih.v10i2.244>
- Panich, U., Sittithumcharee, G., Rathviboon, N., & Jirawatnotai, S. (2016). Ultraviolet Radiation-Induced Skin Aging: The Role of DNA Damage and Oxidative Stress in Epidermal Stem Cell Damage Mediated Skin Aging. *Stem Cells International*, 2016. <https://doi.org/10.1155/2016/7370642>

- Pratama, W. A., & Zulkarnain, A. K. (2015). Uji SPF In Vitro dan Sifat Fisik Beberapa Produk Tabir Surya yang Beredar di Pasaran. *Majalah Farmaseutik*, 11(1), 275–283. <https://doi.org/10.22146/farmaseutik.v11i1.24116>
- Puspita, W., & Puspasari, H. (2022). Physical Stability and Antioxidant Activity of Peel-Off Gel Mask Ethanol Extract of Buas-buas Leaf (*Premna serratifolia* L.). *Traditional Medicine Journal*, 27(2), 93–99. <https://doi.org/10.22146/mot.71033>
- Puspitasari, A. D., Mulangsri, D. A. K., & Herlina. (2018). Formulasi Krim Tabir Surya Ekstrak Etanol Daun Kersen (*Muntingia calabura* L.) untuk Kesehatan Kulit. *Media Penelitian dan Pengembangan Kesehatan*, 28(4), 263–270. <https://doi.org/10.22435/mpk.v28i4.524>
- Puspitasary, K., Novitasari, M., & Widyaningrum, N. R. (2019). Pengaruh Perbandingan Sodium Carboxy Methyl Cellulose (CMC Na) Terhadap Uji Fisik Gel Ekstrak Daun Teh Hijau (*Camelia Sinensis* L.). *Avicenna Journal of Health Research*, 2(2), 111–120.
- Putriana, N. A., Rusdiana, T., & Prakoso, M. A. A. (2019). Formulation and Phisical Stability Testing of Chitosan Gel from Vaname Shrimp Shell (*Litopenaeus Vannamei*) with Carbopol 940 Gelling Agent. *Indonesian Journal of Pharmaceutics*, 1(3), 69–73. <https://doi.org/10.24198/idjp.v1i3.21556>
- Rahayu, T., Fudholi, A., & Fitria, A. (2016). Optimasi Formulasi Gel Ekstrak Daun Tembakau (*Nicotiana tabacum*) dengan Variasi Kadar Karbopol940 dan TEA menggunakan Metode Simplex Lattice Design (SLD). *Jurnal Ilmiah Farmasi*, 12(1), 16–24. <http://journal.uii.ac.id/index.php/JIF>
- Rahmani, S. I. P., & Zulkarnain, A. K. (2023). Optimization of HPMC and Na-CMC as Gelling Agents on Physical Properties and Stability in Sunflower Seed Oil Gel Formulation. *Journal of Food and Pharmaceutical Sciences*, 11(2), 812–819. [www.journal.ugm.ac.id/v3/JFPA](http://www.journal.ugm.ac.id/v3/JFPA)
- Rahmawati, D. A., & Setiawan, I. (2019). The Formulation and Physical Stability Test Of Gel Fruit Strawberry Extract (*Fragaria x ananassa* Duch.). *Journal of Nutraceuticals and Herbal Medicine*, 2(1), 38–46.
- Ritmaleni. (2016). Synthesis of Curcumin Analogs. *International Journal of Pharmaceutical Sciences Review and Research*, 37(1), 236–241.
- Rohmani, S., & Kuncoro, M. A. A. (2019). Uji Stabilitas dan Aktivitas Gel andsanitizer Ekstrak Daun Kemangi. *Journal of Pharmaceutical Science and Clinical Research*, 01, 16–28. <https://doi.org/10.20961/jpscr.v4i1.27212>
- Sari, P. K. N. (2015). Daya Tangkap Senyawa Tetrahidroheksagamavunon-5 (THHGV-5), Tetrahidroheksagamavunon-7 (THHGV-7 dan 1,5-bis-(4'-triflorometilfenil)-pentan-3-on (THC7) terhadap Radikal 2,2-difenil-1-

- pikrilhidrazil dan Daya Reduksinya terhadap Ion Feri*. Universitas Gadjah Mada.
- Sari, P. K. N., Zulkarnain, A. K., & Lukitaningsih, E. (2023). Evaluation of the Physical Properties and Anti-aging Microemulgel Sunscreen Nyamplung Oil (*Calophyllum inophyllum* L.). *Tropical Journal of Natural Product Research*, 7(2), 2414–2420. <https://doi.org/10.26538/tjnpr/v7i2.18>
- Sari, S. P., & Zulkarnain, A. K. (2023). Physical Stability of Binahong Leaf Extract (*Anredera cordifolia* (Ten.) Steenis) with Hydroxypropyl Methylcellulose and Hydroxyethyl Cellulose Gelling Agents. *Traditional Medicine Journal*, 28(1), 60–68. <https://doi.org/10.22146/mot.82983>
- Setyawaty, R., Gustin, & Setiyabudi, R. (2021). Gel Formulation from Ethanol Extract of the Leaf of White Guava (*Psidium guajava* L.). *Traditional Medicine Journal*, 26(3), 149–154. <https://doi.org/10.22146/mot.59725>
- Setyawati, A. D. (2015). *Formulasi Gel Minyak Atsiri Sereh dengan Kombinasi Basis Karbopol dan CMC-Na Menggunakan Metode Simplex Lattice Design*. Universitas Gadjah Mada.
- Shafiei, M., Balhoff, M., & Hayman, N. W. (2018). Chemical and microstructural controls on viscoplasticity in Carbopol hydrogel. *Polymer*, 139, 44–51. <https://doi.org/10.1016/j.polymer.2018.01.080>
- Sheskey, P. J., Cook, W. G., & Cable, C. G. (2017). *Handbook of Pharmaceutical Excipients* (Eight). Pharmaceutical Press.
- Shovyana, H. H., & Zulkarnain, A. K. (2013). Stabilitas Fisik dan Aktivitas Krim W/O Ekstrak Etanolik Buah Mahkota Dewa (*Phaleria macrocarph(scheff.) Boerl.*) Sebagai Tabir Surya. *Traditional Medicine Journal*, 18(2), 109–117.
- Sudibjo, A. (2022). *Optimasi Formula Sabun Cair Bentonit dengan Kombinasi Minyak Kedelai dan Virgin Coconut Oil Menggunakan Simplex Lattice Design*. Universitas Gadjah Mada.
- Sugihartini, N., Jannah, S., & Yuwono, T. (2020). Formulasi Gel Ekstrak Daun Kelor (*Moringa oleifera* Lamk) Sebagai Sediaan Antiinflamasi. *Pharmaceutical Sciences and Research*, 7(1), 9–16.
- Suradnyana, I. G. M., Wirata, I. K., & Suena, N. M. D. S. (2020). Optimasi Gelling Agent dan Humektan Gel Handsanitizer Minyak Atsiri Daun Jeruk Limau (*Citrus amblycarpa* (Hassk.) Ochse.). *Jurnal Ilmiah Medicamento*, 6(1), 15–22.
- Suryani, Nafisah, A., & Mana'an, S. (2017). Optimasi Formula Gel Antioksidan Ekstrak Etanol Buah Bligo (*Benincasa hispida*) dengan Metode Simplex Lattice Design (SLD). *Jurnal Farmasi Galenika*, 3(2), 150–156. <https://doi.org/10.22487/j24428744.2017.v3.i2.8815>
- Tambunan, S., & Sulaiman, T. N. S. (2018). Formulasi Gel Minyak Atsiri Sereh dengan Basis HPMC dan Karbopol. *Majalah Farmaseutik*, 14(2), 87–95.



- Tsabitah, A. F., Zulkarnain, A. K., Wahyuningsih, M. S. H., & Nugrahaningsih, D. A. A. (2020). Optimasi Carbomer, Propilen Glikol, dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia diversifolia*). *Majalah Farmaseutik*, 16(2), 111–118. <https://doi.org/10.22146/farmaseutik.v16i2.45666>
- U.S. Food and Drug Administration. (2023). *Code of Federal Regulations Title 21*. <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=352&showFR=1>
- Yagi, M., & Yonei, Y. (2018). Glycative stress and anti-aging: 7. Glycative stress and skin aging. *Glycative Stress Research*, 5(1), 050–054.
- Zein, K. C. Y. (2016). *Optimasi dan Stabilitas Fisik Formula Gel Asam Glikolat dengan Kombinasi Gelling Agent CMC-Na dan Karbomer*. Universitas Gadjah Mada.
- Zulkarnain, A. K., Faridhotu, F., & PR Naqsyah, I. (2022). Optimization of Gelling Agent of Sunflower (*Helianthus annuus*) Seed Oil Gel and Its Stability and Activity Test In Vitro as Sunscreen. *Traditional Medicine Journal*, 27(3), 247–256. <https://doi.org/10.22146/mot.80299>
- Zulkarnain, A. K., Ichsani, C. N., & Judiantoro, C. L. (2023a). Physical properties and stability of grapeseed oil (*Vitis vinifera* L.) skincare formula with gelling agent combination of Na-CMC-carbopol and HPMC-carbopol. *Indonesian Journal of Pharmacology and Therapy*, 4(2), 64–72. <https://doi.org/10.22146/ijpther.8279>
- Zulkarnain, A. K., & Jumina. (2023). Optimization of Carbopol, CMN-Na, Gelatin, and in vitro Activity Test of 4-Hydroxy Chalcone Gel as Sunscreen. *Journal of Food and Pharmaceutical Sciences*, 11(2), 803–811. [www.journal.ugm.ac.id/v3/JFPA](http://www.journal.ugm.ac.id/v3/JFPA)
- Zulkarnain, A. K., Jumina, Kharismawati, G. T., & Larasati, F. A. (2023b). Optimization of Gelling Agent and Sunscreen Activity Test on 4-OH-chalcone Gel Using In Vitro Method. *Indonesian Journal of Pharmacy*, 34(1), 112–119. <https://doi.org/10.22146/ijp.3300>
- Zulkarnain, A. K., Marchaban, Wahyuono, S., & Susidarti, R. A. (2015). Sun Protector Factor (SPF) in vitro and the Physical Stability of O/W Cream Optimal Formula from the Partition Product of Mahkota Dewa Leaves [*Phaleria macrocarpa* (Scheff) Boerl]. *Indonesian J. Pharm*, 26(4), 210–218. <https://doi.org/10.14499/indonesianjpharm26iss3pp210>
- Zulkarnain, A. K., Matsumoto, K., & Kajiwaru, N. (2023c). *Formulasi Dan Stabilitas Fisik Sediaan Cream Ekstrak Rimpang Temu Mangga ( Curcuma manga Val .) Dan Uji Aktivitas Sebagai Tabir Surya Secara In Vitro*. 19(2), 164–170. <https://doi.org/10.22146/farmaseutik.v19i2.84915>