



## DAFTAR PUSTAKA

- Abd El-Hack, M.E., M.T. El-Saadony, M.M. Nader, H. M. Salem, A.M. El-Tahan, S.M. Soliman & A.F. Khafaga. 2022. Effect of environmental factors on growth performance of Nile tilapia (*Oreochromis niloticus*). International Journal of Biometeorology. 66(11): 2183-2194.
- Aliah, R.S. 2017. Rekayasa produksi ikan nila salin untuk perairan payau di wilayah pesisir. Pusat Teknologi Produksi Pertanian-Badan Pengkajian dan Penerapan Teknologi. 10(1):17-24.
- Anggraeni, N., E.D. Ayuningsih, D. Perwitasari-Farajallah, dan J. Pamungkas. 2009. Analisis DNA mikrosatellit untuk identifikasi paternitas pada beruk (*Macaca nemestrina*) di Penangkaran Pusat Studi Satwa Primata IPB. Jurnal Primatologi Indonesia. 6(2): 32–39.
- Bhassu, S., K. Yusofi., J.M. Panandam, W.K. Embong, S. Oyyan & S.G. Tan. 2004. The genetic structure of *Oreochromis* spp. (Tilapia) populations in Malaysia as revealed by microsatellite DNA analysis. Biochemical Genetics. 42: 217-229. DOI: 10.1023/B:BIGI.0000034426.31105.
- Botstein, D., R.L. White, M. Skolnick & R.W. Davis. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. Am J Hum Genet. 32: 314–331.
- Botstein, D., R.L. White, M. Skolnick, and R.W. Davis. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. Am J Hum Genet. 32: 314–331.
- Boyd, C.E. 2016. Alkalinity and Hardness: Critical but Elusive Concepts in Aquaculture. Journal of The World Aquaculture Society. 47(1):6-40. Doi: 10.1111/jwas.12241
- Dias, M.A.D., R.T.F. de Freitas, S.E. Arranz, G.V. Villona & A.W.S. Hilsdorf. 2016. Evaluation of the genetic diversity of microsatellite markers among four strains of *Oreochromis niloticus*. Animal Genetics. 47: 345-353. doi: 10.1111/age.12423.
- Diyie, R.L., S.K. Agyarkwa, E. Armah, N.A. Amonoo, I. Owusu-Frimpong & M.Y. Osei-Atweneboana. 2021. Genetic variations among different generations and cultured populations of nile tilapia (*Oreochromis niloticus*) in Ghana: Application of microsatellite markers. Aquaculture. 544: 1-8.
- Effendie, M.I. 1997. Biologi Perikanan. Yayasan Pustaka Nusantara. Yogyakarta. 163 p.
- El-Sayed, A.F.M. 2020. Tilapia ulture. Oceanography Department, Faculty of Science, Alexandria University. Egypt. 277 p.
- El-Sherif, M.S.& A.M.I. El-Feky. 2009. Performance of nile tilapia (*Oreochromis niloticus*) fingerlings. I. Effect of pH. International Journal of Agriculture & Biology. 11: 297-300.



- FAO. 2020. The State of World Fisheries and Aquaculture 2020; Sustainability in Action. Food and Agriculture Organization of the United Nation. Rome. 206 p.
- Fessehaye, Y., H. Komen, M.A. Rezk, J.A.M. van Arendonk, H. Bovenhuis. 2007. Effects of inbreeding on survival, body weight and fluctuating asymmetry (FA) in Nile tilapia, *Oreochromis niloticus*. *Aquaculture*. 264: 27-35.
- Gu, D., X. Mu, H. Song, M. Xu, J. Luo & Y. Hu. 2014. Genetic diversity of invasive *Oreochromis* spp. (tilapia) populations in Guangdong province of China using microsatellite markers. *Biochemical Systematics and Ecology*. 55: 198-204. <https://doi.org/10.1016/j.bse.2014.03.035>
- Heriyati, E., R. Rustadi, A. Isnansetyo & I. Istiqomah. 2021. Microbubble aerator test and harvest target prediction based on oxygen consumption of red tilapia (*Oreochromis* sp.). *AACL Bioflux*. 14 (5). 3.006-3.022.
- Hu, F., Zhong, H., Yu, P., Fan, J., Wu, C., Wang, S., Gong, D., Sun, Y., Gao, X., Wen, M., Tang, C., Tao, M., & Liu, S. 2023. Comparative analysis of growth performance, pharyngeal teeth and intestinal traits in F1 hybrids of female *Megalobrama amblycephala* × male *Culter mongolicus*. *Aquaculture*, 562. <https://doi.org/10.1016/j.aquaculture.2022.738807>
- Jamshidi, S and S. Jamshidi. 2011. NTSYSpc 2.02e Implementation in molecular biodata analysis (clustering, screening, and individual selection). International Conference on Environmental and Computer Science. 19: 165–169.
- Jin, Y., S. Liu, Z. Yuan, Y. Yang, S. Tan & Z. Liu. Shikai, L. 2016. Catfish genomic studies: progress and perspectives. *Genomic in Aquaculture*. 73-104.
- Kementerian Kelautan dan Perikanan (KKP). 2012. Keputusan Menteri Kelautan dan Perikanan Republik Indonesia Nomor KEP.47/MEN/2012 Tentang Pelepasan Ikan Nila Merah Nilasa.
- Kementerian Kelautan dan Perikanan (KKP). 2019. Peluang Usaha dan Investasi Nila. Direktorat Usaha dan Investasi DITJEN Penguatan Daya Saing Produk Kelautan dan Perikanan KKP. Jakarta. 91 p.
- Kementerian Kelautan dan Perikanan (KKP). 2021. Peraturan Menteri KKP nomor 21 tahun 2021 tentang Jenis Ikan Baru yang Akan Dibudidayakan
- Kincaid, H. L. 1983. Inbreeding in fish populations used for aquaculture. *Aquaculture*. 33: 215-227.
- Kurniasih, T.& R. Gustiano. 2007. Hibridisasi sebagai alternatif untuk penyediaan ikan unggul. *Media Akuakultur* 2(1):173-176.
- Lemos, C.H.P., C.V.D.M. Ribeiro, C.P.B. de Oliveira, R.D. Couto & C.E. Copatti. 2018. Effects of interaction between pH and stocking density on the growth, haematological and biochemical responses of Nile tilapia juveniles. *Aquaculture*. 495: 62-67.



- Mulliadi, D. & Arifin, J. 2010. Pendugaan keseimbangan populasi dan heterozigositas menggunakan pola protein albumin darah pada populasi domba ekor tipis (Javanese Thin Tailed) di daerah Indramayu. *Jurnal Ilmu Ternak*, 10(2), 65–72.
- Muneer, P.M.A. 2014. Application of microsatellite markers in conservation genetics and fisheries management: recent advances in population structure analysis and conservation strategies. *Genetik Research International*. :1-11 <http://dx.doi.org/10.1155/2014/691759>
- Nascimento, I.T.V.S., N.J. Pereira, R.S. Martins, T.A. de Melo, D.M. Santos & I.M.R.S. Serra. 2021. Quality of water from fish farms and histopathological analysis of tilapia (*Oreochromis sp.*) in São José de Ribamar and Paço do Lumiar, state of Maranhão, Brazil. *Aquaculture Research*. 1-10. DOI: 10.1111/are.15260
- Neto, R.V.R., C.A.L. de Oliveira, R.P. Ribeiro, R.T.F. de Freitas, B. Allaman & S.N. de Oliveira. 2014. Genetic parameters and trends of morphometric traits of GIFT tilapia under selection for weight gain. *Scientia Agricola*. 71(4): 259-265. DOI: <http://dx.doi.org/10.1590/0103-9016-2013-0294>
- Ninh, N.H., R.W. Ponzoni, H.N. Nguyen, J.A. Woolliams, J.B. Taggart, B.J. McAndrew & D.J. Penman. 2013. A comparison of communal and separate rearing of families in selective breeding of common carp (*Cyprinus carpio*): responses to selection. *Aquaculture*. 39(46): 322-323. DOI: <http://dx.doi.org/10.1016/j.aquaculture.2013.06.005>
- Nugroho, E., Rustadi, D. Priyanto, H. Sulistyo, Susila, Sunaryo & B. Wasito. 2014. Penurunan keragaman genetik pada F-4 ikan nila merah "Cangkringan" hasil pemuliaan dideteksi dengan marker genetik. *Jurnal Riset Akuakultur*. 9(1): 25–30.
- Nurdianawati, S., N. Wicaksana, dan Anas. 2016. Analisis kesesuaian marka SSR (Simple Sequence Repeats) untuk identifikasi keragaman genetik pada kacang bambara asal Jawa Barat. *Jurnal Agrikultura*. 27(2): 120–123.
- Pongthana, N., H.N. Nguyen & R.W. Ponzoni. 2010. Comparative performance of four red tilapia strains and their crosses in fresh- and saline water environments. *Aquaculture*. 308: 109-114. DOI: 10.1016/j.aquaculture.2010.07.033
- Rezeki, S., T.Z. Helmi, Herrialfian, M. Hasan, dan M. Jalaluddin. 2019. Identifikasi DNA karakterisasi gen calpain (CAPN1) pada kambing kacang. *JIMVET*. 3(4): 197–205.
- Robisalmi, A., G. Bambang & P. Setyawan. 2020. Evaluasi performa pertumbuhan dan heterosis persilangan antara ikan nila nirwana (*Oreochromis niloticus*) betina dengan ikan nila biru (*Oreochromis aureus*) jantan F2 pada kondisi tambak hipersalinitas. *Jurnal Ilmu-Ilmu Hayati*. 19(1): 1-12. DOI: [beritabiologi.v19i1.3758](http://beritabiologi.v19i1.3758)
- Robisalmi, A., G. Bambang & P. Setyawan. 2022. Evaluation of growth performance and improving genetic gain of blue tilapia (*Oreochromis aureus*) fourth-generation (F-4) at brackish water pond. *Jurnal Ilmiah Perikanan dan Kelautan*. 15(1):189–200. Doi <http://doi.org/10.20473/jipk.v15i1.36069>



- Rustadi, S.B. Priyono, H.S. Hermawan & Susilo. 2012. Laporan Akhir Penelitian Unggulan Perguruan Tinggi Penelitian Kerjasama Institusi Universitas Gadjah Mada. Pengembangan Seleksi Individu untuk Menghasilkan Induk/Benih Nila Merah (*Oreochromis sp.*) Unggul di Balai Benih Ikan Cangkringan. Universitas Gadjah Mada. Yogyakarta.
- Rustadi. 2018. Manajemen Akuakultur Tawar. Gadjah Mada University Press. Yogyakarta. 104 p.
- Rutten, M.J.M., H. Bovenhuis & H. Komen. 2005. Genetic parameters for fillet traits and body measurements in Nile tilapia (*Oreochromis niloticus* L.). Aquaculture. 246: 125-132. DOI: 10.1016/j.aquaculture.2005.01.006
- Saad, Y.M., M.A. Rashed, A.H. Atta & N.E. Ahmed. 2013. The efficiency of microsatellite DNA markers for estimating genetic polymorphism in some Tilapia species. Life Science Journal. 10(3):2230-2234.
- Satriani, G. I., D.T. Soelistiyowati, D. Hardianto & R.S. Aliah. 2011. Keragaman genetik ikan nila *Oreochromis niloticus* generasi kelima menggunakan marka DNA mikrosatelit. Jurnal Akuakultur Indonesia. 10(2): 124-130.
- Setyawan, P., A. Robisalmi, A.& B. Gunadi. 2015. Perbaikan pertumbuhan dan toleransi salinitas ikan nila srikandi (*Oreochromis aureus* x *O. niloticus*) melalui hibridisasi dan back-cross dengan *O. aureus* F-1 di keramba jaring apung laut. Jurnal Riset Akuakultur. 10(1): 471-479. <https://doi.org/10.15578/jra.10.4.2015.471-479>.
- Sholtis, S.& K.M. Weiss. 2005. Cahpter 21-Phenogenetiks: Genotypes, Phenotypes, and Variation. Department of Anthropology, Pennsylvania State University, University Park, Pennsylvania. USA. 499-523 p.
- Sinaga, A., L.A.P. Putri & M.K. Bangun. 2017. Analisis pola pita andaliman (*Zanthoxylum Acanthopodium* D.C) berdasarkan primer OPD 03, OPD 20, OPC 07, OPM 20, OPN 09. Jurnal Agroteknologi FP USU. 5(1): 55–64.
- Tave, D. 1995. Selective breeding programmes for medium-sized fish farms. Food and Agriculture Organization of the United Nations. Oregon, USA. 122 p.
- Wages Jr. J.M. 2005. Polymerase Chain Reaction. Encyclopedia of Analytical Science (Second Edition). 243-250p. DOI: 10.1016/B0-12-369397-7/00475-1
- Yu, X. 2022. Genomic architecture of selection for adaptation to challenging environments in aquaculture. Doctoral Dissertation. Wageningen University. Netherlands. DOI: <https://doi.org/10.18174/579733>
- Yue, Y. R.& Q.C. Zhou. 2008. Effect of replacing soybean meal with cottonseed meal on growth, feed utilization and hematological indexes for juvenile hybrid tilapia, *Oreochromis niloticus* x *O. aureus*. Aquaculture. 284: 185–189. DOI: 10.1016/j.aquaculture.2008.07.030