

DAFTAR PUSTAKA

- Alfiyani, A. (2018). Perakitan dan Karakterisasi Molekular Melon Hibrida (*Cucumis melo* L. 'Melona'). Universitas Gadjah Mada.
- Angmo S, Dolkar D, Dolkar P, Kumar B, Stobdan T. 2019. Growing watermelon in high-altitude Trans-Himalayan Ladakh. *National Academy Science Letters*. DOI: <https://doi.org/10.1007/s40009-018-0761-8>.
- Apsari DPN, Darniati, Marsiti CIR. 2019. Pemanfaatan kulit melon menjadi selai. *Journal Bosaparis*. Vol 2(3):981-989. Doi: <http://dx.doi.org/10.23887/jppkk.v10i1.22119>.
- Aprilyanto, V. dan Sembiring, L. 2016. Filogenetika Molekular: Teori dan Aplikasi. Yogyakarta: Innosain.
- Azrai, M. (2005). Pemanfaatan markah molekuler dalam proses seleksi pemuliaan tanaman.
- Badan Pusat Statistik. Statistik Hortikultura Tahun 2021 [Internet]. [cited 2022 Dec 25]. Available from: <https://jatim.bps.go.id/statictable/2023/03/03/2458/hortikulturahorticulture-luas-panen-tanaman-lobak-radish-melon-melon-paprika-bell-peppermenurut-kabupaten-kota-dan-jenis-tanaman-di-provinsi-jawa-timur-ha-2020-dan2021>.
- Basith, A. 2015. Peluang Gen *rbcL* sebagai DNA Barcode Berbasis DNA Kloroplas untuk Mengungkap Keanekaragaman Genetik Padi Beras Hitam (*Oryza sativa* L.) Lokal Indonesia. *Biologi, Sains, Lingkungan, dan Pembelajarannya*. 938-941.
- Blaxter, M. (2003). Counting angels with DNA. *Nature*, 421(6919), 122-123.
- Benita, Y., Oosting, R. S., Lok, M. C., Wise, M. J., & Humphery-Smith, I. (2003). Regionalized GC content of template DNA as a predictor of PCR success. *Nucleic acids research*, 31(16), e99-e99.
- Bruni, I., Galimberti, A., Caridi, L., Scaccabarozzi, D., De Mattia, F., Casiraghi, M., & Labra, M. (2015). A DNA barcoding approach to identify plant species in multiflower honey. *Food chemistry*, 170, 308-315.
- Campbell, N. A., dan Reece, J. B. 2008. *Biologi*, Edisi Kedelapan Jilid 1. Terjemahan : Damaring Tyas Wulandari. Erlangga. Jakarta
- Claverie, J. M., & Notredame, C. (2011). *Bioinformatics for dummies*. John Wiley & Sons.
- Consortium Barcode of Life (CBOL) Plant Working Group. 2009. A DNA barcode for land plants. *Proceedings of the National Academy of Sciences of the USA* 106: 12794–12797.
- Chen, S., Yao, H., Han, J., Liu, C, Song, J., Shi, L., Zhu, Y., Ma, X., Gao, T., Pang, X., Luo, K., Li, Y., Li, X., Jia, X., Lin, Y., and Leon C. 2010. Validation of the ITS2 Region as a Novel DNA Barcode for Identifying Medicinal Plant Species. *PLoS One*, 5(1): 1-8.

- Chen, C.W., Huang, Y.M., Kui, L.Y., Nguyen, Q. D. N., Uu, H. T., Callado, J. R., Ferraardan, D. R., and Chiou, W. L. 2012. trnL-F is Powerful Marker for DNA Applition of Field Vittarioid Gametophyte (Pteridaceae). *Annals. of Botany*, 111(4): 663-673
- Chen *et al.*, 2013. TrnL-F is a powerful marker for DNA identification of field vittarioid gametophytes (Pteridaceae). *Annals of Botany* 111: 663–673. doi:10.1093/aob/mct004
- Chase, M. W., and Fay, M. F. 2009. Barcoding of Plants and Fungi. *Science*, 325: 682–683.
- Chin, S. W., Shaw, J., Haberle, R., Wen, J., & Potter, D. (2014). Diversification of almonds, peaches, plums and cherries—molecular systematics and biogeographic history of *Prunus* (Rosaceae). *Molecular phylogenetics and evolution*, 76, 34-48.
- Chotimah HEN, Ichriani GI, Widyawati W, Anwar M, Prasetyo E, Ardianor. 2020. The cultivation of melon on swamp floating bed in Central Kalimantan, Indonesia. *Journal of Wetlands Environmental Management*. Vol 8(2):128-138. Doi: <http://.doi.org/10.20527/jwem.v8i2.244>
- Cintamulya, I. (2011). Analisis Variasi Genetik Varian Jati Arboretum dengan Penanda Mikrosatelit sebagai Bahan untuk Menyusun Buku Pengayaan Kajian Dasar-Dasar Molekuler Tumbuhan. *Disertasi tidak diterbitkan. Malang: Pascasarjana UM.*
- Cumming, M. P., Nugent, J. M., Olmstead, R. G. and Palmer, J. D. 2003. Phylogenetic Analysis Reveals Five Independent Transfer of the Chloroplast Gene *rbcL* to the Mitochondrial Genome in Angiosperms. *Curr Genet*, 43: 131- 138.
- Daryono, B. S., Supriyadi, & Sulaiman, T. N. . (2018). Pengembangan Gama Melon Parfum (*Cucumis melo* L. 'GMP') sebagai Bahan Baku Industri Kosmetik PT. Gizi Indonesia.
- Daryono, B.S. dan Maryanto, S.D. 2017. Keanekaragaman dan Potensi Sumber Daya Genetik Melon. Gadjah Mada University Press. Yogyakarta.
- de Vere, N, Rich T. C. G., Ford, C. R., Trinder, S. A., Long, C., Moore, C. W., Satterthwaite, D., Davies, H, Allainguillaume, J., Ronca, S., Tatarinova, T., Garbett, H., Walker, K., and Wilkinson, M. J. 2012. DNA Barcoding the Native Flowering Plants and Conifers of Wales. *PLoS ONE*, 7(6): 1-12.
- Dewi, C.L.H. 2012. Analisis Biomolekuler Gen Internal Transcribed Spacer (ITS) dalam Studi Filogenetik *Zingiber loerzingii* Valetton (Zingiberaceae). Skripsi. Departemen Biokimia FMIPA. Institut Pertanian Bogor. Bogor.
- Etisham, M. 2016. Polymerase Chain Reaction (PCR) : Back to Basics. *Indian Journal of Contemporary Dentistry* 4(2): 30-34
- Faatih, M. 2009. Isolasi Dan Digesti DNA Kromosom. *Jurnal Penelitian Sains & Teknologi*, 10(1): 61 – 67
- Fatchiyah, Arumingtyas, E. L., Widarti, S., dan Rahayu, S. 2011. Biologi Molekuler Prinsip Dasar Analisis. Penerbit Erlangga. Jakart

- Fazekas, Aron J., Burgess, Kevin S., Kesanakurti, Prased R., Graham, Sean W., Newmaster, Steven G., Husband, Brian C., Percy, Diana M., Hajibabaei, M., dan Barret, S.C.H. 2008. Multiple Multilocus DNA Barcodes from the Plastid Genome Discriminate Plant Species Equally Well. *Plos ONE*. 3(7): e2802.
- Geneaid. 2020. Geneaid TM Genomic DNA Extraction and Purification Protocol. Geneaid Biotech Ltd. <http://www.geneaid.com>
- Guimaraes IP, Dovale JC, Antonio RP, Aragao FAS. 2016. Interference of genotype-by-environment interaction in the selection of inbred lines of yellow melon in an agricultural cSenter in Mossoro-Assu, Brazil. *Acta Scientiarum Agronomy*.vol 38(1):51-59. DOI: <https://doi.org/10.4025/actasciagron.v38i1.26045>.
- Hajibabaei, M., Singer, G. A. C., Hebert, P. D. N., and Hickey, D. A. 2007. DNA Barcoding : How It complements Taksonomy, Molecular Phylogenetics and Population Genetics. *TRENDS in Genetics*, 23(4): 168-172
- Hall, B. G. 2018. Phylogenetic Tree Made Easy : A How-to Manual. Oxford University Press. Oxford.
- Hapsari, L. 2015. Keragaman dan Kekerbatan Genetik Pisang (Musa l.) di Jawa Timur berdasarkan sekuen daerah Internal Transcribed Spacer. Universitas Brawijaya. Malang.
- Hashim, A. M., Alatawi, A., Altaf, F. M., Qari, S. H., Elhady, M. E., Osman, G. H., & Abouseadaa, H. H. (2021). Phylogenetic relationships and DNA barcoding of nine endangered medicinal plant species endemic to Saint Katherine protectorate. *Saudi Journal of Biological Sciences*, 28(3), 1919-1930.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., and DeWaard, J. R. 2003. Biological Identifications through DNA Barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270: 313–321
- Hebert, P.D.N., Penton, E.H., Burns, J.M., Janzen, D.H., dan Hall-wachs, W. 2004. Ten Species in One: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proceedings of the National Academy of Sciences*. USA 101: 14812-14817.
- Hidayat T, Pancoro A. 2008. Kajian Filogenetika Molekuler dan Peranannya dalam Menyediakan Informasi Dasar untuk Meningkatkan Kualitas Sumber Genetik Anggrek. *Jurnal AgroBiogen*, 4: 35-40
- Hills, D. M., C. Moritz, and Mable, B. K. 1996. *Molecular Systematic*. Sinauer Associates. Sunderland
- Hilu, K.W. dan Liang, H. 1997. The matK Gene: Sequence Variation dan Application in Plant Systematics. *American Journal of Botany*. 84(6): 830-839.
- Henikoff, S., & Comai, L. (2003). Single-nucleotide mutations for plant functional genomics. *Annual Review of Plant Biology*, 54(1), 375-401.
- Dixit, R. (2015). Mutation—the engine of evolution: studying mutation and its role in the evolution of bacteria. *Cold Spring Harbor perspectives in biology*, 7(9), a018077.

- Hu, L., Zhao, Y., Yang, Y., Niu, D., & Yang, R. (2019). LSU rDNA D5 region: the DNA barcode for molecular classification and identification of *Demodex*. *Genome*, 62(5), 295-304.
- Hubert, N., and Hanner, R. 2015. DNA Barcoding, Species Delineation and Taksonomy: A Historical Perspective. *De Gruyter Open*, 3: 44–58
- Jarulis, J., Muslim, C., Kamilah, S. N., Utama, A. F., Permana, D., Sari, M. M., ... & Jannah, I. M. (2021). DNA barcode of Enggano hill myna, *Gracula religiosa enganensis* (Aves: Sturnidae) based on mitochondrial DNA cytochrome oxidase subunit I. *Biodiversitas Journal of Biological Diversity*, 22(4).
- Jing, Y., Jian-Hua, X., dan Shi-Liang, Z. 2011. New Universal matK Primers for DNA Barcoding Angiosperms. *Journal of Systematics and Evolution*. 49:176-181.
- Joshi, M., and Deshpande, J. D. 2010. Polymerase Chain Reaction : Methods, Principles and Application. *International Journal of Biomedical Research*, 1(5): 81-97
- Judd, WS, Campbell CS, Kellogg EA, Steven PF & Donoghue MJ. 1999. Plant systematics: a phylogenetic approach. *Ecologia mediterranea*, 25(2), 215.
- Kadri, K. (2019). Polymerase chain reaction (PCR): Principle and applications. *Synthetic Biology-New Interdisciplinary Science*, 1-17.
- Knebelberger, T., & Stöger, I. (2012). DNA extraction, preservation, and amplification. *DNA barcodes: methods and protocols*, 311-338.
- Kress, W.J., Wurdack, K.J., Zimmer, E.A., Weigt, L.A., dan Janzen, D.H. 2005. Use of DNA Barcodes to Identify Flowering Plants. *Proceeding of the National Academy of Science (PNAS)*. 102(23): 8369-8374.
- Kress, W.J. dan Erickson, D.L. 2007. A Two-Locus Global DNA Barcode for Land Plants: The Coding rbcL Gene Complements the Non-Coding trnH-psbA Spacer Region. *PLoS ONE*. 6(e508): 1-10.
- Kress, W. J. and Erickson, D.L. 2012. DNA Barcodes: Methods and Protocols. *Springer Protocol*, 858: 03-08.
- Kress, W.J., Garcia-Lobredo, C., Uriarte, M., dan Erickson, D.L. 2015. DNA Barcodes for ecology, evolution, and conservation. *Trends in Ecology and Evolution*. 30(1): 25-35.
- Kress WJ. Plant DNA barcodes: Applications today and in the future. *J Syst Evol*. 2017:55(4):291-307
- Kowalska, Z., Pniewski, F., & Latała, A. 2019. DNA barcoding—A new device in phycologist's toolbox. *Ecology & Hydrobiology*. vol.19(3): 417- 427.
- Kumar, S., and Gadagkar, S. R. Efficiency of the Neighbor-Joining Method in Reconstructing Deep and Shallow Evolutionary Relationships in Large Phylogenies. *Journal of Molecular Evolution*, 51:544–553.
- Kumar, S., Stecher, G., dan Tamura, K. 2021. MEGA11: Molecular Evolutionary Genetic Analysis Version 11 for Bigger Datasets. *Molecular Biology and Evolution*. 38(7): 3022-3027.
- Lewin, B. 2006. Essential Gene. Pearson Education, Inc. USA.

- Li FW, Tan BC, Buchbender V, et al. 2009. Identifying a mysterious aquatic fern gametophyte. *Plant Systematics and Evolution* 281: 77–86
- Li, Z., Huang, S., Liu, S., Pan, J., Zhang, Z., Tao, Q., ... & Cai, R. (2009). Molecular isolation of the M gene suggests that a conserved-residue conversion induces the formation of bisexual flowers in cucumber plants. *Genetics*, 182(4), 1381-1385.
- Liu, J., Moller, M., Gao, L.M., Zhang, D.Q., and Li, D.Z. 2011. DNA Barcoding for the Discrimination of Eurasian Yews (*Taxus* L., Taksaceae) and the Discovery of Cryptic Species. *Molecular Ecology Resources*, 11: 89-100.
- Lucas, C., Thangaradjou, T., & Papenbrock, J. (2012). Development of a DNA barcoding system for seagrasses: successful but not simple. *Plos one*, 7(1), e29987.
- Maia, V. H., Mata, C. S. D., Franco, L. O., Cardoso, M. A., Cardoso, S. R. S., Hemerly, A. S., & Ferreira, P. C. G. (2012). DNA barcoding Bromeliaceae: achievements and pitfalls. *PLoS One*, 7(1), e29877.
- Maryanto SD and Daryono BS. 2011. The Comparison of Melon (*Cucumis melo* L.) Phenotypic Characters among Melodi Gama 1, Gama Melon Basket, and Commercial Cultivars Using Multilocation and Multiseason Test In Indonesia. *Proceeding in Pasific Science Congress XXII*; 14-17 Juni 2011, Kuala Lumpur:p:164
- Maryanto, SD., Ranis, RE., & Daryono, BS. 2015. Stability Phenotypic Characters and The Scent of Gama Melon Parfum Cultivar. *IPTEK Journal of Proceedings Series*, 0(1). <https://doi.org/10.12962/j23546026.y2014i1.286>
- Maloukh, L., Kumarappan, A., Jarrar, M., Salehi, J., El-Wakil, H., & Rajya Lakshmi, T. V. (2017). Discriminatory power of rbcL barcode locus for authentication of some of United Arab Emirates (UAE) native plants. *3 Biotech*, 7, 1-7.
- Mello, I.C.T., Riberio, A.S.D., Dias, V.H.G., Silva, R., Sabino, B.D., Garrido, R.G., Seldin, L., dan Neto, R.S.de Moura. 2015. A Segment of rbcL Gene as a Potential Tool for Forensic Discrimination of Cannabis sativa Seized at Rio de Janeiro, Brazil. *International Journal of Legal Medicine*. 1170-1174.
- Moreno, L.R., Gonzales, V.M., Benjak, A., Marti, M.C., Puigdomenech, P., Aranda, M.A., dan Garcia-Mas, J.. 2011. Determination of the Melon Chloroplast and Mitochondrial Genome Sequences Reveals that the Largest Reported Mitochondrial Genome in Plants Contains a Significant Amount of DNA Having a Nuclear Origin. *BMC Genomis*. 12(424): 1471-2164.
- Newmaster, S. G., Fazekas, A, J. and Ragupathy, S. 2006. DNA Barcoding in Land Plants : Evaluation of rbcL in a Multigene Tiered Approach. *Canadian Journal of Botany*, 84: 335-341.
- Niu, Z., Xue, Q., Wang, H., Xie, X., Zhu, S., Liu, W., & Ding, X. (2017). Mutational biases and GC-biased gene conversion affect GC content in the plastomes of *Dendrobium* genus. *International journal of*

- molecular sciences*, 18(11), 2307.
- Pang, X., Liu, C., Shi, L., Liu, R., Liang, D., Li, H., ... & Chen, S. (2012). Utility of the trnH-psbA intergenic spacer region and its combinations as plant DNA barcodes: a meta-analysis. *PloS one*, 7(11), e48833.
- Pfenninger M, Nowak C, Kley C, Steinke D, Streit B. 2007. Utility of DNA taxonomy and barcoding for the inference of larval community structure in morphologically cryptic Chironomus (Diptera) species. *Molecular Ecology* 16: 1957–1968.
- Pierce, B. A. 2016. Genetics, A Conceptual Approach. W. H. Freeman & Company. New York
- Pompanon F, Deagle BE, Symondson WOC, Brown DS, Jarman SN, Taberlet P. 2012. Who is eating what: diet assessment using next generation sequencing. *Molecular Ecology* 21: 1931–1950.
- Puspaningtyas, D. 2014. Analisis Variasi Genetik Melon (*Cucumis melo* L. cv. Melodi Gama 3) dengan Random Amplified Polimorphic DNA. Skripsi. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Puspitaningrum, R., Adhiyanto, C., dan Solihin. 2018. Genetika Molekuler dan Aplikasinya. Penerbit DeePublish. Yogyakarta.
- Rahayu, D.A., dan Nugroho, E. D. 2015. Biologi Molekuler dalam Perspektif Konservasi. Plantaxia. Yogyakarta.
- Rahayu DA, Jannah M. 2019. DNA Barcode Hewan dan Tumbuhan Indonesia. In: Yayasan Inspirasi Ide Berdaya. p 1-165.
- Retnaningati, D. (2015). *Karakterisasi Fenotip Dan Molekular Melon (Cucumis Melo L.) Hikadi Berdasarkan Dna Barcode Gen matK* (Doctoral dissertation, Universitas Gadjah Mada).
- Sahu, S.K., Singh, R., dan Kathiresan, K. 2016. Multi-gene Phylogenetic Analysis Reveals the Multiple Origin and Evolution of Mangrove Physiological Traits Through Exaptation. *Estuarine, Coastal and Shelf Science*. 183(A): 41-51
- Saputri, A. P., Wibowo, W. A., & Daryono, B. S. (2020). Phenotypical Characters and Biochemical Compound of Cucurbitacin Melon (*Cucumis melo* L. 'Gama Melon Parfum') Resulted from Breeding. *AIP Conference Proceedings*, 2260. <https://doi.org/10.1063/5.0017615>
- Savolainen, V., Cowan, R. S., Vogler, A. P., Roderick, G. K., & Lane, R. (2005). Towards writing the encyclopaedia of life: an introduction to DNA barcoding. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360(1462), 1805-1811.
- Selvaraj, D., Sarma, R. K., & Sathishkumar, R. (2008). Phylogenetic analysis of chloroplast matK gene from Zingiberaceae for plant DNA barcoding. *Bioinformatics*, 3(1), 24.
- [Setiadi, Parimin.2001. Bertanam Melon. Jakarta:Penebar Swadaya. pp96.](#)
- [Silvianti E, Achmad SH, Gusmadi D. 2021. Pemanfaatan kulit melon sebagai substitusi tepung dan isian krim pada éclair 2020. E-Proceeding of Applied and Science. Vol 7\(5\) Oktober 2021. pp 1639-1647.](#)
- Sobir, F., & Siregar, D. (2010). Budidaya melon unggul. *Penebar Swadaya. Jakarta. Hal*, 10-11.

- Soltis, P. S., & Soltis, D. E. (2003). Applying the bootstrap in phylogeny reconstruction. *Statistical Science*, 256-267.
- Sumarlina, 2018. Karakterisasi Molekular Melon (*Cucumis melo* L.) Grup 'Tacapa' berdasarkan Multiple Multilocus DNA Barcodes. Tesis. Fakultas Biologi UGM. Yogyakarta.
- Sunadra IK, Mudra NLKS, Wirajaya AGN, Yuliantini MS, Kartini L, Udayana IGB, Mahardika IBK. 2019. Response to growth and yield melon plant (*Cucumis melo* L.) in the giving of rabbit urine and KNO₃. *Sustainable Environment Agriculture Science*. Vol 03(02): 106-112. Doi:<http://dx.doi.org/10.22225/seas.3.2.1490.1-7-112>.
- Taberlet P, Gielly L, Pautou G, Bouvet J. 1991. Universal primers for amplification of three noncoding regions of chloroplast DNA. *Plant Molecular Biology* 17: 1105–1109.
- TalleI, T. E., & Kolondam, B. J. (2015). DNA barcoding of Sangihe Nutmeg (*Myristica fragrans*) using matK gene. *HAYATI Journal of Biosciences*, 22(1), 41-47.
- Tanaka, K., Akashi, Y., Fukunaga, K., Yamamoto, T., Aierken, Y., Nishida, H., ... & Kato, K. (2013). Diversification and genetic differentiation of cultivated melon inferred from sequence polymorphism in the chloroplast genome. *Breeding science*, 63(2), 183-196.
- Tao, W., Zou, M., Wang, X., Gan, X., Mayden, R. L., & He, S. (2010). Phylogenomic analysis resolves the formerly intractable adaptive diversification of the endemic clade of east Asian Cyprinidae (Cypriniformes). *PLoS One*, 5(10), e13508.
- Teare, J.M., R. Islam, R. Flanagan, S. Gallagher, M.G. Davies, dan C. Grabau. 1997. Measurement of Nucleic Acid Concentrations Using the DyNA QuantTM and the GeneQuantTM. *BioTechniques*. 22(6) : 1170-117
- Techen, N., Parveen, I., Pan, Z., dan Khan, I.A. 2014. DNA Barcoding of Medicinal Plant Material for Identification. *Current Opinion in Biotechnology*.25(103): 103-110.
- Tjitrosoepomo, G. 1991. Taksonomi Tumbuhan (Spermatophyta). Gadjah Mada University Press. Yogyakarta
- Walters SA, Abdelaziz M, Bouharroud R. 2021. Local melon and watermelon crop populations to moderate yield responses to climate change in North Africa. *Climate*. Vol 9(8): 1-13. Doi: <https://doi.org/10.3390/cli9080129>.
- Wang, Y., Chinnathambi, A., Nasif, O., and Alharbi, S. 2021. Green Synthesis and Chemical Characterization of a Novel Anti-human Pancreatic Cancer Supplement by Silver Nanoparticles containing Zingiber officinale Leaf Aqueous Extract. *Arabian Journal of Chemistry*, 14(4):1-12.
- Wattoo, J.I., Saleem, M. Z., Shahzad, M. S., Arif, A., Hameed, A., and Saleem, M. A. 2016. DNA Barcoding: Amplification and Sequence Analysis of rbcL and matK Genome Regions in Three Divergent Plant Species. *Adv. Life Sci*, 4(1): 03- 07.
- Wibowo, W. A., Maryanto, S. D., & Daryono, B. S. (2021). Phenotypic

- characters and identification cyps (Cyclophilin) gene in *Cucumis melo* L. 'Gama Melon Parfum'. *Biodiversitas*, 22(6), 3007–3014.
<https://doi.org/10.13057/biodiv/d220601>
- Widaryawanto E, Wicaksono KP, Najiyah H. 2017. Drought Effect Simulation on the Growth and Yield Quality of Melon (*Cucumis melo* L.). *Journal of Agronomy*. Vol 16(4):147-153. Doi: <https://doi.org/10.3923/ja.2017.147.153>.
- Vassou, S.L., Kusuma, G., dan Parani, M. 2015. DNA Barcoding for Species Identification from Dried and Powdered Plant Parts: a case study with authentication of the raw drug market samples of *Sida cordifolia*. *Gene*. 559(1): 86-93.
- Vassou, S. L., Nithaniyal, S., Raju, B., & Parani, M. (2016). Creation of reference DNA barcode library and authentication of medicinal plant raw drugs used in Ayurvedic medicine. *BMC complementary and alternative medicine*, 16(1), 9-15.
- Vijayan, K. dan Tsou, C.H. 2010. DNA Barcoding in Plants: taxonomy in perspective. *Current Science*. 99 (11): 1530-1541.
- Xiong, J. 2006. *Essential Bioinformatics*. Cambridge University Press. New York.
- Yang, T., Zhang, T., Guo, Y., dan Liu, X. 2017. Testing Eight Barcoding Markers for Potamogeton Species at Intraspecific Levels. *Aquatic Botany*. 137: 5664.
- Yekti A, Darwanto DH, Jambar I, Hartono S. 2017. Technical Efficiency of wet season melon farming. *Journal of Economics and Policy*. Vol 10(1):12-29. Doi:<http://dx.doi.org/10.15294/jejak.v10i1.9124>.
- Youssef, M., Valdez-Ojeda, R., Ku-Cauich, J. R., & Medrano, R. M. E.-G. (2015). Enhanced Protocol for Isolation of Plant Genomic DNA. *Journal of Agriculture and Environmental Sciences*, 4(2).
<https://doi.org/10.15640/jaes.v4n2a20>
- Yuwono, T. 2010. *Biologi Molekular*. Erlangga. Jakarta
- Zhang, Li-Bing, M. P. Simmons, A. Kocyan, and S. S. Renner. 2006. Phylogeny of the Cucurbitales based on DNA sequences of nine loci from three genomes: Implications for morphological and sexual system evolution. *s39 (2006) 305-322*. Colorado. USA.
- Zubaidah, S. (2011). *Integrasi Pendekatan Morfologi dan Molekuler DNA (Deoxyribonucleic Acid) dalam Taksonomi*. Pidato Pengukuhan Guru Besar dalam bidang Ilmu Genetika pada FMIPA Universitas Negeri Malang.