

DAFTAR PUSTAKA

- Abobakr, S. M., Abdo, N. I., and Mansour, R. A., 2020, Remediation of Contaminated Water With Crystal Violet Dye by Using Magnetite Nanoparticles: Synthesis, Characterization and Adsorption Mechanism Studies, *J Environ Stud.*, 6(1): 10.
- Adel, Fisli., Anis, Ariyani., Siti, Wardiyati., dan Saeful, Yusuf., 2012, Adsorben Magnetik Nanokomposit karbon aktif untuk menyerap Thorium, *Indones. J. Sci. Technol.*, 13(3), 191-197.
- Ahdiaty, R., 2022, Adsorpsi Anion dalam Air dengan nanokomposit Magnetit Fe₃O₄/Karbon Aktif, *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Islam Indonesia, Yogyakarta.
- Ajinkya, N., Yu, X., Kaithal, P., Luo, H., Somani, P., and Ramakrishna., 2020, Magnetic Iron Oxide Nanoparticle (IONP) Synthesis To Applications, *J. Mater. Sci.*, 20, 1-35.
- Alfarisi, F., 2017, Sintesis dan Karakterisasi Karbon Aktif dari Tandan Pisang Dengan Menggunakan Aktivator KOH untuk Adsorpsi Fenol, *Skripsi*, Fakultas Kimia FMIPA Universitas Islam Indonesia, Yogyakarta.
- Alimaraji, S., Zamanian, A. and Sohrabijan, Z., 2015, Characterization and Synthesis of Magnetite Nanoparticles by Innovative Sonochemical Method, *Procedia Mat. Sci.*, 11, 265-269.
- Amodu O., Ojumu, T. V., Ntwampe, S. K. N., and Ayanda, O. S. A., 2015, Rapid Adsorption of Crystal Violet Onto Magnetic Zeolite Synthesized From Fly Ash and Magnetite Nanoparticles, *J. Encapsulation Adsorpt. Sci.*, 5, 191.
- Anonim., (2020), Badan Pusat Statistik, Indonesia.
- Apriyanti, H., Candra, I. N., dan Elvinawati., 2018, Karakteristik Isoterm Adsorpsi dari Ion Logam Besi (Fe) pada Tanah di Kota Bengkulu, *J. Ris. Praktik pendidik. Kim.*, 2(1), 14-19.
- Asad, S., Amoozegar, M. A., Pourbabae, A. A., Sarbolouki, M. N., and Dastgheib, S., 2007, Decolorization of Textile Azo Dyes by Newly Isolated Halophilic and Halotolerant Bacteria, *Bioresour. Technol.*, 98, 2082 - 2088.
- Astuti, Widi., Handayani, A. D., dan Wulandari, Diah., 2018, Adsorpsi Methyl Violet oleh Karbon Aktif dari Limbah Tempurung Kelapa dengan Aktivator ZnCl₂ menggunakan Pemanasan Gelombang Mikro, *J-RKL.*, 13(2), 189-200.
- Atkins, P. W., De Paula, J., and Keeler, J., 2018, *Atkins' Physical Chemistry*, 11th Ed. Oxford University Press, Oxford.
- Ayed, L., Chaieb, K., Cheref, A., and Bakhrouf A., 2008, Biodegradation of Triphenylmethane Dye Malachite Green by *Sphingomonas paucimobilis*, *World J. Microbiol. Biotechnol.*, 25, 705-711.

- Bertolini, T. C. R., Izidoro, J. C., Magdalena, C. P., and Fungaro, D. A., 2013, Adsorption of Crystal Violet Dye from Aqueous Solution Into Zeolites from Coal Fly and Bottom Ashes, *Electron. J. Chem.*, 5 (3), 179-191.
- Bonetto, L.R., Ferrarini, F., DeMarco, C., Crespo, J. S., Guegan, R., and Giovanella, M., 2015, Removal of Methyl Violet 2B Dye from Aqueous Solution Using A Magnetic Composite as an Adsorbent, *J. Water Proc. Eng.*, 6, 11-20.
- Calister., and D, William., 2007, *Material Science and Engineering an Intruction*, Jhon Wiley and Sns Inc, New York.
- Castellan, GW., 1982, *Phyysical Chemistry, 3 rd*, General Graphic Service, New York.
- Chakraborty, S., Chowdhury, S., and DasSaha, P., 2011, Adsorption of Crystal Violet from Aqueous Solution Onto NaOH-Modified Rice HusK, *Carbohydr.Polym.*, 86, 1533-1541.
- Chan, C., 2004, *Analytical Method Validation and Instrument Performance Verification*, John Wiley & Sons, Canada.
- Companion, Audrey L., 1991, *Ikatan Kimia dalam Kimia Anorganik Dasar*, Universitas Indonesia, Jakarta.
- Coroci, L., Ferrario, V., Pellis, A., Ebert, C., Lotteria, S., Cantone, S., and Voinovich, D., 2016, Large Scale Aplications of Immobilized Enzymes Call for Suistainble and Inexpensive Solution, *RSC. Adv.*, 6, 63256-63270.
- Cullity, B.D., 1972, *Introduction to magnetite Materials Addison*, Wesley Publishing Company, London.
- Das, M. K. S., and Satapathy, P., 2014, Optimization of Crystal Violet Dye Removal Using Novel Soil-Silver Nanocomposite as Nanoadsorbent Using Response Surface Methodology, *J. Environ. Chem. Eng.*, 2, 708.
- El-kharrag, R., Amin, A., and Greish, Y. E., 2011, Low Temperature Synthesis of Monolithic Mesoporous Magnetite Nanoparticles. *Ceram. Int.*, 38(1), 627-634.
- Esmaili, N., Pirbazari, A.E. and Khodae, Z., 2018, Visible-Light Active and Magnetically Recyclable Ag-Coated Fe₃O₄/TiO₂ Nanocomposites for Efficient Photocatalytic Oxidation of 2,4-dichlorophenol, *Desalin, Water Treat.*, 114, 251–264.
- Esrafil, A., Bagheri, S., Kermani, M., Gholami, M., and Moslemzadeh, M. (2019). Simultaneous adsorption of heavy metal ions (Cu²⁺ and Cd²⁺) from aqueous solutions by magnetic silica nanoparticles (Fe₃O₄@SiO₂) modified using edta. *Desalination Water Treat.*, 158, 207–215. <https://doi.org/10.5004/dwt.2019.24274>.
- Fabryanty, R., Valencia, C., Soetaredjo, F. E., Putro, J. N., Santoso, S. P., Kurniawan, A., Ju, Y. H., and Ismadji, S., 2017, Removal of Crystal Violet Dye by Adsorption Using Bentonite -Alginate Composite, *J. Environ. Chem. Eng.*, 5, 5677-5687.

- Faiyas, A. P. A., Vinod, E. M., Joseph, J., Ganesan, R., and Pandey, R. K., 2010, Dependence of pH Surfactant Effect in The Sythesis Of Magnetite Nanoparticles And Its PropertieS, *J. Magn. Mater.*, 322(4), 400-404.
- Farooq, U., Khan, A. M., Athar, M., and Kozinski, J. A., 2011, Effect of Modification of Environmentaly Friendly Biosorbent Wheat (*Triticum aestivum*) on The Biosorptive Removal of Cadmium (II) Ions from Aqueous Solution, *Eng. J.*, 171, 400-410.
- Foroutan, R., Peighambardoust, S. J., Peighambardoust, S. H., Pateiro, M., and Lorenzo, J. M., 2021, Adsorption of Crystal Violet Dye using Activated Carbon of Lemon Wood and Activated Carbon/Fe₃O₄ Magnetic Nanocomposite from Aqueous Solution: A kinetic, Equilibrium and Thermodynamic Study, *Molecules.*, 2241
- Gholami, M., Vardini, M. T., and Mahdavinia, G. R., 2016, Investigation of the Effect of Magnetic Particles on Crystal Violet Adsorption Onto a Novel Nanocomposite Based on K-Carrageenan-g-Poly(methacrylic Acid), *Carbohydr. Polym.*, 136, 772-781
- Hamdaoui, O., and Chica, M., 2007, Removal of Methylene Blue from Aqueous Solutions by Wheat Bran, *Acta. Chem. Slov.*, 54, 407-418.
- Hamidzadeh, S., Torabbeigi, M., and Shahtaheri, S. J., 2015, Removal of Crystal Violet form Water by Magnetically Modified Activated Carbon and Nanomagnetic Iron Oxide, *J. Environ. Health Sci. Eng.*, 13, 8-14.
- Hariani, P. L., Faizal, M., Ridwan, Marsi, and Setiabudidaya, D. (2018). Removal of Procion Red MX-5B from songket's industrial wastewater in South Sumatra Indonesia using activated carbon-Fe₃O₄ composite. *SER.*, 28(4), 158–164. <https://doi.org/10.1016/j.serj.2018.01.004>.
- Ho, Y. S., 2006, Review of Second-Order Models for Adsorption System, *J. Hazard. Mater.*, 136, 681-689.
- Intan , Lestari., Eko, Prasetyo., dan Diah, R. G., 2021, Penggunaan Karbon Aktif Magnetit Sebagai Penyerap Zat Warna Remazol Yellow, *J. BiGME*, 1(1), 29-37.
- Irawati, H., Aprilita, N. H., and Sugiharto, E., 2018, Adsorption of Crystal Violet Dye using The Cassava Peel Waste, *J. Nat. Sci. Math.*, 25, 17-31.
- Jalil, A. A., Triwahyono, S., Yaakob, M., Azmi, Z., Sapawe, N., Kamarudin, N., Setiabudi, H., Jaafar, N., Sidik, S., and Adam., 2012, Utilization og Bivalve Shell-Reated Zea Mays L. (maize) Husk Leaf as a Low-Cost Biosorbent for Enhanced Adsorption of Malachite Green, *Bioresour. Technol.*, 120, 218-224.
- Junus, S., 2011, *Komposit Proses, Fabrikasi dan Aplikasi*, Jember University Press, Jember.
- Kannan, N. and Veemaraj, T., 2010, Batch Adsorption Dynamics and Equilibrium Studies for The Removal of Cd(II) Ions from Aqueous Solution Using Jack Fruit Seed and Commercial Activated Carbons, *J. Environ. Argic. Food Chem.*, 9, 327-336.

- Karla, L. L., Hanna, L., Jessica, A. S., Juliana, A. T., Fransisco, G. E., Victor, A. A., Keyler, B. B., and Maria, C. S., 2021, Nanomagnets based on activated carbon/magnetite nanocomposite for determination of endocrine disruptors in environmental water samples, *Microchem. J.*, 168, 1-10.
- Khumbar, P., Narale, D., Bhosale, R., Jambhale, C., Kim, Jin-Hyeok., and Kolekar., 2022, Synthesis of tea waste/Fe₃O₄ magnetic composite (TWMC) for efficient adsorption of crystal violet dye: Isotherm, Kinetic and Thermodynamic studies, *J. Environ. Chem. Eng.*, 107893
- Kirk, 1964, *Encyclopedia Of Chemical Technology*, J. Wiley, New York.
- Kraus, A., Jainae, K., Unob, F., and Sukpirom, N., 2009, Synthesis of MPTS Modified Cobalt Ferrite Nanoparticles and Their Adsorption Properties in Relation to Au(III), *J. Colloid Interface Sci.*, 338, 359-365.
- Kumar, P.S., Ramalingam, S., Sathyaselvabala, V., Kirupha, S.D., Murugesan, A., and Sivanesan, S., 2012, Removal of Cadmium(II) from Aqueous Solution by Agricultural Waste Cashew Nut Shell, *Korean J. Chem. Eng.*, 29(6), 756-768.
- Kumari, H. J., Krishnamoorthy, P., Arumugam, T. K., Radhakrishnan, S., and Vasudevan, D., 2017, An efficient removal of crystal violet dye from waste water by adsorption onto TLAC/Chitosan composite: a novel low cost adsorbent, *Int. J. Biol. Macromol.* 96, 324-333.
- Kunarti, S. E., Endang., Wahyuni., dan Feri, E. H., 2009, Pengujian Aktivitas Komposit FezOr-SiOz Sebagai Fotokatalis pada Fotodegradasi 4-Klorofenol, *J. Mns. Lingk.*, 1, 54-64.
- Lakhanpal, S., Dhulia, A., and Ganguly, R., 2021, Magnetite Coated Sand Adsorbent for Cr(VI) Removal from Synthetic and Pharmaceutical Wastewater: Adsorption Isotherm and Kinetics, *Arab. J. Geosci.*, 14(12), 1-15.
- Lan, X., Jiang., Song., Jing., and Xing., 2019, The Effect of Activation Temperature on Structure and Properties of Blue Coke-Based Activated Carbon by CO₂ Activation, *Green Process. Synth.*, 1, 837-845.
- Lasheen, M. R., El-Sherif, I.Y., Tawfik, M. Y. E., El-Wakeel, S. T., and El-Shahat, M. F., 2016, Preparation and Adsorption Properties of Nano Magnetite Chitosan Films for Heavy Metal Ions from Aqueous Solution, *Mater. Res. Bull.*, 80 . 344-350.
- Lubis, R. A. F., Nasution, H. I., & Zubir, M. (2020). Production of Activated Carbon from Natural Sources for Water Purification. *Indonesian Journal of Chemical Science and Technology (IJCST)*, 3(2), 67.
- Lynam, M. M., Kilduff, J. E., and Weber, W. J. Jr., 1995, Adsorption of p-nitrophenol from Dilute Aqueous Solution, *J. Chem Edu.*, 72, 80-84.
- Mahdevi, M., M. Bin Ahmad, F. Namvar., B. Nadi., M. Z. Abraha., and J. Amin., 2013, Synthesis, Surface Modification And Characterisation Of Biocompatible Magnetic Iron Oxide Nanoparticles For Biomedical Application, *Int. J. Mol. Sci.*, 18(7), 7533-7548.

- Mahmoud, M. E., Nabil, G. M., Khalifa, M. A., El-Mallah, N. M., and Hassouba, H. M., 2019, Effective Removal of Crystal Violet and Methylene Blue Dyes from Water by Surface Functionalized Zirconium Silicate Nanocomposite, *J. Environ. Chem.*, 103009.
- Malega, F., Indrayana, I. P. T., and Suharyadi, E., 2018, Synthesis and Characterization of the Microstructure and Functional Group Bond of Fe₃O₄ Nanoparticles from Natural Iron Sand in Tobelo North Halmahera, *JIPF Al-Biruni.*, 7(2), 129.
- Maleki, S., Falaki, F., and Karimi, M., 2019, Synthesis of SDS Micelles-Coated Fe₃O₄ - Magnetic Nanoparticles as an Excellent Adsorbent for Facile Removal and Concentration of Crystal Violet From Natural Water Samples, *J Nanostructure Chem.*, 9, 129-139.
- Mall, I. D., Srivastava, V. C., and Agarwal, N. K., 2006, Removal of Orange-G and Methyl Violet Dyes by Adsorption Onto Bagassefly Ash-Kinetic Study and Equilibrium Isotherm Analyses, *J. Dyes Pigm.*, 69, 210-223.
- Mani, S., and Bharagava, R. N., 2016, Exposure to Crystal Violet, Its Toxic, Genotoxic and Carcinogenic Effect on Environment and Its Degradation and Detoxification for Environmental Safety, *Rev. Environ. Contam. Toxicol.*, 237, 71-104.
- Mascolo, M.C., Y. Pei., and T.A. Ring., 2013, Room Temperature Co-Precipitation Synthesis of Magnetite Nanoparticles in a Large pH Window with Different Bases, *J. Mater.*, 6(12), 5549-5567.
- Mimura, A.M.S., Vieira, T.V.A., Martelli, P.B., and Gorgulho, H.F., 2010, Utilization of Rice Husk to Remove Cu²⁺, Al³⁺, Ni²⁺ and Zn²⁺ from Wastewater, *Quim. Nova.*, 33, 1279-1284.
- Mittal, A., Malviya, D., Kaur., and V. K. Gupta., 2010, Adsorption of Hazardous Dye Crystal Violet from Wastewater by Waste Materials, *J. Colloid Interface Sci.*, 343, 463-473.
- Mohamed, S. K., Hegazy, Sh. H., Abdelwahab, N. A., and Ramadan, A. M., 2018, Coupled Adsorption-Photocatalytic Degradation of Crystal Violet Under Sunlight Using Chemically Synthesized Grafted Sodium Alginate/ZnO/Graphene Oxide Composite, *J.Biol. Macromol.*, 108, 1185-1198.
- Mohammed, Danish., Zhou, Pin., Lou, Ziyang., Tanweer, Ahmad., Ahahnaz, Majeed., Ahmad, N. A., Waheed, A. K., dan H.P.S, and Abdul khalil., 2022, Preparation and Characterization of Banana Trunk Activated Carbon Using H₃PO₄ Activation: A Rotatable Central Composite Design, *J. Mater. Chem. Phys.*, 282, 1-16.
- Mohanty, S., Moulick, S., and Maji, S. K., 2020, Adsorption/Photodegradation of Crystal Violet (Basic Dye) from Aqueous Solution by Hydrothermal Synthesized Titanate Nanotube (TNT), *J. Water Process Eng.*, 37, 101428.
- Muna, A.N., 2011, Kinetika Adsorpsi Karbon Aktif Dari Batang Pisang Sebagai Adsorben Untuk Penyerapan Ion Logam Cr(VI) Pada air Limbah Industri, *Skripsi Kimia (FMIPA UNNES)*.

- Oladipo, A.A., and M. Gazi., 2014, Enhanced Removal of Crystal Violet by low Cost Alginate/Acid Activated Bentonite Composite Beads: Optimization and Modelling Using Non-Linear Regression Technique, *J. Wat. Proc. Eng.*, 2, 43-52.
- Oscik, J., and I. L. Cooper., 1982, *Adsorption*, Ellis Horwood Ltd, Chichester.
- Pavia, D. L., G.M. Lampman., G.S. Kriz., and J. R. Vyvyan., 2001, *Introduction to Spectroscopy*, 4th ed. Cengage Learning, Canada.
- Peternele, W. S., Monge Fuentes, V., Fascineli, M.L., Rodrigues da Silva, J., Silva, R. C., Lucci, C. M., and Bentes de Azevedo, R., 2014, Experimental Investigation Of The Co-Precipitation Method: An Approach To Obtain Magnetite And Maghemite Nanoparticles With Improved Properties, *J. Nanomater.*, (1), 1-10.
- Pizarro, C., Rubio, M. A., Escuday, M., Albornoz, M. F., Munoz, D., Denardin, J., and Fabris, J. D C., 2015, Nanomagnetite-Zeolite Composites in the Removal of Arsenate from Aqueous Systems, *J.Braz. Chem. Soc.*, 26, 1887-1896.
- Prasetyoko, D., 2001, Pengoptimuman Sintesis Zeolit Beta daripada Silika Abu Sekam Padi Pencirian dan Tidak Balas Pemangkinan Friedel Craft, *Tesis.*, Johor Baru: Universitas Teknologi Malaysia.
- Priatmoko, Sigit., dan Cahyono., 1995, *Struktur dan Pembuatan Arang Aktif*, Media Pendidikan Mipa, Semarang.
- Qu, R., Sun, C., Wang, M., Ji, C., Xu, Q., Zhang, Y., Wang, C., Chen, H., and Yin, P., 2009, Adsorption of Au(III) from Aqueous Solution Using Cotton Fiber/Citosan Composite Adsorbent, *hydrometallurgy.*, 100(1-2), 65-71.
- Rahimah, Fadli., A. Yemilda., Nurfajriani., and Zakwan., 2019, Synthesis and Characterization Nanomagnetite by Co-Precipitation, *IJPST.*, 2(2), 90-96.
- Rajabi, A. A., Yamini, Y., Faraji, M., and Nourmohammadian, F., 2016, Modified Magnetite Nanoparticles with Cetyltrimethylammonium Bromide as Superior Adsorbent for Rapid Removal of the Disperse Dyes from Wastewater if Textile Companies, *Nano. Chem. Res.*, 1, 49-56.
- Ravindran, R., and Jaiswal, A. K., 2016, Exploitation of Food Industry Waste for High-Value Products, *Trends Biotechnol.*, 34(1), 58-69.
- Rivani, D. A., Retnosari, I., Kusumandari., and Saraswati, T. E., 2019, Influence of TiO₂ Addition on the Magnetic Properties of Carbon-Based Iron Oxide Nanocomposites Synthesized Using Submerged Arc-discharge, *IOP Conf. Ser. Mater. Sci. Eng.*, 509.
- Ruthven, D.M., 1984. *Principle of Adsorption and Adsorption Process*. John Wiley dan sons: New York, 124-141.
- Saha, P.D., Chakraborty, S., and Chowdhury, S., 2012, Batch and Continuous (Fixed-Bed Column) Biosorption of Crystal Violet by *Artocarpus heterophyllus* (Jackfruit) Leaf Powder, *Colloid. Surface. B.*, 92, 262–270.

- Saksornchai, E., J. Kavinchai., S. Thongtem., and T. Thongtem., 2018, Simple Wet-Chemical Synthesis of Superparamagnetic CTAB-Modified Magnetite Nanoparticles Using As An Adsorbent for Anionic Congo Red Dye Treatment, *Mater. Lett.*, 213, 138-142.
- Sanjaya, A. S., dan R. Agustine., 2015, Studi Kinetika Adsorpsi Pb Menggunakan Arang Aktif dari Kulit Pisang, *J. Konversi* ., 1, 17-24.
- Sarma, G. K., Gupta, S. S., and Bhattacharyya, K.G., 2016, Adsorption of Crystal Violet on Raw and Acid-Treated Montmorillonite, K10, in Aqueous Suspension, *J. Environ.Manag.*, 171, 1-10.
- Schwertmann, U., and R. M. Cornell., 2000, *Iron Oxides in The Laboratory*, VCH Verlagsgesell, Weinheim.
- Schiere, J. B., and M. N. M Ibrahim., 1989, Feeding of Urea Ammonia Ureated Rice Straw, A Compilation of Miscellaneous Reports Produced by the Straw Utilization Project (Sri Langka). Pudoc, Centre for Agricultural Publishing Documentation, Wageningen.
- Shah , M. P., Patel, K. A., Nair, S. S., and Darji, A. M., 2013, Microbiological Removal of Crystal Violet Dye by Bacillus Subtilis ELT-2211, *OA Biotechnol.*, 2(2), 199-211.
- Shirani, M., Semnani., Haddadi, H., and Habibollahi, 2014, Optimization of Simultaneous Removal of Methylene Blue, Crystal Violet and Fuchsine from Aqueous Solutions by Magnetic NaY Zeolite Composite, *Water Air Soil Pollut.*, 225:2054.
- Shofa., 2012, Pembuatan Karbon Shirani, M., Semnani, A., Haddadi, H., and Habibollahi, S., 2014, Optimization of Simultaneous Removal of Methylene Blue, Crystal Violet, and Fuchsine From Aqueous Solutions by Magnetic NaY Zeolite Composite., *Water, Air and Soil Pollut.*, 225 (8), 2054.
- Silva, M. C., Spessato, L., Silva, T. L., Lopes, G. K. P., Zanella, H. G., Yokoyama, J. T. C., Cazetta, A. L., and Almeida, V. C., 2021, H₃PO₄-Activated Carbon Fibers of High Surface Area From Banana Tree Pseudo-Stemfibers: Adsorption Studies of Methylene Blue Dye in Batch and Fixed Bed System, *J. Mol. Liq.*, 324.
- Sugumaran, P., Susan, V. P., Ravichandran, P., and Seshadri, S., 2012, Production and Characterization of Activated Carbon from Banana Empty Fruit Bunch and Delonix Regis Fruit Pod. *J.Environ. Prog. Suistain. Energy.*, 3, 125-132.
- Supraptiah, E., Ningsih, A. S., dan Hilwatulisan, H., 2019, Kinetika Adsorpsi Mn dengan Memanfaatkan Bottom Ash Batubara Pada Larutan Artifisial KMnO₄, *Prosiding SENIATI.*, 5(1), 220-227.
- Taftazani, A., 2017, Comparison of NAA XRF and ICP-OES Methods on Analysis of heavy metals in coals and combustion residues, *Indones. J. Chem.*, 17(2), 228-273.

- Tajabadi., dan Khosroshahi., 2012, Effect of Alkaline Media Concentration and Modification of Temperature on Magnetite Synthesis Method Using $\text{FeSO}_4/\text{NH}_4\text{OH}$, *Int. J. Chem. Eng. Appl.*, 3(3), 206-210.
- Tan, Qiong., Jia, Xinyu., Dai, Rui., Chang, Haiqing., Woo, M. W., and Chen, Hui., 2023, Synthesis of a Novel Magnetically Recyclable Starch-Based Adsorbent for Efficient Adsorption of Crystal Violet, *Sep. Purif. Technol.*, 320, 124157.
- Tanasale, M., Killay, A., dan Laratmase, M., 2012, Kitosan dari Limbah Kulit Kepiting Rajungan (*Portunus sanguinolentus* L.) Sebagai Adsorben Zat Warna Biru Metilena, *J. Nat. Ind.*, 14(2), 165-171.
- Tazar, S., and Ozer, A., 2019, A Thermodynamic and Kinetic Evaluation of the Adsorption of Pb(II) Ions Using Peanut (*Arachis Hypogaeae*) Shell-Based Biochar from Aqueous Media, *Pol. J. Environ. Stud.*, 29(1), 293-305.
- Tsao, G. T., M. Ladisch., C. Ladisch., T. A. Hsu., B. Dale and T. Chou., 1978 Fermentation Substrates From Sugars From Cellulosic Material. *In*: Pearlman, D. and G.T. Tsao (Editors). Annual Reports on Fermentation Process. Academic Press, New York. 2: 1-21.
- Veptiyan, E. D., Apriani, M., & Mayangsari, N. E. (2019). Pengaruh Waktu Delignifikasi terhadap Karakteristik Selulosa dari Daun Nanas dan Jerami. National Conference Proceeding on Waste Treatment Technology, 2623, 59– 63.
- Yusoff, A. H. M., Salimi, M. N., and Jamlos , M. F., 2017, Synthesis and Caraceterization of Biocompatible Magnetite Nanoparticles at Different pH, *AIP conf. Proc.*, 1835, 1-5.
- Zakaria, Z., 2004, The Development of Adsorbent Based Natural Gas Storage for Vehicle Aplication, *Thesis*, University Teknologi Malaysia, Malaysia.
- Zhang, L. M., Zhou, Y. J., and Wang, Y., 2006. Novel Hydrogel Composite for the Removal of Water-Soluble Cationic Dye, *J. Chem. Technol. Biotechnol.*, 81, 799-804.
- Zheng, L., Dang, Z., Yi, X., and Zang, H., 2010, Equilibrium and Kinetic Studies of Adsorption of Cd (II) from Aqueous Using Modified Corne Stalk, *J. Hazard. Mater.*, 176, 650-656.
- Zhou, Y., Zhang, M., Wang, X., Huang, Q., Min, Y., Ma, T., and Niu, J., 2014, Removal of Crystal Violet By a Novel Cellulose-Based Adsorbent: Comparison with Native Cellulose, *Ind. Eng. Chem. Res.*, 53, 5498-5506.