UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abd Hamid, H., Sileshi Zeyohannes Roziasyahira M, S., & Yusoff, M. M. (2016). Rhodomyrtus tomentosa: a phytochemical and pharmacological review. Asian Journal of Pharmaceutical and Clinical Research, 10(1), 10. https://doi.org/10.22159/ajpcr.2017.v10i1.12773

Abrar, A., Tsukahara, T., Kondo, M., Ban-Tokuda, T., Chao, W., & Matsui, H. (2015). Effect of monensin withdrawal on rumen fermentation, methanogenesis and microbial populations in cattle. Animal Science Journal, 86(9), 849–854. https://doi.org/10.1111/asj.12368

Agarwal, S., & Mehrotra, R. (2016). An overview of molecular simulation. JSM Chemistry, 4(2), 1024–1028.

Ahvanooei, M. R. R., Norouzian, M. A., Piray, A. H., Vahmani, P., & Ghaffari, M. H. (2023). Effects of monensin supplementation on rumen fermentation, methane emissions, nitrogen balance, and metabolic responses of dairy cows: a systematic review and dose–response meta-analysis. Journal of Dairy Science. 10(10). https://doi.org/10.3168/jds.2023-23441

Antonius, A., Pazla, R., Putri, E. M., Negara, W., Laia, N., Ridla, M., Suharti, S., Jayanegara, A., Asmairicen, S., Marlina, L., & Marta, Y. (2023). Effectiveness of herbal plants on rumen fermentation, methane gas emissions, in vitro nutrient digestibility, and population of protozoa. Veterinary World. 1477–1488. https://doi.org/10.14202/vetworld.2023.1477-1488

Baaske, L., Gäbel, G., & Dengler, F. (2020). Ruminal epithelium: a checkpoint for cattle health. Journal of Dairy Research. 87(3): 322–329. https://doi.org/10.1017/S0022029920000369

Bach, A., Calsamiglia, S., & Stern, M. D. (2005). Nitrogen metabolism in the rumen. Journal of Dairy Science. *88*: E9–E21. https://doi.org/10.3168/jds.S0022-0302(05)73133-7

Bach, Q. N., Hongthong, S., Quach, L. T., Pham, L. V., Pham, T. V., Kuhakarn, C., Reutrakul, V., & Nguyen, P. T. M. (2020a). Antimicrobial activity of rhodomyrtone isolated from *Rhodomyrtus tomentosa* (Aiton) Hassk. Natural Product Research. 34(17): 2518–2523. https://doi.org/10.1080/14786419.2018.1540479

Bach, Q. N., Hongthong, S., Quach, L. T., Pham, L. V., Pham, T. V., Kuhakarn, C., Reutrakul, V., & Nguyen, P. T. M. (2020b). Antimicrobial activity of rhodomyrtone isolated from *Rhodomyrtus tomentosa* (Aiton) Hassk. Natural Product Research. 34(17): 2518–2523. https://doi.org/10.1080/14786419.2018.1540479

Baihaqi, Z. A., Widiyono, I., Angeles, A. A., Suwignyo, B., & Nurcahyo, W. (2023). Anthelmintic activity of Carica pubescens aqueous seed extract and its

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

effects on rumen fermentation and methane reduction in Indonesian thin-tailed sheep: An in vitro study. Veterinary World, 1421–1428. https://doi.org/10.14202/vetworld.2023.1421-1428

Bailly, C., & Vergoten, G. (2021). Anticancer properties and mechanism of action of oblongifolin C, guttiferone K and related polyprenylated acylphloroglucinols. Natural Products and Bioprospecting, 11(6), 629–641. https://doi.org/10.1007/s13659-021-00320-1

Bandarupalli, V. V. K., & St-Pierre, B. (2020). Identification of a candidate starch utilizing strain of prevotella albensis from bovine rumen. Microorganisms, 8(12), 2005. https://doi.org/10.3390/microorganisms8122005

Barrios Renteria, J. C., Mauricio-Sandoval, E. A., Espinoza, L. A., Cornelio-Santiago, H. P., Moreno-Quispe, L. A., & Vega Portalatino, E. J. (2022). Antimicrobial potential of camu camu (Myrciaria dubia) against bacteria, yeasts, and parasitic protozoa: a review. Revista Facultad Nacional de Agronomía Medellín, 75(2). https://doi.org/10.15446/rfnam.v75n2.98010

Benchaar, C., & Greathead, H. (2011). Essential oils and opportunities to mitigate enteric methane emissions from ruminants. Animal Feed Science and Technology, 166–167, 338–355. https://doi.org/10.1016/j.anifeedsci.2011.04.024

Braun, U., Krüger, S., & Hässig, M. (2013). Ultrasonographic examination of the reticulum, rumen, omasum and abomasum during the first 100days of life in calves. Research in Veterinary Science, 95(2), 326–333. https://doi.org/10.1016/j.rvsc.2013.03.019

Butaye, P., Devriese, L. A., & Haesebrouck, F. (2003). Antimicrobial growth promoters used in animal feed: Effects of less well known antibiotics on gram-positive bacteria. Clinical Microbiology Reviews, 16(2), 175–188. https://doi.org/10.1128/CMR.16.2.175-188.2003

Chaokaur, A., Nishida, T., Phaowphaisal, I., & Sommart, K. (2015). Effects of feeding level on methane emissions and energy utilization of Brahman cattle in the tropics. Agriculture, Ecosystems and Environment, 199, 225–230. https://doi.org/10.1016/j.agee.2014.09.014

Chaudhary, K. K., & Mishra, N. (2016). A review on molecular docking: novel tool for drug discovery. JSM Chemistry, 4(3), 1029. www.pdb.org.

Chaudhry, A. S., & Khan, M. M. H. (2012). Impacts of different spices on in vitro rumen dry matter disappearance, fermentation and methane of wheat or ryegrass hay based substrates. Livestock Science, 146(1), 84–90. https://doi.org/10.1016/j.livsci.2012.01.007

Chen, H., Gan, Q., & Fan, C. (2020). Methyl-Coenzyme M Reductase and its post-translational modifications. Frontiers in Microbiology, 11(October). https://doi.org/10.3389/fmicb.2020.578356

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Cherian, G. (2020). A Guide to the Principles of Animal Nutrition. *Oregon State University*,163.https://open.oregonstate.education/animalnutrition/chapter/chapter-18/

Collins, W. J., Webber, C. P., Cox, P. M., Huntingford, C., Lowe, J., Sitch, S., Chadburn, S. E., Comyn-Platt, E., Harper, A. B., Hayman, G., & Powell, T. (2018). Increased importance of methane reduction for a 1.5 degree target. Environmental Research Letters, 13(5), 054003. https://doi.org/10.1088/1748-9326/aab89c

CONRAD, R. (2020). Importance of hydrogenotrophic, aceticlastic and methylotrophic methanogenesis for methane production in terrestrial, aquatic and other anoxic environments: A mini review. Pedosphere, 30(1), 25–39. https://doi.org/10.1016/S1002-0160(18)60052-9

Dachriyanus, Salni, Sargent, M. V., Skelton, B. W., Soediro, I., Sutisna, M., White, A. H., & Yulinah, E. (2002). Rhodomyrtone, an antibiotic from Rhodomyrtus tomentosa. Australian Journal of Chemistry, 55(3), 229–232. https://doi.org/10.1071/CH01194

Das, L. K., Kundu, S. S., Kumar, D., & Datt, C. (2014). Metabolizable protein systems in ruminant nutrition: A review. Veterinary World, 7(8), 622–629. https://doi.org/10.14202/vetworld.2014.622-629

Dehority, B.A. 2004. Starch digestion, other less numerous species, and facultative anaerobes in the rumen. Pages 243-264 in Rumen Microbiology. Nottingham University Press: Nottingham, UK.

Dewhurst, R. J., & Newbold, J. R. (2022). Effect of ammonia concentration on rumen microbial protein production in vitro. In British Journal of Nutrition (Vol. 127, Issue 6, pp. 847–849). Cambridge University Press. https://doi.org/10.1017/S000711452100458X

Dinakarkumar, Y., Rajabathar, J. R., Arokiyaraj, S., Jeyaraj, I., Anjaneyulu, S. R., Sandeep, S., Karthik, C. S., Appaturi, J. N., & Wilson, L. D. (2021). Anti-methanogenic effect of phytochemicals on Methyl-Coenzyme M Reductase—potential: in silico and molecular docking studies for environmental protection. Micromachines, 12(11). https://doi.org/10.3390/MI12111425

Dlamini, A. M., & Dube, M. A. (2014). Contribution of animal agriculture to greenhouse gases production in swaziland. American Journal of Climate Change, 03(03), 253–260. https://doi.org/10.4236/ajcc.2014.33024

Fan, Q., Wanapat, M., Yan, T., & Hou, F. (2020). Altitude influences microbial diversity and herbage fermentation in the rumen of yaks. BMC Microbiology, 20(1), 1–13. https://doi.org/10.1186/s12866-020-02054-5

FAO. (2023). Methane emissions in livestock and rice systems. FAO. https://doi.org/10.4060/cc7607en

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Flythe, M. D., Kagan, I. A., Wang, Y., & Narvaez, N. (2017). Hops (Humulus lupulus L.) bitter acids: Modulation of rumen fermentation and potential as an alternative growth promoter. Frontiers in Veterinary Science, 4(AUG). https://doi.org/10.3389/fvets.2017.00131

Gilson, M. K., Given, J. A., Bush, B. L., & McCammon, J. A. (1997). The statistical-thermodynamic basis for computation of binding affinities: a critical review. Biophysical Journal, 72(3), 1047–1069. https://doi.org/10.1016/S0006-3495(97)78756-3

Gleason, C. B., Beckett, L. M., & White, R. R. (2022). Rumen fermentation and epithelial gene expression responses to diet ingredients designed to differ in ruminally degradable protein and fiber supplies. Scientific Reports, 12(1), 1–11. https://doi.org/10.1038/s41598-022-06890-5

Griffin, S. G., Wyllie, S. G., Markham, J. L., & Leach, D. N. (1999). The role of structure and molecular properties of terpenoids in determining their antimicrobial activity. Flavour and Fragrance Journal, 14(5), 322–332. https://doi.org/10.1002/(SICI)1099-1026(199909/10)14:5<322::AID-FFJ837>3.0.CO;2-4

Guedes, I. A., de Magalhães, C. S., & Dardenne, L. E. (2014). Receptor–ligand molecular docking. Biophysical Reviews, 6(1), 75–87. https://doi.org/10.1007/s12551-013-0130-2

Guillaume, S., & Macheboeuf, D. (2022). Association rule mining to shortlist plant phenolic compounds likely to decrease methane emissions by ruminants (pp. 129–158). https://doi.org/10.1007/978-3-030-90287-2_7

Hackmann, T. J., & Firkins, J. L. (2015). Maximizing efficiency of rumen microbial protein production. Frontiers in Microbiology, 6. https://doi.org/10.3389/fmicb.2015.00465

Harirchi, S., Wainaina, S., Sar, T., Nojoumi, S. A., Parchami, M., Parchami, M., Varjani, S., Khanal, S. K., Wong, J., Awasthi, M. K., & Taherzadeh, M. J. (2022). Microbiological insights into anaerobic digestion for biogas, hydrogen or volatile fatty acids (VFAs): a review. Bioengineered, 13(3), 6521–6557. https://doi.org/10.1080/21655979.2022.2035986

Hasan, I. R. S. (2019). Hijauan pakan tropik. PT Penerbit IPB Press.

Henrissat, B. A. 1991. Classification of glycosyl hydrolases based on amino acid sequence similarities. Biochem. J. 280: 309–316.

Hiranrat, A., Chitbankluoi, W., Mahabusarakam, W., Limsuwan, S., & Voravuthikunchai, S. P. (2012). A new flavellagic acid derivative and phloroglucinol from Rhodomyrtus tomentosa. Natural Product Research. 26(20): 1904–1909. https://doi.org/10.1080/14786419.2011.628666

Hiranrat, A., Mahabusarakam, W., Carroll, A. R., Duffy, S., & Avery, V. M. (2012). Tomentosones A and B, hexacyclic phloroglucinol derivatives from the Thai

UNIVERSITAS GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

shrub *Rhodomyrtus tomentosa*. The Journal of Organic Chemistry. 77(1): 680–683. https://doi.org/10.1021/jo201602y

Hiranrat, W., Hiranrat, A., & Mahabusarakam, W. (2017). Rhodomyrtosones G and H, minor phloroglucinols from the leaves of Rhodomyrtus tomentosa. Phytochemistry Letters, 21, 25–28. https://doi.org/10.1016/j.phytol.2017.05.013

Hua D, Hendriks WH, Xiong B, Pellikaan WF. 2022. Starch and cellulose degradation in the rumen and applications of metagenomics on ruminal microorganisms. *Animals*. 12(21):3020. https://doi.org/10.3390/ani12213020

Huang, R., Romero, P., Belanche, A., Ungerfeld, E. M., Yanez-Ruiz, D., Morgavi, D. P., & Popova, M. (2023). Evaluating the effect of phenolic compounds as hydrogen acceptors when ruminal methanogenesis is inhibited in vitro – Part 1. Dairy cows. Animal, 17(5), 100788. https://doi.org/10.1016/j.animal.2023.100788

Huang, Y., Marden, J. P., Julien, C., & Bayourthe, C. (2018). Redox potential: An intrinsic parameter of the rumen environment. Journal of Animal Physiology and Animal Nutrition, 102(2), 393–402. https://doi.org/10.1111/jpn.12855

Hughes, B. P., & Heritage, J. (1998). FAO antibiotic growth-promoters in food animals.

Hui, W. H., Li, M.-M., & Luk, K. (1975). Triterpenoids and steroids from Rhodomyrtus tomentosa. Phytochemistry, 14, 833–834. https://api.semanticscholar.org/CorpusID:85404066

Husson, O. (2013). Redox potential (Eh) and pH as drivers of soil/plant/microorganism systems: a transdisciplinary overview pointing to integrative opportunities for agronomy. Plant and Soil, 362(1–2), 389–417. https://doi.org/10.1007/s11104-012-1429-7

Huws, S. A., Creevey, C. J., Oyama, L. B., Mizrahi, I., Denman, S. E., Popova, M., Muñoz-Tamayo, R., Forano, E., Waters, S. M., Hess, M., Tapio, I., Smidt, H., Krizsan, S. J., Yáñez-Ruiz, D. R., Belanche, A., Guan, L., Gruninger, R. J., McAllister, T. A., Newbold, C. J., … Morgavi, D. P. (2018). Addressing global ruminant agricultural challenges through understanding the rumen microbiome: past, present, and future. *Frontiers in Microbiology, 9. https://doi.org/10.3389/fmicb.2018.02161*

Inaba, R., Nagoya, M., Kouzuma, A., & Watanabe, K. (2019). Metatranscriptomic evidence for magnetite nanoparticle-simulated acetoclastic methanogenesis under continuous agitation. Applied and Environmental Microbiology, 85(23). https://doi.org/10.1128/AEM.01733-19

Jackson, R. B., Saunois, M., Bousquet, P., Canadell, J. G., Poulter, B., Stavert, A. R., Bergamaschi, P., Niwa, Y., Segers, A., & Tsuruta, A. (2020). Increasing anthropogenic methane emissions arise equally from agricultural and fossil fuel sources. Environmental Research Letters, 15(7), 071002.

UNIVERSITAS GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1088/1748-9326/ab9ed2

Jafari, S., Goh, Y. M., Rajion, M. A., Faseleh Jahromi, M., & Ebrahimi, M. (2016). Ruminal methanogenesis and biohydrogenation reduction potential of papaya (Carica papaya) leaf: an in vitro study. Italian Journal of Animal Science, 15(1), 157–165. https://doi.org/10.1080/1828051X.2016.1141031

Jayanegara, A. (2009). Ruminal methane production on simple phenolic acids addition in in vitro gas production method institute for animal production in the tropics. Journal of Dairy Science, 32(1), 53–62.

Junior, F. P., Cassiano, E. C. O., Martins, M. F., Romero, L. A., Zapata, D. C. V., Pinedo, L. A., Marino, C. T., & Rodrigues, P. H. M. (2017). Effect of tannins-rich extract from Acacia mearnsii or monensin as feed additives on ruminal fermentation efficiency in cattle. Livestock Science, 203, 21–29. https://doi.org/10.1016/j.livsci.2017.06.009

Kaneshima, T., Myoda, T., Nakata, M., Fujimori, T., Toeda, K., & Nishizawa, M. (2015). Rhodomyrtone, an antimicrobial acylphloroglucinol, in the peel of Myrciaria dubia (Camu-camu). Food Preserv Sci, 41(2), 71–76.

Kaur, H., Kaur, G., Gupta, T., Mittal, D., & Ali, S. A. (2023). Integrating omics technologies for a comprehensive understanding of the microbiome and its impact on cattle production. Biology, 12(9), 1200. https://doi.org/10.3390/biology12091200

Kim, M., Felix, T. L., Loerch, S. C., & Yu, Z. (2014). Effect of haylage and monensin supplementation on ruminal bacterial communities of feedlot cattle. Current Microbiology, 69(2), 169–175. https://doi.org/10.1007/s00284-014-0564-1

Klevenhusen, F., & Zebeli, Q. (2021). A review on the potentials of using feeds rich in water-soluble carbohydrates to enhance rumen health and sustainability of dairy cattle production. Journal of the Science of Food and Agriculture, 101(14), 5737–5746. https://doi.org/10.1002/jsfa.11358

KLHK. (2020). Laporan inventarisasi GRK 2020 dan monitoring, pelaporan, verifikasi (MPV). Kementerian Lingkungan Hidup Dan Kehutanan, 1–143.

Krause, D.O.; Denman, S.E.; Mackie, R.I.; Morrison, M.; Rae, A.L.; Attwood, G.T.; McSweeney, C.S. 2003. Opportunities to improve fiber degradation in the rumen: microbiology, ecology, and genomics. FEMS Microbiol. Rev. 27: 663–693.

Kristensen, N. B., Danfær, A., & Agergaard, N. (1998). Absorption and metabolism of short-chain fatty acids in ruminants. Archiv Für Tierernaehrung, 51(2–3), 165–175. https://doi.org/10.1080/17450399809381916

Ku-Vera, J. C., Jiménez-Ocampo, R., Valencia-Salazar, S. S., Montoya-Flores, M. D., Molina-Botero, I. C., Arango, J., Gómez-Bravo, C. A., Aguilar-Pérez,

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

C. F., & Solorio-Sánchez, F. J. (2020). Role of secondary plant metabolites on enteric methane mitigation in ruminants. Frontiers in Veterinary Science, 7. https://doi.org/10.3389/fvets.2020.00584

Kumar, R., Ali, S. A., Singh, S. K., Bhushan, V., Mathur, M., Jamwal, S., Mohanty, A. K., Kaushik, J. K., & Kumar, S. (2020). Antimicrobial peptides in farm animals: An updated review on its diversity, function, modes of action and therapeutic prospects. Veterinary Sciences, 7(4), 206. https://doi.org/10.3390/vetsci7040206

Kurniawati, A., & Muhsin Al Anas, M. (2021). The effect of a candidate feed additive derived from the essential oils of Pinus merkusii (jungh. & de vriese) and Melaleuca leucadendra (l.) on the kinetics of gas production and methane emitted during in-vitro ruminal fermentation. BIO Web of Conferences, 33, 04009. https://doi.org/10.1051/bioconf/20213304009

Kurth, J. M., Op den Camp, H. J. M., & Welte, C. U. (2020). Several ways one goal—methanogenesis from unconventional substrates. Applied Microbiology and Biotechnology, 104(16), 6839–6854. https://doi.org/10.1007/s00253-020-10724-7

Lai, T. N. H., André, C., Rogez, H., Mignolet, E., Nguyen, T. B. T., & Larondelle, Y. (2015). Nutritional composition and antioxidant properties of the sim fruit (Rhodomyrtus tomentosa). Food Chemistry, 168, 410–416. https://doi.org/10.1016/j.foodchem.2014.07.081

Leejae, S., Taylor, P. W., & Voravuthikunchai, S. P. (2013). Antibacterial mechanisms of rhodomyrtone against important hospital-acquired antibiotic-resistant pathogenic bacteria. Journal of Medical Microbiology, 62(PART1), 78–85. https://doi.org/10.1099/jmm.0.049205-0

Limsuwan, S., Hesseling-Meinders, A., Voravuthikunchai, S. P., van Dijl, J. M., & Kayser, O. (2011). Potential antibiotic and anti-infective effects of rhodomyrtone from Rhodomyrtus tomentosa (Aiton) Hassk. on Streptococcus pyogenes as revealed by proteomics. Phytomedicine, 18(11), 934–940. https://doi.org/10.1016/j.phymed.2011.02.007

Liu, C., Wu, H., Liu, S., Chai, S., Meng, Q., & Zhou, Z. (2019). Dynamic alterations in yak rumen bacteria community and metabolome characteristics in response to feed type. Frontiers in Microbiology, 10. https://doi.org/10.3389/fmicb.2019.01116

Liu, H.-X., Tan, H.-B., & Qiu, S.-X. (2016). Antimicrobial acylphloroglucinols from the leaves of Rhodomyrtus tomentosa. Journal of Asian Natural Products Research, 18(6), 535–541. https://doi.org/10.1080/10286020.2015.1121997

Loor, J. J., Elolimy, A. A., & McCann, J. C. (2016). Dietary impacts on rumen microbiota in beef and dairy production. Animal Frontiers, 6(3), 22–29. https://doi.org/10.2527/af.2016-0030

Lopes, J. C., de Matos, L. F., Harper, M. T., Giallongo, F., Oh, J., Gruen, D., Ono,

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

S., Kindermann, M., Duval, S., & Hristov, A. N. (2016). Effect of 3-nitrooxypropanol on methane and hydrogen emissions, methane isotopic signature, and ruminal fermentation in dairy cows. Journal of Dairy Science, 99(7), 5335–5344. https://doi.org/10.3168/jds.2015-10832

López-Camacho, E., García-Godoy, M. J., García-Nieto, J., Nebro, A. J., & Aldana-Montes, J. F. (2016). A new multi-objective approach for molecular docking based on RMSD and binding energy (pp. 65–77). https://doi.org/10.1007/978-3-319-38827-4_6

López-García, A., Saborío-Montero, A., Gutiérrez-Rivas, M., Atxaerandio, R., Goiri, I., García-Rodríguez, A., Jiménez-Montero, J. A., González, C., Tamames, J., Puente-Sánchez, F., Serrano, M., Carrasco, R., Óvilo, C., & González-Recio, O. (2022). Fungal and ciliate protozoa are the main rumen microbes associated with methane emissions in dairy cattle. GigaScience, 11. https://doi.org/10.1093/gigascience/giab088

Lopez-Romero, J. C., González-Ríos, H., Borges, A., & Simões, M. (2015). Antibacterial effects and mode of action of selected essential oils components against Escherichia coli and Staphylococcus aureus. Evidence-Based Complementary and Alternative Medicine, 2015, 1–9. https://doi.org/10.1155/2015/795435

Lyu, Z., Shao, N., Akinyemi, T., & Whitman, W. B. (2018). Methanogenesis. Current Biology, 28(13), R727–R732. https://doi.org/10.1016/j.cub.2018.05.021

Mar, K. A., Unger, C., Walderdorff, L., & Butler, T. (2022). Beyond CO2 equivalence: The impacts of methane on climate, ecosystems, and health. Environmental Science and Policy, 134(March), 127–136. https://doi.org/10.1016/j.envsci.2022.03.027

Marques, R. da S., & Cooke, R. F. (2021). Effects of ionophores on ruminal function of beef cattle. Animals, 11(10), 1–11. https://doi.org/10.3390/ani11102871

McDonald, P., Edwards, R. A., Greenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., & Wilkinson, R. G. (2017). Animal Nutrition Animal Nutrition. https://mafiadoc.com/animal-nutrition-animal nutrition_59d9d9ea1723dd4042af7356.html

Menke, K. H., Raab, L., Salewski, A., Steingass, H., Fritz, D., & Schneider, W. (1979). The estimation of the digestibility and metabolizable energy content of ruminant feedingstuffs from the gas production when they are incubated with rumen liquor in vitro. Journal of Agricultural Sc*ience.*, *93*(1), 217–222. https://doi.org/10.1017/s0021859600086305

Mir, W. R., Bhat, B. A., Rather, M. A., Muzamil, S., Almilaibary, A., Alkhanani, M., & Mir, M. A. (2022). Molecular docking analysis and evaluation of the antimicrobial properties of the constituents of Geranium wallichianum D. Don ex Sweet from Kashmir Himalaya. Scientific Reports, *12*(1), 12547.

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1038/s41598-022-16102-9

Mitsumori, M., Enishi, O., Shinkai, T., Higuchi, K., Kobayashi, Y., Takenaka, A., Nagashima, K., Mochizuki, M., & Kobayashi, Y. (2014). Effect of cashew nut shell liquid on metabolic hydrogen flow on bovine rumen fermentation. Animal Science Journal, *85*(3), 227–232. https://doi.org/10.1111/asj.12133

Mitsuwan, W., Olaya-Abril, A., Calderón-Santiago, M., Jiménez-Munguía, I., González-Reyes, J. A., Priego-Capote, F., Voravuthikunchai, S. P., & Rodríguez-Ortega, M. J. (2017). Integrated proteomic and metabolomic analysis reveals that rhodomyrtone reduces the capsule in Streptococcus pneumoniae. Scientific Reports, 7(1), 2715. https://doi.org/10.1038/s41598-017-02996-3

Mitsuwan, W., Wintachai, P., & Voravuthikunchai, S. P. (2020). Rhodomyrtus tomentosa leaf extract and rhodomyrtone combat Streptococcus pneumoniae biofilm and inhibit invasiveness to human lung epithelial and enhance pneumococcal phagocytosis by macrophage. Current Microbiology, *77*(11), 3546–3554. https://doi.org/10.1007/s00284-020-02164-3

Mordmuang, A., Brouillette, E., Voravuthikunchai, S. P., & Malouin, F. (2019). Evaluation of a Rhodomyrtus tomentosa ethanolic extract for its therapeutic potential on Staphylococcus aureus infections using in vitro and in vivo models of mastitis. Veterinary Research, *50*(1). https://doi.org/10.1186/s13567-019-0664-9

Morkunas, M., Dube, L., Götz, F., & Maier, M. E. (2013). Synthesis of the acylphloroglucinols rhodomyrtone and rhodomyrtosone B. Tetrahedron, *69*(40), 8559–8563. https://doi.org/10.1016/j.tet.2013.07.091

Nabil, M., Alam, R., Rahman, Q. A., Ul Islam, M. M., & Noor, M. A. A. (2020). In silico molecular docking study of some already approved antiviral drugs, vitamins and phytochemical components against Rna dependent Rna polymerase of Sars-Cov-2 virus. Journal of Applied Bioinformatics & Computational Biology, *9*(5). https://doi.org/10.37532/jabcb.2020.9(5).182

Narabe, C., Kamiyama, S., Saito, M., Boonsaen, P., Khongpradit, A., Sawanon, S., Suzuki, Y., Koike, S., & Kobayashi, Y. (2021). Cashew nut shell liquid potentially mitigates methane emission from the feces of Thai native ruminant livestock by modifying fecal microbiota. Animal Science Journal, *92*(1). https://doi.org/10.1111/asj.13614

Navarro Marcos, C., de Evan Rozada, T., Carro Travieso, M. D., Novoa-Garrido, M., Yen, Y., Fernández-Yepes, J. E., & Molina-Alcaide, E. (2023). Evaluation of different ensiling methods for Saccharina latissima preservation: influence on chemical composition and in vitro ruminal fermentation. Archives of Animal Nutrition, *77*(4), 308–322. https://doi.org/10.1080/1745039X.2023.2241339

Nazzaro, F., Fratianni, F., De Martino, L., Coppola, R., & De Feo, V. (2013).

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Effect of essential oils on pathogenic bacteria. Pharmaceuticals, *6*(12), 1451–1474. https://doi.org/10.3390/ph6121451

Newbold, C. J., De la Fuente, G., Belanche, A., Ramos-Morales, E., & McEwan, N. R. (2015). The role of ciliate protozoa in the rumen. Frontiers in Microbiology, 6(NOV), 1–14. https://doi.org/10.3389/fmicb.2015.01313

Nourbakhsh, F., Lotfalizadeh, M., Badpeyma, M., Shakeri, A., & Soheili, V. (2022). From plants to antimicrobials: Natural products against bacterial membranes. Phytotherapy Research, 36(1), 33–52. https://doi.org/10.1002/ptr.7275

Nwabor, O. F., Leejae, S., & Voravuthikunchai, S. P. (2021a). Rhodomyrtone accumulates in bacterial cell wall and cell membrane and inhibits the synthesis of multiple cellular macromolecules in epidemic methicillin-resistant staphylococcus aureus. Antibiotics, 10(5). https://doi.org/10.3390/antibiotics10050543

Nwabor, O. F., Leejae, S., & Voravuthikunchai, S. P. (2021b). Rhodomyrtone accumulates in bacterial cell wall and cell membrane and inhibits the synthesis of multiple cellular macromolecules in epidemic methicillin-resistant staphylococcus aureus. Antibiotics, 10(5). https://doi.org/10.3390/antibiotics10050543

Odongo, N. E., Bagg, R., Vessie, G., Dick, P., Or-Rashid, M. M., Hook, S. E., Gray, J. T., Kebreab, E., France, J., & McBride, B. W. (2007). Long-Term effects of feeding monensin on methane production in lactating dairy cows. Journal of Dairy Science, 90(4), 1781–1788. https://doi.org/10.3168/jds.2006-708

Owoloye, A. J., Ligali, F. C., Enejoh, O. A., Musa, A. Z., Aina, O., Idowu, E. T., & Oyebola, K. M. (2022). Molecular docking, simulation and binding free energy analysis of small molecules as PfHT1 inhibitors. PLOS ONE, *17*(8), e0268269. https://doi.org/10.1371/journal.pone.0268269

Palangi, V., & Lackner, M. (2022). Management of enteric methane emissions in ruminants using feed additives: A review. Animals, 12(24), 1–15. https://doi.org/10.3390/ani12243452

Palangi, V., Macit, M., Nadaroglu, H., & Taghizadeh, A. (2022). Effects of green-synthesized CuO and ZnO nanoparticles on ruminal mitigation of methane emission to the enhancement of the cleaner environment. Biomass Conversion and Biorefinery. https://doi.org/10.1007/s13399-022-02775-9

Patra, A. K., & Puchala, R. (2023). Methane mitigation in ruminants with structural analogues and other chemical compounds targeting archaeal methanogenesis pathways. Biotechnology Advances, 69(September), 108268. https://doi.org/10.1016/j.biotechadv.2023.108268

Patra, A., Park, T., Kim, M., & Yu, Z. (2017a). Rumen methanogens and mitigation of methane emission by anti-methanogenic compounds and

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

substances. Journal of Animal Science and Biotechnology, 8(1), 13. https://doi.org/10.1186/s40104-017-0145-9

Patra, A., Park, T., Kim, M., & Yu, Z. (2017b). Rumen methanogens and mitigation of methane emission by anti-methanogenic compounds and substances. In Journal of Animal Science and Biotechnology (Vol. 8, Issue 1). BioMed Central Ltd. https://doi.org/10.1186/s40104-017-0145-9

Principle, A., & Apparatus, B. (2005). Official methods of analysis of AOAC international 18th Edition 2005. 4–5. https://www.academia.edu/43245633/Of_fi_cial_Methods_of_Anal_y_sis_of_AOAC_IN_TER_NA_TIONAL_18th_Edi_tion_2005

Puniya, A. K., Singh, R., & Kamra, D. N. (Eds.). (2015). Rumen microbiology: from evolution to revolution. Springer India. https://doi.org/10.1007/978-81-322-2401-3

Ramos, S. C., Jeong, C. D., Mamuad, L. L., Kim, S. H., Kang, S. H., Kim, E. T., Cho, Y. Il, Lee, S. S., & Lee, S. S. (2021). Diet transition from high-forage to high-concentrate alters rumen bacterial community composition, epithelial transcriptomes and ruminal fermentation parameters in dairy cows. Animals, *11*(3), 1–23. https://doi.org/10.3390/ani11030838

Ranga Niroshan Appuhamy, J. A. D., Strathe, A. B., Jayasundara, S., Wagner-Riddle, C., Dijkstra, J., France, J., & Kebreab, E. (2013). Anti-methanogenic effects of monensin in dairy and beef cattle: A meta-analysis. Journal of Dairy Science, 96(8), 5161–5173. https://doi.org/10.3168/jds.2012-5923

Rietmann, S. J., Gäbel, G., & Dengler, F. (2023). The intraruminal redox potential is stabilised by opposing influences during fermentation. Journal of Animal Physiology and Animal Nutrition, 107(1), 53–61. https://doi.org/10.1111/jpn.13697

Rojas-Downing, M. M., Nejadhashemi, A. P., Harrigan, T., & Woznicki, S. A. (2017). Climate change and livestock: Impacts, adaptation, and mitigation. Climate Risk Management, 16, 145–163. https://doi.org/10.1016/j.crm.2017.02.001

Saeloh, D., Tipmanee, V., Jim, K. K., Dekker, M. P., Bitter, W., Voravuthikunchai, S. P., Wenzel, M., & Hamoen, L. W. (2018). The novel antibiotic rhodomyrtone traps membrane proteins in vesicles with increased fluidity. PLoS Pathogens, 14(2). https://doi.org/10.1371/journal.ppat.1006876

Sahoo, N., Pattnaik, S., Pattnaik, M., & Mohapatra, S. (2021). Methane emission and strategies for mitigation in livestock. Environmental and Agricultural Microbiology: Advances and Applications, 257–274. https://doi.org/10.1002/9781119525899.ch12

Saising, J., Ongsakul, M., & Voravuthikunchai, S. P. (2011). Rhodomyrtus tomentosa (Aiton) Hassk. ethanol extract and rhodomyrtone: a potential strategy for the treatment of biofilm-forming staphylococci. Journal of

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Medical Microbiology, 60(12), 1793–1800. https://doi.org/10.1099/jmm.0.033092-0

Sari, W. N., Safika, Darmawi, & Fahrimal, Y. (2017). Isolation and identification of a cellulolytic Enterobacter from rumen of Aceh cattle. Veterinary World, 10(12), 1515–1520. https://doi.org/10.14202/vetworld.2017.1515-1520

Saunois, M., Stavert, A. R., Poulter, B., Bousquet, P., Canadell, J. G., Jackson, R. B., Raymond, P. A., Dlugokencky, E. J., Houweling, S., Patra, P. K., Ciais, P., Arora, V. K., Bastviken, D., Bergamaschi, P., Blake, D. R., Brailsford, G., Bruhwiler, L., Carlson, K. M., Carrol, M., … Zhuang, Q. (2020). The global methane budget 2000–2017. Earth System Science Data, 12(3), 1561–1623. https://doi.org/10.5194/essd-12-1561-2020

Shima, S., Huang, G., Wagner, T., & Ermler, U. (2020). Structural basis of hydrogenotrophic methanogenesis. Annual Review of Microbiology, 74(1), 713–733. https://doi.org/10.1146/annurev-micro-011720-122807

Sianglum, W., Saeloh, D., Tongtawe, P., Wootipoom, N., Indrawattana, N., & Voravuthikunchai, S. P. (2018). Early effects of rhodomyrtone on membrane integrity in Methicillin-Resistant Staphylococcus aureus. Microbial Drug Resistance, 24(7), 882–889. https://doi.org/10.1089/mdr.2016.0294

Sianglum, W., Srimanote, P., Wonglumsom, W., Kittiniyom, K., & Voravuthikunchai, S. P. (2011). Proteome analyses of cellular proteins in Methicillin-Resistant Staphylococcus aureus treated with rhodomyrtone, a novel antibiotic candidate. PLoS ONE, 6(2), e16628. https://doi.org/10.1371/journal.pone.0016628

Sinz, S., Marquardt, S., Soliva, C. R., Braun, U., Liesegang, A., & Kreuzer, M. (2019). Phenolic plant extracts are additive in their effects against in vitro ruminal methane and ammonia formation. Asian-Australasian Journal of Animal Sciences, 32(7), 966–976. https://doi.org/10.5713/ajas.18.0665

Sobanaa, M., Prathiviraj, R., Selvin, J., & Prathaban, M. (2023). A comprehensive review on methane's dual role: effects in climate change and potential as a carbon–neutral energy source. Environmental Science and Pollution Research. https://doi.org/10.1007/s11356-023-30601-w

Srisuwan, S., Mackin, K. E., Hocking, D., Lyras, D., Bennett-Wood, V., Voravuthikunchai, S. P., & Robins-Browne, R. M. (2018). Antibacterial activity of rhodomyrtone on Clostridium difficile vegetative cells and spores in vitro. International Journal of Antimicrobial Agents, 52(5), 724–729. https://doi.org/10.1016/j.ijantimicag.2018.08.014

Suwignyo, B., Kurniawati, A., Yebron, M. G. N., & Angeles, A. A. (2022). Legume and methane emission reduction in livestock. Proceedings of the 6th International Seminar of Animal Nutrition and Feed Science (ISANFS 2021), 21(Isanfs 2021), 128–133. https://doi.org/10.2991/absr.k.220401.027

Takizawa, S., Asano, R., Abe, K., Fukuda, Y., Baba, Y., Sakurai, R., Tada, C., &

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Nakai, Y. (2023). Relationship between rumen microbial composition and fibrolytic isozyme activity during the biodegradation of rice straw powder using rumen fluid. Microbes and Environments, 38(3), ME23041. https://doi.org/10.1264/jsme2.ME23041

Theodorou *'a, M. K., Williams, B. A., Dhanoa, M. S., Mcallan, A. B., & France, J. (1994). A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds. Animal Feed Science and Technology, 48, 185–197.

Tiago, N. P. V., Erico, da S. L., Wallacy, B. R. dos S., Andr eacute ia, S. C. aacute rio, C aacute ssio, J. T., Iacute talo, L. F., & Marco, A. ocirc nio M. de F. (2016). Ruminal microorganism consideration and protein used in the metabolism of the ruminants: A review. African Journal of Microbiology Research, 10(14), 456–464. https://doi.org/10.5897/AJMR2016.7627

Tomkins, N. W., Denman, S. E., Pilajun, R., Wanapat, M., McSweeney, C. S., & Elliott, R. (2015). Manipulating rumen fermentation and methanogenesis using an essential oil and monensin in beef cattle fed a tropical grass hay. Animal Feed Science and Technology, 200, 25–34. https://doi.org/10.1016/j.anifeedsci.2014.11.013

Tseten, T., Sanjorjo, R. A., Kwon, M., & Kim, S. W. (2022). Strategies to mitigate enteric methane emissions from ruminant animals. Journal of Microbiology and Biotechnology, 32(3), 269–277. https://doi.org/10.4014/jmb.2202.02019

Ungerfeld, E. M. (2020). Metabolic hydrogen flows in rumen fermentation: principles and possibilities of interventions. Frontiers in Microbiology, 11. https://doi.org/10.3389/fmicb.2020.00589

Valente, T. N. P., Sampaio, C. B., Lima, E. da S., Deminicis, B. B., Cezário, A. S., & Santos, W. B. R. dos. (2017). Aspects of acidosis in ruminants with a focus on nutrition: A review. Journal of Agricultural Science, 9(3), 90. https://doi.org/10.5539/jas.v9n3p90

Vo, T., & Ngo, D. (2019). The health beneficial properties of Rhodomyrtus tomentosa as potential functional food. Biomolecules, 9(2), 76. https://doi.org/10.3390/biom9020076

Wang, Q. Q., Wang, X. D., Wu, L. Z., Fang, Q. Q., Liu, Y. N., Jiang, K., Qu, S. J., & Tan, C. H. (2020). Polyprenylated acylphloroglucinols as deubiquitinating protease USP7 inhibitors from Hypericum hookerianum. Fitoterapia, 146(April), 104678. https://doi.org/10.1016/j.fitote.2020.104678

Wang, Y. J., Xiao, J. X., Li, S., Liu, J. J., Alugongo, G. M., Cao, Z. J., Yang, H. J., Wang, S. X., & Swanson, K. C. (2017). Protein metabolism and signal pathway regulation in rumen and mammary gland. Current Protein & Peptide Science, 18(6), 636–651. https://doi.org/10.2174/1389203717666160627075021

Watanabe, Y., Suzuki, R., Koike, S., Nagashima, K., Mochizuki, M., Forster, R.

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

J., & Kobayashi, Y. (2010a). In vitro evaluation of cashew nut shell liquid as a methane-inhibiting and propionate-enhancing agent for ruminants. Journal of Dairy Science, 93(11), 5258–5267. https://doi.org/10.3168/jds.2009-2754

Watanabe, Y., Suzuki, R., Koike, S., Nagashima, K., Mochizuki, M., Forster, R. J., & Kobayashi, Y. (2010b). In vitro evaluation of cashew nut shell liquid as a methane-inhibiting and propionate-enhancing agent for ruminants. Journal of Dairy Science, 93(11), 5258–5267. https://doi.org/10.3168/jds.2009-2754

Wenner, B. A., Wagner, B. K., St-Pierre, N. R., Yu, Z. T., & Firkins, J. L. (2020). Inhibition of methanogenesis by nitrate, with or without defaunation, in continuous culture. Journal of Dairy Science, 103(8), 7124–7140. https://doi.org/10.3168/jds.2020-18325

Woodruff, K. L., Hummel, G. L., Austin, K. J., Lake, S. L., & Cunningham-Hollinger, H. C. (2022). Calf rumen microbiome from birth to weaning and shared microbial properties to the maternal rumen microbiome. Journal of Animal Science, 100(10), 1–11. https://doi.org/10.1093/jas/skac264

Wu, J. J., Zhu, S., Tang, Y. F., Gu, F., Liu, J. X., & Sun, H. Z. (2022). Microbiota-host crosstalk in the newborn and adult rumen at single-cell resolution. BMC Biology, 20(1), 1–21. https://doi.org/10.1186/s12915-022-01490-1

Wunnoo, S., Bilhman, S., Amnuaikit, T., Ontong, J. C., Singh, S., Auepemkiate, S., & Voravuthikunchai, S. P. (2021). Rhodomyrtone as a new natural antibiotic isolated from rhodomyrtus tomentosa leaf extract: A clinical application in the management of acne vulgaris. Antibiotics, 10(2), 1–12. https://doi.org/10.3390/antibiotics10020108

Wunnoo, S., Saising, J., & Voravuthikunchai, S. P. (2017). Rhodomyrtone inhibits lipase production, biofilm formation, and disorganizes established biofilm in Propionibacterium acnes. Anaerobe, 43, 61–68. https://doi.org/10.1016/j.anaerobe.2016.12.002

Xue, M.-Y., Sun, H.-Z., Wu, X.-H., Liu, J.-X., & Guan, L. L. (2020). Multi-omics reveals that the rumen microbiome and its metabolome together with the host metabolome contribute to individualized dairy cow performance. Microbiome, 8(1), 64. https://doi.org/10.1186/s40168-020-00819-8

Xue, M. Y., Wu, J. J., Xie, Y. Y., Zhu, S. L., Zhong, Y. F., Liu, J. X., & Sun, H. Z. (2022). Investigation of fiber utilization in the rumen of dairy cows based on metagenome-assembled genomes and single-cell RNA sequencing. Microbiome, 10(1), 1–17. https://doi.org/10.1186/s40168-021-01211-w

Zhang, Y.-B., Li, W., Jiang, L., Yang, L., Chen, N.-H., Wu, Z.-N., Li, Y.-L., & Wang, G.-C. (2018). Cytotoxic and anti-inflammatory active phloroglucinol derivatives from Rhodomyrtus tomentosa. Phytochemistry, 153, 111–119. https://doi.org/10.1016/j.phytochem.2018.05.018

Zhang, Y.-L., Chen, C., Wang, X.-B., Wu, L., Yang, M.-H., Luo, J., Zhang, C., Sun, H.-B., Luo, J.-G., & Kong, L.-Y. (2016). Rhodomyrtials A and B, Two

UNIVERSITAS
GADJAH MADA
EVALUASI RHODOMYRTONE DARI EKSTRAK DAUN KERAMUNTING (RHODOMYRTUS TOMENTOSA) SEBAGAI ANTI-METANOGENIC RUMEN SECARA IN SILICO DAN IN VITRO
Sigit Puspito, Ir. Muhlisin, S.Pt., M.Agri., Ph.D., IPP.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Meroterpenoids with a Triketone-Sesquiterpene-Triketone Skeleton from *Rhodomyrtus tomentosa*: Structural Elucidation and Biomimetic Synthesis. *Organic Letters*, *18*(16), 4068–4071. https://doi.org/10.1021/acs.orglett.6b01944

Zhang, Y.-L., Zhou, X.-W., Wu, L., Wang, X.-B., Yang, M.-H., Luo, J., Luo, J.-G., & Kong, L.-Y. (2017). Isolation, structure elucidation, and absolute configuration of syncarpic acid-conjugated terpenoids from Rhodomyrtus tomentosa. Journal of Natural Products, 80(4), 989–998. https://doi.org/10.1021/acs.jnatprod.6b01005

Zhang, Z., Wei, W., Yang, S., Huang, Z., Li, C., Yu, X., Qi, R., Liu, W., Loor, J. J., Wang, M., & Zhang, X. (2022). Regulation of dietary protein solubility improves ruminal nitrogen metabolism in vitro: Role of bacteria–protozoa interactions. Nutrients, 14(14), 2972. https://doi.org/10.3390/nu14142972