

DAFTAR PUSTAKA

- Anggraini, K., Kinnaird, M., & O'Brien, T. (2000). The Effects of Fruit Availability and Habitat Disturbance on an Assemblage of Sumatran Hornbills. *Bird Conservation International*, 10(3), 189-202.
- Anggriawan, V., Hariyadi, B., & Muswita, M. (2015). Keanekaragaman Jenis Rangkong dan Tumbuhan Pakannya di Harapan Rainforest Jambi (Species and Feed Diversity of Hornbill in the Harapan Rainforest, Jambi). *Biospecies*, 8(2).
- Apriliasari, M., Nurcahyani, N., Rustiati, E. L., Priyambodo, P., & Utoyo, L. (2022). Eating Behavior of the Klihingan Hornbill (*Anorrhinus galeritus*) When Nesting at the Way Canguk Research Station, Bukit Barisan Selatan National Park (TNBBS). *Jurnal Ilmiah Biologi Eksperimen dan Keanekaragaman Hayati (J-BEKH)*, 9(1), 34-41.
- Arbiastutie, Y. (2017). Inventarisasi Tumbuhan Bawah Berkhasiat Obat di Taman Nasional Gunung Gede Pangrango Provinsi Jawa Barat. *Jurnal Tengawang*, 7(2): 28-45.
- Aryanto, A. S., Setiawan, A., & Master, J. (2016). Keberadaan Burung Rangkong (Bucerotidae) di Gunung Betung Taman Hutan Raya Wan Abdul Rachman. *Jurnal Sylva Lestari*, 4(2), 9-16.
- Beijai, Matheus & Worabai, M. S. (2018). Struktur dan Komposisi Vegetasi Serta Keanekaragaman Jenis Amfib di Hutan Pegunungan Arfak, Papua Barat. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 4, 1-12.
- Borneo Nature Foundation (BNF). (2019). Biodiversity, Forest Structure & Conservation Importance of the Mungku Baru Education Forest, Rungan, Central Kalimantan, Indonesia. Palangka Raya: Borneo Nature Foundation

- Browning, E., Gibb, R., Glover-Kapfer, P., & Jones, K. E. (2017). Passive Acoustic Monitoring in Ecology and Conservation.
- Budka, M., Jobda, M., Szałański, P., & Piórkowski, H. (2022). Acoustic approach as an Alternative to Human-Based Survey in Bird Biodiversity Monitoring in Agricultural Meadows. *Plos one*, 17(4).
- Cornell, H. (2012). *Niche Overlap*. California: University of California Press.
- Dunlop, R., Gannon, W. L., Kiley-Worthington, M., Hill, P. S., Wessel, A., & Thomas, J. A. (2022). Vibrational and Acoustic Communication in Animals. In *Exploring Animal Behavior Through Sound: Volume 1* (pp. 389-417). Springer, Cham.
- Ekowati, A., Setiyani, A. D., Haribowo, D. R., & Hidayah, K. (2016). Keanekaragaman Jenis Burung di Kawasan Telaga Warna, Desa Tugu Utara, Cisarua, Bogor. *Al-Kauniyah: Jurnal Biologi*, 9(2), 87-94.
- Fajri, S. R., Sukri, A., Armiani, S., Hajiriah, T. L., Masiah, M., & Hasibuan, M. M. (2022). Workshop Bioakustik: Mengatasi Masalah Penelitian Biodiversitas Satwa Liar di Masa Pandemi Covid-19. *Nuras: Jurnal Pengabdian Kepada Masyarakat*, 2(1), 7-13.
- Fitriansyah, R. A., Setiawan, A., Rustiati, E. L., Utoyo, L., & Sibarani, M. C. (2022). Spatial Distribution and Temporal Patterns of Food Tree Availability of Hornbills (Bucerotidae) at Way Canguk Research Station, Bukit Barisan Selatan National Park, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(4).
- Franco, F. M., & Minggu, M. J. (2019). When the Seeds Sprout, the Hornbills Hatch: Understanding the Traditional Ecological Knowledge of the Ibans of Brunei Darussalam on hornbills. *Journal of ethnobiology and ethnomedicine*, 15, 1-14.

- Gaietti, M., & McConkey, K. (1998). Black Hornbill *Anthracoceros malayanus* Following Gibbons in Central Borneo. *Ibis*, 140(4), 686-687.
- Gonzalez, J. C. T., Sheldon, B. C., Collar, N. J., & Tobias, J. A. (2013). A Comprehensive Molecular Phylogeny for The Hornbills (Aves: Bucerotidae). *Molecular phylogenetics and evolution*, 67(2), 468-483.
- Guerra, S. L., Gonzalez, J. C. T., & Rafael, E. F. (2019). Description and Comparison of Philippine hornbill (Bucerotidae) Vocalizations. *Biodiversity Data Journal*, 7.
- Hadi, N. K. (2012). Keanekaragaman Burung Rangkong (Bucerotidae) pada Kawasan Lindung IUPHHK-HTI PT. Bukit Batu Hutani Alam Kabupaten Bengkalis, Provinsi Riau.
- Hadiprakarsa, Y. Y., & Kinnaird, M. F. (2004). Foraging Characteristics of an Assemblage of Four Sumatran Hornbill Species. *Bird Conservation International*, 14(S1), S53-S62.
- Himmah, I., Utami, S., & Baskoro, K. (2010). Struktur dan Komposisi Vegetasi Habitat Julang Emas (*Aceros undulatus*) di Gunung Ungaran Jawa Tengah. *Jurnal Sains dan Matematika*, 18(3), 104-110.
- Ikeda, T., Uchida, K., Matsuura, Y., Takahashi, H., Yoshida, T., Kaji, K., & Koizumi, I. (2016). Seasonal and Diel Activity Patterns of Eight Sympatric Mammals in Northern Japan Revealed by an Intensive Camera-trap Survey. *PloS one*, 11(10), e0163602.
- Johnston, P. G., & Zucker, I. R. V. I. N. G. (1983). Lability and Diversity of Circadian Rhythms of Cotton Rats *Sigmodon hispidus*. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 244(3), R338-R346.

- Kalima, T., & Denny, D. (2019). Komposisi Jenis dan Struktur Hutan Rawa Gambut Taman Nasional Sebangau, Kalimantan Tengah. *Jurnal Penelitian Hutan dan Konservasi Alam*, 16(1), 51-72.
- Kartawinata, K. (1980). A Note on A Kerangas (Heath) Forest at Sebulu, East Kalimantan. *Reinwardtia*, 9(4), 429-447.
- Kemp, A. C. (1995). *The Hornbills: Bucerotiformes*. Oxford: Oxford University Press.
- Kennedy, A. G., Ahmad, A. H., Klinck, H., Johnson, L. M., & Clink, D. J. (2023). Evidence for Acoustic Niche Partitioning Depends on the Temporal Scale in Two Sympatric Bornean Hornbill Species. *Biotropica*, 55(2), 517-528.
- Kissinger, K., Zuhud, E. A., Darusman, L. K., & Siregar, I. Z. (2013). Keanekaragaman Jenis Tumbuhan Obat dari Hutan kerangas. *Jurnal Hutan Tropis*, 1(1).
- Kitamura, S., Thong-Aree, S., Madsri, S., & Poonswad, P. (2011). Characteristics of Hornbill-Dispersed Fruits in Lowland Dipterocarp Forests of Southern Thailand. *The Raffles Bulletin of Zoology*, 24, 137-147.
- Klenova, A. V., Volodin, I. A. (2022). *Practical Guide for Bioacoustics*. Moscow: Moscos University Press.
- Langner A, Miettinen J, Siegert F. 2007. Land Cover Change 2002–2005 in Borneo and the Role of Fire Derived from MODIS Imagery. *Global Change Biology* 13: 2329–2340.
- Langner A, Siegert F. (2009). Spatiotemporal Fire Occurrence in Borneo Over a Period of 10 Years. *Global Change Biology* 15: 48–62.
- Lawlor, L. R. (1980). Overlap, Similarity, and Competition Coefficients. *Ecology*, 61(2), 245-251.

- Lubis, M. F. A., Sawitri, H. I., Yusran, A., Ramadhan, G. F., Wahyudiyono, M. H. S., Hernowo, J. B., & Sahari, B. (2023). Species Richness, Population, Sex Ratio and Activities of Hornbills Inhabiting Patches of Forests in an Oil Palm Plantation Concession in Penajam Paser Utara, East Kalimantan. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1220, No. 1, p. 012032). IOP Publishing.
- Lubis, N. S., Iqbar, I., & Sugianto, S. (2021). Populasi dan Pola Penyebaran Burung Rangkong (Famili Bucerotidae) di Tahura PMI dengan Pendekatan Sistem Informasi Geografi (SIG). *Jurnal Ilmiah Mahasiswa Pertanian*, 6(1), 77-85.
- Madhusudhana, S., Pavan, G., Miller, L. A., Gannon, W. L., Hawkins, A., Erbe, C., & Thomas, J. A. (2022). Choosing Equipment for Animal Bioacoustic Research. *Exploring Animal Behavior Through Sound: Volume*, 37.
- Maimunah, S., & Syahbudin, A. (2020). Anggrek Hutan Kerangas Kalimantan Tengah.
- Maknun, D. (2017). *Ekologi: Populasi, Komunitas, Ekosistem Mewujudkan Kampus Hijau Asri, Islami, dan Ilmiah*. Cirebon: Nurjati Press.
- Mangangantung B, Katili DY, Saroyo, Maabuat PV. 2015. Density and Type of Food for Hornbill (*Rhyticeros cassidix*) in Tangkoko Batu Angus Nature Reserve. *Jurnal MIPA*, 4 (1): 88-92.
- Meijaard, E., Sheil, D., Nasi, R., Augeri, D., Rosenbaum, B., Iskandar, D., ... & O'Brien, T. (2006). *Hutan pasca pemanenan: melindungi satwa liar dalam kegiatan hutan produksi di Kalimantan*. CIFOR.
- Meredith, M., & Martin S. (2017). The Overlap Package. <https://kar.kent.ac.uk/id/eprint/41474>.
- Mutanu, L., Gohil, J., Gupta, K., Wagio, P., & Kotonya, G. (2022). A Review of Automated Bioacoustics and General Acoustics Classification Research. *Sensors*, 22(21), 8361.

- Nakabayashi, M., Inoue, Y., Ahmad, A. H., & Izawa, M. (2019). Limited Directed Seed Dispersal in the Canopy as one of the Determinants of the Low Hemi-Epiphytic Figs' Recruitments in Bornean Rainforests. *Plos one*, 14(6), e0217590.
- Naniwadekar, R., Shukla, U., Isvaran, K., & Datta, A. (2015). Reduced Hornbill Abundance Associated with Low Seed Arrival and Altered Recruitment in a Hunted and Logged Tropical Forest. *PLoS One*, 10(3).
- Pemerintah Indonesia. Undang-Undang Nomor 5 Tahun 1990 tentang Konservasi Sumberdaya Alam Hayati Dan Ekosistemnya. *Jakarta: Dephut*.
- Pérez-Granados, C., & Traba, J. (2021). Estimating Bird Density Using Passive Acoustic Monitoring: A Review of Methods and Suggestions for Further Research. *Ibis*, 163(3), 765-783.
- Poonswad, P. A. N. V. P., Tsuji, A., Jirawatkavi, N., & Chimchome, V. (1998). Some Aspects of Food and Feeding Ecology of Sympatric Hornbill Species in Khao Yai National Park, Thailand. *The Asian hornbills: ecology and conservation*, 2, 137-157.
- Poulsen, J. R., Clark, C. J., Connor, E. F., & Smith, T. B. (2002). Differential Resource Use by Primates and Hornbills: Implications for Seed Dispersal. *Ecology*, 83(1), 228-240.
- Posa, M. R. C., Wijedasa, L. S., & Corlett, R. T. (2011). Biodiversity and Conservation of Tropical Peat Swamp Forests. *BioScience*, 61(1), 49-57.
- Pratama, R. D. (2019). Karakteristik Sarang Rangkong (Aves: Bucerotidae) di Stasiun Penelitian Way Canguk, Taman Nasional Bukit Barisan Selatan (Tnbbs). *Skripsi*. Universitas Lampung.
- Pratama, M. S., Agus Setiawan, A., Harianto, S. P., & Nuning Nurcahyani, N. (2021). Keanekaragaman Jenis Burung Rangkong (Bucerotidae) di Stasiun

- Penelitian Way Canguk Taman Nasional Bukit Barisan Selatan. *Jurnal Belantara*, 4(2), 153-163.
- Purwanto, A. (2022). Jenis Burung Enggang (Bucerotidae) di Desa Nanga Raun Kecamatan Kalis Kabupaten Kapuas Hulu. *BIOLOGICA SAMUDRA*, 4(1), 52-59.
- Rainey, H. J., & Zuberbühler, K. (2007). Seasonal Variation in Hornbill Abundance in A West African National Park Detected Using Analysis of Acoustic Recordings. *Bird Conservation International*, 17(3), 235-244.
- Ramadhan, S. (2015). *Keanekaragaman Burung Rangkong (Bucerotidae) yang Terdapat di Pegunungan Gugop sebagai Referensi dalam Pembelajaran Matakuliah Ornithologi* (Doctoral dissertation, UIN Ar-Raniry Banda Aceh).
- Rangkong Indonesia. (2018). <https://rangkong.org/>.
- Restorasi Ekosistem Riau. (2022). <https://www.rekoforest.org/id/warta-lapangan/english-the-13-hornbills-of-indonesia/>.
- Ridout MS, Linkie M (2009). Estimating Overlap of Daily Activity Patterns from Camera Trap Data. *Journal of Agricultural, Biological, and Environmental Statistics*, 14(3), 322–337.
- Sasono, H. B., SE, M., Gamal, I. A., & SE, M. (2022). *Manajemen Penebangan Hutan*. Yogyakarta: Penerbit Andi.
- Sastranegara, H., Mardiasuti, A., & Mulyani, Y. A. (2020). Guild Composition and Niche Overlap of Insectivorous Birds in Evergreen Rainforest. *Jurnal Manajemen Hutan Tropika*, 26(1), 13-13.
- Savini, C. O. (2007). *Food Overlap and Fruit Selection Among Four Sympatric Hornbill Species During Different Phases of Their Annual Cycle* (Doctoral dissertation, Mahidol University).

- Setiawan, A. (2022). *Analisis Vegetasi Habitat Burung Rangkong*. Fakultas Kehutanan, Universitas Hasanuddin.
- Sidiyasa, K. (2012). Karakteristik Hutan Rawa Gambut di Tuanan dan Katunjung, Kalimantan Tengah. *Jurnal Penelitian Hutan dan Konservasi Alam*, 9(2), 125-137.
- Sinclair, A. R. E., Fryxell, J. M., & Caughley, G. (2006). *Wildlife Ecology, Conservation, and Management*. Malden: Blackwell Publishing.
- Snaddon, J., Petrokofsky, G., Jepson, P., & Willis, K. J. (2012). Biodiversity Technologies: Tools as Change Agents. *Biology Letters*, 9(1),
- Sugai, L. S. M., Desjonqueres, C., Silva, T. S. F., & Llusia, D. (2020). A Roadmap For Survey Designs in Terrestrial Acoustic Monitoring. *Remote Sensing in Ecology and Conservation*, 6(3), 220-235.
- Sumarto, S., & Koneri, R. (2016). *Ekologi Hewan*. Manado: CV. Patra Media Grafindo.
- Supriatna, J. (2008). *Melestarikan Alam Indonesia*. Jakarta: Yayasan Obor Indonesia.
- Tang, L., Kan, Z., Zhang, X., Sun, F., Yang, X., & Li, Q. (2016). A Network Kernel Density Estimation for Linear Features in Space–Time Analysis of Big Trace Data. *International Journal of Geographical Information Science*, 30(9), 1717-1737.
- Teixeira, D., Maron, M., & van Rensburg, B. J. (2019). Bioacoustic Monitoring of Animal Vocal Behavior for Conservation. *Conservation Science and Practice*, 1(8).
- Tsafack, N., Wang, X., Xie, Y., & Fattorini, S. (2021). Niche Overlap and Species Co-occurrence Patterns in Carabid Communities of the Northern Chinese Steppes. *ZooKeys*, 1044, 929.

- Vishwakarma, A., Kumar, A., & Krishna, M. (2022). Hornbills: A Flagship Species in Pakke Tiger Reserve, Arunachal Pradesh, India. *Int. J. Ecol. Environ. Sci*, 48, 663-669.
- Wilson, W. L., & Johns, A. D. (1982). Diversity and Abundance of Selected Animal Species in Undisturbed Forest, Selectively Logged Forest and Plantations in East Kalimantan, Indonesia. *Biological Conservation*, 24(3), 205-218.
- Winarni, N. L., & Jones, M. (2012). Effect of Anthropogenic Disturbance on the Abundance and Habitat Occupancy of Two Endemic Hornbill Species in Buton Island, Sulawesi. *Bird Conservation International*, 22(2), 222-233.
- Yamani, A., Kissinger, K., & Rina, M. N. (2016). Model Konservasi *Shorea balangeran* dari Habitat Hutan Kerangas Rawa (Hutan Kerapah) sebagai Bahan Obat Alam.
- Yuan, K., Cheng, X., Gui, Z., Li, F., & Wu, H. (2019). A quad-tree-based fast and adaptive Kernel Density Estimation algorithm for heat-map generation. *International Journal of Geographical Information Science*, 33(12), 2455-2476.