

DAFTAR PUSTAKA

- Abdeslam, I., Fehdi, C., and Djabri, L. 2017. *Application of drastic method for determining the vulnerability of an alluvial aquifer: Morsott – El Aouinet north east of Algeria: using arcgis environment*, Science Direct Energy Procedia 119 (2017) p.308 – 317, Elsevier.
- Aller, L., Bennet, T., Lehr, J.H., Petty, R.J. 1987. *DRASTIC: A Standardized System For Evaluating Ground Water Pollution Potential Using Hydrogeological Settings*, EPA.
- Aribowo, K. 2021. *Kerentanan Air Tanah Terhadap Pencemaran di Kecamatan Muntilan, Salam, dan Ngluwar Kabupaten Magelang Provinsi Jawa Tengah*. Tesis, Pascasarjana Teknik Geologi, Universitas Gadjah Mada.
- Azzah, Z., Aditya, P, W., dan Agus, B, I. 2021. *Kajian Kerentanan Air Tanah dengan Metode DRASTIC di Kalurahan Jatisarono, Kapanewon Nanggulan, Kabupaten Kulon Progo*, DI Yogyakarta, Prosiding Seminar Nasional Teknik Lingkungan Kebumihan ke-III.
- Bachri, S., Sukido., N Ratman. 1993. *Peta Geologi Regional Lembar Tilamuta*. Pusat Penelitian dan Pengembangan Geologi.
- Badan Pusat Statistik (BPS) Kabupaten Gorontalo. 2021. *Kabupaten Gorontalo Dalam Angka*, Kabupaten Gorontalo: Badan Pusat Statistik.
- Badan Informasi Geospasial. 2023. Peta Per Wilayah dan Peta DEMNAS Kabupaten Gorontalo. <https://tanahair.indonesia.go.id/portal-web/download/perwilayah> dan (<https://tanahair.indonesia.go.id/demnas/#/>). Akses tanggal 25 Mei 2023
- Bouwer, H. 1989, *The Bouwer and Rice Slug Test – An Update*. Ground Water Vol 27 No.3, pp 304 – 309
- Danaryanto, H. 2005. *Air Tanah Di Indonesia dan Pengelolaannya*. Jakarta : Departemen ESDM.
- Daniel, W.W. 1978. *Applied Nonparametric Statistics Second Edition*. Duxbury, Pacific Grove, CA

- Doerfliger, N., P. Y. Jeannin., and F. Zwahlen (1999). “*Water vulnerability assessment in karst environments: A new method of defining protection areas using a multiattribute approach and GIS tools (EPIK method)*.” *Environmental Geology* **39**(2): 165–176.
- Foster, S. 1987. “*Fundamental concepts in aquifer vulnerability, pollution risk and protection strategy.*” In: van Duijvenbooden W, van Waegeningh HG (eds). *Proceedings and information in vulnerability of soil and ground-water to pollutants*, vol 38. TNO Committee on Hydrological Research, The Hague pp 69–86.
- Foster, S., dan Hirata, R. 1988. *Groundwater Pollution Risk Assessment a methodology using available data*. Peru: World Health Organization.
- Foster, S.S.D., R. Hirata, D. Gomez, M. D’Elia, M. Paris. 2002. *Groundwater Quality Protection: A Guide for Water Utilitie, Municipal Authorities and Environment Agencies*. Washington D.C: The World Bank.
- Freeze, R.A. dan Cherry, J.A., 1979. *Groundwater*. Prentice-Hall, Inc., Englewood Cliffs, New Jersey 07632, 604 p.
- Hadi, S., 2004, *Penilaian Kerentanan Air tanah di Bandung*. Buletin Geologi Tata Lingkungan, Vol. 14. No, 1. p.17-39.
- Huan, H., Wang, J., and Teng, Y. 2012. *Assessment and validation of groundwater vulnerability to nitrate based on modified DRASTIC model: A case study in Jilin City of Northeast China*, *Journal Science of the Total Environment*, 440 (2012) p.14 – 23, Elsevier.
- K. Khosravi, M. Sartaj, F. T. C. Tsai, V. P. Singh, N. Kazakis, A. M. Melesse, I. Prakash, D. T. Bui, B. T. Pham, 2018, *A comparison study of DRASTIC methods with various objective methods for groundwater vulnerability assessment*, *Sci Total Environ* 642:1032–1049.
- Lobo Ferreira, J.P and Manuel, M.O. 2004. *Groundwater Vulnerability assessment in Portugal*, *Journal Geofisica Internacional* (2004), V.43, Num. 4, p.541-550
- Morris, B.L., Lawrence, A.R.L., Chilton, P.J.C., Adams, B., Calow, R.C., and Klinck, B.A 2003. *Groundwater and its Susceptibility to Degradation: A Global Assessment of The Problem and Options for Management. Early Warning and Assessment Report Series*, 66 RS. 03-3. United Nations Environment Programme, Nairobi, Kenya, V.53.

Peraturan Daerah Kabupaten Gorontalo Nomor 4 Tahun 2013 Tentang Rencana Tata Ruang dan Wilayah (RTRW) Kabupaten Gorontalo Tahun 2012 - 2032, BAPEDA Kabupaten Gorontalo.

- Pisciotta A, Cusimano G and Favara R. 2015. *Groundwater nitrate risk assessment using intrinsic vulnerability methods: a comparative study of environmental impact by intensive farming in Mediterranean region of Sicily, Italy*. Journal of geochemical exploration 156, pp 89 -100.
- Putra., D.P.E .2007. *The Impact of Urbanization on Groundwater Quality A Case Study in Yogyakarta City – Indonesia*, Rheinisch Westfalische Technische Hochschule Aachen, German: RWTH. 147 p.
- Putranto, T.T., Ali, R.K., dan Putro, A.B. 2019. *Studi Kerentanan Air tanah Terhadap Pencemaran dengan Menggunakan Metode Drastic Pada Cekungan Air tanah (CAT) Karanganyar-Boyolali*, Jurnal Ilmu Lingkungan Volume 17 Issue 1 (2019), p.158 - 171.
- Saidi, S., Bouri, S., Anselme, B., and Dhiaa, H.B. 2015. *Guideline for Groundwater Resource Management Using GIS Tools in Arid to Semi Arid Climate Regions. Problems, Perspectives and Challenges of Agricultural Water Management*, p.277-292.,2012, 10.5772/30178. <https://hal.archives-ouvertes.fr/hal-01178148>.
- SNI ASTM C136:2012. 2012. *Metode Uji untuk Analisis Saringan Agregat Halus dan Agregat Kasar*. Jakarta: Badan Standarisasi Nasional.
- SNI 6989.79:2011. 2011. *Air dan air limbah – Bagian 79 :Cara uji nitrat dengan spektrofotometer UV-visibel secara reduksi kadmium*. Jakarta: Badan Standarisasi Nasional.
- Van Zuidam, R.A. 1979. *Terrain Analysis and Classification using Aerial Photographs*. Tectbook VII-6, Netherland: International Institute for Aerial Survey and Earth Sciences (ITC) : 310 p.
- Vrba and Zaporozec. 1994. *Guidebook on Mapping Groundwater Vulnerability*. International Association of Hydrogeologists; Vol. 16, XV, p.28-48.
- Widodo, T. 2021. *Kerentanan Akuifer Terhadap Pemanfaatan Air Tanah di Kota Kediri*. Tesis, Pascasarjana Teknik Geologi, Universitas Gadjah Mada.