

DAFTAR PUSTAKA

- Bagherzadeh, R., Gorji, M., Sorayani Bafgi, M. S., & Saveh-Shemshaki, N. (2017). 18—Electrospun conductive nanofibers for electronics. In M. Afshari (Ed.), *Electrospun Nanofibers* (pp. 467–519). Woodhead Publishing. <https://doi.org/10.1016/B978-0-08-100907-9.00018-0>
- Baruah, P., Das, B. K., Kashyap, D., & Mahanta, D. (2023). Polyaniline coated sugar derived soft carbon sphere as electrode material in all-solid state symmetric supercapacitor with enhanced cyclic stability. *Materials Today Communications*, 35, 105736. <https://doi.org/10.1016/j.mtcomm.2023.105736>
- Becker, K., Jährling, N., Saghafi, S., Weiler, R., & Dodt, H.-U. (2012). Chemical Clearing and Dehydration of GFP Expressing Mouse Brains. *PLOS ONE*, 7(3), e33916. <https://doi.org/10.1371/journal.pone.0033916>
- Bhadra, S., Khastgir, D., Singha, N. K., & Lee, J. H. (2009). Progress in preparation, processing and applications of polyaniline. *Progress in Polymer Science*, 34(8), 783–810. <https://doi.org/10.1016/j.progpolymsci.2009.04.003>
- Bıçak, N., Şenkal, B. F., & Sezer, E. (2005). Preparation of organo-soluble polyanilines in ionic liquid. *Synthetic Metals*, 155(1), 105–109. <https://doi.org/10.1016/j.synthmet.2005.06.010>
- Boeva, Zh. A., & Sergeyev, V. G. (2014). Polyaniline: Synthesis, properties, and application. *Polymer Science Series C*, 56(1), 144–153. <https://doi.org/10.1134/S1811238214010032>
- Breslin, P. A. S. (2013). An Evolutionary Perspective on Food and Human Taste. *Current Biology*, 23(9), R409–R418. <https://doi.org/10.1016/j.cub.2013.04.010>
- Cetó, X., & Valle, M. del. (2022). Electronic tongue applications for wastewater and soil analysis. *iScience*, 25(5), 104304. <https://doi.org/10.1016/j.isci.2022.104304>
- Chandrashekar, J., Hoon, M. A., Ryba, N. J. P., & Zuker, C. S. (2006). The receptors and cells for mammalian taste. *Nature*, 444(7117), 288–294. <https://doi.org/10.1038/nature05401>
- Chen, S. A., & Lee, H. T. (1993). Polyaniline plasticized with 1-methyl-2-pyrrolidone: Structure and doping behavior. *Macromolecules*, 26(13), 3254–3261. <https://doi.org/10.1021/ma00065a002>
- Ciosek, P., & Wróblewski, W. (2007). Sensor arrays for liquid sensing – electronic tongue systems. *Analyst*, 132(10), 963–978. <https://doi.org/10.1039/B705107G>
- Ciosek, P., & Wróblewski, W. (2011). Potentiometric Electronic Tongues for Foodstuff and Biosample Recognition—An Overview. *Sensors (Basel, Switzerland)*, 11, 4688–4701. <https://doi.org/10.3390/s110504688>

- Cui, H., Habara, M., Ikezaki, H., & Toko, K. (2008). Study of surface-modified lipid/polymer membranes for detecting sweet taste substances. *2008 3rd International Conference on Sensing Technology*, 610–614. <https://doi.org/10.1109/ICSENST.2008.4757178>
- Deng, C. (2015). *Synthesis and Characterization of Polyaniline*. Wuhan University of Technology.
- Dufour, B., Rannou, P., Djurado, D., Zagorska, M., Kulszewicz-Bajer, I., & Pron, A. (2003). *The role of chain and dopant engineering in the preparation of processible conducting polymers with desired properties*. 135–136, 63–68. Scopus. [https://doi.org/10.1016/S0379-6779\(02\)00538-6](https://doi.org/10.1016/S0379-6779(02)00538-6)
- Fukushima, K. L., Scagion, V. P., Moreira Facure, M. H., Marques Pinheiro, A. C., Correa, D. S., Nunes, C. A., & Oliveira, J. E. (2021). Development of an Electronic Tongue Based on a Nanocomposite for Discriminating Flavor Enhancers and Commercial Salts. *IEEE Sensors Journal*, 21(2), 1250–1256. <https://doi.org/10.1109/JSEN.2020.3021653>
- Gutiérrez-Capitán, M., Capdevila, F., Vila-Planas, J., Domingo, C., Büttgenbach, S., Llobera, A., Puig-Pujol, A., & Jiménez-Jorquera, C. (2014). Hybrid Electronic Tongues Applied to the Quality Control of Wines. *Journal of Sensors*, 2014, 598317. <https://doi.org/10.1155/2014/598317>
- Habara, M., Ikezaki, H., & Toko, K. (2004). Study of sweet taste evaluation using taste sensor with lipid/polymer membranes. *Biosensors and Bioelectronics*, 19(12), 1559–1563. <https://doi.org/10.1016/j.bios.2003.06.002>
- Harada, T., Uchida, T., Yoshida, M., Kobayashi, Y., Narazaki, R., & Ohwaki, T. (2010). A New Method for Evaluating the Bitterness of Medicines in Development Using a Taste Sensor and a Disintegration Testing Apparatus. *Chemical and Pharmaceutical Bulletin*, 58(8), 1009–1014. <https://doi.org/10.1248/cpb.58.1009>
- Harada, Y., Tahara, Y., & Toko, K. (2015). Study of the Relationship between Taste Sensor Response and the Amount of Epigallocatechin Gallate Adsorbed Onto a Lipid-Polymer Membrane. *Sensors*, 15(3), 6241–6249. <https://doi.org/10.3390/s150306241>
- Hayashi, K., Yamanaka, M., Toko, K., & Yamafuji, K. (1990). Multichannel taste sensor using lipid membranes. *Sensors and Actuators B: Chemical*, 2(3), 205–213. [https://doi.org/10.1016/0925-4005\(90\)85006-K](https://doi.org/10.1016/0925-4005(90)85006-K)
- Hayashi, N., Ujihara, T., Chen, R., Irie, K., & Ikezaki, H. (2013). Objective evaluation methods for the bitter and astringent taste intensities of black and oolong teas by a taste sensor. *Tea – from Bushes to Mugs: Composition, Stability and Health Aspects*, 53(2), 816–821. <https://doi.org/10.1016/j.foodres.2013.01.017>
- Ikezaki, H., Taniguchi, A., & Toko, K. (1997). Quantification of Taste of Green Tea with Taste Sensor. *IEEJ Transactions on Sensors and Micromachines*, 117(9), 465–470. <https://doi.org/10.1541/ieejsmas.117.465>

- Kier, L. B. (1972). A Molecular Theory of Sweet Taste. *Journal of Pharmaceutical Sciences*, 61(9), 1394–1397. <https://doi.org/10.1002/jps.2600610910>
- Kobayashi, Y., Habara, M., Ikezaki, H., Chen, R., Naito, Y., & Toko, K. (2010). Advanced Taste Sensors Based on Artificial Lipids with Global Selectivity to Basic Taste Qualities and High Correlation to Sensory Scores. *Sensors*, 10(4), 3411–3443. <https://doi.org/10.3390/s100403411>
- Kobayashi, Y., Hamada, H., Yamaguchi, Y., Ikezaki, H., & Toko, K. (2009). Development of an Artificial Lipid-Based Membrane Sensor with High Selectivity and Sensitivity to the Bitterness of Drugs and with High Correlation with Sensory Score. *IEEEJ Transactions on Electrical and Electronic Engineering*, 4(6), 710–719. <https://doi.org/10.1002/tee.20469>
- Krantz-Rülcker, C., Stenberg, M., Winqvist, F., & Lundström, I. (2001). Electronic tongues for environmental monitoring based on sensor arrays and pattern recognition: A review. *Analytica Chimica Acta*, 426, 217–226. [https://doi.org/10.1016/S0003-2670\(00\)00873-4](https://doi.org/10.1016/S0003-2670(00)00873-4)
- Kuramoto, N., & Tomita, A. (1997). Chemical oxidative polymerization of dodecylbenzenesulfonic acid aniline salt in chloroform. *Synthetic Metals*, 88(2), 147–151. [https://doi.org/10.1016/S0379-6779\(97\)03850-2](https://doi.org/10.1016/S0379-6779(97)03850-2)
- Legin, A., Rudnitskaya, A., Vlasov, Y., Di Natale, C., Davide, F., & D'Amico, A. (1997). Tasting of beverages using an electronic tongue. *Sensors and Actuators B: Chemical*, 44(1), 291–296. [https://doi.org/10.1016/S0925-4005\(97\)00167-6](https://doi.org/10.1016/S0925-4005(97)00167-6)
- Li, Z., & Gong, L. (2020). Research Progress on Applications of Polyaniline (PANI) for Electrochemical Energy Storage and Conversion. *Materials*, 13(3), 548. <https://doi.org/10.3390/ma13030548>
- Macdiarmid, A. G., Chiang, J. C., Huang, W., Humphrey, B. D., & Somasiri, N. L. D. (1985). Polyaniline: Protonic Acid Doping to the Metallic Regime. *Molecular Crystals and Liquid Crystals*, 125(1), 309–318. <https://doi.org/10.1080/00268948508080110>
- Macdiarmid, A. G., Chiang, J. C., Richter, A. F., & Epstein, A. J. (1987). Polyaniline: A new concept in conducting polymers. *Proceedings of the International Conference of Science and Technology of Synthetic Metals*, 18(1), 285–290. [https://doi.org/10.1016/0379-6779\(87\)90893-9](https://doi.org/10.1016/0379-6779(87)90893-9)
- Min, G. (2001). Inorganic salts effect on the properties of polyaniline. *Proceedings of the International Conference on Science and Technology of Synthetic Metals*, 119(1), 273–274. [https://doi.org/10.1016/S0379-6779\(00\)01078-X](https://doi.org/10.1016/S0379-6779(00)01078-X)
- Moufid, M., Tiebe, C., El Bari, N., Hamada Fakra, D. A., Bartholmai, M., & Bouchikhi, B. (2022). Pollution parameters evaluation of wastewater collected at different treatment stages from wastewater treatment plant based on E-nose and E-tongue systems combined with chemometric techniques. *Chemometrics and Intelligent Laboratory Systems*, 227, 104593. <https://doi.org/10.1016/j.chemolab.2022.104593>

- Oohira, K., & Toko, K. (1996). Theory of electric characteristics of the lipid/PVC/DOPP membrane and PVC/DOPP membrane in response to taste stimuli. *Biophysical Chemistry*, 61(1), 29–35. [https://doi.org/10.1016/0301-4622\(96\)00026-9](https://doi.org/10.1016/0301-4622(96)00026-9)
- Podrażka, M., Bączyńska, E., Kundys, M., Jeleń, P., & Witkowska Nery, E. (2017). Electronic Tongue—A Tool for All Tastes? *Biosensors*, 8(1), 3. <https://doi.org/10.3390/bios8010003>
- Priambudi, Y. A., Hartati, S., & Lelono, D. (2014). *Sistem Klasifikasi Rasa Kopi Berbasis Electronic Tongue Menggunakan Madaline Neural Network*. 4(2).
- Pron, A., Genoud, F., Menardo, C., & Nechtschein, M. (1988). The effect of the oxidation conditions on the chemical polymerization of polyaniline. *Synthetic Metals*, 24(3), 193–201. Scopus. [https://doi.org/10.1016/0379-6779\(88\)90257-3](https://doi.org/10.1016/0379-6779(88)90257-3)
- Rahman Khan, M. M., Islam, M., Amin, Md. K., Paul, S. K., Rahman, S., Talukder, Md. M., & Rahman, Md. M. (2022). Simplistic fabrication of aniline and pyrrole-based poly(Ani-co-Py) for efficient photocatalytic performance and supercapacitors. *International Journal of Hydrogen Energy*, 47(89), 37860–37869. <https://doi.org/10.1016/j.ijhydene.2022.08.296>
- Riul, A., De Sousa, H. C., Malmegrim, R. R., Dos Santos, D. S., Carvalho, A. C. P. L. F., Fonseca, F. J., Oliveira, O. N., & Mattoso, L. H. C. (2004). Wine classification by taste sensors made from ultra-thin films and using neural networks. *Sensors and Actuators B: Chemical*, 98(1), 77–82. <https://doi.org/10.1016/j.snb.2003.09.025>
- Riul, A., Gallardo Soto, A. M., Mello, S. V., Bone, S., Taylor, D. M., & Mattoso, L. H. C. (2003). An electronic tongue using polypyrrole and polyaniline. *Synthetic Metals*, 132(2), 109–116. [https://doi.org/10.1016/S0379-6779\(02\)00107-8](https://doi.org/10.1016/S0379-6779(02)00107-8)
- Riul Jr., A., Dantas, C. A. R., Miyazaki, C. M., & Oliveira Jr., O. N. (2010). Recent advances in electronic tongues. *Analyst*, 135(10), 2481–2495. <https://doi.org/10.1039/C0AN00292E>
- Shallenberger, R. S., & Acree, T. E. (1967). Molecular Theory of Sweet Taste. *Nature*, 216(5114), 480–482. <https://doi.org/10.1038/216480a0>
- Sharma, G., Kumar, S., Kumar, A., Sharma, A., Kumar, R., Kaur, R., & Bhondekar, A. P. (2015). Development of Lipid Membrane Based Taste Sensors for Electronic Tongue. *Procedia Computer Science*, 70, 146–152. <https://doi.org/10.1016/j.procs.2015.10.062>
- Sidheekha, M. P., Nufaira, K., Shabeeba, A. K., Rajan, L., & Ismail, Y. A. (2022). Characterization of polyanilines synthesized at different pH for electrochemical sensing and supercapacitor applications. *Materials Today: Proceedings*, 51, 2286–2292. <https://doi.org/10.1016/j.matpr.2021.11.402>
- Sierra-Padilla, A., García-Guzmán, J. J., López-Iglesias, D., Palacios-Santander, J. M., & Cubillana-Aguilera, L. (2021). E-Tongues/Noses Based on Conducting Polymers and Composite Materials: Expanding the Possibilities

- in Complex Analytical Sensing. *Sensors*, 21(15), 4976. <https://doi.org/10.3390/s21154976>
- Sollid, K. (2020, September 22). What is Sucrose? *Food Insight*. <https://foodinsight.org/what-is-sucrose/>
- Stillwell, W. (2016). Chapter 4—Membrane Lipids: Fatty Acids. In W. Stillwell (Ed.), *An Introduction to Biological Membranes (Second Edition)* (pp. 49–62). Elsevier. <https://doi.org/10.1016/B978-0-444-63772-7.00004-X>
- Tahara, Y., Hattori, T., Wu, X., Yatabe, R., Ikezaki, H., Habara, M., & Toko, K. (2017). Development of sweetness sensor for high-potency sweeteners using lipid polymer membrane. *2017 ISOCs/IEEE International Symposium on Olfaction and Electronic Nose (ISOEN)*, 1–2. <https://doi.org/10.1109/ISOEN.2017.7968932>
- Tahara, Y., Nakashi, K., Ji, K., Ikeda, A., & Toko, K. (2013). Development of a Portable Taste Sensor with a Lipid/Polymer Membrane. *Sensors*, 13(1), 1076–1084. <https://doi.org/10.3390/s130101076>
- Tahara, Y., & Toko, K. (2013). Electronic Tongues—A Review. *IEEE Sensors Journal*, 13(8), 3001–3011. <https://doi.org/10.1109/JSEN.2013.2263125>
- Talukder, Md. M., Rahman Khan, M. M., & Amin, Md. K. (2023). A review on polyaniline (PANI) based nanocomposites for water purification. *South African Journal of Chemical Engineering*, 44, 276–282. <https://doi.org/10.1016/j.sajce.2023.02.004>
- Toko, K. (2000). Taste sensor. *Sensors and Actuators B: Chemical*, 64(1), 205–215. [https://doi.org/10.1016/S0925-4005\(99\)00508-0](https://doi.org/10.1016/S0925-4005(99)00508-0)
- Toko, K., & Tahara, Y. (2016). *Electronic Noses and Tongues in Food Science*. Academic Press.
- Totsuka, A. (2013). *Biochemical Sensors: Mimicking Gustatory and Olfactory Senses* (1st ed.). Pan Stanford Publishing.
- Toyota, K., Cui, H., Abe, K., Habara, M., Toko, K., & Ikezaki, H. (2011). Sweetness Sensor with Lipid/Polymer Membranes: Sweet-Responsive Substances. *Sensors and Materials*, 465. <https://doi.org/10.18494/SAM.2011.772>
- Träuble, H., Teubner, M., Woolley, P., & Eibl, H. (1976). Electrostatic interactions at charged lipid membranes: I. Effects of ph and univalent cations on membrane structure. *Biophysical Chemistry*, 4(4), 319–342. [https://doi.org/10.1016/0301-4622\(76\)80013-0](https://doi.org/10.1016/0301-4622(76)80013-0)
- Vahdatiyehta, P., Zniber, M., Bobacka, J., & Huynh, T.-P. (2022). A review on conjugated polymer-based electronic tongues. *Analytica Chimica Acta*, 1221, 340114. <https://doi.org/10.1016/j.aca.2022.340114>
- Visakh, P. M. (2018). Chapter 1—Polyaniline-Based Blends, Composites, and Nanocomposites: State of the Art, New Challenges, and Opportunities. In P. M. Visakh, C. D. Pina, & E. Falletta (Eds.), *Polyaniline Blends*,

- Composites, and Nanocomposites* (pp. 1–22). Elsevier.
<https://doi.org/10.1016/B978-0-12-809551-5.00001-1>
- Vlasov, Yu., Legin, A., Rudnitskaya, A., Di Natale, C., & D'Amico, A. (2005). *Nonspecific sensor arrays (“electronic tongue”) for chemical analysis of liquids (IUPAC Technical Report)*. 77(11), 1965–1983.
<https://doi.org/10.1351/pac200577111965>
- Wu, X., Tahara, Y., Yatabe, R., & Toko, K. (2020). Taste Sensor: Electronic Tongue with Lipid Membranes. *Analytical Sciences*, 36(2), 147–159.
<https://doi.org/10.2116/analsci.19R008>
- Xie, H.-Q., Ma, Y.-M., & Feng, D.-S. (2000). Preparation of organosoluble conductive polyaniline via precipitation polymerization and study of its conductivity. *European Polymer Journal*, 36(10), 2201–2206. Scopus.
[https://doi.org/10.1016/S0014-3057\(99\)00283-9](https://doi.org/10.1016/S0014-3057(99)00283-9)
- Yasuura, M., Shen, Q., Tahara, Y., Yatabe, R., & Toko, K. (2015). Development and Investigation of a Sweetness Sensor for Sugars -Effect of Lipids-. *Sensors and Materials*, 27(5), 351–358.
<https://doi.org/10.18494/SAM.2015.1086>