

## DAFTAR PUSTAKA

- Aiyalu, R., Govindarjan, A., & Ramasamy, A. (2016). Formulation and Evaluation of Topical Herbal Gel for the Treatment of Arthritis in Animal Model. *Brazilian Journal of Pharmaceutical Sciences*, 52(3), 493–507. <https://doi.org/10.1590/s1984-82502016000300015>
- Aldobagya, B. (2021). *Narrative Review: Pengaruh Propilen Glikol Terhadap Sifat Fisik Gel Bahan Alam dan Potensinya Sebagai Penetration Enhancer*. Universitas Gadjah Mada.
- Anggraini, D., Rahmawati, N., & Hafsah, D. S. (2013). Formulasi Gel Antijerawat dari Ekstrak Etil Asetat Gambir. In *Jurnal Penelitian Farmasi Indonesia* (Vol. 1, Issue 2).
- Arikumalasari, J., Dewantara, I. G. N. A., & Wijayanti, N. P. A. D. (2013). Optimasi HPMC Sebagai Gelling Agent Dalam Formula Gel Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.). *Jurnal Farmasi Udayana*.
- Barel, A. O., Paye, M., & Maibach, H. I. (2014). *Handbook of Cosmetic Science and Technology* (A. O. Barel, M. Paye, & H. I. Maibach, Eds.). CRC Press. <https://doi.org/10.1201/b16716>
- BPOM RI. (2019). *Peraturan Badan Pengawas Obat dan Makanan No. 23 Tahun 2019*.
- Cao, Y., Zhang, X., He, X., Wang, W., Yi, Y., & Ai, Y. (2023). Efficacy of Ceramide-Containing Sunscreen on Skin Barrier. *Journal of Cosmetic Dermatology*. <https://doi.org/10.1111/jocd.15977>
- Donglikar, M. M., & Deore, S. L. (2016). Sunscreens: A Review. In *Pharmacognosy Journal* (Vol. 8, Issue 3, pp. 171–179). EManuscript Services. <https://doi.org/10.5530/pj.2016.3.1>
- D’Orazio, J., Jarrett, S., Amaro-Ortiz, A., & Scott, T. (2013). UV Radiation and The Skin. In *International Journal of Molecular Sciences* (Vol. 14, Issue 6, pp. 12222–12248). MDPI AG. <https://doi.org/10.3390/ijms140612222>
- Dutra, E. A., Gonçalves Da Costa E Oliveira, D. A., Rosa, E., Kedor-Hackmann, M., Rocha, M. I., Santoro, M., & Kedor-Hackmann, E. R. M. (2004). Determination of Sun Protection Factor (SPF) of Sunscreens by Ultraviolet Spectrophotometry. In *Revista Brasileira de Ciências Farmacêuticas Brazilian Journal of Pharmaceutical Sciences* (Vol. 40).
- Egambaram, O. P., Kesavan Pillai, S., & Ray, S. S. (2020). Materials Science Challenges in Skin UV Protection: A Review. In *Photochemistry and Photobiology* (Vol. 96, Issue 4, pp. 779–797). Blackwell Publishing Inc. <https://doi.org/10.1111/php.13208>

- Endriyatno, N. C., Walid, M., Prayoga A., & Davita, J. S. (2023). Formulasi Gel Ekstrak Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) Dengan Basis HPMC Serta Uji Penyembuhan Luka Bakar Pada Kelinci. *Herbapharma*, 5(1), 1–12.
- Fathoni, D. S., Fadhilah, I., & Kaavessina, M. (2019). Efektivitas Ekstrak Daun Sirih Sebagai Bahan Aktif Antibakteri Dalam Gel Hand Sanitizer Non-Alkohol. *Jurnal Riset Kefarmasian Indonesia*, 1(2). <http://equilibrium.ft.uns.ac.id>
- Fitrianingsih, V., & Zulkarnain, A. K. (2018). *Optimasi Gelling Agent Karbopol, CMC Natrium, dan Gelatin serta Uji Aktivitas Gel 3-Nitrokalkon sebagai Tabir Surya secara In Vitro*. Universitas Gadjah Mada.
- Geoffrey, K., Mwangi, A. N., & Maru, S. M. (2019). Sunscreen Products: Rationale for Use, Formulation Development and Regulatory Considerations. *Saudi Pharmaceutical Journal*, 27(7), 1009–1018. <https://doi.org/10.1016/J.JSPS.2019.08.003>
- Hasanah, S., Ahmad, I., & Rijai, L. (2015). Profil Tabir Surya Ekstrak dan Fraksi Daun Pidada Merah (*Sonneratia caseolaris* L.). *Jurnal Sains Dan Kesehatan*, 1(4), 175–180. <https://doi.org/10.25026/jsk.v1i4.36>
- Hasniar, Yusriadi, & Khumaidi, A. (2015). FORMULASI KRIM ANTIOKSIDAN EKSTRAK DAUN KAPAS (*Gossypium* sp.). *GALENKA Journal of Pharmacy*, 1(1), 9–15.
- Indaryanti, A. E. (2023). *Narrative Review: Sintesis Analog Kurkumin yang Memiliki Aktivitas Sebagai Antiinflamasi*. Universitas Gadjah Mada.
- Jesus, A., Mota, S., Torres, A., Cruz, M. T., Sousa, E., Almeida, I. F., & Cidade, H. (2023). Antioxidants in Sunscreens: Which and What For? *Antioxidants*, 12(1). <https://doi.org/10.3390/antiox12010138>
- Kurniasih, N. (2016). *Formulasi Sediaan Krim Tipe M/A Ekstrak Biji Kedelai ( Glycine max L ) : Uji Stabilitas Fisik dan Efek Pada Kulit*.
- Lautenschläger, H. (2008). Shelf Life of Cosmetics-What Makes Cosmetic Products Unstable? *Kometische*, 12–14. [www.dermaviduals.com](http://www.dermaviduals.com)
- Lestari, F. A., Hajrin, W., & Hanifa, N. I. (2020). Optimasi Formula Krim Ekstrak Daun Katuk (*Sauropus Androgynus*) Variasi Kadar Asam Stearat, Trietanolamin, dan Gliserin. *Jurnal Kefarmasian Indonesia*, 110–119. <https://doi.org/10.22435/jki.v10i2.2496>
- Lukić, M., Pantelić, I., & Savić, S. D. (2021). Towards Optimal pH of The Skin and Topical Formulations: From the Current State of The Art to Tailored Products. In *Cosmetics* (Vol. 8, Issue 3). MDPI AG. <https://doi.org/10.3390/cosmetics8030069>
- Malik, F., Ihsan, S., Meilany, E., & Hamsidi, R. (2020). Formulation of Cream Body Scrub From Ethanol Extract of Cassava Leaves (*Manihot esculenta*)

- as Antioxidant. *Journal of Vocational Health Studies*, 06, 21–28. <https://doi.org/10.20473/jvhs.V4I1.2020.21-28>
- Marchaban, Fudholi, A., Saifullah T.N., Martien, R., & Kuswahyuning R. (2017). Teknologi Formulasi Sediaan Cair Semi Padat. In *UGM Press* (3rd ed.).
- Mayba, J. N., & Gooderham, M. J. (2018). A Guide to Topical Vehicle Formulations. *Journal of Cutaneous Medicine and Surgery*, 22(2), 207–212. <https://doi.org/10.1177/1203475417743234>
- Menon, V. P., & Sudheer, A. R. (2007). *Antioxidant and Anti-Inflammatory Properties of Curcumin*.
- Nelson, K. M., Dahlin, J. L., Bisson, J., Graham, J., Pauli, G. F., & Walters, M. A. (2017). The Essential Medicinal Chemistry of Curcumin. *Journal of Medicinal Chemistry*, 60(5), 1620–1637. <https://doi.org/10.1021/acs.jmedchem.6b00975>
- Nurahmanto, D., Mahrifah, I. R., Firda, R., Imaniah N., & Rosyidi V.A. (2017). Formulasi Sediaan Gel Dispersi Padat Ibuprofen: Studi Gelling Agent dan Senyawa Peningkat. *Ilmiah Manurung*, 3(1), 96–105.
- Permatasari V.S. (2014). *Pengaruh Kadar Carbopol 940 sebagai Gelling Agent Terhadap Sifat Fisik dan Stabilitas Gel Hand Sanitizer Minyak Daun Mint (Oleum Mentha piperita)* [Skripsi]. Universitas Sanata Dharma.
- Petersen, B., & Wulf, H. C. (2014). Application of Sunscreen - Theory and Reality. In *Photodermatology Photoimmunology and Photomedicine* (Vol. 30, Issues 2–3, pp. 96–101). Blackwell Munksgaard. <https://doi.org/10.1111/phpp.12099>
- Pramuji Afianti, H., & Murrukmiyadi, M. (2015). Pengaruh Variasi Kadar Gelling Agent HPMC Terhadap Sifat Fisik dan Aktivitas Antibakteri Sediaan Gel Ekstrak Etanolik Daun Kemangi (*Ocimum basilicum* L. forma citratum Back.). In *Tahun* (Vol. 11, Issue 2).
- Prasiddha, I. J., Laeliocattleya, R. A., Estiasih, T., & Maligan, J. M. (2016). *The Potency of Bioactive Compounds from Corn Silk (Zea mays L.) for the Use as a Natural Sunscreen : A Review* (Vol. 4, Issue 1).
- Priyadarsini, K. I. (2014). The Chemistry of Curcumin: From Extraction to Therapeutic Agent. In *Molecules* (Vol. 19, Issue 12, pp. 20091–20112). MDPI AG. <https://doi.org/10.3390/molecules191220091>
- Pubchem. (2023). *1,3-Bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione*. NIH: National Library of Medicine.
- Purnomo, H. (2012). *Formulasi Obat Jerawat Minyak Atsiri Daun Jeruk Purut (Citrus Hystrix D.C) dan Uji Aktifitas Terhadap Propionibacterium Secara In Vitro*. Universitas Andalas.

- Rahardhian, M. R. R., Suharsanti, R., Sugihartini, N., & Lukitaningsih, E. (2019). In Vitro Assessment of Total Phenolic, Total Flavonoid and Sunscreen Activities of Crude Ethanolic Extract of Belimbing wuluh (*Averrhoa bilimbi*) Fruits and Leaves. *Journal of Global Pharma Technology*. [www.jgpt.co.in](http://www.jgpt.co.in)
- Rahmani, S. I. P. (2023). *Optimasi HPMC dan Na-CMC Sebagai Gelling Agent Terhadap Sifat Fisik dan Stabilitas Dlam Formulasi Sediaan Gel Minyak Biji Bunga Matahari*. Unifersitas Gadjah Mada.
- Rahmawati, H. D., Rejeki, E. S., & Nilawati A. (2023). Uji Aktivitas Gel Tabir Surya Ekstrak Etanol Kulit Buah Manggis (*Garcinia mangostana* L.) Dengan Variasi Gelling Agent Carbopol 940 Secara In Vitro. *EduNaturalia: Jurnal Biologi Dan Kependidikan Biologi*, 4(1), 29–40.
- Rehman, K., & Zulfakar, M. H. (2014). Recent Advances in Gel Technologies for Topical and Transdermal Drug Delivery. In *Drug Development and Industrial Pharmacy* (Vol. 40, Issue 4, pp. 433–440). Informa Healthcare. <https://doi.org/10.3109/03639045.2013.828219>
- Riandari, F. (2017). Sistem Pakar Mendiagnosa Penyakit Kulit Wajah Menggunakan Metode Certainty Factor. *Jurnal Mantik Penusa*, 1(2), 85–89.
- Rijar, G. Y., Sari, N., & Aliah, A. I. (2022). Perbandingan Nilai Persen Transmisi Eritema dan Pigmentasi Dengan Metode Maserasi dan Infusa Kopi Robusta (*Coffea Canephora* Pierre A. Frohner) Yang Berasal Dari Kabupaten Tana Toraja. *Jurnal Multidisiplin Madani*, 2(6), 2729–2742. <https://doi.org/10.55927/mudima.v2i6.443>
- Rosida, S., & Apriliyanti. (2018). Evaluasi Sifat Fisik dan Uji Iritasi Gel Ekstrak Kulit Buah Pisang (*Musa acuminata* Colla). *Journal Current Pharmaceutical Sciences*.
- Sardjiman, J. (2000). *Synthesis of Some New Series of Curcumin Analogues, Antioxidative, Antiinflammatory, Antibacterial Activities and Qualitative-Structure Activity Relationship*. Universitas Gadjah Mada.
- Sari, R., Nurbaeti, S. N., & Pratiwi, L. (2016). Optimasi Kombinasi Karbopol 940 dan HPMC Terhadap Sifat Fisik Gel Ekstrak dan Fraksi Metanol Daun Kesum (*Polygonum minus* Huds.) dengan metode Simplex Lattice Design. *Pharmaceutical Sciences and Research*, 3(2).
- Sari, S. P., & Zulkarnain, A. K. (2023). Physical Stability of Binahong Leaf Extract (*Anredera cordifolia* (Ten.) Steenis) with Hydroxypropyl Methylcellulose and Hydroxyethyl Cellulose Gelling Agents. *Majalah Obat Tradisional*, 28(1), 60–68. <https://doi.org/10.22146/mot.82983>
- Sari, W. P., Gaya, dr L. M., Irianto, dr M. G., & Karima, N. (2019). *Managemen Topikal Anti-Aging pada Kulit*.

- Satria, E. H., Ritmaleni, & Rumiya. (2023). *Proteksi Senyawa Analog Kurkumin Pentagamavunon-5 (PGV-5) terhadap Akumulasi ROS Intraseluler Sel Human Dermal Fibroblasts yang Diinduksi UVA-Photoaging*. Universitas Gadjah Mada.
- Satyawati, Syafnir, L., & Patricia, V. M. (2023). Penentuan Nilai Persentase Eritema dan Pigmentasi Ekstrak Etanol Daun Jambu Mete (*Anacardium occidentale* L.) secara In vitro. *Bandung Conference Series: Pharmacy*, 3(2).
- Sayuti, N. A. (2015). Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L.). *Jurnal Kefarmasian Infonesia*, 5(2), 74–82.
- Shafiei, M., Balhoff, M., & Hayman, N. W. (2018). Chemical and Microstructural Controls on Viscoplasticity in Carbopol Hydrogel. *Polymer*, 139, 44–51. <https://doi.org/10.1016/j.polymer.2018.01.080>
- Sheskey, P. J., Cook, W. G., & Cable, C. G. (2017). *Handbook of Pharmaceutical Excipient* (8th ed.). Pharmaceutical Press.
- Suaida, N., Sari, D. I., & Fitriana, M. (2017). Optimasi Sediaan Gel Fraksi Etil Asetat Buah Kasturi dengan Kombinasi Basis CMC Na dan Carbopol Menggunakan Metode Simplex Lattice Design . *Journal Current Pharmaceutical Science*, 1(1).
- Surini, S., Amirtha, N. I., & Lestari, D. C. (2018). Formulation and Effectiveness of a Hand Sanitizer Gel Produced Using Salam Bark Extract. *International Journal of Applied Pharmaceutics*, 10(Special Issue 1), 216–220. <https://doi.org/10.22159/ijap.2018.v10s1.48>
- Surya, S., & Rizal, R. (2021). Formulasi dan Uji Stabilitas Fisik Gel AHA (Alpha Hydroxy Acid) Kombinasi BHA (Beta Hydroxy Acid) Sebagai Ekspolieting dalam Penanganan Melasma. *Syntax Literate ; Jurnal Ilmiah Indonesia*, 6(3), 1409. <https://doi.org/10.36418/syntax-literate.v6i3.2303>
- Sutjahjokartiko, S. (2017). Pengaruh Kadar Pengawet DMDM Hydantoin Terhadap Karakteristik, Stabilitas Fisika & pH Pada Water Based Pomade Yang Mengandung Ekstrak Aloe Vera. In *Jurnal Ilmiah Mahasiswa Universitas Surabaya* (Vol. 6, Issue 2).
- Suwanti, I. S. (2015). *Sintesis dan Uji Antioksidan Senyawa Tetrahidropentagamavunon-5 dengan Metode Penangkapan Radikal DPPH dan Reduksi Ion Feri*. Universitas Gadjah Mada.
- Tambunan, S., Nanda, T., & Sulaiman, S. (2018). Formulasi Gel Minyak Atsiri Sereh dengan Basis HPMC dan Karbopol Gel Formulation of Lemongrass Essential Oil with HPMC and Carbopol Bases. *Majalah Farmaseutik*, 14(2), 87–95.



- Titaley, S., & Widya Lolo, dan A. (2014). Formulasi dan Uji Efektivitas Sediaan Gel Ekstrak Etanol Daun Mangrove Api-Api (*Avicennia Marina*) Sebagai Antiseptik Tangan. In *PHARMACON Jurnal Ilmiah Farmasi-UNSRAT* (Vol. 3, Issue Mei).
- Valentina, F. E., & Saryanti, D. (2023). Formulasi Gel Antibakteri Ekstrak Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb.) Menggunakan Hydroxy Propyl Methyl Cellulose (HPMC) dan Uji Aktivitas terhadap *Staphylococcus aureus*. In *Jurnal Farmasi Indonesia* (Vol. 20, Issue 1). <http://journals.ums.ac.id/index.php/pharmacon>
- Vechtomova, Y. L., Telegina, T. A., Buglak, A. A., & Kritsky, M. S. (2021). Uv Radiation in DNA Damage and Repair Involving DNA-Photolyases and Cryptochromes. In *Biomedicines* (Vol. 9, Issue 11). MDPI. <https://doi.org/10.3390/biomedicines9111564>
- Vyas, T. (2020). Role of Curcumin as An Antioxidant. *Journal of Primary Care Dentistry and Oral Health*, 1(1), 8. [https://doi.org/10.4103/jpcdoh.jpcdoh\\_1\\_20](https://doi.org/10.4103/jpcdoh.jpcdoh_1_20)
- Xu, X. Y., Meng, X., Li, S., Gan, R. Y., Li, Y., & Li, H. Bin. (2018). Bioactivity, Health Benefits, and Related Molecular Mechanisms of Curcumin: Current Progress, Challenges, and Perspectives. In *Nutrients* (Vol. 10, Issue 10). MDPI AG. <https://doi.org/10.3390/nu10101553>
- Yati, K., Jufri, M., Gozan, M., & Putri Dwita, L. (2018). Pengaruh Variasi Kadar Hidroxy Propyl Methyl Cellulose (HPMC) terhadap Stabilitas Fisik Gel Ekstrak Tembakau (*Nicotiana tabaccum* L.) dan Aktivitasnya terhadap *Streptococcus mutans*. *Original Article Pharmaceutical Sciences and Research (PSR)*, 5(3), 133–141.
- Yumas, M. (2016). Formulasi Sediaan Krim Wajah Bahan Aktif Ekstra Metanol Biji Kakao Non Fermentasi (*Theobroma cacao* L.) Kombinasi Madu Lebah. *Jurnal Industri Hasil Perkebunan*, 11(2).
- Zulkarnain, A. K., Faridhotu, F., & Naqsyah, I. (2022). Optimization of Gelling Agent of Sunflower (*Helianthus annuus*) Seed Oil and Its Stability and Activity Test In Vitro as Sunscreen. *Traditional Medicine Journal*, 27(3), 247–256.
- Zulkarnain, A. K., Ichsani, N. C., & Judiantoro, C. L. (2023). Physical properties and stability of grapeseed oil (*Vitis vinifera* L.) skincare formula with gelling agent combination of Na-CMC-carbopol and HPMC-carbopol. *Indonesian Journal of Pharmacology and Therapy*, 04(2), 64–72. <https://doi.org/10.22146/ijpther.8279>
- Zulkarnain, A. K., Kharismawati, G. T., & Larasati, F. A. (2023). Optimization of Gelling Agent and Sunscreen Activity Test on 4-OH-chalcone Gel Using In Vitro Method. In *RESEARCH ARTICLE 112 Indonesian J Pharm* (Vol. 34, Issue 1).