

## DAFTAR PUSTAKA

- Abe, H., Miura, H., & Motonaga, Y. (2021). Quantitative classification of *Camellia japonica* and *Camellia rusticana* (Theaceae) based on leaf and flower morphology. *Plant Diversity*, 43(3), 216–224. <https://doi.org/10.1016/j.pld.2020.12.009>
- Abubakar, A. R., & Haque, M. (2020). Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes. *Journal of Pharmacy & Bioallied Sciences*, 12(1), 1–10. [https://doi.org/10.4103/jpbs.JPBS\\_175\\_19](https://doi.org/10.4103/jpbs.JPBS_175_19)
- Aghaei, Y., Hossein Mirjalili, M., & Nazeri, V. (2013). Chemical Diversity among the Essential Oils of Wild Populations of *Stachys lavandulifolia* Vahl (Lamiaceae) from Iran. *Chemistry & Biodiversity*, 10(2), 262–273. <https://doi.org/10.1002/cbdv.201200194>
- Agustiar, A. B., Dewi Masyitoh, Irda Dwi Fibriana, Adesilvi Saisatul Khumairoh, Kurnia Alfi Rianti, Norma Fitriani, Muhammad Harissuddin, & Hafidha Asni Akmalia. (2020). Phenetic Kinship Relationship of Apocynaceae Family Based on Morphological and Anatomical Characters. *BIOEDUSCIENCE*, 4(2), 113–119. <https://doi.org/10.22236/j.bes/424945>
- Allevato, D. M., Groppo, M., Kiyota, E., Mazzafera, P., & Nixon, K. C. (2019). Evolution of phytochemical diversity in *Pilocarpus* (Rutaceae). *Phytochemistry*, 163, 132–146. <https://doi.org/10.1016/j.phytochem.2019.03.027>
- Anggraeni, R. (2020). Uji Karakteristik Simplisia Buah Andaliman (*Zanthoxylum acanthopodium* DC.). *JIFI (Jurnal Ilmiah Farmasi Imelda)*, 3(2), 32–38. <https://doi.org/10.52943/jifarmasi.v3i2.210>
- Appelhans, M. S., Reichelt, N., Groppo, M., Paetzold, C., & Wen, J. (2018). Phylogeny and biogeography of the pantropical genus *Zanthoxylum* and its closest relatives in the proto-Rutaceae group (Rutaceae). *Molecular Phylogenetics and Evolution*, 126, 31–44. <https://doi.org/10.1016/j.ympev.2018.04.013>
- Baldauf, C., & dos Santos, N. D. (2019). The Use of Multivariate Tools in Studies of Traditional Ecological Knowledge and Management Systems. In U. Albuquerque, R. de Lucena, C. da C. L., & A. R. (Eds.), *Methods and Techniques in Ethnobiology and Ethnoecology* (pp. 111–125). Humana Press, New York, NY. [https://doi.org/10.1007/978-1-4939-8919-5\\_9](https://doi.org/10.1007/978-1-4939-8919-5_9)
- Banu, K. S., & Cathrine, L. (2015). General Techniques Involved in Phytochemical Analysis. *International Journal of Advanced Research in Chemical Science (IJARCS)*, 2(4), 25–32.
- Ben Arfa, A., Gouja, H., Hannachi, H., Isoda, H., Neffati, M., & Najjaa, H. (2022). Seasonal changes in rosemary species: A chemotaxonomic assessment of two varieties based on essential oil compounds, antioxidant and antibacterial activities. *PLOS ONE*, 17(8), e0273367. <https://doi.org/10.1371/journal.pone.0273367>
- Bhatt, V., Sharma, S., Kumar, N., Sharma, U., & Singh, B. (2017). Chemical Composition of Essential Oil among Seven Populations of *Zanthoxylum armatum* from Himachal Pradesh: Chemotypic and Seasonal Variation. *Natural Product Communications*,

12(10), 1934578X1701201. <https://doi.org/10.1177/1934578X1701201030>

- Bishnoi, V. K., & Chauhan, S. K. (2020). Effect of Branch Pruning and Topping On Poplar Tree Growth. *Journal of Tree Sciences*, 39(2), 80–84. <https://doi.org/10.5958/2455-7129.2020.00020.5>
- Braby, M. F., Eastwood, R., & Murray, N. (2012). The subspecies concept in butterflies: has its application in taxonomy and conservation biology outlived its usefulness? *Biological Journal of the Linnean Society*, 106(4), 699–716. <https://doi.org/10.1111/j.1095-8312.2012.01909.x>
- Brodmann, J., Emer, D., & Ayasse, M. (2012). Pollinator attraction of the wasp-flower *Scrophularia umbrosa* (Scrophulariaceae). *Plant Biology*, 14(3), 500–505. <https://doi.org/10.1111/j.1438-8677.2011.00525.x>
- Candolle, A. de, & Candolle, A. P. de. (1824). *Prodromus systematis naturalis regni vegetabilis, sive, Enumeratio contracta ordinum generum specierumque plantarum huc usque cognitarium, juxta methodi naturalis, normas digesta*. Sumptibus Sociorum Treuttel et Würtz,. <https://doi.org/10.5962/bhl.title.286>
- Cao, M., Zhang, D.-X., Shah, A., & Dong, L.-N. (2014). Pollen Morphology and its Systematic Significance in *Zanthoxylum* L. (Rutaceae) From China. In *Pak. J. Bot.*, 46 (4).
- Carlquist, S. (1966). The Biota of Long-Distance Dispersal. III. Loss of Dispersibility in the Hawaiian Flora. *Brittonia*, 18(4), 310–335. <https://doi.org/10.2307/2805148>
- Chamorro, E., Zambon, S. N., Morales, W. G., Sequeira, A. F., & Velasco, G. A. (2012). Study of the Chemical Composition of Essential Oils by Gas Chromatography. In S. Bekir & Ç. Ömür (Eds.), *Gas Chromatography in Plant Science, Wine Technology, Toxicology and Some Specific Applications* (pp. 307–324). InTech. <https://doi.org/10.5772/33201>
- Collins, T. L., Andrew, R. L., & Bruhl, J. J. (2019). Morphological, phytochemical and molecular analyses define species limits in. *Australian Systematic Botany*, 32(1), 12–28. <https://doi.org/10.1071/SB18037>
- Coskun, O. (2016). Separation Tecniques: Chromatography. *Northern Clinics of Istanbul*, 3(2), 156–160. <https://doi.org/10.14744/nci.2016.32757>
- Defosse, E., Pitteloud, C., Descombes, P., Glauser, G., Allard, P.-M., Walker, T. W. N., Fernandez-Conradi, P., Wolfender, J.-L., Pellissier, L., & Rasmann, S. (2021). Spatial and evolutionary predictability of phytochemical diversity. *Proceedings of the National Academy of Sciences*, 118(3). <https://doi.org/10.1073/pnas.2013344118>
- Desjardins, A. E. (2008). Natural Product Chemistry Meets Genetics: When Is a Genotype a Chemotype? *Journal of Agricultural and Food Chemistry*, 56(17), 7587–7592. <https://doi.org/10.1021/jf801239j>
- Endress, P. K., Baas, P., & Gregory, M. (2000). Systematic plant morphology and anatomy-50 years of progress. *TAXON*, 49(3), 401–434. <https://doi.org/10.2307/1224342>
- Fish, F., & Waterman, P. G. (1973). Chemosystematics In The Rutaceae II. The Chemosystematics Of The *Zanthoxylum*/Fagara Complex. *TAXON*, 22(2–3), 177–203. <https://doi.org/10.2307/1218122>

- Gehan, M. A., Park, S., Gilmour, S. J., An, C., Lee, C., & Thomashow, M. F. (2015). Natural variation in the C-repeat binding factor cold response pathway correlates with local adaptation of *Arabidopsis* ecotypes. *The Plant Journal*, *84*(4), 682–693. <https://doi.org/10.1111/tpj.13027>
- Gronau, I., & Moran, S. (2007). Optimal implementations of UPGMA and other common clustering algorithms. *Information Processing Letters*, *104*(6), 205–210. <https://doi.org/10.1016/j.ipl.2007.07.002>
- Guzmán, F. A., Segura, S., Aradhya, M., & Potter, D. (2018). Evaluation of the genetic structure present in natural populations of four subspecies of black cherry (*Prunus serotina* Ehrh.) from North America using SSR markers. *Scientia Horticulturae*, *232*, 206–215. <https://doi.org/10.1016/j.scienta.2018.01.013>
- Hahn, P. G., & Maron, J. L. (2016). A Framework for Predicting Intraspecific Variation in Plant Defense. *Trends in Ecology & Evolution*, *31*(8), 646–656. <https://doi.org/10.1016/j.tree.2016.05.007>
- Hartley, T. G. (1966). A revision of the Malesian species of *Zanthoxylum* (Rutaceae). *Journal of the Arnold Arboretum.*, *47*(3), 171–221. <https://doi.org/10.5962/p.33416>
- Hassen, A., Rethman, N. F. ., & Apostolides, Z. (2006). Morphological and agronomic characterisation of *Indigofera* species using multivariate analysis. *Tropical Grasslands*, *40*, 45–59.
- Henderson, A. (2006). Traditional morphometrics in plant systematics and its role in palm systematics. *Botanical Journal of the Linnean Society*, *151*(1), 103–111. <https://doi.org/10.1111/j.1095-8339.2006.00526.x>
- Ishtiaq, M., Qing, H., Wang, Y., & Cheng, Y. (2010). A comparative study using chemometric and numerical taxonomic approaches in the identification and classification of traditional Chinese medicines of the genus *Clematis*. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, *144*(2), 288–297. <https://doi.org/10.1080/11263501003750185>
- Jaakkola, M., Korpelainen, V., Hoppula, K., & Virtanen, V. (2012). Chemical composition of ripe fruits of *Rubus chamaemorus* L. grown in different habitats. *Journal of the Science of Food and Agriculture*, *92*(6), 1324–1330. <https://doi.org/10.1002/jsfa.4705>
- Ji, Y., Li, S., & Ho, C.-T. (2019). Chemical composition, sensory properties and application of Sichuan pepper (*Zanthoxylum* genus). *Food Science and Human Wellness*, *8*(2), 115–125. <https://doi.org/10.1016/j.fshw.2019.03.008>
- Joshi, J., Schmid, B., Caldeira, M. C., Dimitrakopoulos, P. G., Good, J., Harris, R., Hector, A., Huss-Danell, K., Jumpponen, A., Minns, A., Mulder, C. P. H., Pereira, J. S., Prinz, A., Scherer-Lorenzen, M., Siamantziouras, A. -S. D., Terry, A. C., Troumbis, A. Y., & Lawton, J. H. (2001). Local adaptation enhances performance of common plant species. *Ecology Letters*, *4*(6), 536–544. <https://doi.org/10.1046/j.1461-0248.2001.00262.x>
- Kaigongi, M. M., & Lukhoba, C. W. (2021). The chemosystematics of the genus *Zanthoxylum* L. (Rutaceae) in Kenya. *Biochemical Systematics and Ecology*, *98*. <https://doi.org/10.1016/j.bse.2021.104319>

- Kambhar, S. V, Kumar, P. S., Mavianamar, S., & Kengnal, P. (2017). Pollen morphometrics in the genus *Indigofera* L. from Karnataka. *International Journal of Botany Studies*, 2(6), 46–51.
- Keefover-Ring, K., Thompson, J. D., & Linhart, Y. B. (2009). Beyond six scents: defining a seventh *Thymus vulgaris* chemotype new to southern France by ethanol extraction. *Flavour and Fragrance Journal*, 24(3), 117–122. <https://doi.org/https://doi.org/10.1002/ffj.1921>
- Khadivi-Khub, A., & Anjam, K. (2014). Morphological characterization of *Prunus scoparia* using multivariate analysis. *Plant Systematics and Evolution*, 300(6), 1361–1372. <https://doi.org/10.1007/s00606-013-0967-7>
- Khayyat, S. A., & Sameeh, M. Y. (2018). Bioactive epoxides and hydroperoxides derived from naturally monoterpene geranyl acetate. *Saudi Pharmaceutical Journal*, 26(1), 14–19. <https://doi.org/10.1016/j.jsps.2017.11.005>
- Kholibrina, C. R., & Aswandi, A. (2021). The Ethnobotany and Ethnomedicine of *Zanthoxylum acanthopodium* in Lake Toba, North Sumatra, Indonesia. *Jurnal Lahan Suboptimal: Journal of Suboptimal Lands*, 10(1), 78–90. <https://doi.org/10.36706/jlso.10.1.2021.526>
- Kim, Y., Shin, J., Cho, S.-S., Hwang, Y.-P., & Choi, C. (2019). Development and Application of InDel Markers for Authentication of the Korean Herbs *Zanthoxylum schinifolium* and *Zanthoxylum piperitum*. *Foods*, 8(12), 658. <https://doi.org/10.3390/foods8120658>
- Kintamani, E., Kusmana, C., Tiryana, T., Batubara, I., & Mirmanto, E. (2019). Wild Andaliman (*Zanthoxylum acanthopodium* DC.) Varieties as an Aromatic Plants from North Sumatera. *Proceedings of the 2nd International Conference of Essential Oils*, 140–146. <https://doi.org/10.5220/0009958201400146>
- Kovach, W. . (1999). *MVSP, a multivariate statistical package for windows, version 3.1*. Kovach Computing Services.
- Krishnananda, P. I., Amit, G. D., Dipika, A. P., Mahendra, S. D., Mangesh, P. M., & Vaibhav, C. K. (2017). Phytochemicals: Extraction methods, identification and detection of bioactive compounds from plant extracts. *Journal of Pharmacognosy and Phytochemistry*, 6(1), 32–36.
- Krstić, Đ., Tosti, T., Đurović, S., Fotirić Akšić, M., Đorđević, B., Milojković-Opsenica, D., Andrić, F., & Trifković, J. (2022). Primary Metabolite Chromatographic Profiling as a Tool for Chemotaxonomic Classification of Seeds from Berry Fruits. *Food Technology and Biotechnology*, 60(3), 406–417. <https://doi.org/10.17113/ftb.60.03.22.7505>
- Kubitzki, K., Kallunki, J. A., Duretto, M., & Wilson, P. G. (2011). Rutaceae. In K. Kubitzki (Ed.), *The families and genera of vascular plants* (pp. 276–356). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-642-14397-7\\_16](https://doi.org/10.1007/978-3-642-14397-7_16)
- Lahbib, K., Bnejdi, F., & Gazzah, M. El. (2012). Genetic diversity evaluation of pepper (*Capsicum annum* L.) in Tunisia based on morphologic characters. *African Journal of Agricultural Research*, 7(23), 3413–3417. <https://doi.org/10.5897/AJAR11.2171>
- Lewinsohn, E., & Gijzen, M. (2009). Phytochemical diversity: The sounds of silent

- metabolism. *Plant Science*, 176(2), 161–169. <https://doi.org/10.1016/j.plantsci.2008.09.018>
- Li, H., Li, J., Dong, Y., Hao, H., Ling, Z., Bai, H., Wang, H., Cui, H., & Shi, L. (2019). Time-series transcriptome provides insights into the gene regulation network involved in the volatile terpenoid metabolism during the flower development of lavender. *BMC Plant Biology*, 19(1), 313. <https://doi.org/10.1186/s12870-019-1908-6>
- Liang, S.-J., Wu, H., Lun, X., & Lu, D.-W. (2006). Secretory Cavity Development and Its Relationship with the Accumulation of Essential Oil in Fruits of *Citrus medica* L. var. *sarcodactylis* (Noot.) Swingle. *Journal of Integrative Plant Biology*, 48(5), 573–583. <https://doi.org/10.1111/j.1744-7909.2006.00230.x>
- Linné, C. von, & Salvius, L. (1753). *Caroli Linnaei ... Species plantarum :exhibentes plantas rite cognitatas, ad genera relatas, cum differentiis specificis, nominibus trivialibus, synonymis selectis, locis natalibus, secundum systema sexuale digestas...* Impensis Laurentii Salvii. <https://doi.org/10.5962/bhl.title.669>
- Loreto, F., Bagnoli, F., & Fineschi, S. (2009). One species, many terpenes: matching chemical and biological diversity. *Trends in Plant Science*, 14(8), 416–420. <https://doi.org/10.1016/j.tplants.2009.06.003>
- Lu, Q., Ma, R., Yang, Y., Mo, Z., Pu, X., & Li, C. (2020). *Zanthoxylum nitidum* (Roxb.) DC: Traditional uses, phytochemistry, pharmacological activities and toxicology. *Journal of Ethnopharmacology*, 260, 112946. <https://doi.org/10.1016/j.jep.2020.112946>
- Lumban Raja, R. N., & Hartana, A. (2017). Morphological Variation of Andaliman (*Zanthoxylum acanthopodium*) in North Sumatra. *Floribunda*, 5(7), 258–266.
- Ma, Y., Tian, J., Chen, Y., Chen, M., Liu, Y., & Wei, A. (2021). Volatile Oil Profile of Prickly Ash (*Zanthoxylum*) Pericarps from Different Locations in China. *Foods*, 10(10), 2386. <https://doi.org/10.3390/foods10102386>
- Macías, F. A., Galindo, J. L. G., & Galindo, J. C. G. (2007). Evolution and current status of ecological phytochemistry. *Phytochemistry*, 68(22–24), 2917–2936. <https://doi.org/10.1016/j.phytochem.2007.10.010>
- Manyl-Loh, C. E., Clsrke, A. M., & Ndip, R. N. (2011). Identification of volatile compounds in solvent extracts of honeys produced in South Africa. *African Journal of Agricultural Research*, 6(18), 4327–4334. <https://doi.org/10.5897/AJAR11.754>
- Marhold, K., Stuessy, T. ., & Lack, H. . (2011). Fundamental assessment of plant biodiversity. In *Monographic Plant Systematics* (pp. 15–24).
- Maštovská, K., & Lehotay, S. J. (2003). Practical approaches to fast gas chromatography–mass spectrometry. *Journal of Chromatography A*, 1000(1–2), 153–180. [https://doi.org/10.1016/S0021-9673\(03\)00448-5](https://doi.org/10.1016/S0021-9673(03)00448-5)
- Méndez-Tovar, I., Novak, J., Sponza, S., Herrero, B., & Asensio-S-Manzanera, M. C. (2016). Variability in essential oil composition of wild populations of Labiatae species collected in Spain. *Industrial Crops and Products*, 79, 18–28. <https://doi.org/10.1016/j.indcrop.2015.10.009>

- Moore, B. D., Andrew, R. L., Külheim, C., & Foley, W. J. (2014). Explaining intraspecific diversity in plant secondary metabolites in an ecological context. *New Phytologist*, 201(3), 733–750. <https://doi.org/10.1111/nph.12526>
- Morshedloo, M. R., Maggi, F., Tavakoli Neko, H., & Soleimani Aghdam, M. (2018). Sumac (*Rhus coriaria* L.) fruit: Essential oil variability in Iranian populations. *Industrial Crops and Products*, 111, 1–7. <https://doi.org/10.1016/j.indcrop.2017.10.002>
- Murphy, K. R., Wenig, P., Parsi, G., Skov, T., & Stuetz, R. M. (2012). Characterizing odorous emissions using new software for identifying peaks in chemometric models of gas chromatography–mass spectrometry datasets. *Chemometrics and Intelligent Laboratory Systems*, 118, 41–50. <https://doi.org/10.1016/j.chemolab.2012.07.006>
- Mutinda, E. S., Kimutai, F., Mkala, E. M., Waswa, E. N., Odago, W. O., Nanjala, C., Ndungu, C. N., Gichua, M. K., Njire, M. M., Gituru, R. W., & Hu, G.-W. (2023). Ethnobotanical uses, phytochemistry and pharmacology of pantropical genus *Zanthoxylum* L. (Rutaceae): An update. *Journal of Ethnopharmacology*, 303(115895), 1–55. <https://doi.org/10.1016/j.jep.2022.115895>
- Nachimuthu, V. V., Robin, S., Sudhakar, D., Raveendran, M., Rajeswari, S., & Manonmani, S. (2014). Evaluation of Rice Genetic Diversity and Variability in a Population Panel by Principal Component Analysis. *Indian Journal of Science and Technology*, 7(10), 1555–1562. <https://doi.org/10.17485/ijst/2014/v7i10.14>
- Nandagoapalan, V., Doss, A., & Marimuthu, C. (2016). Phytochemical Analysis of Some Traditional Medicinal Plants. *Bioscience Discovery*, 7(1), 17–20. [https://www.researchgate.net/profile/Doss-A/publication/310611077\\_Phytochemical\\_analysis\\_of\\_some\\_Traditional\\_medicinal\\_plants/links/5be5272292851c6b27b13353/Phytochemical-analysis-of-some-Traditional-medicinal-plants.pdf](https://www.researchgate.net/profile/Doss-A/publication/310611077_Phytochemical_analysis_of_some_Traditional_medicinal_plants/links/5be5272292851c6b27b13353/Phytochemical-analysis-of-some-Traditional-medicinal-plants.pdf)
- Napitupulu, B., Simatupang, S., & Sinaga, M. (2004). Potency of andaliman as a traditional food additive of Batak ethnic North Sumatera. *Seminar Nasional Peningkatan Daya Saing Pangan Tradisional*.
- Natasutedja, A. O., Lumbantobing, E., Josephine, E., Carol, L., Junaedi, D. I., Normasiwi, S., & Putra, A. B. N. (2020). Botanical Aspects, Phytochemicals and Health Benefits of Andaliman (*Zanthoxylum acanthopodium*). *Indonesian Journal of Life Sciences*, 2(1), 8–15. <http://journal.i3l.ac.id/ojs/index.php/IJLS/8>
- Nurlaeni, Y., Iskandar, J., & Junaedi, D. I. (2021). Ethnoecology of *Zanthoxylum acanthopodium* by local communities around lake Toba, North Sumatra, Indonesia. *Biodiversitas*, 22(4), 1806–1818. <https://doi.org/10.13057/biodiv/d220426>
- Oberprieler, C., Barth, A., Schwarz, S., & Heilmann, J. (2010). Morphological and phytochemical variation, genetic structure and phenology in an introgressive hybrid swarm of *Senecio hercynicus* and *S. ovatus* (Compositae, Senecioneae). *Plant Systematics and Evolution*, 286, 153–166. <https://doi.org/10.1007/s00606-010-0295-0>
- Odong, T. L., van Heerwaarden, J., Jansen, J., van Hintum, T. J. L., & van Eeuwijk, F. A. (2011). Determination of genetic structure of germplasm collections: are traditional hierarchical clustering methods appropriate for molecular marker data? *Theoretical*

- and Applied Genetics*, 123(2), 195–205. <https://doi.org/10.1007/s00122-011-1576-x>
- Ouédraogo, L., Fuchs, D., Schaefer, H., & Kiendrebeogo, M. (2019). Morphological and Molecular Characterization of *Zanthoxylum zanthoxyloides* (Rutaceae) from Burkina Faso. *Plants*, 8(9), 353. <https://doi.org/10.3390/plants8090353>
- Padilla, G., Cartea, M. E., & Ordás, A. (2007). Comparison of Several Clustering Methods in Grouping Kale Landraces. *Journal of the American Society for Horticultural Science*, 132(3), 387–395. <https://doi.org/10.21273/JASHS.132.3.387>
- Palomino, J., & Mejías, J. A. (2023). Morphometrics as a robust tool for disambiguation in plant taxonomy: the case of *Lactuca livida*, a commonly accepted but never delimited taxon. *Plant Biosystems - An International Journal Dealing with All Aspects of Plant Biology*, 157(1), 47–60. <https://doi.org/10.1080/11263504.2022.2089759>
- Pei, T.-H., Zhao, Y.-J., Wang, S.-Y., Li, X.-F., Sun, C.-Q., Shi, S.-S., Xu, M.-L., & Gao, Y. (2023). Preliminary Study on Insecticidal Potential and Chemical Composition of Five Rutaceae Essential Oils against *Thrips flavus* (Thysanoptera: Thripidae). *Molecules*, 28(7), 2998. <https://doi.org/10.3390/molecules28072998>
- Pérez-Martínez, A. L., Eguiarte, L. E., Mercer, K. L., Martínez-Ainsworth, N. E., McHale, L., van der Knaap, E., & Jardón-Barbolla, L. (2022). Genetic diversity, gene flow, and differentiation among wild, semiwild, and landrace chile pepper (*Capsicum annuum*) populations in Oaxaca, Mexico. *American Journal of Botany*, 109(7), 1157–1176. <https://doi.org/10.1002/ajb2.16019>
- Pirmoradi, M. R., Moghaddam, M., & Farhadi, N. (2013). Chemotaxonomic Analysis of the Aroma Compounds in Essential Oils of Two Different *Ocimum basilicum* L. Varieties from Iran. *Chemistry & Biodiversity*, 10(7), 1361–1371. <https://doi.org/10.1002/cbdv.201200413>
- Pitarokili, D., Constantinidis, T., Saitanis, C., & Tzakou, O. (2014). Volatile Compounds in *Thymus sect. Teucrioides* (Lamiaceae): Intraspecific and Interspecific Diversity, Chemotaxonomic Significance and Exploitation Potential. *Chemistry & Biodiversity*, 11(4), 593–618. <https://doi.org/10.1002/cbdv.201300333>
- Qin, Y., Hu, R., Zhao, H., Wei, G., Lu, Z., & Huang, Y. (2022). Taxonomic delimitation and molecular identification of clusters within the species *Zanthoxylum nitidum* (Rutaceae) in China. *PhytoKeys*, 196, 1–20. <https://doi.org/10.3897/phytokeys.196.79566>
- Radford, A. (1986). *Fundamentals of Plant Systematics*. Harper & Row.
- Rakić, T., Šinžar-Sekulić, J., Filipović, B., Tadić, V., Stevanović, B., & Tan, K. (2009). Ecophysiological and anatomical characteristics of the subtropical shrub *Zanthoxylum acanthopodium* (Rutaceae) in conditions of a temperate continental Climate (Serbia). *Archives of Biological Sciences*, 61(2), 249–260. <https://doi.org/10.2298/ABS0901249R>
- Ramos, Y. J., Gouvêa-Silva, J. G., de Brito Machado, D., Felisberto, J. S., Pereira, R. C., Sadgrove, N. J., & de Lima Moreira, D. (2022). Chemophenetic and Chemodiversity Approaches: New Insights on Modern Study of Plant Secondary Metabolite Diversity at Different Spatiotemporal and Organizational Scales. *Revista Brasileira de Farmacognosia*, 33(1), 49–72. <https://doi.org/10.1007/s43450-022-00327-w>

- Reydon, T. A. C., & Kunz, W. (2021). Classification below the species level: when are infraspecific groups biologically meaningful? *Biological Journal of the Linnean Society*, 134(1), 246–260. <https://doi.org/10.1093/biolinnean/blab067>
- Sahil, K., Prashant, B., Akanksha, M., Premjeet, S., & Rathore, D. (2011). Gas Chromatography-Mass Spectrometry: Applications. *International Journal of Pharmaceutical and Biological Archives*, 2(6), 1544–1560.
- Santos, R. C., Pires, J. L., & Correa, R. X. (2012). Morphological characterization of leaf, flower, fruit and seed traits among Brazilian *Theobroma* L. species. *Genetic Resources and Crop Evolution*, 59(3), 327–345. <https://doi.org/10.1007/s10722-011-9685-6>
- Šarac, Z., Bojović, S., Nikolić, B., Tešević, V., Đorđević, I., & Marin, P. D. (2013). Chemotaxonomic Significance of the Terpene Composition in Natural Populations of *Pinus nigra* J.F. Arnold from Serbia. *Chemistry & Biodiversity*, 10(8), 1507–1520. <https://doi.org/10.1002/cbdv.201200416>
- Saragih, D. E., & Arsita, E. V. (2019). Kandungan fitokimia *Zanthoxylum acanthopodium* dan potensinya sebagai tanaman obat di wilayah Toba Samosir dan Tapanuli Utara, Sumatera Utara. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 71–76. <https://doi.org/10.13057/psnmbi/m050114>
- Schradin, C. (2013). Intraspecific variation in social organization by genetic variation, developmental plasticity, social flexibility or entirely extrinsic factors. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 368(1618), 20120346. <https://doi.org/10.1098/rstb.2012.0346>
- Scotland, R. W., Olmstead, R. G., & Bennett, J. R. (2003). Phylogeny Reconstruction: The Role of Morphology. *Systematic Biology*, 52(4), 539–548. <http://www.jstor.org/stable/3651141>
- Sdouga, D., Branca, F., Kabtni, S., Di Bella, M. C., Trifi-Farah, N., & Marghali, S. (2020). Morphological Traits and Phenolic Compounds in Tunisian Wild Populations and Cultivated Varieties of *Portulaca oleracea* L. *Agronomy*, 10(7), 948. <https://doi.org/10.3390/agronomy10070948>
- Sganzerla, W. G., Komatsu, R. A., Mangrich dos Passos, J. F., Costa, M. D., Dobler Stroschein, M. R., Schons, P. F., & Paula de Lima Veeck, A. (2021). Variability in the molecular, phenological, and physicochemical characteristics of uvaia (*Eugenia pyriformis* Cambess - Myrtaceae) accessions from the Brazilian Atlantic rainforest. *Biocatalysis and Agricultural Biotechnology*, 35, 102082. <https://doi.org/10.1016/j.bcab.2021.102082>
- Shahidi, F., & Hossain, A. (2018). Bioactives in spices, and spice oleoresins: Phytochemicals and their beneficial effects in food preservation and health promotion. *Journal of Food Bioactives*, 3, 8–75. <https://doi.org/10.31665/JFB.2018.3149>
- Shaikh, J. R., & Patil, M. (2020). Qualitative tests for preliminary phytochemical screening: An overview. *International Journal of Chemical Studies*, 8(2), 603–608. <https://doi.org/10.22271/chemi.2020.v8.i2i.8834>
- Siahaan, L., Hilwan, I., & Setiawan, Y. (2019). Spatial Distribution Of Andaliman Potential

Habitat (*Zanthoxylum acanthopodium* DC.) in Samosir Island, North Sumatera. *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 9(4), 861–871. <https://doi.org/10.29244/jpsl.9.4.861-871>

Sibero, M. T., Siswanto, A. P., Murwani, R., Frederick, E. H., Wijaya, A. P., Syafitri, E., Farabi, K., Saito, S., & Igarashi, Y. (2020). Antibacterial, cytotoxicity and metabolite profiling of crude methanolic extract from andaliman (*Zanthoxylum acanthopodium*) fruit. *Biodiversitas Journal of Biological Diversity*, 21(9), 4147–4154. <https://doi.org/10.13057/biodiv/d210928>

Simbolon, W. I. (2016). *Identifikasi Karakter Morfologis dan Hubungan Kekerabatan Tanaman Andaliman (Zanthoxylum acanthopodium DC.) di Beberapa Kabupaten Sumatera Utara*. Skripsi. Universitas Sumatera Utara.

Simbolon, W. I., Kardhinata, E. H., Bangun, M. K., & Simatupang, S. (2018). Identifikasi Karakter Morfologis Andaliman (*Zanthoxylum acanthopodium* DC.) di Beberapa Kabupaten di Sumatera Utara. *Jurnal Agroekoteknologi FP USU*, 6(4), 745–756. <https://talenta.usu.ac.id/joa/article/view/2437>

Singh, R. (2016). Chemotaxonomy: A Tool for Plant Classification. *Journal of Medicinal Plants Studies*, 4(2): 90–93.

Singh, R., & Geetanjali. (2018). Chemotaxonomy of Medicinal Plants. In S. C. Mandal, V. Mandal, & T. Konishi (Eds.), *Natural Products and Drug Discovery* (pp. 119–136). Elsevier. <https://doi.org/10.1016/B978-0-08-102081-4.00006-X>

Smitha, G. R., & Rana, V. S. (2015). Variations in essential oil yield, geraniol and geranyl acetate contents in palmarosa (*Cymbopogon martinii*, Roxb. Wats. var. motia) influenced by inflorescence development. *Industrial Crops and Products*, 66, 150–160. <https://doi.org/10.1016/j.indcrop.2014.12.062>

Sriwichai, T., Wisetkomolmat, J., Pusadee, T., Sringarm, K., Duangmal, K., Prasad, S. K., Chuttong, B., & Sommano, S. R. (2021). Aromatic Profile Variation of Essential Oil from Dried Makwhaen Fruit and Related Species. *Plants*, 10(4), 803. <https://doi.org/10.3390/plants10040803>

Stešević, D., Ristić, M., Nikolić, V., Nedović, M., Caković, D., & Šatović, Z. (2014). Chemotype Diversity of Indigenous Dalmatian Sage (*Salvia officinalis* L.) Populations in Montenegro. *Chemistry & Biodiversity*, 11(1), 101–114. <https://doi.org/10.1002/cbdv.201300233>

Stuessy, T. . (1990). *Plant Taxonomy: The Systematic Evaluation of Comparative Data*. Columbia University Press.

Su, M.-H., Tsou, C.-H., & Hsieh, C.-F. (2007). Morphological Comparisons of Taiwan Native Wild Tea Plant (*Camellia sinensis* (L.) O. Kuntze forma formosensis Kitamura) and Two Closely Related Taxa Using Numerical Methods. *Taiwania*, 52(1), 70–83. <https://scholars.lib.ntu.edu.tw/bitstream/123456789/137045/1/17.pdf>

Suharta, S., Hunaefi, D., & Wijaya, C. H. (2021). Changes in volatiles and aroma profile of andaliman (*Zanthoxylum acanthopodium* DC.) upon various drying techniques. *Food Chemistry*, 365(130485), 1–10. <https://doi.org/10.1016/j.foodchem.2021.130483>

- Sun, K., Liu, Q.-Y., Wang, A., Gao, Y.-W., Zhao, L.-C., & Guan, W.-B. (2021). Comparative Analysis and Phylogenetic Implications of Plastomes of Five Genera in Subfamily Amyridoideae (Rutaceae). *Forests*, 12(3), 277. <https://doi.org/10.3390/f12030277>
- Suriani, C., Prasetya, E., Harsono, T., & Handayani, D. (2019). Habitat characteristics of Andaliman (*Zanthoxylumacanthopodium* DC) in North Sumatra using a GIS (Geographical Information System) approach. *Journal of Physics: Conference Series*, 1317(1). <https://doi.org/10.1088/1742-6596/1317/1/012097>
- Suriani, C., Prasetya, E., Harsono, T., Manurung, J., Prakasa, H., Handayani, D., Jannah, M., & Rachmawati, Y. (2021). Dna barcoding of andaliman (*Zanthoxylum acanthopodium* dc) from north sumatra province of indonesia using maturase k gene. *Tropical Life Sciences Research*, 32(2), 15–28. <https://doi.org/10.21315/tlsr2021.32.2.2>
- Suyal, R., Jugran, A. K., Rawal, R. S., & Bhatt, I. D. (2021). Morphological, phytochemical and genetic diversity of threatened *Polygonatum verticillatum* (L.) All. populations of different altitudes and habitat types in Himalayan region. *Physiology and Molecular Biology of Plants*, 27(8), 1795–1809. <https://doi.org/10.1007/s12298-021-01044-9>
- Taia, W. K. (2005). Modern Trends in Plant Taxonomy. *Asian Journal of Plant Sciences*, 4(2), 184–206. <https://doi.org/10.3923/ajps.2005.184.206>
- Umoh, O. T. (2020). Chemotaxonomy: The Role of Phytochemicals in Chemotaxonomic Delineation of Taxa. *Asian Plant Research Journal*, 5(1), 43–52. <https://doi.org/10.9734/aprj/2020/v5i130100>
- Verpoorte, R. (2000). Secondary Metabolism. In *Metabolic Engineering of Plant Secondary Metabolism* (pp. 1–29). Springer Netherlands. [https://doi.org/10.1007/978-94-015-9423-3\\_1](https://doi.org/10.1007/978-94-015-9423-3_1)
- Wang, K., Meng, X.-H., Chai, T., Wang, C.-B., Sang, C.-Y., Wang, W.-F., Shang, X.-Y., & Yang, J.-L. (2021). Chemical constituents from the fruits of *Zanthoxylum bungeanum* and their chemotaxonomic significance. *Biochemical Systematics and Ecology*, 99, 104356. <https://doi.org/10.1016/j.bse.2021.104356>
- Wangiyana, I. G. A. S. (2019). Comparison of Dendogram and Cladogram Topology of *Gyrinops versteegi* and Other *Gyrinops* Member for Polyphasic Taxonomy. *Jurnal Silva Samalas*, 2(1), 13–18. <https://doi.org/https://doi.org/10.33394/jss.v2i1.3673>
- Wei, W.-J., Chen, X.-H., Guo, T., Liu, X.-Q., Zhao, Y., Wang, L.-L., Lan, J.-X., Li, H.-W., Si, Y.-P., & Wang, Z.-M. (2021). A Review on Classification and Biological Activities of Alkaloids from the Genus *Zanthoxylum* Species. *Mini-Reviews in Medicinal Chemistry*, 21(3), 336–361. <https://doi.org/10.2174/1389557520666200910091905>
- Widyasanti, A., & Hanif, A. (2022). Identifikasi Komponen Oleoresin Kulit Mangga Kuweni Hasil Ekstraksi Berbantu Gelombang Mikro dengan Metode Gas Kromatografi-Spektrometri Massa (GC-MS). *Jurnal Keteknik Pertanian Tropis Dan Biosistem*, 10(2), 116–123. <https://doi.org/10.21776/ub.jkptb.2022.010.02.04>
- Wiens, J. J. (2004). The Role of Morphological Data in Phylogeny Reconstruction.

*Systematic Biology*, 53(4), 653–661. <https://doi.org/10.1080/10635150490472959>

- Wijaya, C. H., Hadiprodjo, I. T., & Apriyantono, A. (2002). Identification of Volatile Compounds and Key Aroma Compounds of Andaliman Fruit (*Zanthoxylum acanthopodium* DC). *Food Science and Biotechnology*, 11, 680–683.
- Wijaya, C. H., Napitupulu, F. I., Karnady, V., & Indariani, S. (2019). A review of the bioactivity and flavor properties of the exotic spice “andaliman” ( *Zanthoxylum acanthopodium* DC.). *Food Reviews International*, 35(1), 1–19. <https://doi.org/10.1080/87559129.2018.1438470>
- Wu, J., Zhang, C., Chen, J., Cai, C., Wang, L., Fu, D., & Ou, L. (2016). Morphological diversity within litchi (*Litchi chinensis* Sonn.) based on leaf and branch traits. *Scientia Horticulturae*, 207, 21–27. <https://doi.org/10.1016/j.scienta.2016.05.004>
- Xu, S., Yu, L., Hou, Y., Huang, B., Wang, H., Li, D., & Wang, D. (2023). Chemical composition, chemotypic characterization, and histochemical localization of volatile components in different cultivars of *Zanthoxylum bungeanum* Maxim. leaves. *Journal of Food Science*, 88(4), 1336–1348. <https://doi.org/10.1111/1750-3841.16490>
- Zidorn, C. (2019). Plant chemophenetics – A new term for plant chemosystematics/plant chemotaxonomy in the macro-molecular era. *Phytochemistry*, 163, 147–148. <https://doi.org/10.1016/j.phytochem.2019.02.013>