

DAFTAR PUSTAKA

- Badan Pusat Statistik (BPS). 2020. *Provinsi Jawa Tengah dalam Angka: Penyediaan Data untuk Perencanaan Pembangunan*. BPS Jawa Tengah. Semarang. p. 4
- Bischler-Causse, H. 1989. *Bryophytorum Bibliotheca band 38: Marchantia L. the Asiatic and Oceanic taxa*. J. Cramer. Berlin. pp. 40 – 293
- Bruford, M.W., Saccheri, I.N. 1998. *DNA Fingerprinting with VNTR Sequences in Molecular Tools for Screening Biodiversity*. Chapman & Hall. London. pp. 101-108.
- Buczkowska, K., Sawicki, J., Szczecinska, M., Klama, H., Milewicz, M., Czkiewicz, A.B. 2010. Genetic variation in the liverwort *Bazzania trilobata* inferred from ISSR markers. *Journal of Bryology*. 32: 265 – 274.
- Buczkowska, K., Rabska, M., Gonera, P., Pawlaczyk, E.M., Wawrzyniak, P., Czolpinska, M., Backiewicz, A. 2016. Effectiveness of ISSR markers for determination of the *Aneura pinguis* cryptic species and *Aneura maxima*. *Biochemical Systematics and Ecology* 68: 27 – 35.
- Caners, R.T. 2016. New records of the putative Arctic/Sub-Arctic/Alpine liverwort *Preissia quadrata* ssp. *Hyperborea* R.M. Schust. (Marchantiopsida, Marchantiaceae) in Canada. *Evansia* 33 (2): 83 – 91.
- Crandall-Stotler, B., Stotler, R. Long, D.G. 2009. Phylogeny and Classification of the Marchantiophyta. *Edinburgh Journal of Royal Botany*. 66 (1): 155-198.
- Crandall-Stotler, B., Stotler, R., Long, D.G. 2008. *Morphology and Classification of the Marchantiophyta in Bryophyte Biology: Second Edition*. Cambridge University Press. Cambridge. pp. 1-54.
- Fibriana, F., Amalia, A.V., Muntamah, S., Ulva, L., Aryanti, S. 2020. Antimicrobial activities of green synthesized silver nanoparticles from *Marchantia* sp. extract: testing an alcohol-free hand sanitizer product formula. *Journal of Microbiology, Biotechnology, and Food Sciences*. 9 (6): 1034-1038.
- Fitriana, N., Susandarini, R. 2019. Short Communication: Morphology and taxonomic relationships of shallot (*Allium cepa* L. group *aggregatum*) cultivars from Indonesia. *Biodiversitas*. 20 (10): 2809-2814.
- Frahm, J.P. 2003. Manual of Tropical Bryology. *Tropical Bryology*. 23 (2003): 13-64.
- Glime, J. M. 2017. Temperature: Heat. Chapt. 10-3. In: Glime, J. M. *Bryophyte Ecology. Volume 1. Physiological Ecology*. 10-3-1. Ebook sponsored by Michigan Technological University and the International Association of

- Bryologists. Last updated 15 January 2022 and available at <http://digitalcommons.mtu.edu/bryophyte-ecology/>.
- Glime, J.M., and Gradstein, S.R. 2018. Tropics: General Ecology chapt. 8-1. In: Glime, J.M. *Bryophyte Ecology. Volume 4. Habitat and Role*. Ebook sponsored by Michigan Technological University and the International Association of Bryologists. Last updated 6 July 2019 and available at <http://digitalcommons.mtu.edu/bryophyte-ecology4/>.
- Godwin, I.D., Mace, E.S., Nurzuhairawaty. 2001. *Genotyping Pacific Island Taro (Colocasia esculenta (L.) Schott) Germplasm in Plant Genotyping: the DNA Fingerprinting of Plants*. CAB International. CABI Publishing. pp. 15-47.
- Gradstein, S.R. 2011. *Guide to Liverworts and Hornworts of Java*. SEAMEO BIOTROP. Bogor. pp. 2-49.
- Haerida, I. 2017. Liverworts of Bali, Indonesia, with new records to the island. *Garden's Bulletin Singapore* 69(1): 81 – 87.
- Hallingbäck, T. and Hodgetts, N. 2000. *Mosses, Liverworts, and Hornworts. Status Survey and Conservation Action Plan for Bryophytes*. IUCN/SSC Bryophyte Specialist Group. IUCN, Gland, Switzerland and Cambridge, UK. x + 106pp
- Hock, Z., Szovenyi, P., Schneller, J.J., Urmi, E., Toth, Z. 2008. Are sexual or asexual events determining the genetic structure of populations in the liverwort *Mannia fragrans*?. *Journal of Bryology*. (2008) 30: 66-73.
- Integrated Taxonomic Information System. 2022. ITIS Report-*Marchantia* L. ITIS Report. Retrieved November 30, 2022, from https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=15584#null
- Khotimperwati, L., Kasiamdari, R.S., Santosa, Daryono, B.S. 2018. *Bazzania* Gray (Lepidoziaceae, Marchantiophyta) in Central Java, Indonesia. *Biodiversitas*. 19 (3): 875-887.
- Khotimperwati, L. 2019. Biosistematika *Bazzania* Gray (Lepidoziaceae) berdasarkan Karakter Morfologis, Anatomis, dan Molekular. *Disertasi*. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Konstantinova, N.A., Vilnet, A.A., Stefanut, S. 2014. On the distribution and variability of *Bucegia romanica* Radian. *Arctoa* 23: 137 – 144.
- Koperlainen, H., Kostamo, K., Karttunen, H., Virtanen, V., Pohjamo, M. 2008. Isolation and Characterization of microsatellite loci for twenty common bryophyte species. *Bryology in the New Millenium* edited by Mohamed H., Baiki BB, Nasrulhaq-Boyce A., Lee PKY. Universiti of Malaya. Kuala Lumpur. pp. 1-17.

- Muamar, A., Anggraito, Y.U., Retnoningsih, A. 2020. The diversity of moss in the Cemoro Kandang hiking trail, Mount Lawu and the Baturraden botanical gardens, Central Java. *ICMSE 2020, Journal of Physics: Conference Series*. 1918 (2021): 1-4.
- Mulyani, E., Khotimperwati, L., Murningsih. 2015. Lumut daun epifit di zona tropik Kawasan Gunung Ungaran, Jawa Tengah. *Bioma*. 16 (2): 76-82.
- Pandey, S., Alam, A., Chakraborty, D., Sharma, V. 2018. An improved protocol for genomic DNA isolation from bryophyte species. *Proc. Natl. Acad. Sci. sect B. Biol. Sci.* 89 (3): 823-831.
- Pardo, D.C., Terracciano, S., Giordano, S., Spagnuolo, V. 2014. Molecular markers based on PCR methods: a guideline for mosses. *Cryptogamie Bryologie*. 35 (3): 229-246.
- Prayudi D.P., Kurniawati, J., Mutiarani, Y.P., Salim, I., Aminatun, T. 2019. Considering sampling methods for macrofungi exploration in Turgo Tropical Forest Ecosystem. *Journal of Tropical Biodiversity and Biotechnology*. 4 (1): 1-10.
- Proctor, M.C.F., Oliver, M.J., Wood, A.J., Alpert, P., Stark, L.R. Cleavitt, N.L., Mishler, B.D. 2007. Desiccation-tolerance in bryophytes: a review. *The Bryologist*. 110 (4): 595-621.
- Purkon, D.B., Fadhlillah, F.M., Maigoda, T.C., Iwo, M.I., Soemardji, A.A., Nadhifah, A., Sudaryat, Y. 2022. Phytochemical, use in ethnomedicine, and therapeutic activities of *Marchantia* genus. *Journal of Vocational Health Studies* 05 (2022): 174 – 185.
- Purkon, D.B., Kusmiyati, M. Trinovani, E., Fadhlilah, F.M., Widyastiwi, W., Roseno, M.H., Khristian, E., Nadhifah, A. 2022. The hepatoprotective effect of *Marchantia paleacea* Bertol. extract against acetaminophen-induced liver damage in rat: biochemical and histological evidence. *Journal of Research in Pharmacy* 26 (6): 1857 – 1867.
- Rugayah, Retnowati, A., Windadri, F.I., dan Hidayat, A. 2004. ‘Pengumpulan Data Taksonomi’ dalam *Pedoman Pengumpulan Data Keanekaragaman Flora*. Pusat Penelitian Biologi – LIPI. Bogor. pp. 5-40.
- Setyawan, A.D. dan Sugiyarto. 2001. Keanekaragaman flora Hutan Jobolarangan Gunung Lawu: 1. Cryptogamae. *Biodiversitas*. 2 (1): 115-122.
- Siagian, A.U.M., Ariyanti, N.S., Djuita, N.R. 2021. Diversity of hornwort in Mount Slamet (Central Java). *Floribunda*. 6 (7): 264-272.
- Sidiq, Y., Saputra, A., Sari, S. K. 2019. Identification of Bryophytes in Jumog Waterfall, Karanganyar, Central Java, Indonesia. *BIOTROPIC Journal of Tropical Biology* 3 (2): 79 – 85.

- Şimşek, O., Canli, K., Çetin, B. 2014. *Preissia quadrata* (Marchantiaceae) new to the liverwort flora of Turkey. *Phytologia Balcanica* 20(2 – 3): 155 – 157.
- Siregar, E.S., Ariyanti, N.S. Tjitrosoedirjo, S.S. 2013. The liverwort genus *Marchantia* (Marchantiaceae) of Mount Sibayak North Sumatra, Indonesia. *Biotropia* 20 (2): 73-80.
- Siregar, E.S., Pasaribu, N., Sofyan, M.Z. 2021. Antioxidant activity of liverworts *Marchantia paleacea* Bertol. From North Sumatra Indonesia. *The 2nd International Conference on Natural Resources and Technology, IOP Conference Series: Earth and Environmental Science*. 713 (2021): 1-6.
- Smith, G. 1955. *Cryptogamic Botany Vol. II: Bryophytes and Pteridophytes 2nd ed.* McGraw-Hill Co. Ltd. Tokyo. pp. 46-56.
- Söderström L., Gradstein, S.R., Hagborg, A. 2010. Checklist of hornworts and liverworts of Java. *Phytotaxa* 9: 53-149.
- Söderström, L., Hagborg, A., von Konrat, M., Bartholomew-Began, S., Bell, D., Briscoe, L., Brown, E., Cargill, D.C., Costa, D.P., Crandall-Stotler, B.J., Cooper, E.D., Dauphin, G., Engel, J.J., Feldberg, K., Glenney, D., Gradstein, S.R., He, X., Heinrichs, J., Hentschel, J., Ilkiu-Borges, A.L., Katagiri, T., Konstantinova, N.A., Larrain, J., Long, D.G., Nebel, M., Pocs, T., Puche, F., Reiner-Dhrewald, E., Renner, M.A., Sass-Gyarmati, A., Schafer-Verwimp, A., Moragues, J.G.S., Stotler, R.E., Sukkharak, P., Thiers, B.M., Uribe, J., Vana, J., Villareal, J.C., Wigginton, M., Zhang, L., Zhu, R.L. 2016. World checklist of hornworts and liverworts. *Phytokeys* 59: 1-828.
- Stuessy, T.F. 2009. *Plant Taxonomy: The Systematic Evaluation of Comparative Data second edition*. Columbia University Press. New York. pp. 51-63.
- Sujadmiko, H., Sulastri, S., Sabbithah, S. 2015. *Taksonomi Tumbuhan Rendah*. Penerbit Universitas Terbuka. Tangerang Selatan. pp. 5.3-6.27.
- Sulistyowati, D.A., Khotimperwati, L., Wiryani, E. 2014. Keanekaragaman Marchantiophyta epifit zona montana di Kawasan Gunung Ungaran, Jawa Tengah. *Bioma*. 16 (1): 26-32.
- Suyanto, A. dan Dewi, N.K. 2019. Analisis vegetasi lantai Cryptogamae di Cemoro Sewu Gunung Lawu sebagai bahan penyusun modul materi keanekaragaman hayati SMA kelas X. *Prosiding Seminar Nasional SIMBIOSIS IV, Madiun*. 208-217.
- Van Steenis, C.G.G.J. 2006. *Flora Pegunungan Jawa* diterjemahkan oleh Jenny A. Kartawinata. LIPI Press. Jakarta. pp. 8-9.
- Vanderpoorten, A., Goffinet, B. 2009. *Introduction to Bryophytes*. Cambridge University Press. Cambridge. pp. 43-65.

- Vanderpoorten, A., Hedenas, L., Jacquemart, A.L. 2003. Differentiation in DNA fingerprinting and morphology among species of the pleurocarpus moss genus, *Rhytiadiadelphus* (Hylomiaceae). *Taxon*. 52: 229-326.
- Vashishta, B.R. 1976. *Botany for Degree Students Part III: Bryophyta 4th ed.* S. Chand & Company Ltd. New Delhi. pp. 66-103.
- Villareal, J.C., Crandall-Stotler, B., Hart, M.L., Long, D.G., Forrest, L.L. 2016. Divergence times and the evolution of morphological complexity in an early land plant lineages (Marchantiopsida) with a slow molecular rate. *New Phytologist*. 209: 1734-1746.
- Xiao, J.B., Chen, Q.C., Zhang, Y.W., Jiang, X.Y., Xu, M. 2006. Cytotoxicity of *Marchantia convolute* leaf extracts to human liver and lung cancer cells. *Brazilian Journal of Medical and Biological Research*. 39: 731-738.
- Zhang, L., Zhu, R.L. 2016. World checklist of hornworts and liverworts. *Phytokeys* 59: 1 – 828.
- Zheng, T.X., Inoue, Y., Shimamura, M. 2020. Morphology of gemmae, an overlooked taxonomic trait in the genus *Marchantia* L. (Marchantiaceae). *The Bryologist*. 123(4): 2020, pp. 601 – 610
- Zheng, T.X., and Shimamura, M. 2022. Taxonomic revision of the genus *Marchantia* (Marchantiaceae) in Japan and the redefinition of the genus. *Hattoria*. 13: 33-77.
- Zietkiewicz, E., Rafalski, A., Labuda, D. 1993. Genome fingerprinting by Simple Sequence Repeat (SSR)-anchored Polymerase Chain Reaction Amplification. *Genomics* 20: 176-183.