



DAFTAR PUSTAKA

- Aboonajmi, M. & Faridi, H., 2016. *Nondestructive quality assessment of Agro-food products*. Tehran, Proceedings of the 3rd Iranian International NDT Conference.
- Alam, M. S. & Aslam, R., 2021. Extrusion for the Production of Functional Foods and Ingredients. *Innovative Food Processing Technologies*, pp. 22-35.
- Ali, M. M. & Hashim, N., 2022. Non-destructive methods for detection of food quality. *Future Foods*, pp. 645-667.
- Amaro, M. W. S. & Ariyana, M. D., 2022. 2019. *Jurnal Pengabdian Masyarakat*.
- Anton, A., Fulcher, R. & Arntfield, S., 2008. Physical and nutritional impact of fortification of corn starch-based extruded snacks with common bean flour: Effects of bean addition and extrusion cooking. *Food Chemistry*, 113(2009), pp. 989-996.
- Athanasiou, L., Fotiadis, D. & Michalis, L., 2017. Principles of Coronary Imaging Techniques. *Atherosclerotic Plaque Characterization Methods Based on Coronary Imaging*, pp. 23-47.
- Beal, T. & Ortenzi, F., 2023. Corrigendum: Priority micronutrient density in foods. *Front Nutrition*, Volume 10, p. 1195752.
- Behnsen, J., Black, K. & Houghton, J. W. R., 2023. A Review of Particle Size Analysis with X-Ray CT. *Materials (Basel)*, 16(3), p. 1259.
- Booij, R., Budde, R., Dijkshoorn, M. & Straten, M., 2020. Technological developments of X-Ray computed tomography over half a century: User's influence on protocol optimization. *European Journal of Radiology*, Volume 131.
- Busignies, V. et al., 2006. Investigation and modelling approach of the mechanical properties of compacts made with binary mixtures of pharmaceutical excipients. *European Journal of Pharmaceutics and Biopharmaceutics*, Volume 64, pp. 6451-65.
- Casper, M., 2018. *Thermo Scientific Avizo Software 9*. Berlin: Thermo Fisher Scientific.
- Chi, H. W. et al., 2013. Process Optimization by Response Surface Methodology and Characteristics Investigation of Corn Extrudate Fortified with Yam (Dioscorea alata L.). *Food and Bioprocess Technology*, 6(6), pp. 1494-1504.
- Choton, S. et al., 2020. Extrusion technology and its application in food processing: A review. *The Pharma Innovation Journal*, 9(2), pp. 162-168.
- Cornish, A., 2019. X-Ray CT imaging of food. *Institute of Food Science and Technology*, pp. 30-33.
- Derossi, A. et al., 2022. Extending 3D food printing application: Apple tissue microstructure as a digital model to create innovative cereal-based snacks. *Journal of Food Engineering*, Volume 316.
- Dushkova, M. et al., 2023. Physical and Functional Characteristics of Extrudates Prepared from Quinoa Enriched with Goji Berry. *Applied Sciences*, 13(6), p. 3503.



- Dyck, T. et al., 2014. Characterisation of structural patterns in bread as evaluated by *X-Ray computer tomography*. *Journal of Food Engineering*, 123(2014), pp. 67-77.
- El-Mesery, H., Mao, H. & Abomohra, A., 2019. Applications of Non-destructive Technologies for Agricultural and Food Products Quality Inspection. *Sensors*, p. 846.
- El-Mesery, H., Mao, H. & Abomohra, A. E.-f., 2019. Applications of Non-destructive Technologies for Agricultural and Food Products Quality Inspection. *Sensors*, 19(846), pp. 1-23.
- Espinoza-Moreno, R. et al., 2016. Healthy Ready-to-Eat Expanded Snack with High Nutritional and Antioxidant Value Produced from Whole Amarantin Transgenic Maize and Black Common Bean. *Plants Foods Hum Nutr.*, 71(2), pp. 218-24.
- Fasolin, L. H., Martins, A. J., Cerqueira, M. A. & Vicente, A. A., 2021. Modulating process parameters to change physical properties of bigels for food applications. *Food Structure*, Volume 28, p. 100173.
- Fiorda, F. et al., 2015. Physical quality of snacks and technological properties of pre-gelatinized flours formulated with cassava starch and dehydrated cassava bagasse as a function of extrusion variables. *LWT - Food Science and Technology*, 62(2), pp. 1112-1119.
- Goldman, L., 2007. Principles of CT and CT Technology. *Journal of Nuclear Medicine Technology*, 35(3), pp. 115-128.
- Gregoriou, G. K., Tsui, B. M. W., C., F. E. & Lalush, D. S., 1996. *Artifacts and Sampling Requirement in Transmission CT Reconstruction with runcated Projection Data*. Chapel Hill, University of North Carolina.
- Hege, H. & Stalling, D., 1997. A Generalized Marching Cubes Algorithm Based On Non-Binary Classifications. *Computer Science*.
- Hermenau, S. & Young, M., 2023. *CT-scan Image Production Procedures*. s.l.:s.n.
- Hoheisel, M., Bernhardt, P., Lawaczeck, R. & Pietsch, H., 2006. *Comparison of polychromatic and monochromatic X-Rays for imaging*. s.l., The International Society for Optical Engineering.
- Horvat, M. et al., 2013. Non-destructive, quantitative characterization of extruded starch-based products by magnetic resonance imaging and *X-Ray* microtomography. *Journal of Food Engineering*, pp. 122-127.
- Hounsfield, 1979. Computer Medical Imaging. *Journal of Computer Assisted Tomography*, 4(5), pp. 665-674.
- Hu, M., 2016. *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats*. New Century: DuPont Nutrition and Health.
- Joardder, M., Kumar, C. & Karim, M., 2018. Prediction of porosity of food materials during drying: Current challenges and directions. *Crit Rev Food Sci Nutr*, pp. 2896-2907.



- Joarder, M., Kumar, C. & Karim, M. A., 2018. Prediction of porosity of food materials during drying: Current challenges and directions. *Crit Rev Food Sci Nutr*, pp. 2896-2907.
- Jung, H., 2021. Basic Physical Principles and Clinical Applications of Computed Tomography. *Progress in Medical Physics*, 32(1), pp. 1-17.
- Kalender, W. A., 2006. X-Ray computed tomography. *Phys. Med. Biol.*, 51(2006), pp. 29-43.
- Kelkar, S., Boushey, C. & Okos, M., 2015. A Method to Determine the Density of Foods using X-Ray Imaging. *Journal of Food Engineering*, Volume 159, pp. 36-41.
- Khansa, A. & Bintoro, N., 2017. *The influence of types and moisture contents of coffee beans (Coffea sp) on sphericity and geometric means diameter*. s.l., IOP Publishing.
- Khosravani, M. R. & Reinicke, T., 2020. On the Use of X-Ray Computed Tomography in Assessment of 3D-Printed Components. *Journal of Nondestructive Evaluation*, 39(75), pp. 1-17.
- Kim, B., Kim, Y., Kim, J. P. K. K. H. & Choi, Y.-S., 2023. Melatonin Protects Bone Microarchitecture against Deterioration due to High-Fat Diet-Induced Obesity. *Journal of Bone Metabolism*, 30(1), pp. 69-75.
- Korobenkov, M. V., Lebedev, M., Promakhov, V. & Narikovich, A., 2023. X-Ray Tomographic Method to Study the Internal Structure of a TiNi–TiB₂ Metal Matrix Composite Obtained by Direct Laser Deposition. *Materials*, 16(4), p. 1353.
- Kosaraju, S. et al., 2008. Delivering polyphenols for healthy ageing. *Nutrition & Dietetics*, 65(3), pp. 48-52.
- Kryvenchuk, Y., Vyklyuk, Y. & Novytskyi, Y. N. D., 2022. ANALYSIS OF OBTAINING AN IMAGE WITH THE TOMOGRAPH. *Technical Sciences*.
- Kumar, A. & Dangi, V., 2016. Electromagnetic Spectrum and Its Impact on Human Life. *International Journal of All Research Education and Scientific Methods*, pp. 67-72.
- Lamas, L. F., Ruidiaz, E. M. & Vidal, A. C., 2019. AUTOMATED METHODOLOGY FOR DETECTING BORDER IN CT-SCAN IMAGES OF NON-CIRCULAR ROCK SAMPLES. *Brazilian Journal of Petroleum and Gas*, 13(4), pp. 275-281.
- Launay, B. & Lisch, J. M., 1983. Twin-screw Extrusion Cooking of Starches: Flow Behaviour of Starch Pastes, Expansion and Mechanical Properties of Extrudates. *Journal of Food Engineering*, pp. 259-280.
- Lazou, A. E. et al., 2007. Structural Properties of Corn-Legume Based Extrudates as a Function of Processing Conditions and Raw Material Characteristics. *International Journal of Food Properties*, 10(4), pp. 721-738.
- Liang, K., Yang, H. & Xing, Y., 2018. Comparison of projection domain, image domain, and comprehensive deep learning for sparse-view X-Ray CT image reconstruction. *Medical Physics*.



- Liang, K., Yang, H. & Xing, Y., 2019. Comparison of projection domain, image domain, and comprehensive deep learning for sparse-view *X-Ray* CT image reconstruction. *Medical Physics*.
- Li, T., Yu-Hua, J. & Jia, X., 2018. Using the *X-Ray* computed tomography method to predict the saturated hydraulic conductivity of the upper root zone in the Loess Plateau in China. *Soil Science Society of America Journal*, 82(5), pp. 1085-1092.
- Maurya, A. K. & Said, P. P., 2014. Extrusion Processing on Physical and Chemical Properties of Protein Rich Products - An Overview. *Journal of Bioresource Engineering and Technology*, 2(4), pp. 61-67.
- Mayerhofer, T., Pahlow, S. & Popp, J., 2020. The Bouguer-Beer-Lambert Law: Shining Light on the. *ChemPhysChem*, Volume 21, pp. 2029-2046.
- Narsaiah, K. & Jha, S., 2012. Nondestructive methods for quality evaluation of livestock products. *Journal of Food Science and Technology*, pp. 342-348.
- Nikl, M., 2006. Scintillation detectors for x-rays. *Measurement Science and Technology*, pp. 37-54.
- Nugraha, B. et al., 2019. Non-destructive porosity mapping of fruit and vegetables using *X-Ray* CT. *Postharvest Biology and Technology*, 150(2019), pp. 80-88.
- Ongari, D. et al., 2017. Accurate Characterization of the Pore Volume in Microporous Crystalline Materials. *Langmuir*, 33(51), pp. 14529-14538.
- Oshina, I. & Spigulis, J., 2021. Beer-Lambert law for optical tissue diagnostics: current state of the art and the main limitations. *Journal of Biomedical Optics*, 26(10).
- Pansawat, N. et al., 2008. Effects of extrusion conditions on secondary extrusion variables and physical properties of fish, rice-based snacks. *Food Science and Technology*, 41(4), pp. 632-641.
- Patil, R. T., Berrios, J. & Tang, J. P. J. S. B., 2005. *Physical Characteristics of Food Extrudates - A Review*. Tampa, The Society for engineering in agricultural, food and biological systems.
- Pereira, T., Barroso, S. & Gil, M., 2021. Food Texture Design by 3D Printing: A Review. *Foods*, 10(2), p. 320.
- Pires, L., Auler, A., Roque, W. & Mooney, S., 2020. *X-Ray* microtomography analysis of soil pore structure dynamics under wetting and drying cycles. *Geoderma*, Volume 362, p. 114193.
- Pitts, K. et al., 2016. Effect of the Sugar Replacement by Citrus Fibre on the Physical and Structural Properties of Wheat-Corn Based Extrudates. *Food Bioprocess Technology*.
- Rawson, S., Maksimcuka, J., Withers, P. & Cartmell, S., 2020. *X-Ray* computed tomography in life sciences. *BMC Biology*, 18(21).
- Reedy, C. & Reedy, C., 2022. High-resolution micro-CT with 3D image analysis for porosity characterization of historic bricks. *Heritage Science*, 10(83).



- Riaz, M., 2005. Extrusion Processing of Oilseed Meals for Food and Feed Production. *Bailey's Industrial Oil and Fat Products*.
- Rickman, D. et al., 2012. Particle Shape in Simulants of the Lunar Regolith. *Journal of Sedimentary Research*, Volume 82, pp. 823-832.
- Rontgen, W. C., 1896. On a new kind of rays. *Science*, 3(59), pp. 227-231.
- Sahu, C., Patel, S. & Tripathi, A. K., 2022. Effect of extrusion parameters on physical and functional quality of soy protein enriched maize based extruded snack. *Applied Food Research*, 2(1).
- Saldana, E., Siche, R., Lujan, M. & Quevedo, R., 2013. Review: computer vision applied to the inspection and quality control of fruits and vegetables. *Brazilian Journal of Food Technology*.
- Saleh, T., 2022. Properties of nanoadsorbents and adsorption mechanisms. *Interface Science and Technology*, Volume 34, pp. 233-263.
- Samodra, A. S., 2023. *KARAKTERISTIK FISIK EKSTRUDAT BERBAHAN DASAR CAMPURAN GRIT JAGUNG DAN KACANG MERAH DENGAN PERLAKUAN KADAR AIR DAN SUHU BARREL*, Yogyakarta: Universitas Gadjah Mada.
- Seong, H. et al., 2019. 3D pore analysis of gasoline particulate filters using *X-Ray tomography*: impact of coating and ash loading. *Journal Material Science*.
- Seth, D., Badwaik, L. & Ganapathy, V., 2015. Effect of feed composition, moisture content and extrusion temperature on extrudate characteristics of yam-corn-rice based snack food. *Journal of Food Science and Technology*, 52(3), pp. 1830-1838.
- Sharma, C., Singh, B., Hussain, S. Z. & Sharma, S., 2017. Investigation of process and product parameters for physicochemical properties of rice and mung bean (*Vigna radiata*) flour based extruded snacks. *Journal of Food Science and Technology*, 54(6), pp. 1711-1720.
- Shelar, G. A. & Gaikwad, S. T., 2019. Extrusion in food processing: An overview. *The Pharma Innovation Journal*, 8(2), pp. 562-568.
- Siltanen, S., Kolehmainen, V. & Somersalo, E., 2015. Statistical inversion for *X-Ray tomography* with few radiographs I: General theory. *Engineering, Physics*.
- Singh, P. & Heldman, D., 2009. *Introduction to Food Engineering Fourth Edition*. Davis: Elsevier.
- Suarez, D. N., Amaya-Guerra, C., Quintero-Ramos, A. & Perez-Carillo, E., 2016. Physicochemical Changes and Resistant-Starch Content of Extruded Cornstarch with and without Storage at Refrigerator Temperatures. *Molecules*, pp. 1-19.
- Sujka, M., Sokolowska, Z., Hajnos, M. & Włodarczyk-Stasiak, 2016. Characterization of pore structure of rice grits extrudates using mercury intrusion porosimetry, nitrogen adsorption and water vapour desorption methods. *Journal of Food Engineering*, Volume 190, pp. 147-153.
- Swineheart, D. F., 1962. The Beer-Lambert Law. *Journal of Chemistry Education*, 39(7), pp. 333-335.



- Takeuchi, A., Suzuki, Y. & Uesugi, K., 2013. Development of Scanning-Imaging X-Ray Microscope for Quantitative Three-Dimensional Phase Contrast Microimaging. *Journal of Physics: Conference Series*, Volume 463.
- Tejada-Ortigoza, V. & Cuan-Urquiza, E., 2022. Towards the Development of 3D-Printed Food: A Rheological and Mechanical Approach. *Foods*, 11(9), p. 1191.
- Tovar-Jimenez, X. et al., 2015. Third generation snacks manufactured from orange by-products: physicochemical and nutritional characterization. *Journal of Food Science and Technology*.
- Tsagareishvili, D., Sesikashvili, O. D. G., Sakhanberidze, N. & Tsagareishvili, S., 2019. THE INFLUENCE OF THE MOISTURE CONTENT OF RAW MATERIALS ON THE STRUCTURING OF THE EXTRUDATES. *Journal of Food Sciences*.
- Villarraga-Gomez, H., Rad, M. N., Matthew, A. & Hagen, C., 2022. *Improving throughput and image quality of high-resolution 3D X-Ray microscopes using deep learning reconstruction techniques*. Wels, 11th Conference on Industrial Computed Tomography.
- Withers, P. J., Bouman, C., Carmignato, S. & Cnudde, V., 2021. *X-Ray computed tomography*. *nature reviews methods primers*.
- Yacu, W., 2020. Extruder screw, barrel, and die assembly: General design principles and operation. *Extrusion Cooking*, pp. 73-117.
- Yang, J., Martin, A. R. S. & Wu, C.-H., 2017. Microstructure investigation and its effects on moisture sorption in fried potato chips. *Journal of Food Engineering*, 214(2017), pp. 117-128.
- Yang, Y. et al., 2018. Assessment of the responses of soil pore properties to combined soil structure amendments using *X-Ray* computed tomography. *Scientific Reports*, 8(695).
- Zambrano, Y., Contardo, I., Moreno, M. C. & Bouchon, P., 2022. Effect of Extrusion Temperature and Feed Moisture Content on the Microstructural Properties of Rice-Flour Pellets and Their Impact on the Expanded Product. *Foods*, 11(2), p. 198.
- Zhang, Y. et al., 2021. Affective Colormap Design for Accurate Visual Comprehension in Industrial Tomography. *Sensors*, 21(14), p. 4766.
- Zhanqiang, H. et al., 2018. Effects of different extrusion temperatures on extrusion behavior, phenolic acids, antioxidant activity, anthocyanins and phytosterols of black rice. *Royal Society of Chemistry*, 2018(8), pp. 7123-7132.