

## DAFTAR PUSTAKA

- Adewunmi, A. A., Kamal, M. S. and Solling, T. I. (2021) 'Application of magnetic nanoparticles in demulsification: A review on synthesis, performance, recyclability, and challenges', *Journal of Petroleum Science and Engineering*, 196(July).
- Ahmed, S. A., Hanif, S. and Iftkhar, T. (2013) 'Phytochemical Profiling with Antioxidant and Antimicrobial Screening of <i>Amaranthus viridis</i> L. Leaf and Seed Extracts', *Open Journal of Medical Microbiology*, 03(03), pp. 164–171.
- Alam, J. *et al.* (2020) 'Cylindrical micro and nanowires: Fabrication, properties and applications', *Journal of Magnetism and Magnetic Materials*, 513(March), p. 167074.
- Almessiere, M. A. *et al.* (2021) 'Comparative study of sonochemically and hydrothermally synthesized Mn<sub>0.5</sub>Zn<sub>0.5</sub>S<sub>m</sub>xEu<sub>x</sub>Fe<sub>2-2x</sub>O<sub>4</sub> nanoparticles: Structural, optical and magnetic properties', *Nano-Structures and Nano-Objects*, 28.
- Alves, L. M., Leitão, P. M. F. and Martins, P. A. F. (2014) 'Elastomer-assisted compression beading of tubes', *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 228(7), pp. 744–756.
- Andrade Neto, N. F. *et al.* (2022) 'Heterostructures obtained by ultrasonic methods for photocatalytic application: A review', *Materials Science in Semiconductor Processing*, 139(April 2021), p. 106311.
- Ardiyanti, H., Aji, N. and Imani, N. (2023) 'Journal of Science: Advanced Materials and Devices New design of a commercial chip-based GMR sensor with magnetite nanoparticles for biosensing applications', *Journal of Science: Advanced Materials and Devices*, 8(2), p. 100556.
- Arellano-Tánori, O. *et al.* (2019) 'Obtaining nano structures of cobalt telluride by a simplified ion exchange reaction at aqueous solution', *Chalcogenide Letters*, 16(2), pp. 57–61.
- Arora, A. (2018) 'Optical and electric field control of magnetism', *University of Potsdam*, pp. 11–20.
- Arora, R. (2019) 'Adsorption of heavy metals-a review', *Materials Today: Proceedings*, 18, pp. 4745–4750.
- Atacan, K., Güy, N. and Çakar, S. (2018) 'Preparation and antibacterial activity of solvothermal synthesized ZnFe<sub>2</sub>O<sub>4</sub>/Ag-TiO<sub>2</sub> nanocomposite', *Sakarya University Journal of Science*, 22(6), pp. 1–1.
- Banerjee, S. *et al.* (2018) 'Graphene oxide (rGO)-metal oxide (TiO<sub>2</sub> /Fe<sub>3</sub>O<sub>4</sub>) based nanocomposites for the removal of methylene blue', *Applied Surface*

*Science*, 439, pp. 560–568.

- Barakat, M. A. (2011) 'New trends in removing heavy metals from industrial wastewater', *Arabian Journal of Chemistry*, 4(4), pp. 361–377.
- Bayu, A. *et al.* (2020) 'COMMUNICATIONS IN SCIENCE AND TECHNOLOGY Isotherm adsorption characteristics of carbon microparticles prepared from pineapple peel waste', *Communications in Science and Technology*, 5(1), pp. 31–39.
- Bellot Rubio, L. and Orozco Suárez, D. (2019) 'Quiet Sun magnetic fields: an observational view', *Living Reviews in Solar Physics*, 16(1), pp. 1–124.
- Benjwal, P. and Kar, K. K. (2015) 'Removal of methylene blue from wastewater under a low power irradiation source by Zn, Mn co-doped TiO<sub>2</sub> photocatalysts', *RSC Advances*, 5(119), pp. 98166–98176.
- Bibi, S. *et al.* (2021) 'Photocatalytic degradation of malachite green and methylene blue over reduced graphene oxide (rGO) based metal oxides (rGO-Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub>) nanocomposite under UV-visible light irradiation', *Journal of Environmental Chemical Engineering*, 9(4), p. 105580.
- Boruah, P. K. and Das, M. R. (2020) 'Dual responsive magnetic Fe<sub>3</sub>O<sub>4</sub>-TiO<sub>2</sub>/graphene nanocomposite as an artificial nanozyme for the colorimetric detection and photodegradation of pesticide in an aqueous medium', *Journal of Hazardous Materials*, 385(August 2019), p. 121516.
- Bumb, A. *et al.* (2008) 'Synthesis and characterization of ultra-small superparamagnetic iron oxide nanoparticles thinly coated with silica', *Nanotechnology*, 19(33).
- Castro, P. B. de *et al.* (2020) 'Machine-learning-guided discovery of the gigantic magnetocaloric effect in HoB<sub>2</sub> near the hydrogen liquefaction temperature', *NPG Asia Materials*, 12(1).
- Chai, W. S. *et al.* (2021) 'A review on conventional and novel materials towards heavy metal adsorption in wastewater treatment application', *Journal of Cleaner Production*, 296, p. 126589.
- Chauhan, S. *et al.* (2011) 'International Journal of Nanomaterials and Biostructures', (1), pp. 17–21.
- Chen, P. Y. *et al.* (2016) 'Multiscale Graphene Topographies Programmed by Sequential Mechanical Deformation', *Advanced Materials*, 28(18), pp. 3564–3571.
- Cheng, C. *et al.* (2017) 'Functional Graphene Nanomaterials Based Architectures: Biointeractions, Fabrications, and Emerging Biological Applications', *Chemical Reviews*, 117(3), pp. 1826–1914.
- Cherdchoo, W., Nithettham, S. and Charoenpanich, J. (2019) 'Removal of Cr(VI) from synthetic wastewater by adsorption onto coffee ground and mixed waste

- tea', *Chemosphere*, 221, pp. 758–767.
- Dagher, S. *et al.* (2018) 'Photocatalytic removal of methylene blue using titania- and silica-coated magnetic nanoparticles', *Materials Research Express*, 5(6).
- Dong, Y. *et al.* (2020) 'Shining light on CO<sub>2</sub>: From materials discovery to photocatalyst, photoreactor and process engineering', *Chemical Society Reviews*, 49(16).
- Du, J. *et al.* (2020) 'Decontamination of heavy metal complexes by advanced oxidation processes: A review', *Chinese Chemical Letters*, 31(10), pp. 2575–2582.
- Durand, J. (1986) *Magnetic and Superconducting Materials.*, NATO ASI Series, Series E: Applied Sciences.
- El-Sherbiny, I. M. and Salih, E. (2018) 'Green synthesis of metallic nanoparticles using biopolymers and plant extracts', *The Macabresque: Human Violation and Hate in Genocide, Mass Atrocity and Enemy-Making*, pp. 293–319.
- Elfanaoui, A. *et al.* (2011) 'Optical and structural properties of TiO<sub>2</sub> thin films prepared by sol-gel spin coating', *International Journal of Hydrogen Energy*, 36(6), pp. 4130–4133.
- Fan, H. *et al.* (2021) 'Facile synthesis of uniformly loaded Fe<sub>3</sub>O<sub>4</sub>–TiO<sub>2</sub>/RGO ternary hybrids for enhanced photocatalytic activities', *Optical Materials*, 111.
- Faniyi, I. O. *et al.* (2019) 'The comparative analyses of reduced graphene oxide (RGO) prepared via green, mild and chemical approaches', *SN Applied Sciences*, 1(10), pp. 1–7.
- Garrafa-Gálvez, H. E. *et al.* (2019) 'Graphene role in improved solar photocatalytic performance of TiO<sub>2</sub>-RGO nanocomposite', *Chemical Physics*, 521(January), pp. 35–43.
- Gázquez, M. J. *et al.* (2014) 'A Review of the Production Cycle of Titanium Dioxide Pigment', *Materials Sciences and Applications*, 05(07), pp. 441–458.
- Ghanbarnezhad, S. *et al.* (2017) 'Preparation, magnetic properties, and photocatalytic performance under natural daylight irradiation of Fe<sub>3</sub>O<sub>4</sub>-ZnO core/shell nanoparticles designed on reduced GO platelet', *Materials Science in Semiconductor Processing*, 72(May), pp. 85–92.
- Ghereghlou, M., Esmaeili, A. A. and Darroudi, M. (2021) 'Preparation of Fe<sub>3</sub>O<sub>4</sub>@C-dots as a recyclable magnetic nanocatalyst using *Elaeagnus angustifolia* and its application for the green synthesis of formamidines', *Applied Organometallic Chemistry*, 35(11), pp. 1–15.
- Gohain, N. (2008) 'Studies on The Structure and Function of Phenazine Modifying Enzymes PhzM and PhzS Involved in The Biosynthesis of Pyocyanin', *Phd Thesis*, (January 2009).

- Grissom, C. B. (1995) 'Magnetic Field Effects in Biology', pp. 3–24.
- Hankare, P. P. *et al.* (2009) 'Synthesis, characterization and effect of sintering temperature on magnetic properties of MgNi ferrite prepared by co-precipitation method', *Journal of Alloys and Compounds*, 475(1–2), pp. 926–929.
- Harifi, T. and Montazer, M. (2014) 'A novel magnetic reusable nanocomposite with enhanced photocatalytic activities for dye degradation', *Separation and Purification Technology*, 134, pp. 210–219.
- Hojjati-Najafabadi, A. *et al.* (2022) 'Magnetic-MXene-based nanocomposites for water and wastewater treatment: A review', *Journal of Water Process Engineering*, 47(December 2021), p. 102696.
- Hussain, I. *et al.* (2016) 'Green synthesis of nanoparticles and its potential application', *Biotechnology Letters*, 38(4), pp. 545–560.
- Istiqomah, N. I. *et al.* (2020) 'The effect of silica on photocatalytic degradation of methylene blue using silica-coated nzn ferrite nanoparticles', *Key Engineering Materials*, 855 KEM, pp. 268–273.
- Jansen, P. and Merkt, F. (2020) 'Manipulating beams of paramagnetic atoms and molecules using inhomogeneous magnetic fields', *Progress in Nuclear Magnetic Resonance Spectroscopy*, 120–121, pp. 118–148.
- Javed, R. *et al.* (2020) 'Role of capping agents in the application of nanoparticles in biomedicine and environmental remediation: recent trends and future prospects', *Journal of Nanobiotechnology*, 18(1), pp. 1–15.
- Kamble, R. B. *et al.* (2015) 'Domain size correlated magnetic properties and electrical impedance of size dependent nickel ferrite nanoparticles', *AIP Advances*, 5(1).
- Kombaiah, K. *et al.* (2019) 'Catalytic studies of NiFe<sub>2</sub>O<sub>4</sub> nanoparticles prepared by conventional and microwave combustion method', *Materials Chemistry and Physics*, 221(June 2018), pp. 11–28.
- Kumar, B. *et al.* (2016) 'Phytosynthesis and photocatalytic activity  
offile:///C:/Users/Hafil Kusumah/Documents/Magister/Tesis  
S2/Referensi/One-pot green synthesis of reduced graphene oxide  
(RGO)Fe<sub>3</sub>O<sub>4</sub>.pdf magnetite (Fe<sub>3</sub>O<sub>4</sub>) nanoparticles using the Andean  
blackberry leaf', *Materials Chemistry and Physics*, 179, pp. 310–315.
- Kumar, S. *et al.* (2020) 'Nanoscale zinc oxide based heterojunctions as visible light active photocatalysts for hydrogen energy and environmental remediation', *Catalysis Reviews - Science and Engineering*, 62(3), pp. 346–405.
- Lan, Y., Lu, Y. and Ren, Z. (2013) 'Mini review on photocatalysis of titanium dioxide nanoparticles and their solar applications', *Nano Energy*, 2(5), pp. 1031–1045.

- Li, X. *et al.* (2016) 'Graphene in Photocatalysis: A Review', *Small*, 12(48), pp. 6640–6696.
- Li, Y. *et al.* (2013) 'Comparative study of methylene blue dye adsorption onto activated carbon, graphene oxide, and carbon nanotubes', *Chemical Engineering Research and Design*, 91(2), pp. 361–368.
- Li, Y. and Jin, R. (2020) 'Seeing Ligands on Nanoclusters and in Their Assemblies by X-ray Crystallography: Atomically Precise Nanochemistry and beyond', *Journal of the American Chemical Society*, 142(32), pp. 13627–13644.
- Li, Z. Q. *et al.* (2015) 'Preparation and photocatalytic performance of magnetic TiO<sub>2</sub>-Fe<sub>3</sub>O<sub>4</sub>/graphene (RGO) composites under VIS-light irradiation', *Ceramics International*, 41(9), pp. 10634–10643.
- Liang, Y. *et al.* (2010) 'TiO<sub>2</sub> Nanocrystals grown on graphene as advanced photocatalytic hybrid materials', *Nano Research*, 3(10), pp. 701–705.
- Lin, Y. *et al.* (2012) 'Ternary graphene-TiO<sub>2</sub>-Fe<sub>3</sub>O<sub>4</sub> nanocomposite as a recollectable photocatalyst with enhanced durability', *European Journal of Inorganic Chemistry*, (28), pp. 4439–4444.
- Liu, J. *et al.* (2016) 'Photocatalytic Reduction of CO<sub>2</sub> Using TiO<sub>2</sub>-Graphene Nanocomposites', 2016, pp. 3–7.
- Lu, Z. L. *et al.* (2016) 'Preparation, characterization and visible-light catalytic activity of core-shell structure NiFe<sub>2</sub>O<sub>4</sub>@TiO<sub>2</sub> ferrite nanoparticles', *Key Engineering Materials*, 680, pp. 272–277.
- Ma, H. L. *et al.* (2007) 'Raman study of phase transformation of TiO<sub>2</sub> rutile single crystal irradiated by infrared femtosecond laser', *Applied Surface Science*, 253(18), pp. 7497–7500.
- Malega, F., Indrayana, I. P. T. and Suharyadi, E. (2018) 'Synthesis and Characterization of the Microstructure and Functional Group Bond of Fe<sub>3</sub>O<sub>4</sub> Nanoparticles from Natural Iron Sand in Tobelo North Halmahera', *Jurnal Ilmiah Pendidikan Fisika Al-Biruni*, 7(2), pp. 129–138.
- Malik, D. S. *et al.* (2020) 'A review on impact of water pollution on freshwater fish species and their aquatic environment', *Advances in Environmental Pollution Management: Wastewater Impacts and Treatment Technologies*, pp. 10–28.
- Marsel, R. *et al.* (2022) 'High reusability of green-synthesized Fe<sub>3</sub>O<sub>4</sub> / TiO<sub>2</sub> photocatalyst nanoparticles for efficient degradation of methylene blue dye', *Materials Today Communications*, 33(September), p. 104450.
- Mehmood, S. *et al.* (2022) 'A green method for removing chromium (VI) from aqueous systems using novel silicon nanoparticles: Adsorption and interaction mechanisms', *Environmental Research*, 213(February).
- Mehralipour, J., Bagheri, S. and Gholami, M. (2023) 'Synthesis and characterization of rGO/Fe<sub>0</sub>/Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> nanocomposite and application of



photocatalytic process in the decomposition of penicillin G from aqueous', *Heliyon*, 9(7), p. e18172.

- Moreno-Ramírez, L. M. *et al.* (2019) 'Tunable first order transition in La(Fe,Cr,Si)<sub>13</sub> compounds: Retaining magnetocaloric response despite a magnetic moment reduction', *Acta Materialia*, 175, pp. 406–414.
- Nabiyouni, G. and Ghanbari, D. (2018) 'Simple preparation of magnetic, antibacterial and photo-catalyst NiFe<sub>2</sub>O<sub>4</sub>@TiO<sub>2</sub>/Pt nanocomposites', *Journal of Nanostructures*, 8(4), pp. 408–416.
- Nguyen, T. B. and Doong, R. A. (2017) 'Heterostructured ZnFe<sub>2</sub>O<sub>4</sub>/TiO<sub>2</sub> nanocomposites with a highly recyclable visible-light-response for bisphenol A degradation', *RSC Advances*, 7(79), pp. 50006–50016.
- Niaki, Z. M., Ghorbani, M. and Ghoreishi, S. A. (2021) 'Synthesis of ZnFe<sub>2</sub>O<sub>4</sub>@UiO-66 nanocomposite for the photocatalytic degradation of metronidazole antibiotic under visible light irradiation', *Journal of Environmental Health Science and Engineering*, 19(2), pp. 1583–1596.
- Noh, J. *et al.* (2015) 'Magnetite Fe<sub>3</sub>O<sub>4</sub> (111) Surfaces: Impact of Defects on Structure, Stability, and Electronic Properties', *Chemistry of Materials*, 27(17), pp. 5856–5867.
- Novoselova, L. Y. (2021) 'Nanoscale magnetite: New synthesis approach, structure and properties', *Applied Surface Science*, 539(May 2020), p. 148275.
- Nurrohman, D. T. and Chiu, N. F. (2021) 'A review of graphene-based surface plasmon resonance and surface-enhanced raman scattering biosensors: Current status and future prospects', *Nanomaterials*, 11(1), pp. 1–30.
- de Oliveira Guidolin, T. *et al.* (2021) 'Photocatalytic pathway on the degradation of methylene blue from aqueous solutions using magnetite nanoparticles', *Journal of Cleaner Production*, 318(March).
- Omanović-Miklićanin, E. *et al.* (2020) 'Nanocomposites: a brief review', *Health and Technology*, 10(1), pp. 51–59.
- Palanivel, B. *et al.* (2019) 'Inverse spinel NiFe<sub>2</sub>O<sub>4</sub> deposited g-C<sub>3</sub>N<sub>4</sub> nanosheet for enhanced visible light photocatalytic activity', *Materials Science in Semiconductor Processing*, 100(January), pp. 87–97.
- Pausch, A., Holzer, C. and Kloppe, W. (2022) 'Efficient Calculation of Magnetic Circular Dichroism Spectra Using Spin-Noncollinear Linear-Response Time-Dependent Density Functional Theory in Finite Magnetic Fields', *Journal of Chemical Theory and Computation*, 18(6), pp. 3747–3758.
- Pei, S. and Cheng, H. M. (2012) 'The reduction of graphene oxide', *Carbon*, 50(9), pp. 3210–3228.
- Peik-See, T. *et al.* (2014) 'Magnetically separable reduced graphene oxide/iron oxide nanocomposite materials for environmental remediation', *Catalysis*

*Science and Technology*, 4(12), pp. 4396–4405.

- Petersen, L., Heynen, M. and Pellicciotti, F. (2017) ‘Freshwater Resources: Past, Present, Future’, *International Encyclopedia of Geography: People, the Earth, Environment and Technology*, pp. 1–11.
- Prakruthi, K. *et al.* (2022) ‘Recent advances in photocatalytic remediation of emerging organic pollutants using semiconducting metal oxides: an overview’, *Environmental Science and Pollution Research*, 29(4), pp. 4930–4957.
- Pudukudy, M. *et al.* (2019) ‘Magnetically separable and reusable rGO/Fe<sub>3</sub>O<sub>4</sub> nanocomposites for the selective liquid phase oxidation of cyclohexene to 1,2-cyclohexane diol’, *RSC Advances*, 9(56), pp. 32517–32534.
- Rahman, M. M. *et al.* (2012) ‘Composition, Temperature and Frequency Dependent Magnetic, Dielectric and Electrical Properties of Magnesium-Zinc Ferrites’, *Journal of Bangladesh Academy of Sciences*, 36(2), pp. 199–212.
- Rao, M., Wu, W. and Yang, C. (2021) ‘Recent progress on the enantioselective excited-state photoreactions by pre-arrangement of photosubstrate(s)’, *Green Synthesis and Catalysis*, 2(2), pp. 131–144.
- Restrepo, C. V. and Villa, C. C. (2021) ‘Synthesis of silver nanoparticles, influence of capping agents, and dependence on size and shape: A review’, *Environmental Nanotechnology, Monitoring and Management*, 15(January), p. 100428.
- Revathy, R. *et al.* (2022) ‘Exotic magnetic properties and enhanced magnetoelectric coupling in Fe<sub>3</sub>O<sub>4</sub>-BaTiO<sub>3</sub> heterostructures’, *Journal of Alloys and Compounds*, 889, p. 161667.
- Rivani, D. A. *et al.* (2019) ‘Influence of TiO<sub>2</sub> addition on the magnetic properties of carbon-based iron oxide nanocomposites synthesized using submerged arc-discharge’, *IOP Conference Series: Materials Science and Engineering*, 509(1).
- Rooney, C. M. (2005) ‘Hitchhiker’s guide to the T cell’, *Nature Medicine*, 11(10), pp. 1051–1052.
- Roy, S. D., Das, K. C. and Dhar, S. S. (2021) ‘Conventional to green synthesis of magnetic iron oxide nanoparticles; its application as catalyst, photocatalyst and toxicity: A short review’, *Inorganic Chemistry Communications*, 134(November), p. 109050.
- Sah, M. K. *et al.* (2022) ‘Exploring the Biosorption of Methylene Blue Dye onto Agricultural Products: A Critical Review’, *Separations*, 9(9), pp. 1–26.
- Sahoo, S. K. and Hota, G. (2019) ‘Amine-Functionalized GO Decorated with ZnO-ZnFe<sub>2</sub>O<sub>4</sub> Nanomaterials for Remediation of Cr(VI) from Water’, *ACS Applied Nano Materials*, 2(2), pp. 983–996.

- Sajjad, S. *et al.* (2018) 'Green synthesis of metal-based nanoparticles and their applications', *The Macabresque: Human Violation and Hate in Genocide, Mass Atrocity and Enemy-Making*, pp. 23–77.
- Sanchez-Hachair, A. and Hofmann, A. (2018) 'Hexavalent chromium quantification in solution: Comparing direct UV–visible spectrometry with 1,5-diphenylcarbazine colorimetry', *Comptes Rendus Chimie*, 21(9), pp. 890–896.
- Sari, E. K. *et al.* (2023) 'Green synthesis of magnetically separable and reusable Fe<sub>3</sub>O<sub>4</sub>/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation', *Carbon Resources Conversion*, 6(4), pp. 274–286.
- Sathiyar, K. *et al.* (2020) 'Controllable synthesis of TiO<sub>2</sub> nanoparticles and their photocatalytic activity in dye degradation', *Materials Research Bulletin*, 126(October 2019), p. 110842.
- Scattering, N. and Issue, S. (2009) 'Neutron scattering Probing polymers and soft materials'.
- Shalaby, A. *et al.* (2015) 'Structural analysis of reduced graphene oxide by transmission electron microscopy', *Bulgarian Chemical Communications*, 47(1), pp. 291–295.
- Sheikholeslami, M. and Mahian, O. (2019) 'Enhancement of PCM solidification using inorganic nanoparticles and an external magnetic field with application in energy storage systems', *Journal of Cleaner Production*, 215, pp. 963–977.
- Singh, A. *et al.* (2018) 'Photodegradation of phenanthrene catalyzed by rGO sheets and disk like structures synthesized using sugar cane juice as a reducing agent', *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 204, pp. 603–610.
- Singh, J. *et al.* (2018) "'Green" synthesis of metals and their oxide nanoparticles: Applications for environmental remediation', *Journal of Nanobiotechnology*, 16(1), pp. 1–24.
- Singh, M., Goyal, M. and Devlal, K. (2018) 'Size and shape effects on the band gap of semiconductor compound nanomaterials', *Journal of Taibah University for Science*, 12(4), pp. 470–475.
- Smith, A. T. *et al.* (2019) 'Synthesis, properties, and applications of graphene oxide/reduced graphene oxide and their nanocomposites', *Nano Materials Science*, 1(1), pp. 31–47.
- Song, M. *et al.* (2012) 'Influence of morphology and surface exchange reaction on magnetic properties of monodisperse magnetite nanoparticles', *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 408, pp. 114–121.
- Stan, M. *et al.* (2017) 'Removal of antibiotics from aqueous solutions by green



- synthesized magnetite nanoparticles with selected agro-waste extracts', *Process Safety and Environmental Protection*, 107, pp. 357–372.
- Sun, C. *et al.* (2019) 'Fe<sub>3</sub>O<sub>4</sub> / TiO<sub>2</sub> / reduced graphene oxide composites as highly efficient Fenton- like catalyst for the decoloration of methylene blue', *Materials Chemistry and Physics*, 223(October 2018), pp. 751–757.
- Sun, M. *et al.* (2020) 'Dual-Plasmonic Gold@Copper Sulfide Core-Shell Nanoparticles: Phase-Selective Synthesis and Multimodal Photothermal and Photocatalytic Behaviors', *ACS applied materials & interfaces*, 12(41), pp. 46146–46161.
- Tayade, R. J. *et al.* (2007) 'Photocatalytic degradation of dyes and organic contaminants in water using nanocrystalline anatase and rutile TiO<sub>2</sub>', *Science and Technology of Advanced Materials*, 8(6), pp. 455–462.
- Tedsree, K. *et al.* (2017) 'Ag modified Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> magnetic core-shell nanocomposites for photocatalytic degradation of methylene blue', *Materials Today: Proceedings*, 4(5), pp. 6576–6584.
- Teja, A. S. and Koh, P. Y. (2009) 'Synthesis, properties, and applications of magnetic iron oxide nanoparticles', *Progress in Crystal Growth and Characterization of Materials*, 55(1–2), pp. 22–45.
- Thombre, R. *et al.* (2012) 'Studies on antibacterial and antifungal activity of silver nanoparticles synthesized using Artocarpus heterophyllus leaf extract', *Biotechnol. Bioinf. Bioeng*, 2(1), pp. 632–637.
- Torres, T. E., Ibarra, M. R. and Goya, G. F. (2009) 'Fe<sub>3</sub>O<sub>4</sub> Nanoparticles for Biomedical Applications .', *Biochemistry Research International*, 6(1), pp. 2008–2009.
- Utsev, J. T., Iwar, R. T. and Ifyalem, K. J. (1058) 'Adsorption of Methylene Blue from Aqueous Solution onto Delonix regia Pod Activated Carbon: Batch Equilibrium Isotherm, Kinetic and Thermodynamic Studies', *J. Mater. Environ. Sci*, 2020(7), pp. 1058–1078.
- Vinothkannan, M. *et al.* (2015) 'One-pot green synthesis of reduced graphene oxide (RGO)/Fe<sub>3</sub>O<sub>4</sub> nanocomposites and its catalytic activity toward methylene blue dye degradation', *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 136(PB), pp. 256–264.
- Wanag, A. *et al.* (2021) 'Influence of rgo and preparation method on the physicochemical and photocatalytic properties of tio<sub>2</sub>/reduced graphene oxide photocatalysts', *Catalysts*, 11(11).
- Wang, C. *et al.* (2002) 'Preparation, characterization and photocatalytic activity of nano-sized ZnO/SnO<sub>2</sub> coupled photocatalysts', *Applied Catalysis B-Environmental*, 39, pp. 269–279.
- Wang, M. C. *et al.* (2020) 'Prospects and Opportunities of 2D van der Waals

- Magnetic Systems', *Annalen der Physik*, 532(5), pp. 1–19.
- Wang, S. *et al.* (2014) 'Enhancing photocatalytic activity of disorder-engineered C/TiO<sub>2</sub> and TiO<sub>2</sub> nanoparticles', *Journal of Materials Chemistry A*, 2(20), pp. 7439–7445.
- Willard, M. A. *et al.* (1999) 'Magnetic properties of ordered and disordered spinel-phase ferrimagnets', *Journal of the American Ceramic Society*, 82(12), pp. 3342–3346.
- Wojciechowska, A., Markowska-Szczupak, A. and Lendzion-Bieluń, Z. (2022) 'TiO<sub>2</sub>-Modified Magnetic Nanoparticles (Fe<sub>3</sub>O<sub>4</sub>) with Antibacterial Properties', *Materials*, 15(5).
- Wu, D. *et al.* (2011) 'Preparation and characterization of magnetic rectorite/iron oxide nanocomposites and its application for the removal of the dyes', *Chemical Engineering Journal*, 174(1), pp. 489–494.
- Wu, S., Jia, Q. and Dai, W. (2017) 'Synthesis of RGO/TiO<sub>2</sub> hybrid as a high performance photocatalyst', *Ceramics International*, 43(1), pp. 1530–1535.
- Wu, W. *et al.* (2015) 'Recent progress on magnetic iron oxide nanoparticles: Synthesis, surface functional strategies and biomedical applications', *Science and Technology of Advanced Materials*, 16(2).
- Xuan, S. *et al.* (2009) 'Magnetically separable Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> hollow spheres: Fabrication and photocatalytic activity', *Journal of Physical Chemistry C*, 113(2), pp. 553–558.
- Yang, H. (2021) 'A short review on heterojunction photocatalysts: Carrier transfer behavior and photocatalytic mechanisms', *Materials Research Bulletin*, 142(May), p. 111406.
- Yang, X. *et al.* (2015) 'Rapid degradation of methylene blue in a novel heterogeneous Fe<sub>3</sub>O<sub>4</sub>@rGO/TiO<sub>2</sub>-catalyzed photo-Fenton system', *Scientific Reports*, 5.
- Yang, Y. *et al.* (2020) 'Adsorption and photocatalytic reduction of aqueous Cr(VI) by Fe<sub>3</sub>O<sub>4</sub>-ZnAl-layered double hydroxide/TiO<sub>2</sub> composites', *Journal of Colloid and Interface Science*, 562, pp. 493–501.
- Yang, Y. *et al.* (2021) 'Microstructure evolution and texture tailoring of reduced graphene oxide reinforced Zn scaffold', *Bioactive Materials*, 6(5), pp. 1230–1241.
- Yu, J. *et al.* (2019) 'Magnetic nitrogen-doped sludge-derived biochar catalysts for persulfate activation: Internal electron transfer mechanism', *Chemical Engineering Journal*, 364(January), pp. 146–159.
- Zhang, J., Xiong, Z. and Zhao, X. S. (2011) 'Graphene-metal-oxide composites for the degradation of dyes under visible light irradiation', *Journal of Materials Chemistry*, 21(11), pp. 3634–3640.

- Zhang, L. *et al.* (2019) 'Characterization of semiconductor photocatalysts', *Chemical Society Reviews*, 48(20), pp. 5184–5206.
- Zhang, Q. *et al.* (2021) 'Green synthesis of magnetite nanoparticle and its regulatory effect on fermentative hydrogen production from lignocellulosic hydrolysate by *Klebsiella* sp.', *International Journal of Hydrogen Energy*, 46(39), pp. 20413–20424.
- Zhang, X. *et al.* (2012) 'A green and facile synthesis of TiO<sub>2</sub>/graphene nanocomposites and their photocatalytic activity for hydrogen evolution', *International Journal of Hydrogen Energy*, 37(1), pp. 811–815.
- Zhao, G. (2011) 'Sorption of Heavy Metal Ions from Aqueous Solutions: A Review', *The Open Colloid Science Journal*, 4(1), pp. 19–31.
- Zheng, F. *et al.* (2015) 'Charge transfer from poly(3-hexylthiophene) to graphene oxide and reduced graphene oxide', *RSC Advances*, 5(109), pp. 89515–89520.
- Zhu, S. *et al.* (2013) 'Sonochemical fabrication of Fe<sub>3</sub>O<sub>4</sub> nanoparticles on reduced graphene oxide for biosensors', *Ultrasonics Sonochemistry*, 20(3), pp. 872–880.