



DAFTAR PUSTAKA

- Aggarwal B. B., Sundaram C, Prasad S, Kannappan R. Tocotrienols. 2010. The vitamin E of the 21st century: its potential against cancer and other chronic diseases. *Biochemical Pharmacology*. 80(11): 1613-1631.
- Aguda, R. M. 2007. Modeling the solubility of sclareol in organic solvent using solubility parameter. *North Carolina American Journal of Applied Sciences*. 6 (7): 1390-1395.
- Altuna, L., Herrera, M. L. and Foresti, M. L., 2018. Synthesis and characterization of octenyl succinic anhydride modified starches for food applications: A review of recent literature. *Food Hydrocolloids*. (80): 97-110.
- Amaya, D.B. and Kimura, M., 2004. *HarvestPlus handbook for carotenoid analysis* (Vol.2). Washington: International Food Policy Research Institute (IFPRI).
- Andarwulan, N., Feri, K., and Dian, K. 2011. *Analisis Pangan Cetakan Pertama*. Jakarta: PT Dian Rakyat.
- Anton, N. and Vandamme, T. F. 2011. Nano-emulsions and micro-emulsions: clarifications of the critical differences. *Pharmaceutical Research*. 28: 978-985.
- AOAC (Association of Official Analytical Chemist). 2005. *Official Method of Analysis of The Association of Official Analytical of Chemist*. Arlington, Virginia (US): Association of Official Analytical and Chemists, Inc.
- Apriyanto, M., dan Rujiah, 2017. *Kimia Pangan*. Yogyakarta: Trussmedia Grafika.



Badan Pusat Statistik. 2023. *Statistik Kelapa Sawit Indonesia*.

Ball, G. F., 2005. *Vitamins in foods: analysis, bioavailability, and stability*. CRC press.

Bao, J., Xing, J., Phillips, D. L. And Corke, H., 2003. Physical properties of octenyl succinic anhydride modified rice, wheat, and potato starches. *Journal Of Agricultural And Food Chemistry*. 51(8): 2283-2287.

Barad, J.M., Chakraborty, M. and Bart, H.J., 2010. Stability and performance study of water-in-oil-in-water emulsion: extraction of aromatic amines. *Industrial & Engineering Chemistry Research*. 49(12): 5808-5815.

Bernardi, D. S., Pereira, T. A., Maciel, N. R., Bortoloto, J., Viera, G. S., Oliveira, G. C. and Rocha-Filho, P. A., 2011. Formation and stability of oil-in-water nanoemulsions containing rice bran oil: in vitro and in vivo assessments. *Journal of nanobiotechnology*. 9(1): 1-9.

Caldwell, C. G., & Wurzburg, O. B. 1953. *Polysaccharide Derivatives Of Substituted Dicarboxylic Acids*. U.S. Patent Office, Patent No. 2,661,349

Choe, E. and Min, D. B., 2006. Mechanisms and factors for edible oil oxidation. *Comprehensive Reviews In Food Science And Food Safety*. 5(4): 169-186.

Choi, S. J., & McClements, D. J. 2020. Nanoemulsions as delivery systems for lipophilic nutraceuticals: Strategies for improving their formulation, stability, functionality and bioavailability. *Food Science and Biotechnology*. 29(2): 149–168.

Churchill, G.A., 2005. *Dasar-Dasar Riset Pemasaran, Edisi 4, Jilid 1*. Jakarta: Erlangga.



- Comuzzo, P. and Calligaris, S., 2019. Potential applications of high pressure homogenization in winemaking: A review. *Beverages*, 5(3): 56.
- Daaou, M. and Bendedouch, D., 2012. Water pH and surfactant addition effects on the stability of an Algerian crude oil emulsion. *Journal of Saudi Chemical Society*. 16(3): 333-337.
- Devaraj, S., Tang, R., Adams-Huet, B., Harris, A., Seenivasan, T., De Lemos, J.A. and Jialal, I., 2007. Effect of high-dose α -tocopherol supplementation on biomarkers of oxidative stress and inflammation and carotid atherosclerosis in patients with coronary artery disease. *The American journal of clinical nutrition*. 86(5): 1392-1398.
- Fennema, O. R. 1996. *Food Chemistry 3rd Edition*. New York (USA): Marcel Dekker, Inc.
- Fernández-García, E., Carvajal-Lérida, I., Jarén-Galán, M., Garrido-Fernández, J., Pérez Gálvez, A. And Hornero-Méndez, D., 2012. Carotenoids bioavailability from foods: From plant pigments to efficient biological activities. *Food Research International*. 46(2): 438-450.
- Ghozali, I., 2006. *Aplikasi analisis multivariate dengan program SPSS*. Semarang: Badan Penerbit Universitas Diponegoro.
- Gray, J. I. and Pearson, A. M. 1987. *Rancidity and warmed over-flavor* Adv. Food Res. 29(1).
- Gray, J. I. and Monahan, F. J. 1992. *Measurement of lipid oxidation in meat and meat products*, Trends Food Sci. Tech. 3:315-319



Gunstone, Frank D., John, L. H., Albert, J.D. 2007. *The Lipid Handbook*. Boca

Rato: CRC Press.

Gurusmatika, S., Harmayani, E., Pranoto. Y, Sugahara. T. 2017.

Immunomodulatory activity of octenyl succinic anhydride modified porang (*Amorphophallus oncophyllus*) glucomannan on mouse macrophage-like J774.1 cells and mouse primary peritoneal macrophages.

Molecules. 22(7): 1187

Harianti, R., Marliyati, S.A., Rimbawan, R. and Sukandar, D., 2018. Development of high antioxidant red palm oil cake as a potential functional food. *Jurnal Gizi Dan Pangan*, 13(2): 63-70.

Harlen, W.C., Muchtadi, T. and Palupi, N.S., 2017. Bioavailabilitas α -tokoferol minuman emulsi minyak sawit dalam plasma darah dan hati tikus (*Rattus norvegicus*). *Agritech*, 37(3): 352-361.

Harmayani, E., Aprilia, V. and Marsono, Y., 2014. Characterization of glucomannan from *Amorphophallus oncophyllus* and its prebiotic activity in vivo. *Carbohydrate Polymers*. 112: 475-479.

Hasenhuettl G. L., Hartel, R. W., 2008. *Food Emulsifiers and Their Applications..* New York (USA) : Springer Science.

Hasibuan, H.A., Akram, A., Putri, P., Rangkuti, B.T. and Mentari, E.C., 2018. Pembuatan margarin dan baking shortening berbasis minyak sawit merah dan aplikasinya dalam produk bakery. *Agritech*, 38(4): 353-363.

Hasibuan, H.A., 2021. Potensi minyak sawit merah sebagai pangan fungsional dan nutrasetikal. *WARTA Pusat Penelitian Kelapa Sawit*, 26(3): 178-184.



Hidayat, R., Dewanti, D., dan Hartojo. 2013. *Tanaman Porang (Karakter, Manfaat dan Budidaya)*. Yogyakarta : Graha Ilmu.

Huang, Q., Yu, H. and Ru, Q., 2010. Bioavailability and delivery of nutraceuticals using nanotechnology. *Journal of Food Science*. 75(1): R50-R57.

Husnah, dan Nurlela. 2020. Analisa angka anisidine terhadap kualitas minyak goreng sebelum dan sesudah dipakai berulang. *Jurnal PGRI Palembang*. 5(1): 66-71.

IKA. 2015. Ultra Turrax® Dispersers Description and Specification. Diakses melalui http://imlab.be/imlab_FR/ika/fragmentation.html pada tanggal 1 Desember 2023 Pukul 07.26 WIB.

IUPAC (International Union on Pure an Applied Chemistry). 1987. *Standart Method For The Analysis Of Oils Arld Fats An Derivatives, 7th Edn, Ed. C. Paquot And A. Hautfebbe*. Oxford (UK): Blackwell Scientific Publishing Ltd

Kartika, B., Pudji, H., Wahyu, S. 1988. *Pedoman Uji Indrawi Bahan Pangan*. Yogyakarta : UGM Press.

Kiokias, S., Proestos, C., & Varzakas, T. 2016. A review of the structure, biosynthesis, absorption of carotenoids-analysis and properties of their common natural extracts. *Current Research in Nutrition and Food Science Journal*. 4(1): 25–37

Lee, H. V., Hamid, S. B. A. And Zain, S. K., 2014. Review article conversion of lignocellulosic biomass to nanocellulose: structure and chemical process. *Sci. World J*: 1-20.



Lee, W.J., Tan, C.P., Sulaiman, R., Smith Jr, R.L. and Chong, G.H., 2018.

Microencapsulation of red palm oil as an oil-in-water emulsion with supercritical carbon dioxide solution-enhanced dispersion. *Journal of Food Engineering*. 222(1): 100-109.

Lim, V., Kardono, L.B.S. and Kam, N., 2015. Studi Karakteristik Dan Stabilitas Pengemulsi Dari Bubuk Lendir Okra (*Abelmoschus esculentus*). *Jurnal Aplikasi Teknologi Pangan*. 4(3).

Liu, Y., Hou, Z., Yang, J., & Gao, Y. 2014. Effects of antioxidants on the stability of β-Carotene in O/W emulsions stabilized by gumarabic. *Journal of Food Science and Technology*.

Marbun, D., 2016. Pemanfaatan Buah Asam Gelugur (*Garcinia atroviridis*) Dalam Pembuatan Emulsi Minyak Sawit Merah (Red Palm Oil) yang Berkualitas. *Skripsi. Teknologi Industri Pertanian. Fakultas Pertanian. Universitas Bengkulu*.

Marjan, A.Q., Marliyati, S.A. and Ekayanti, I., 2016. Pengembangan produk pangan dengan substitusi red palm oil sebagai alternatif pangan fungsional tinggi beta karoten. *Jurnal Gizi dan Pangan*. 11(2): 91-98.

Marliyati, S.A. & Harianti, R., 2021. Physicochemical and Functional Characteristics of Red Palm Oil. *The Journal of Indonesian Community Nutrition*. 10(1).

Maryuningsih, R.D., Nurtama, B. and Wulandari, N., 2021. Pemanfaatan karotenoid minyak sawit merah untuk mendukung penanggulangan masalah kekurangan vitamin A di Indonesia. *Jurnal Pangan*, 30(1): 65-74.



Mason, T.G., Wilking, J.N., Meleson, K., Chang, C.B. And Graves, S.M., 2006.

Nanoemulsions: formation, structure, and physical properties. *Journal Of Physics: Condensed Matter*, 18(41): 635-666.

Mason, W.R., 2009. Starch Use In Foods In J. BeMiller & R. Whistler (Eds.) *Starch Chemistry and Technology*. (3): 745-795. Burlington: Academic Press.

McClements, D.J. 2004. *Food Emulsions Principles, Practices, and Techniques* ed 2. New York (US): CRC Press.

McClements, D.J., Decker, E.A., Park, Y. and Weiss, J., 2009. Structural design principles for delivery of bioactive components in nutraceuticals and functional foods. *Critical reviews in food science and nutrition*, 49 (6): 577-606.

McClements, D.J. Dan Li, Y. 2010. Structured emulsionbased delivery systems: controlling the digestion and release of lipophilic food components. *Advances In Colloid And Interface Science*. 159(2): 213-228.

McClements, D. J. 2015. *Food Emulsions: Principles, Practices, and Techniques, Third Edition (0 ed.)*. CRC Press

McClements, D.J., Saliva-Trujillo, L., Zhang, R., Zhang, Z., Zou, L., Yao, M. and Xiao, H., 2016. Boosting the bioavailability of hydrophobic nutrients, vitamins, and nutraceuticals in natural products using excipient emulsions. *Food Research International*. 88(1): 140-152.

Meilgaard, M.C., Carr, B.T. and Civille, G.V., 1999. *Sensory Evaluation Techniques*. CRC press.



Meng, F.B., Li, Y.C., Liu, D.Y., Zhong, G., Guo, X.Q., 2018. The characteristics of

konjac glucomannan octenyl succinate (KGOS) prepared with different substitution rates. *Carbohydr. Polym.* 181: 1078–1085.

Mollet, H., dan Grubermann, A. 2001. *Formulation Technology: Emulsions, Suspensions, Solid Form.* Toronto: Wiley-Vch.

Moraru, C.I., Panchapakesan, C.P., Huang, Q., Takhistov, P., Liu, S. And Kokini, J.L., 2003. Nanotechnology: a new frontier in food science understanding the special properties of materials of nanometer size will allow food scientists to design new, healthier, tastier, and safer foods. *Nanotechnology.* 57(12): 24-29.

Muchtadi, T.R., Wulandari, N., Hunaefi, D., Darmawati, E., Andrianto, M.S. and Sukmawati, Y., 2015. Prospek Industrialisasi Produk Hilir Minyak Kelapa Sawit. *Prosiding Seminar Hasil-Hasil PPM IPB.* 1: 159-180.

National Center For Biotechnology Information 2023. Pubchem Compound Summary For CID 5362721, 1-Octenylsuccinic Anhydride. Diakses pada 22 November 2023 dari: <https://pubchem.ncbi.nlm.nih.gov/compound/1-Octenylsuccinic-anhydride>.

Pachuau, L. and Mazumder, B., 2009. A Study on the Effects of Different Surfactants on Ethylcellulose Microspheres. *Int J PharmTech Res.* 1(4): 966-971.

PORIM. 2005. *PORIM Test Method.* Kuala Lumpur: Palm Oil Research Institute of Malaysia.



Putri C.A. 2019. Uji Kandungan β -Karozen Dan Uji Daya Terima Pada Pembuatan Minuman Instan Daun Kemangi (*Sanctum Ocimum L*) Dengan Jahe (*Zingiber Officinale*). *Skripsi*. Surakarta: Institusi Teknologi Sains Dan Kesehatan PKU Muhammadiyah Surakarta

Qian, C., Decker E. A., Xiao, H., Mclements, D.J., 2012. Physical and chemical stability of B-Carotene-enriched nanoemulsions: Influence of pH, ionic strength, temperature, and emulsifier type. *Food Chemistry*. 132(3): 1221-1229.

Raharjo, S., 2018. *Kerusakan Oksidatif Pada Makanan*. Yogyakarta: Universitas Gadjah Mada Press.

Rahayu, W. P., 2001. *Penuntun Praktikum Penilaian Organoleptik*. Bogor: Jurusan Teknologi Pangan dan Gizi. Fakultas Teknologi Pertanian. IPB.

Rao, J. and Mclements, D.J. 2011a. Formation of flavor oil microemulsions, nanoemulsions and emulsions: influence of composition and preparation method. *Journal Of Agricultural And Food Chemistry*. 59: 5026- 5035.

Rao, J. and Mclements, D.J. 2011b. Food-grade microemulsions, nanoemulsions, and emulsions: Fabrication from sucrose monopalmitate and lemon oil. *Food Hydrocolloids*. 25: 1413-1423.

Riyadi, A.H., Muchtadi, T.R., Andarwulan, N. and Haryati, T., 2016. Pilot plant study of red palm oil deodorization using moderate temperature. *Agriculture and Agricultural Science Procedia*. 9: 209-216.



- Rusmiati, H., 2015. Stabilitas Kapsul Minyak Ikan Patin (Pangasius Sp.) Selama Penyimpanan dengan Metode Schaal. *Skripsi*. Bogor: Fakultas Perikanan Dan Ilmu Kelautan, Institut Pertanian Bogor.
- Salminen, H., & Weiss, J. 2014. Electrostatic adsorption and stability of whey protein–pectin complexes on emulsion interfaces. *Food Hydrocolloids*. 35, 410–419.
- Sibuea, P., Rahardjo, S., Santoso, U. and Noor, Z., 2004. Oksidasi Minyak dalam Emulsi O/W: Mekanisme dan Pengendaliannya. *agritech*. 24(4): 210-216.
- Supriati, Y., 2016. Keanekaragaman iles-iles (*Amorphophallus spp.*) dan potensinya untuk industri pangan fungsional, kosmetik, dan bioetanol. *Jurnal Litbang Pertanian*. 35(2): 69 – 80.
- Suryono, C., Ningrum, L. And Dewi, T.R., 2018. Uji kesukaan dan organoleptik terhadap 5 kemasan dan produk kepulauan seribu secara deskriptif. *Jurnal Pariwisata*, 5(2): 95-106.
- Sweedman, M.C., Hasjim, J., Schäfer, C. and Gilbert, R.G., 2014. Structures of Octenylsuccinylated Starches: Effects on Emulsions Containing B-Carotene. *Carbohydrate polymers*. 112: 85-93.
- Tanito, M., Itoh, N., Yoshida,Y., Hayakawa, Y., Ohira,A., Niki, E. 2004. Distribution of tocopherols and tocotrienols to rat ocular tissues after topical ophthalmic administration. *Lipids*. 39 (5): 469-474.
- Tarigan, I.L. and Ananda, H.D., 2022. Pengembangan produk kelapa sawit merah sebagai sumber pangan fungsional dan nutrasetikal. *Khazanah Intelektual*, 6(2): 1395-1414.



- Ubaldi, A., G. Delbono, A. Fusari dan P. Serventi. 2005. Quick HPLC method to determine vitamin E concentration in cow's milk. *Ann. Fac. Medic. Vet. di Parma*. 25: 101-110.
- Ulfah, M., Riswanto, A., & Ngatirah, N. 2016. Karakteristik Minyak Campuran Red Palm Oil Dengan Palm Kernel Olein (Characteristics of Oil Blends from Red Palm Oil and Palm Kernel Olein). *Jurnal Agritech*. 36(02): 145.
- Wahyuningtyas, D. 2010. Uji Organoleptik Hasil Jadi Kue Menggunakan Bahan Non Instant Dan Instant. *Binus Business Review*. 1 (1)116-125
- Walstra, P., 1993. Principles Of Emulsion Formation. *Chemical Engineering Science*. 48(2): 333-349.
- Wardiyati, S. and Takeuchi, M., 1995. Studi Percobaan Pembuatan Dan Pemecahan Emulsi" Air Dalam Minyak. *Prosiding dan Presentasi Ilmiah PPPN-Batan Yogyakarta*: 25-27.
- Widarta, I.W.R., Rukmini, A., Santoso, U., Supriyadi , Raharjo, S. 2022. Optimization of oil-in-water emulsion capacity and stability of octenyl succinic anhydride-modified porang glucomannan (*Amorphophallus muelleri Blume*). *Heliyon*. 8(5): 1-9
- Wigoeno, Y.A., Azrianingsih, R. and Roosdiana, A., 2013. Analisis kadar glukomanan pada umbi porang (*Amorphophallus muelleri Blume*) menggunakan refluks kondensor. *Biotropika: Journal of Tropical Biology*. 1(5): 231-235.
- Winarno, F. G. 2002. *Kimia Pangan dan Gizi*. Jakarta : Gramedia Pustaka



Wulandari, S., 2015. Karakteristik Emulsi Minyak Sawit Merah Dan Aplikasi

Quality Function Deployment (QFD) Untuk Pengembangan Produk.

Jurnal Teknologi Industri Pertanian. 25(2).

Xu, D., Wang, X., Jiang, J., Yuan, F., Decker, E.A. and Gao, Y., 2013. Influence of

pH, EDTA, α -tocopherol, and WPI Oxidation on the Degradation of β -

carotene in WPI-Stabilized Oil-in-Water Emulsions. *LWT-Food Science*

and Technology. 54(1): 236-241.

Yang, xiaoqing, Robin A. Boyle. 2016. *Oxidative Stability and Shelf Life of Food*

Containing Oils and Fats. Rockville: AOCS Press, Elsevier Inc

Yanuriati I, Marseno DW, Rochmadi, Harmayani E. 2017. Characteristics of

glucomannan isolated from fresh tuber of Porang (*Amorphophallus*

muelleri Blume). *Cabohyd Polym.* 156: 56-63.

Yaseen, E.I., Herald, T.J., Aramouni, F. M. And Alavi, S., 2005. Rheological

Properties Of Selected Gum Solutions. *Food Res. Int.* 38(2): 111–119.

Yasumatsu, K., Sawada, K., Moritaka, S., Misaki, M., Toda, J., Wada, T. And Ishii,

K., 1972. Whipping And Emulsifying Properties Of Soybean Products.

Agricultural And Biological Chemistry. 36(5): 719-727.

Yulianto, A.N., 2019. Formulasi Sediaan Emulsi Minyak Ikan Gurami

(*Osphronemus Gourami* L.) Sebagai Suplemen Makanan. *Pharmaqueous:*

Jurnal Ilmiah Kefarmasian. 1(1): 38-43.

Yuliasari, S., dan Hamdan. 2012 Karakterisasi Nanoemulsi Minyak Sawit Merah

yang Disiapkan Dengan High Pressure Homogenizer. *Prosiding Seminar*

Intensif Riset SINas Kementrian Riset dan Teknologi. Bandung: 25-28.



UNIVERSITAS
GADJAH MADA

KARAKTERISTIK DAN STABILITAS EMULSI MINYAK SAWIT MERAH DENGAN EMULSIFIER
GLUKOMANAN-OKTENIL SUKSINAT
ANHIDRAT SERTA APLIKASINYA PADA PRODUK MINUMAN KOMERSIAL

Taufik Ihsan Novit Bangun, Prof. Dr. Ir. Sri Raharjo, M.Sc.; Aulia Ardhi S.T.P., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yuliasari, S., Andarwulan, N., Fardiaz, D. and Yuliani, S., 2014. Karakteristik

Nanoemulsi Minyak Sawit Merah Yang Diperkaya Beta Karoten. *Jurnal*

Penelitian Tanaman Industri. 20(3): 111-121.

Yuliasari, S., Fardiaz, D. and Yuliani, S., 2016. Karakteristik Enkapsulat Minyak

Sawit Merah dengan Pengayaan B-Karoten. *Informatika Pertanian.* 25(1):

107-116.

Ziani, K., Fang, Y. Dan McClements, D.J. 2012. Fabrication And Stability Of

Colloidal Delivery Systems For Flavor Oils: Effect Of Composition And

Storage Conditions. *Food Research International.* 46: 209-216.