

DAFTAR PUSTAKA

- Aggarwal B. B., Sundaram C, Prasad S, Kannappan R. Tocotrienols. 2010. The vitamin E of the 21st century: its potential against cancer and other chronic diseases. *Biochemical Pharmacology*. 80(11): 1613-1631.
- Aguda, R. M. 2007. Modeling the solubility of sclareol in organic solvent using solubility parameter. *North Carolina American Journal of Applied Sciences*. 6 (7): 1390-1395.
- Altuna, L., Herrera, M. L. and Foresti, M. L., 2018. Synthesis and characterization of octenyl succinic anhydride modified starches for food applications: A review of recent literature. *Food Hydrocolloids*. (80): 97-110.
- Amaya, D.B. and Kimura, M., 2004. *HarvestPlus handbook for carotenoid analysis* (Vol.2). Washington: International Food Policy Research Institute (IFPRI).
- Andarwulan, N., Feri, K., and Dian, K. 2011. *Analisis Pangan Cetakan Pertama*. Jakarta: PT Dian Rakyat.
- Anton, N. and Vandamme, T. F. 2011. Nano-emulsions and micro-emulsions: clarifications of the critical differences. *Pharmaceutical Research*. 28: 978-985.
- AOAC (Association of Official Analytical Chemist). 2005. *Official Method of Analysis of The Association of Official Analytical of Chemist*. Arlington, Virginia (US): Association of Official Analytical and Chemists, Inc.
- Apriyanto, M., dan Rujiah, 2017. *Kimia Pangan*. Yogyakarta: Trussmedia Grafika.

- Badan Pusat Statistik. 2023. *Statistik Kelapa Sawit Indonesia*.
- Ball, G. F., 2005. *Vitamins in foods: analysis, bioavailability, and stability*. CRC press.
- Bao, J., Xing, J., Phillips, D. L. And Corke, H., 2003. Physical properties of octenyl succinic anhydride modified rice, wheat, and potato starches. *Journal Of Agricultural And Food Chemistry*. 51(8): 2283-2287.
- Barad, J.M., Chakraborty, M. and Bart, H.J., 2010. Stability and performance study of water-in-oil-in-water emulsion: extraction of aromatic amines. *Industrial & Engineering Chemistry Research*. 49(12): 5808-5815.
- Bernardi, D. S., Pereira, T. A., Maciel, N. R., Bortoloto, J., Viera, G. S., Oliveira, G. C. and Rocha-Filho, P. A., 2011. Formation and stability of oil-in-water nanoemulsions containing rice bran oil: in vitro and in vivo assessments. *Journal of nanobiotechnology*. 9(1): 1-9.
- Caldwell, C. G., & Wurzburg, O. B. 1953. *Polysaccharide Derivatives Of Substituted Dicarboxylic Acids*. U.S. Patent Office, Patent No. 2.661.349
- Choe, E. and Min, D. B., 2006. Mechanisms and factors for edible oil oxidation. *Comprehensive Reviews In Food Science And Food Safety*. 5(4): 169-186.
- Choi, S. J., & McClements, D. J. 2020. Nanoemulsions as delivery systems for lipophilic nutraceuticals: Strategies for improving their formulation, stability, functionality and bioavailability. *Food Science and Biotechnology*. 29(2): 149–168.
- Churchill, G.A., 2005. *Dasar-Dasar Riset Pemasaran, Edisi 4, Jilid 1*. Jakarta: Erlangga.

- Comuzzo, P. and Calligaris, S., 2019. Potential applications of high pressure homogenization in winemaking: A review. *Beverages*, 5(3): 56.
- Daaou, M. and Bendedouch, D., 2012. Water pH and surfactant addition effects on the stability of an Algerian crude oil emulsion. *Journal of Saudi Chemical Society*. 16(3): 333-337.
- Devaraj, S., Tang, R., Adams-Huet, B., Harris, A., Seenivasan, T., De Lemos, J.A. and Jialal, I., 2007. Effect of high-dose α -tocopherol supplementation on biomarkers of oxidative stress and inflammation and carotid atherosclerosis in patients with coronary artery disease. *The American journal of clinical nutrition*. 86(5): 1392-1398.
- Fennema, O. R. 1996. *Food Chemistry 3rd Edition*. New York (USA): Marcel Dekker, Inc.
- Fernández-García, E., Carvajal-Lérída, I., Jarén-Galán, M., Garrido-Fernández, J., Pérez Gálvez, A. And Hornero-Méndez, D., 2012. Carotenoids bioavailability from foods: From plant pigments to efficient biological activities. *Food Research International*. 46(2): 438-450.
- Ghozali, I., 2006. *Aplikasi analisis multivariate dengan program SPSS*. Semarang: Badan Penerbit Universitas Diponegoro.
- Gray, J. I. and Pearson, A. M. 1987. *Rancidity and warmed over-flavor* Adv. Food Res. 29(1).
- Gray, J. I. and Monahan, F. J. 1992. *Measurement of lipid oxidation in meat and meat products*, Trends Food Sci. Tech. 3:315-319

Gunstone, Frank D., John, L. H., Albert, J.D. 2007. *The Lipid Handbook*. Boca

Rato: CRC Press.

Gurusmatika, S., Harmayani, E., Pranoto. Y, Sugahara. T. 2017.

Immunomodulatory activity of octenyl succinic anhydride modified
porang (*Amorphophallus oncophyllus*) glucomannan on mouse
macrophage-like J774.1 cells and mouse primary peritoneal macrophages.
Molecules. 22(7): 1187

Harianti, R., Marliyati, S.A., Rimbawan, R. and Sukandar, D., 2018. Development
of high antioxidant red palm oil cake as a potential functional food. *Jurnal
Gizi Dan Pangan*, 13(2): 63-70.

Harlen, W.C., Muchtadi, T. and Palupi, N.S., 2017. Bioavailabilitas α -tokoferol
minuman emulsi minyak sawit dalam plasma darah dan hati tikus (*Rattus
norvegicus*). *Agritech*, 37(3): 352-361.

Harmayani, E., Aprilia, V. and Marsono, Y., 2014. Characterization of glucomannan
from *Amorphophallus oncophyllus* and its prebiotic activity in vivo.
Carbohydrate Polymers. 112: 475-479.

Hasenhuettl G. L., Hartel, R. W., 2008. *Food Emulsifiers and Their Applications*..
New York (USA) : Springer Science.

Hasibuan, H.A., Akram, A., Putri, P., Rangkuti, B.T. and Mentari, E.C., 2018.
Pembuatan margarin dan baking shortening berbasis minyak sawit merah
dan aplikasinya dalam produk bakery. *Agritech*, 38(4): 353-363.

Hasibuan, H.A., 2021. Potensi minyak sawit merah sebagai pangan fungsional dan
nutrasetikal. *WARTA Pusat Penelitian Kelapa Sawit*, 26(3): 178-184.

Hidayat, R., Dewanti, D., dan Hartojo. 2013. *Tanaman Porang (Karakter, Manfaat dan Budidaya)*. Yogyakarta : Graha Ilmu.

Huang, Q., Yu, H. and Ru, Q., 2010. Bioavailability and delivery of nutraceuticals using nanotechnology. *Journal of Food Science*. 75(1): R50-R57.

Husnah, dan Nurlela. 2020. Analisa angka anisidine terhadap kualitas minyak goreng sebelum dan sesudah dipakai berulang. *Jurnal PGRI Palembang*. 5(1): 66-71.

IKA. 2015. Ultra Turrax® Dispersers Description and Specification. Diakses melalui http://imlab.be/imlab_FR/ika/fragmentation.html pada tanggal 1 Desember 2023 Pukul 07.26 WIB.

IUPAC (International Union on Pure and Applied Chemistry). 1987. *Standard Method For The Analysis Of Oils And Fats And Derivatives, 7th Edn, Ed. C. Paquot And A. Hautfebbe*. Oxford (UK): Blackwell Scientific Publishing Ltd

Kartika, B., Pudji, H., Wahyu, S. 1988. *Pedoman Uji Indrawi Bahan Pangan*. Yogyakarta : UGM Press.

Kiokias, S., Proestos, C., & Varzakas, T. 2016. A review of the structure, biosynthesis, absorption of carotenoids-analysis and properties of their common natural extracts. *Current Research in Nutrition and Food Science Journal*. 4(1): 25–37

Lee, H. V., Hamid, S. B. A. And Zain, S. K., 2014. Review article conversion of lignocellulosic biomass to nanocellulose: structure and chemical process. *Sci. World J*: 1-20.

Lee, W.J., Tan, C.P., Sulaiman, R., Smith Jr, R.L. and Chong, G.H., 2018.

Microencapsulation of red palm oil as an oil-in-water emulsion with supercritical carbon dioxide solution-enhanced dispersion. *Journal of Food Engineering*. 222(1): 100-109.

Lim, V., Kardono, L.B.S. and Kam, N., 2015. Studi Karakteristik Dan Stabilitas Pengemulsi Dari Bubuk Lendir Okra (*Abelmoshus esculentus*). *Jurnal Aplikasi Teknologi Pangan*. 4(3).

Liu, Y., Hou, Z., Yang, J., & Gao, Y. 2014. Effects of antioxidants on the stability of β -Carotene in O/W emulsions stabilized by gum arabic. *Journal of Food Science and Technology*.

Marbun, D., 2016. Pemanfaatan Buah Asam Gelugur (*Garcinia atroviridis*) Dalam Pembuatan Emulsi Minyak Sawit Merah (Red Palm Oil) yang Berkualitas. *Skripsi. Teknologi Industri Pertanian*. Fakultas Pertanian. Universitas Bengkulu.

Marjan, A.Q., Marliyati, S.A. and Ekayanti, I., 2016. Pengembangan produk pangan dengan substitusi red palm oil sebagai alternatif pangan fungsional tinggi beta karoten. *Jurnal Gizi dan Pangan*. 11(2): 91-98.

Marliyati, S.A. & Harianti, R., 2021. Physicochemical and Functional Characteristics of Red Palm Oil. *The Journal of Indonesian Community Nutrition*. 10(1).

Maryuningsih, R.D., Nurtama, B. and Wulandari, N., 2021. Pemanfaatan karotenoid minyak sawit merah untuk mendukung penanggulangan masalah kekurangan vitamin A di Indonesia. *Jurnal Pangan*, 30(1): 65-74.

Mason, T.G., Wilking, J.N., Meleson, K., Chang, C.B. And Graves, S.M., 2006.

Nanoemulsions: formation, structure, and physical properties. *Journal Of Physics: Condensed Matter*, 18(41): 635-666.

Mason, W.R., 2009. Starch Use In Foods In J. BeMiller & R. Whistler (Eds.) *Starch Chemistry and Technology*. (3): 745-795. Burlington: Academic Press.

McClements, D.J. 2004. *Food Emulsions Principles, Practices, and Techniques ed 2*. New York (US): CRC Press.

McClements, D.J., Decker, E.A., Park, Y. and Weiss, J., 2009. Structural design principles for delivery of bioactive components in nutraceuticals and functional foods. *Critical reviews in food science and nutrition*, 49 (6): 577-606.

McClements, D.J. Dan Li, Y. 2010. Structured emulsionbased delivery systems: controlling the digestion and release of lipophilic food components. *Advances In Colloid And Interface Science*. 159(2): 213-228.

McClements, D. J. 2015. *Food Emulsions: Principles, Practices, and Techniques, Third Edition (0 ed.)*. CRC Press

McClements, D.J., Saliva-Trujillo, L., Zhang, R., Zhang, Z., Zou, L., Yao, M. and Xiao, H., 2016. Boosting the bioavailability of hydrophobic nutrients, vitamins, and nutraceuticals in natural products using excipient emulsions. *Food Research International*. 88(1): 140-152.

Meilgaard, M.C., Carr, B.T. and Civille, G.V., 1999. *Sensory Evaluation Techniques*. CRC press.

- Meng, F.B., Li, Y.C., Liu, D.Y., Zhong, G., Guo, X.Q., 2018. The characteristics of konjac glucomannan octenyl succinate (KGOS) prepared with different substitution rates. *Carbohydr. Polym.* 181: 1078–1085.
- Mollet, H., dan Grubermann, A. 2001. *Formulation Technology: Emulsions, Suspensions, Solid Form*. Toronto: Wiley-Vch.
- Moraru, C.I., Panchapakesan, C.P., Huang, Q., Takhistov, P., Liu, S. And Kokini, J.L., 2003. Nanotechnology: a new frontier in food science understanding the special properties of materials of nanometer size will allow food scientists to design new, healthier, tastier, and safer foods. *Nanotechnology*. 57(12): 24-29.
- Muchtadi, T.R., Wulandari, N., Hunaefi, D., Darmawati, E., Andrianto, M.S. and Sukmawati, Y., 2015. Prospek Industrialisasi Produk Hilir Minyak Kelapa Sawit. *Prosiding Seminar Hasil-Hasil PPM IPB*. 1: 159-180.
- National Center For Biotechnology Information 2023. Pubchem Compound Summary For CID 5362721, 1-Octenylsuccinic Anhydride. Diakses pada 22 November 2023 dari: <https://pubchem.ncbi.nlm.nih.gov/compound/1-Octenylsuccinic-anhydride>.
- Pachua, L. and Mazumder, B., 2009. A Study on the Effects of Different Surfactants on Ethylcellulose Microspheres. *Int J PharmTech Res.* 1(4): 966-971.
- PORIM. 2005. *PORIM Test Method*. Kuala Lumpur: Palm Oil Research Institute of Malaysia.

- Putri C.A. 2019. Uji Kandungan β -Karoten Dan Uji Daya Terima Pada Pembuatan Minuman Instan Daun Kemangi (*Sanctum Ocimum L*) Dengan Jahe (*Zingiber Officinale*). *Skripsi*. Surakarta: Institusi Teknologi Sains Dan Kesehatan PKU Muhammadiyah Surakarta
- Qian, C., Decker E. A., Xiao, H., Mcclements, D.J., 2012. Physical and chemical stability of B-Carotene-enriched nanoemulsions: Influence of pH, ionic strength, temperature, and emulsifier type. *Food Chemistry*. 132(3): 1221-1229.
- Raharjo, S., 2018. *Kerusakan Oksidatif Pada Makanan*. Yogyakarta: Universitas Gadjah Mada Press.
- Rahayu, W. P., 2001. *Penuntun Praktikum Penilaian Organoleptik*. Bogor: Jurusan Teknologi Pangan dan Gizi. Fakultas Teknologi Pertanian. IPB.
- Rao, J. and Mcclements, D.J. 2011a. Formation of flavor oil microemulsions, nanoemulsions and emulsions: influence of composition and preparation method. *Journal Of Agricultural And Food Chemistry*. 59: 5026- 5035.
- Rao, J. and Mcclements, D.J. 2011b. Food-grade microemulsions, nanoemulsions, and emulsions: Fabrication from sucrose monopalmitate and lemon oil. *Food Hydrocolloids*. 25: 1413-1423.
- Riyadi, A.H., Muchtadi, T.R., Andarwulan, N. and Haryati, T., 2016. Pilot plant study of red palm oil deodorization using moderate temperature. *Agriculture and Agricultural Science Procedia*. 9: 209-216.

- Rusmiati, H., 2015. Stabilitas Kapsul Minyak Ikan Patin (*Pangasius Sp.*) Selama Penyimpanan dengan Metode Schaal. *Skripsi*. Bogor: Fakultas Perikanan Dan Ilmu Kelautan, Institut Pertanian Bogor.
- Salminen, H., & Weiss, J. 2014. Electrostatic adsorption and stability of whey protein–pectin complexes on emulsion interfaces. *Food Hydrocolloids*. 35, 410–419.
- Sibuea, P., Rahardjo, S., Santoso, U. and Noor, Z., 2004. Oksidasi Minyak dalam Emulsi O/W: Mekanisme dan Pengendaliannya. *agritech*. 24(4): 210-216.
- Supriati, Y., 2016. Keanekaragaman iles-iles (*Amorphophallus spp.*) dan potensinya untuk industri pangan fungsional, kosmetik, dan bioetanol. *Jurnal Litbang Pertanian*. 35(2): 69 – 80.
- Suryono, C., Ningrum, L. And Dewi, T.R., 2018. Uji kesukaan dan organoleptik terhadap 5 kemasan dan produk kepulauan seribu secara deskriptif. *Jurnal Pariwisata*, 5(2): 95-106.
- Sweedman, M.C., Hasjim, J., Schäfer, C. and Gilbert, R.G., 2014. Structures of Octenylsuccinylated Starches: Effects on Emulsions Containing B-Carotene. *Carbohydrate polymers*. 112: 85-93.
- Tanito, M., Itoh, N., Yoshida, Y., Hayakawa, Y., Ohira, A., Niki, E. 2004. Distribution of tocopherols and tocotrienols to rat ocular tissues after topical ophthalmic administration. *Lipids*. 39 (5): 469-474.
- Tarigan, I.L. and Ananda, H.D., 2022. Pengembangan produk kelapa sawit merah sebagai sumber pangan fungsional dan nutrasetikal. *Khazanah Intelektual*, 6(2): 1395-1414.

- Ubaldi, A., G. Delbono, A. Fusari dan P. Serventi. 2005. Quick HPLC method to determine vitamin E concentration in cow's milk. *Ann. Fac. Medic. Vet. di Parma*. 25: 101-110.
- Ulfah, M., Riswanto, A., & Ngatirah, N. 2016. Karakteristik Minyak Campuran Red Palm Oil Dengan Palm Kernel Olein (Characteristics of Oil Blends from Red Palm Oil and Palm Kernel Olein). *Jurnal Agritech*. 36(02): 145.
- Wahyuningtyas, D. 2010. Uji Organoleptik Hasil Jadi Kue Menggunakan Bahan Non Instant Dan Instant. *Binus Business Review*. 1 (1)116-125
- Walstra, P., 1993. Principles Of Emulsion Formation. *Chemical Engineering Science*. 48(2): 333-349.
- Wardiyati, S. and Takeuchi, M., 1995. Studi Percobaan Pembuatan Dan Pemecahan Emulsi" Air Dalam Minyak. *Prosiding dan Presentasi Ilmiah PPPN-Batan Yogyakarta*: 25-27.
- Widarta, I.W.R., Rukmini, A., Santoso, U., Supriyadi , Raharjo, S. 2022. Optimization of oil-in-water emulsion capacity and stability of octenyl succinic anhydride-modified porang glucomannan (*Amorphophallus muelleri Blume*). *Heliyon*. 8(5): 1-9
- Wigoeno, Y.A., Azrianingsih, R. and Roosdiana, A., 2013. Analisis kadar glukomanan pada umbi porang (*Amorphophallus muelleri Blume*) menggunakan refluks kondensor. *Biotropika: Journal of Tropical Biology*. 1(5): 231-235.
- Winarno, F. G. 2002. *Kimia Pangan dan Gizi*. Jakarta : Gramedia Pustaka

- Wulandari, S., 2015. Karakteristik Emulsi Minyak Sawit Merah Dan Aplikasi Quality Function Deployment (QFD) Untuk Pengembangan Produk. *Jurnal Teknologi Industri Pertanian*. 25(2).
- Xu, D., Wang, X., Jiang, J., Yuan, F., Decker, E.A. and Gao, Y., 2013. Influence of pH, EDTA, α -tocopherol, and WPI Oxidation on the Degradation of β -carotene in WPI-Stabilized Oil-in-Water Emulsions. *LWT-Food Science and Technology*. 54(1): 236-241.
- Yang, xiaoqing, Robin A. Boyle. 2016. *Oxidative Stability and Shelf Life of Food Containing Oils and Fats*. Rockville: AOCS Press, Elsevisier Inc
- Yanuriati I, Marseno DW, Rochmadi, Harmayani E. 2017. Characteristics of glucomannan isolated from fresh tuber of Porang (*Amorphophallus muelleri* Blume). *Cabohydr Polym*. 156: 56-63.
- Yaseen, E.I., Herald, T.J., Aramouni, F. M. And Alavi, S., 2005. Rheological Properties Of Selected Gum Solutions. *Food Res. Int*. 38(2): 111–119.
- Yasumatsu, K., Sawada, K., Moritaka, S., Misaki, M., Toda, J., Wada, T. And Ishii, K., 1972. Whipping And Emulsifying Properties Of Soybean Products. *Agricultural And Biological Chemistry*. 36(5): 719-727.
- Yulianto, A.N., 2019. Formulasi Sediaan Emulsi Minyak Ikan Gurami (*Osphronemus Gourami* L.) Sebagai Suplemen Makanan. *Pharmaqueous: Jurnal Ilmiah Kefarmasian*. 1(1): 38-43.
- Yuliasari, S., dan Hamdan. 2012 Karakterisasi Nanoemulsi Minyak Sawit Merah yang Disiapkan Dengan High Pressure Homogenizer. *Prosiding Seminar Intensif Riset SINas Kementrian Riset dan Teknologi*. Bandung: 25-28.

- Yuliasari, S., Andarwulan, N., Fardiaz, D. and Yuliani, S., 2014. Karakteristik Nanoemulsi Minyak Sawit Merah Yang Diperkaya Beta Karoten. *Jurnal Penelitian Tanaman Industri*. 20(3): 111-121.
- Yuliasari, S., Fardiaz, D. and Yuliani, S., 2016. Karakteristik Enkapsulat Minyak Sawit Merah dengan Pengayaan B-Karoten. *Informatika Pertanian*. 25(1): 107-116.
- Ziani, K., Fang, Y. Dan Mcclements, D.J. 2012. Fabrication And Stability Of Colloidal Delivery Systems For Flavor Oils: Effect Of Composition And Storage Conditions. *Food Research International*. 46: 209-216.