

## DAFTAR PUSTAKA

- Abad, N., Baack, B. N. and Leary, A. O. (2015) 'A Systematic Review of HIV and STI Behavior Change Interventions for Female Sex Workers in the United States', *Springer Science+Business Media*. doi: 10.1007/s10461-015-1013-2.
- Akbari, A. (2023) 'Akurasi Real Time - Polymerase Chain Reaction Dalam Mengidentifikasi Streptococcus Haemolyticus Grup B Pada Wanita Hamil dan Bayi Baru Lahir', *Jurnal Kedokteran dan Kesehatan: Publikasi Ilmiah Fakultas Kedokteran Universitas Sriwijaya*, 10(3). doi: 10.32539/JKK.V10I3.21023.
- Ali, M. K. and Shia, J. S. (2018) 'Detection of Chlamydia trachomatis and Neisseria gonorrhoeae in Genitourinary Specimens in Iraq Women by Real Time PCR assay', *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 9(799), pp. 799–808.
- Althaus, C. L. et al. (2014) *Effectiveness and cost-effectiveness of traditional and new partner notification technologies for curable sexually transmitted infections: Observational study, systematic reviews and mathematical modelling*, *Health Technology Assessment*. doi: 10.3310/hta18020.
- Alydrus, N. L. (2017) 'Deteksi Neisseria gonorrhoeae, Chlamydia trachomatis, Mycoplasma genitalium, dan Ureaplasma urealyticum Pada Urin Laki-laki Asimptomatik', *Diponegoro Journal of Accounting*, 2(1), pp. 2–6.
- Amalia, N. et al. (2020) 'Deteksi Chlamydia trachomatis (CT) dan Neisseria gonorrhoeae (NG) pada Kelompok Berisiko Tinggi di Beberapa Provinsi di Indonesia Menggunakan Cobas 4800 CT NG Test', *IJMS-Indonesian Journal On Medical Science*, 7(1), pp. 2623–2661.
- Apfalter, P., Reischl, U. and Hammerschlag, M. R. (2005) 'In-house nucleic acid amplification assays in research: How much quality control is needed before one can rely upon the results?', *Journal of Clinical Microbiology*, 43(12), pp. 5835–5841. doi: 10.1128/JCM.43.12.5835-5841.2005.
- Ariasih, R. A. and Sabilla, M. (2020) 'Pengetahuan dan Pengalaman Wanita Pekerja Seks dalam Pencegahan Infeksi Menular Seksual di Panti Sosial Karya Wanita Mulya Jaya Jakarta', *Jurnal Kedokteran dan Kesehatan*, 16(1), p. 41. doi: 10.24853/jkk.16.1.41-54.
- Ashariani, S. et al. (2017) 'Faktor-Faktor yang Berhubungan dengan Penggunaan Kondom pada Wanita Pekerja Seksual ( WPS ) Untuk Pencegahan Infeksi Menular Seksual ( IMS ) di Klinik Mentari Puskesmas Panjang Bandar Lampung', *Kesehatan dan Agromedicine*, 4(2), pp. 218–224. Available at: <https://jke.kedokteran.unila.ac.id/index.php/agro/article/view/1790>.
- Becton Dickinson and Company. (2010) 'Universal Viral Transport', p. 2.
- Boon, R. et al. (2015) 'Determinants of Chlamydia , Gonorrhea , and Coinfection in Heterosexual Adolescents Attending the National Public Sexually Transmitted Infection Clinic in Singapore', *American Sexually Transmitted Diseases Association*, 42(8), pp. 450–456. doi: 10.1097/OLQ.0000000000000316.
- Bowen, V. B. et al. (2017) 'Gonorrhea', pp. 1–10. doi: 10.1007/s40471-017-0094-z.
- C. R. Newton and A. Graham (1994) 'PCR', *Molecular Biotechnology*, 530, p. 872748.
- Centers for Disease Control and Prevention (2020) *Gonorrhea*.
- Ceovic, R. (2015) 'Lymphogranuloma venereum : diagnostic and treatment challenges', *Infection and Drug Resistance*, pp. 39–47.
- Chatterjea (2012) *Textbook of Medical Biochemistry*. Eighth Edi. New Delhi: Jaypee Brothers Medical Publishers (P) Ltd.
- Dinas Kesehatan Yogyakarta (2021) 'Profil Kesehatan Kota Yogyakarta Tahun 2021 AKI & AKB', *Jurnal Kajian Ilmu Administrasi Negara*, 107, pp. 107–126. Available at: [https://kesehatan.jogjakota.go.id/uploads/dokumen/profil\\_dinkes\\_2021\\_data\\_2020.pdf](https://kesehatan.jogjakota.go.id/uploads/dokumen/profil_dinkes_2021_data_2020.pdf).
- Dubbink, J. H. et al. (2016) 'Microbiological characteristics of chlamydia trachomatis and neisseria gonorrhoeae infections in South African women', *Journal of Clinical Microbiology*, 54(1), pp. 200–203. doi: 10.1128/JCM.02848-15.
- Dyah Candra Purbaningrum (2015) 'Tingkat Pengetahuan Wanita Pekerja Seks Tentang Infeksi Menular Seksual Di Parangkusumo'.

- Eboigbodin, K. E. (2019) 'Simultaneous Detection of Chlamydia trachomatis and Neisseria gonorrhoeae Using Real-Time Multiplex qPCR Assay', *Springer Science*, 2042, pp. 27–32. doi: 10.1007/978-1-4939-9694-0\_4.
- Edris, S. (2012) 'Conventional multiplex polymerase chain reaction (PCR) versus real-time PCR for species-specific meat authentication', *Life Science Journal*, 9(4), pp. 5831–5837.
- Erna Tristiyantia, A. F. (2021) 'Gambaran Pemeriksaan Trichomonas vaginalis Pada Urin Pekerja Seks Komersial (PSK) Di Kawasan Boker Jakarta Timur', *Jurnal medical laboratory*, 1(1), pp. 1–5.
- Ferlianti, R., Supali, T. and Wibowo, H. (2012) 'Optimization of Real Time PCR for the Diagnosis of Bancroftian Filariasis on Thick Blood Film Preparation', *Jurnal Kedokteran Yarsi*, 20(1), pp. 14–022.
- Geraats-Peters, C. W. M. *et al.* (2005) 'Specific and sensitive detection of Neisseria gonorrhoeae in clinical specimens by real-time PCR', *Journal of Clinical Microbiology*, 43(11), pp. 5653–5659. doi: 10.1128/JCM.43.11.5653-5659.2005.
- Hazra, A., Collison, M. W. and Davis, A. M. (2022) *CDC Sexually Transmitted Infections Treatment Guidelines, 2021*, *Jama*. doi: 10.1001/jama.2022.1246.
- Hidayat, A. A. A. (2007) *Metodologi penelitian keperawatan dan kesehatan*. Jakarta: salemba Medika. Available at: <https://lib.ui.ac.id/detail?id=20511817&lokasi=lokal>.
- Hill, S. A., Masters, T. L. and Wachter, J. (2016) 'Gonorrhea – An evolving disease of the new millennium', *Microbial Cell*, 3(9), pp. 371–389. doi: 10.15698/mic2016.09.524.
- Hocking, J. S. *et al.* (2013) 'Advances in sampling and screening for chlamydia', *Future Microbiology*, 8(3), pp. 367–386. doi: 10.2217/fmb.13.3.
- Ishak and Ghosn (2012) *Lymphogranuloma Venereum*. In: Goldsmith L.A., Katz S.I., Gilchrest B.A., Paller A.S., Leffell D.J., Wolff K., editors. *Fitzpatrick's Dermatology in General Medicine*. 8th ed. New York: McGraw Hill.
- Jalal, H. *et al.* (2006) 'Development and validation of a rotor-gene real-time PCR assay for detection, identification, and quantification of Chlamydia trachomatis in a single reaction', *Journal of Clinical Microbiology*, 44(1), pp. 206–213. doi: 10.1128/JCM.44.1.206-213.2006.
- Jimenez, J. G. *et al.* (2009) *Gram Stain Of Urethral Discharge With Intracellular Neisseria Gonorrhoeae*.
- Johar, S. A., Demartoto, A. and Wekadigunawan, C. S. P. (2018) 'Factors Associated with Women's Decision to Become Commercial Sex Workers in Banjarsari, Surakarta, Central Java', *Journal of Epidemiology and Public Health*, 3, pp. 72–82.
- Kemenkes (2022) *Laporan Eksekutif Perkembangan Hiv Aids Dan Penyakit Infeksi Menular Seksual (PIMS) Triwulan II Tahun 2022*, Kemenkes.
- Kementerian Kesehatan RI (2022) *Suplemen I Farmakope Indonesia Edisi VI*.
- Kementrian Kesehatan RI (2023) *Laporan Eksekutif Perkembangan HIV AIDS dan Penyakit Infeksi Menular Seksual (PIMS) Triwulan I tahun 2023*.
- Knapp J, R. R. (1995) *Neisseria and Branhamella. Manual of Clinical Microbiology*. Edited by R. Y. PR Murray, EJ Baron, MA Pfaller, FC Tenover. Washington, DC: ASM Press.
- Lanjouw, E. *et al.* (2016) '2015 European guideline on the management of Chlamydia trachomatis infections', *International Journal of STD and AIDS*, 27(5), pp. 333–348. doi: 10.1177/0956462415618837.
- Lin, J. S. L. *et al.* (1998) 'Transmission of Chlamydia trachomatis and neisseria gonorrhoeae among men with urethritis and their female sex partners', *Journal of Infectious Diseases*, 178(6), pp. 1707–1712. doi: 10.1086/314485.
- Mahony, J. B. *et al.* (1993) 'Comparison of plasmid and chromosome-based polymerase chain reaction assays for detecting Chlamydia trachomatis nucleic acids', *Journal of Clinical Microbiology*, 31(7), pp. 1753–1758. doi: 10.1128/jcm.31.7.1753-1758.1993.
- Maria, Y. and Niman, S. (2022) 'Hubungan Karakteristik Sosiodemografi Dengan Health Belief Penggunaan Kondom Pada Wanita Pekerja Seks Komersial (PSK)', 10(1), pp. 8–14.
- Markoulatos, P., Siafakas, N. and Moncany, M. (2002) 'Multiplex Polymerase Chain Reaction : A Practical Approach', *Journal of Clinical Laboratory Analysis*, 51(April 2001), pp. 47–51. doi: 10.1002/jcla.2058.
- Meyer, T. (2016) 'Diagnostic Procedures to Detect Diagnostic Procedures to Detect Chlamydia

- trachomatis Infections', *mdpi*. doi: 10.3390/microorganisms4030025.
- Navarro, E. *et al.* (2015) 'Clinica Chimica Acta Real-time PCR detection chemistry', *Clinica Chimica Acta*, 439, pp. 231–250. doi: 10.1016/j.cca.2014.10.017.
- Notoadmodjo, S. (2012) *Promosi Kesehatan & Prilaku Kesehatan*, Jakarta: EGC.
- Notoatmodjo, S. (2010) *Ilmu Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nurmala, I. (2018) *Promosi Kesehatan*. Available at: [https://repository.unair.ac.id/87974/2/Buku Promosi Kesehatan.pdf](https://repository.unair.ac.id/87974/2/Buku_Promosi_Kesehatan.pdf).
- Ostergaard, L. (1999) *Diagnosis of urogenital Chlamydia trachomatis infection by use of DNA amplification, APMIS, Supplement*. doi: 10.1111/j.1600-0463.1999.tb05672.x.
- Pallas, V. *et al.* (2009) 'Chapter 16 Multiplex Polymerase Chain Reaction ( PCR ) and Real-Time Multiplex PCR for the Simultaneous Detection of Plant Viruses', *Humana Press*, 508(8), pp. 193–208. doi: 10.1007/978-1-59745-062-1.
- Papp, J. R. *et al.* (2014) *Recommendations for the laboratory-based detection of Chlamydia trachomatis and Neisseria gonorrhoeae - 2014, MMWR Recommendations and Reports*.
- Parra-Sánchez, M. *et al.* (2012) 'Evaluation of the cobas 4800 CT/NG Test for detecting Chlamydia trachomatis and Neisseria gonorrhoeae DNA in urogenital swabs and urine specimens', *Diagnostic Microbiology and Infectious Disease*, 74(4), pp. 338–342. doi: 10.1016/j.diagmicrobio.2012.08.004.
- Pemkab Bantul (2023) *Profil Kabupaten Bantul*. Available at: <https://dpmpstsp.bantulkab.go.id/web/page/profil-kabupaten-bantul>.
- Philip A. Chan, M. (2008) 'Recommendations For the Diagnosis of Neisseria gonorrhoeae and Chlamydia trachomatis, Including Extra-Genital Sites', *NIH Public Access*, 23(1), pp. 1–7.
- Piszczyk, J., St. Jean, R. and Khaliq, Y. (2015) 'Gonorrhea: Treatment update for an increasingly resistant organism', *Canadian Pharmacists Journal*, 148(2), pp. 82–89. doi: 10.1177/1715163515570111.
- Priyadarshi, K. *et al.* (2019) 'Multiplex nested polymerase chain reaction targeting multiple genes for the detection of Neisseria gonorrhoeae and Chlamydia trachomatis in genitourinary specimens', *Indian Journal of Sexually Transmitted Diseases and AIDS*, 40(2), p. 152. doi: 10.4103/ijstd.ijstd\_73\_18.
- Quillin, S. J. & H. S. S. (2018) 'Neisseria gonorrhoeae host-adaptation and pathogenesis Sarah', *HHS Public Access*, 176(1), pp. 139–148. doi: 10.1038/nrmicro.2017.169.Neisseria.
- Rajeeve, K. *et al.* (2018) 'Chlamydia trachomatis paralyzes neutrophils to evade the host innate immune response', *Nature Microbiology*, 3(7), pp. 824–835. doi: 10.1038/s41564-018-0182-y.
- Rodríguez-lázaro, D. and Hernández, M. (2013) 'Real-time PCR in Food Science : Introduction', *Horizon Scientific Press*, pp. 25–38.
- Rönn, M. M. *et al.* (2019) 'Evaluation of the performance of nucleic acid amplification tests (NAATs) in detection of chlamydia and gonorrhoea infection in vaginal specimens relative to patient infection status: A systematic review', *BMJ Open*, 9(1), pp. 1–9. doi: 10.1136/bmjopen-2018-022510.
- Rose, S. B. *et al.* (2017) 'Retesting and repeat positivity following diagnosis of Chlamydia trachomatis and Neisseria gonorrhoea in New Zealand: A retrospective cohort study', *BMC Infectious Diseases*, 17(1), pp. 1–9. doi: 10.1186/s12879-017-2635-y.
- Sastroasmoro, S. *et al.* (2016) *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto.
- Seth-Smith, H. M. B. *et al.* (2009) 'Co-evolution of genomes and plasmids within Chlamydia trachomatis and the emergence in Sweden of a new variant strain', *BMC Genomics*, 10. doi: 10.1186/1471-2164-10-239.
- Smith, D. W., Tapsall, J. W. and Lum, G. (2009) 'Guidelines for the use and interpretation of nucleic acid detection tests for Neisseria gonorrhoeae in Australia : A position paper on behalf of the Public Health Laboratory Network', 29(4), pp. 358–365.
- Stamm (2008) *Lymphogranuloma Venereum*. In: Holmes K.K., Sparling P.F., Stamm W.E., Piot P., Wasserheit J.N., Corey L., Cohen M.S. and Watts D.H, editors. *Sexually Transmitted Diseases*. 4th ed. United States of America: Mc-Graw Hill Companies.
- Stark, D. *et al.* (2010) 'Lymphogranuloma Venereum in Australia : Anorectal Chlamydia trachomatis Serovar L2b in Men Who Have Sex with Men □', *JOURNAL OF CLINICAL*



- MICROBIOLOGY*, 45(3), pp. 1029–1031. doi: 10.1128/JCM.02389-06.
- Stupiansky, N. W. *et al.* (2011) 'The natural history of incident gonococcal infection in adolescent women', *Sexually Transmitted Diseases*, 38(8), pp. 750–754. doi: 10.1097/OLQ.0b013e31820ff9a4.
- Suharsimi, A. (2006) *Prosedur penelitian suatu pendekatan praktik*. Jakarta: Rineka Cipta.
- Sunaryo (2013) *Psikologi Untuk Keperawatan. 2nd ed.* Jakarta: EGC.
- Suryani, L. (2023) 'Determinant Factors that Influence the Prevalence of Gonorrhea in Female Sex Workers in Yogyakarta Faktor-faktor Determinan yang Mempengaruhi Prevalensi Gonore pada Wanita Pekerja Seks di Yogyakarta', *Formosa Journal of Sustainable Research (FJSR)*, 2(5), pp. 1241–1252.
- Sutopo (2006) *Metodologi penelitian kualitatif: dasar teori dan terapannya dalam penelitian*. Surakarta: Universitas Sebelas Maret.
- Tadele, A., Hussen, S. and Shimelis, T. (2019) 'Prevalence and associated factors of Chlamydia trachomatis and Neisseria gonorrhoeae among female commercial sex workers in Hawassa City, Southern Ethiopia', *BMC Infectious Diseases*, 19(1), pp. 1–8. doi: 10.1186/s12879-019-3698-8.
- Trecker, M. A. *et al.* (2015) 'Demographic and behavioural characteristics predict bacterial STI reinfection and coinfection among a cross-sectional sample of laboratory-confirmed gonorrhea cases in a local health region from Saskatchewan, Canada', *Canadian Journal of Public Health*, 106(2), pp. e17–e21. doi: 10.17269/CJPH.106.4792.
- Uysal, H. K. *et al.* (2023) 'Prevalence of Chlamydia trachomatis, Neisseria gonorrhoeae, and Mycoplasma genitalium among Patients with Urogenital Symptoms in Istanbul', *mdpi*, pp. 1–11.
- De Vries, H. J. C. *et al.* (2015) '2013 European guideline on the management of lymphogranuloma venereum', *Journal of the European Academy of Dermatology and Venereology*, 29(1), pp. 1–6. doi: 10.1111/jdv.12461.
- Wang, H. *et al.* (2010) 'Prevalence and Predictors of HIV Infection among Female Sex Workers in Kaiyuan City, Yunnan Province, China', *NIH Public Access*, 13(2), pp. 162–169. doi: 10.1016/j.jid.2008.05.1229.Prevalence.
- Whiley, D. M. *et al.* (2004) 'A new confirmatory Neisseria gonorrhoeae real-time PCR assay targeting the porA pseudogene', *European Journal of Clinical Microbiology and Infectious Diseases*, 23(9), pp. 705–710. doi: 10.1007/s10096-004-1170-0.
- Whiley, D. M. *et al.* (2006) 'Evidence that the gonococcal porA pseudogene is present in a broad range of Neisseria gonorrhoeae strains; suitability as a diagnostic target', *Royal College of Pathologists of Australasia*, 38(5), pp. 445–448. doi: 10.1080/00313020600928253.
- World Health Organization (2012) 'Global incidence and prevalence of selected curable sexually transmitted infections: 2008', *Reproductive Health Matters*, 20(40), pp. 207–208. doi: 10.1016/s0968-8080(12)40660-7.
- World Health Organization (2016) *WHO Guidelines For The Treatment of Neisseria gonorrhoeae*.
- World Health Organization (2021) *Guidelines for the management of symptomatic sexually transmitted infections, Guidelines for the management of symptomatic sexually transmitted infections*. Available at: <https://pubmed.ncbi.nlm.nih.gov/34370424/>.
- Yiqi Cao, M. Y. (2020) 'Digital PCR as an Emerging Tool for Monitoring of Microbial Biodegradation', *molecules*, pp. 1–5.
- Yu, B. *et al.* (2016) 'Detection of Chlamydia trachomatis and Neisseria gonorrhoeae based on cross-priming amplification', *Letters in Applied Microbiology*, 62(5), pp. 399–403. doi: 10.1111/lam.12560.
- Yuan, Y. *et al.* (1989) 'Nucleotide and deduced amino acid sequences for the four variable domains of the major outer membrane proteins of the 15 Chlamydia trachomatis serovars', *Infection and Immunity*, 57(4), pp. 1040–1049. doi: 10.1128/iai.57.4.1040-1049.1989.
- Zhang, J. and Van Der Veen, S. (2019) 'Neisseria gonorrhoeae 23S rRNA A2059G mutation is the only determinant necessary for high-level azithromycin resistance and improves in vivo biological fitness', *Journal of Antimicrobial Chemotherapy*, 74(2), pp. 407–415. doi: 10.1093/jac/dky438.