

BIBLIOGRAPHY

- Akoh, C. C., & Lai, O.-M. (Eds.). (2005). *Healthful lipids*. AOCS Press.
- Bocanegra Morales, N., & Galeano Garcia, P. (2023). Chemical Composition, Fatty Acid Profile, and Optimization of the Sacha Inchi (*Plukenetia volubilis* L.) Seed-Roasting Process Using Response Surface Methodology: Assessment of Oxidative Stability and Antioxidant Activity. *Foods*, 12(18), 3405. <https://doi.org/10.3390/foods12183405>
- Chirinos, R., Zuloeta, G., Pedreschi, R., Mignolet, E., Larondelle, Y., & Campos, D. (2013). Sacha inchi (*Plukenetia volubilis*): A seed source of polyunsaturated fatty acids, tocopherols, phytosterols, phenolic compounds and antioxidant capacity. *Food Chemistry*, 141(3), 1732–1739. <https://doi.org/10.1016/j.foodchem.2013.04.078>
- Codex Alimentarius. (2023). *CXS 210-1999: Standard for Named Vegetable Oils*. Joint FAO/WHO Food Standards Programme.
- Cui, H., Li, J., Xu, X., Li, J., Lu, M., Song, H., Wang, S., Yang, L., Zhu, D., & Liu, H. (2022). Enzymatic interesterification of beef tallow/coconut oil blends to produce a superior margarine base stock. *International Journal of Food Science & Technology*, 57(2), 908–919. <https://doi.org/10.1111/ijfs.15314>
- Danthine, S., Closset, S., Maes, J., Mascrez, S., Blecker, C., Purcaro, G., & Gibon, V. (2022). Enzymatic interesterification to produce zero- *trans* and dialkylketones-free fats from rapeseed oil. *OCL*, 29, 36. <https://doi.org/10.1051/ocl/2022029>
- Dave, J. P., Moula Ali, A. M., & Bavisetty, S. C. B. (2022). An overview on recent advances in functional properties of dietary lipids, encapsulation strategies and applications. *Nutrition & Food Science*, 52(7), 1158–1180. <https://doi.org/10.1108/NFS-09-2021-0282>
- De Clercq, N., Danthine, S., Nguyen, M. T., Gibon, V., & Dewettinck, K. (2012). Enzymatic Interesterification of Palm Oil and Fractions: Monitoring the Degree of Interesterification using Different Methods. *Journal of the American Oil Chemists' Society*, 89(2), 219–229. <https://doi.org/10.1007/s11746-011-1905-x>
- Delisle, H. (2018). The nutritional value of red palm oil. In A. Rival (Ed.), *Burleigh Dodds Series in Agricultural Science* (pp. 217–232). Burleigh Dodds Science Publishing. <https://doi.org/10.19103/AS.2017.0018.33>
- Dijkstra, A. J. (2014). Oil modification processes. In K. K. Rajah (Ed.), *Fats in Food Technology 2e* (1st ed., pp. 133–167). Wiley. <https://doi.org/10.1002/9781118788745.ch4>
- Fanali, C., Dugo, L., Cacciola, F., Beccaria, M., Grasso, S., Dachà, M., Dugo, P., & Mondello, L. (2011). Chemical Characterization of Sacha Inchi (*Plukenetia volubilis* L.) Oil. *Journal of Agricultural and Food Chemistry*, 59(24), 13043–13049. <https://doi.org/10.1021/jf203184y>

- Fernandez-Lafuente, R. (2010). Lipase from *Thermomyces lanuginosus*: Uses and prospects as an industrial biocatalyst. *Journal of Molecular Catalysis B: Enzymatic*, 62(3–4), 197–212. <https://doi.org/10.1016/j.molcatb.2009.11.010>
- Hasrini, R. F., Sugiyono, Hariyadi, P., & Andarwulan, N. (2009). Lipase Catalysed Interesterification of Red Palm Oil and Coconut Oil Blends to Produce B-Carotene Riched Raw Spreads. *Journal of Agro-Based Industry*, 26(2), 25–36. <https://doi.org/doi.org/10.32765/warta%20ihp.v26i02.2582>
- Holčapek, M., Lísá, M., Jandera, P., & Kabátová, N. (2005). Quantitation of triacylglycerols in plant oils using HPLC with APCI-MS, evaporative light-scattering, and UV detection. *Journal of Separation Science*, 28(12), 1315–1333. <https://doi.org/10.1002/jssc.200500088>
- Ilyasoglu, H. (2017). Production of structured lipid with a low omega-6/omega-3 fatty acids ratio by enzymatic interesterification. *Grasas y Aceites*, 68(2), 191. <https://doi.org/10.3989/gya.0565161>
- Kellens, M., & Calliauw, G. (2013). Oil Modification Processes. In W. Hamm, R. J. Hamilton, & G. Calliauw (Eds.), *Edible Oil Processing* (1st ed., pp. 153–196). Wiley. <https://doi.org/10.1002/9781118535202.ch6>
- Krist, S. (2020). *Vegetable fats and oils* (B. Bauer, Trans.). Springer.
- Kumar, P. K. P., & Krishna, A. G. G. (2014). Physico-chemical characteristics and nutraceutical distribution of crude palm oil and its fractions. *Grasas y Aceites*, 65(2), e018. <https://doi.org/10.3989/gya.097413>
- Loganathan, R., Subramaniam, K. M., Radhakrishnan, A. K., Choo, Y.-M., & Teng, K.-T. (2017). Health-promoting effects of red palm oil: Evidence from animal and human studies. *Nutrition Reviews*, 75(2), 98–113. <https://doi.org/10.1093/nutrit/nuw054>
- Manzoor, S., Masoodi, F. A., Akhtar, G., & Rashid, R. (2022). Production of trans-free shortening by lipase catalysed interesterification using mustard oil and palm stearin: Optimisation and characterisation. *Biomass Conversion and Biorefinery*. <https://doi.org/10.1007/s13399-022-03315-1>
- Mitra, K., Kim, S.-A., Lee, J.-H., Choi, S.-W., & Lee, K.-T. (2010). Production and characterization of α -linolenic acid enriched structured lipids from lipase-catalyzed interesterification. *Food Science and Biotechnology*, 19(1), 57–62. <https://doi.org/10.1007/s10068-010-0008-z>
- Nagachinta, S., & Akoh, C. C. (2013). Synthesis of Structured Lipid Enriched with Omega Fatty Acids and *sn*-2 Palmitic Acid by Enzymatic Esterification and Its Incorporation in Powdered Infant Formula. *Journal of Agricultural and Food Chemistry*, 61(18), 4455–4463. <https://doi.org/10.1021/jf400634w>
- Nielsen, S. S. (Ed.). (2017). *Food Analysis*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-45776-5>
- Novozymes. (2018). *Vegetable Oil Processing Application Sheet: Enzymatic Interesterification with Novozymes Lipozyme® TL IM*. Novozymes A/S. Novozymes.com

- Pandey, A. (2010). *Enzyme technology*. Asiatech Publishers, Springer.
- Purnama, K. O., Setyaningsih, D., Hambali, E., & Taniwiryono, D. (2020). Processing, Characteristics, and Potential Application of Red Palm Oil—A review. *International Journal of Oil Palm*, 3(2), 40–55. <https://doi.org/10.35876/ijop.v3i2.47>
- Ramos-Escudero, F., Muñoz, A. M., Ramos Escudero, M., Viñas-Ospino, A., Morales, M. T., & Asuero, A. G. (2019). Characterization of commercial Sacha inchi oil according to its composition: Tocopherols, fatty acids, sterols, triterpene and aliphatic alcohols. *Journal of Food Science and Technology*, 56(10), 4503–4515. <https://doi.org/10.1007/s13197-019-03938-9>
- Ray, R. C., & Rosell, C. M. (Eds.). (2017). *Microbial enzyme technology in food applications*. CRC Press, Taylor & Francis Group, CRC Press is an imprint of the Taylor & Francis Group, an informa business.
- Ribeiro, M. D. M. M., Ming, C. C., Lopes, T. I. B., Grimaldi, R., Marsaioli, A. J., & Gonçalves, L. A. G. (2017). Synthesis of structured lipids containing behenic acid from fully hydrogenated Crambe abyssinica oil by enzymatic interesterification. *Journal of Food Science and Technology*, 54(5), 1146–1157. <https://doi.org/10.1007/s13197-017-2540-9>
- Senanayake, S. P. J. N., & Shahidi, F. (2020). Modification of Fats and Oils via Chemical and Enzymatic Methods. In F. Shahidi (Ed.), *Bailey's Industrial Oil and Fat Products* (1st ed., pp. 1–29). Wiley. <https://doi.org/10.1002/047167849X.bio062.pub2>
- Singh, P. K., Chopra, R., Dhiman, A., Chuahan, K., & Garg, M. (2023). Development of omega-3-rich structured lipids using perilla seed oil and palm olein: Optimization and characterization. *Biomass Conversion and Biorefinery*. <https://doi.org/10.1007/s13399-023-04422-3>
- Sivakanthan, S., & Madhujith, T. (2020). Current trends in applications of enzymatic interesterification of fats and oils: A review. *LWT*, 132, 109880. <https://doi.org/10.1016/j.lwt.2020.109880>
- Strem Chemicals. (2023). Catalog #06-3155 Lipozyme® TL IM. Strem Chemicals, Inc.
- Su, R., Liu, X., Sun-Waterhouse, D., Wang, W., & Wang, Y. (2023). Enzymatic Interesterification of Palm Stearin, Flaxseed Oil and Cottonseed Stearin to Produce Stable Plastic Fat with Balanced Omega-6 and Omega-3 Fatty Acids. *Journal of Oleo Science*, 72(8), 799–810. <https://doi.org/10.5650/jos.ess23034>
- Supriyanto, S., Imran, Z., Ardiansyah, R., Auliyai, B., Pratama, A., & Kadha, F. (2022). The Effect of Cultivation Conditions on Sacha Inchi (*Plukenetia volubilis* L.) Seed Production and Oil Quality (Omega 3, 6, 9). *Agronomy*, 12(3), 636. <https://doi.org/10.3390/agronomy12030636>
- Tan, C. H., Lee, C. J., Tan, S. N., Poon, D. T. S., Chong, C. Y. E., & Pui, L. P. (2021). Red Palm Oil: A Review on Processing, Health Benefits and Its

- Application in Food. *Journal of Oleo Science*, 70(9), 1201–1210.
<https://doi.org/10.5650/jos.ess21108>
- Tian, W., Yan, X., Zeng, Z., Xia, J., Zhao, J., Zeng, G., Yu, P., Wen, X., & Gong, D. (2023). Enzymatic interesterification improves the lipid composition, physicochemical properties and rheological behavior of *Cinnamomum camphora* seed kernel oil, *Pangasius bocourti* stearin and perilla seed oil blends. *Food Chemistry*, 430, 137026.
<https://doi.org/10.1016/j.foodchem.2023.137026>
- Wang, S., Zhu, F., & Kakuda, Y. (2018). Sacha inchi (*Plukenetia volubilis* L.): Nutritional composition, biological activity, and uses. *Food Chemistry*, 265, 316–328. <https://doi.org/10.1016/j.foodchem.2018.05.055>
- Zhang, Z., Lee, W. J., & Wang, Y. (2021). Evaluation of enzymatic interesterification in structured triacylglycerols preparation: A concise review and prospect. *Critical Reviews in Food Science and Nutrition*, 61(19), 3145–3159. <https://doi.org/10.1080/10408398.2020.1793725>
- Zou, X., Zhang, S., Cheng, Y., Huang, J., He, X., Jiang, X., Wen, Y., Wu, S., & Zhang, H. (2021). Lipase-Catalyzed Interesterification of *Schizochytrium* sp. Oil and Medium-Chain Triacylglycerols for Preparation of DHA -Rich Medium and Long-Chain Structured Lipids. *Journal of the American Oil Chemists' Society*, 98(3), 253–267. <https://doi.org/10.1002/aocs.12457>
- Zou, X.-Q., Huang, J.-H., Jin, Q.-Z., Liu, Y.-F., Song, Z.-H., & Wang, X.-G. (2011). Lipase-Catalyzed Preparation of Human Milk Fat Substitutes from Palm Stearin in a Solvent-Free System. *Journal of Agricultural and Food Chemistry*, 59(11), 6055–6063. <https://doi.org/10.1021/jf200619v>