

DAFTAR PUSTAKA

- Al-Bakri, I.A., Swain, M.V., Naoum, S.J., Al-Omari, W.M., Martin, E., Ellakwa, A.(2014) Fluoride Release, Recharge and Flexural Properties of Polymethylmetacrylate Containing Fluoridated Glass Fillers. *Aus Dent.* 59: 482-489
- American Academy of Pediatric Dentistry. (2023). *Fluoride Therapy*. The Reference Manual of Pediatric Dentistry. 352-8.
- Amerongen. (1988). *Ludah dan Kelenjar Ludah*, Gadjah Mada University Press, Yogyakarta, Hal. 24-38.
- Anusavice, K.J. (2003). *Phillips: Buku Ajar Ilmu Bahan Kedokteran Gigi*, ed.10, Jakarta : EGC Penerbit Buku Kedokteran, h.197;223.
- Anusavice, K.J., Zhang, N.Z., Shen, C. (2005). Effect of CaF₂ Content on Rate of Fluoride Release from Filled Resins, *Journal of Dental Research*, 84(5): 440-444.
- Baliga,S., Muglikar,S., Kale,R. (2013). Salivary pH : A diagnostic biomarker, *J Indian Soc Periodontol*, 17: 461 – 5.
- Bassett, R.G., B.F. Zimmerman, H.R. Rawls. (1986). Optimizing of a Fluoride Releasing Resin for Use in Orthodontic Bonding, *J. Dent. Res.*,65: 195 (Abst. 231).
- Bhaskar A., Raghuwar D., Deepti., Abhinav., & Pankaj Y. (2019). Determination of Fluoride Release and Strength of a Fluoride Treated Heat Cured Acrylic Resin. *EAS J Dent Oral Med*, Volume 1, Issue 6, 108-111.
- Beltran, (2000), Fluoride Varnishes, *Journal American Dentistry*, 131:589-94.
- Benini M.A. (2011). Fluoride release profile of a nanofilled resin modified glass ionomer cement, *Braz Dent J*, 22(4): 275-279.
- Caruso A.A., Prete, S.D., Ferrara, L., Serra, R., Telesca, D.A., Ruggiero, S., Russo T., Sivero, L., 2016, Relationship Between Gastroesophageal Reflux Disease and pH nose and Salivary: Proposal of a Simple Method Outpatient in Patients Adults, *Open Med (Wars)*, 11(1): 381 – 386.
- Castillo J.L. Dan Milgrom P. (2004). Fluoride relase from varnishes in two in vitro protocols, *JADA*, 135: 1696-1699.
- Collins, F.M. (2011). *The Role of Fluoride in Caries Control*. American Dental Association. www.rdhmag.com.

- Combe, E.C. (1992). *Notes on dental material*. Edinburgh : Churchill Livingstone.
- Craig, R.G., Powers, J.M. (2002). *Restorative Dental Materials. 11th edition*. Mosby, St. Louis, 580.
- Dawney, D. (2013). *Salivary Fluoride Concentration following the applicatic⁴⁹, three different 5% NaF Varnishes*. Tesis. University of Michigan.
- Diyar B. Sabir, Zana Q. Omer (2019). Evaluation of Fluoride Release From Orthodontic Acrylic Resin by Using Two Different Polymerizations Techniques: An In Vitro Study. *EDJ*, 20(1): 149 – 156.
- Dionysopoulos, D., Koliniotou-Koumpia, E., Helvatzoglou-Antoniades, M., Kotsanos, N. (2013). Fluoride Release and Recharge Abilities of Contemporary Fluoride-containing Restorative Materials and Dental Adhesives, *Dental Material Journal*, 32(2): 296-304.
- Drake, C. W., & Beck, J. D. (1993). The oral status of elderly removable partial denture wearers. *Journal of oral rehabilitation*, 20(1), 53- 60.
- Gedalia I, Strykovski Y, Zilberman Y, & Brayer L. (1977). Fluoride treatment of orthodontic plates and denture, *J. of California. Dent. Ass.*, 5 (66) : 636 – 640.
- Goldstep F. (2012). Dental Remineralization: Simplified. *Oral Health*: 12-26
- Gjorgievska E. (2011). Clinical Performance of Ion Fluoride Releasing, *Dental Restorative Sec. Biol. Med. Sci*, 32(1): 238-294.
- Han, L., Li, M., Niwano, K., Ab, N., Okamoto, A., Honda, N., & Iwaku, M. (2002). Effect of fluoride mouth rinse on fluoride releasing and recharging from aesthetic dental materials. *Dental materials journal*, 21(4), 285- 295.
- Hans, R., Thomas,S., Garla,B., Dagle,R., Hans,M.J. (2016). *Effect of Various Sugary Beverages on Salivary pH, Flow Rate, and Oral Clearance Rate amongst Adults*, Scientifica.
- Iijima, M., Ito, S., Nakagaki, S., Muguruma, T., Kohda, N., Saito, T., Mizoguchi, I.(2013). Effect of the Addition of Fluoride to a 4-Meta/MMA-TTB-Based Resin Adhesive on Fluoride Release, Acid Resistance of Enamel and Shear Bond Strength in Vitro. *Dental Materials Journal*, 32(1): 156-64.
- Ismail, H.M. (2016), *Further Development of a Novel Fluoride Releasing Acrylic Orthodontic Adhesive*, Thesis, Newcastle University.

- Jennifer, L., Hockin, H., Zu. (2011). Fluoride Releasing Restorative Materials: Effects of pH on Mechanical Properties and Ion Release. *Dent. Mater.:*26(11): e227-e235.
- Jubhari EH. (2007). Upaya Untuk Mengurangi Preparasi Gigi: Fung Shell Bridge. *Dentofasial Journal*, 1:6(1):27
- Kasuga, Y., Akiba, N., Minakuchi, S., Uchida, T., Matsushita, N., Hishimoto, M., Hayakawa, I. (2008). Development of Soft Denture Lining Materials Containing Fluorinated Monomers, *J. Prosthet. Dent.*, 2008, 52: 183-188.
- Kata Rosin-Ggret, Kristina Peros, Ivana Sutej, Kresimir Basic. (2013). The Cariostatic Mechanisms of Fluoride, *Acta Medica Academica*; 42(2):179-188.
- Kazuko K, Yoshiharu M, Takatoshi T, Izumi I, Fukue F, Yukio H, & Toshio (2009). Fluoride Release And Recharge Characteristics Of Denture Base Resins Containing Surface Pre Reacted Glass Ionomer Filler. *Dent Mater J*; 28: 227-233.
- Ketut R, Arifin. (2011). Hubungan Kesehatan Mulut Dengan Kualitas Hidup Lansia. *Ilmu Gizi Jurnal*, 2(2): 139-147.
- Kiatsirirote, K., Sitthisetapong, T., Phantumvanit, P., Chan, D.C.N. (2019). Fluoride Releasing Effect of a Modified Resin Denture Containing S-PRG Fillers on Salivary Fluoride Retention: A Randomized Clinical Study. *Caries Res.*, 53, 137-144
- Kidd EAM., Joyston-Bechal S. (2013). alih Bahasa Sumawinata N, Faruk S., *Dasar-dasar Karies: Penyakit dan Penanggulangannya*. Jakarta : EGC: 4-9, 48-50, 66-67.
- Khindria, S.K., Mittal. S., Sukhija, V. (2009). Evolution of Denture Base Material, *J. Indian Prost Soc*, 9: 64-69.
- Khouw-Liu, V.H.W., Anstice, H.M. and Pearson, G.J (1999). An In Vitro Investigation of a Poly(vinyl phosphoric acid) Based Cement With Four Conventional Glass-ionomer Cements. Part 1: Flexural Strength and Fluoride Release. *Journal of Dentistry*, 27(5): 351-357.
- Kodkeaw, P., Phankosol, P., Jiratumnukul, N.(2010) Light Cured Fluoride filled Denture Coating Materials. *Journal of Applied Polymer Science*, 116(2): 743-747.
- Konig, K.G., Hoogrdoorn. (1981). *Prevensi dalam Kedokteran Gigi dan Dasar Ilmiahnya*, Gramedia, Jakarta, 13;42.

- Kusdarjanti, E. (2003). Kekuatan Transversa Resin Akrilik Jenis Heat Cured yang Direndam dalam Minuman Tuak. *Majalah Kedokteran Gigi (Dent., J.)*:103
- Langen, E.N., Rumampuk, J.F., Leman, M.A. (2017). Pengaruh saliva buatan dan belimbing wuluh (*averrhoa bilimbi* l.) terhadap kekerasan resin komposit nano hybrid, *Jurnal Ilmiah Farmasi – UNSRAT*, 6: 2302 – 2493
- Leung, W.H., Darvel B.W., (1997). Artificial Saliva for in Vitro Studies of Dental Materials, *Journal of Dentistry*, 25(6):475.
- Luo, J., Billington, R.W., Pearson, G.J. (2009). Kinetics of Fluoride Release from Glass Components of Glass Ionomers. *J Dent.* 37: 495 – 501.
- Lussi A., Hellwig E., dan Klimek J. (2012). Fluorides-mode of action and recommendations for use. *Schweiz Monatsschr Zahnmed* , 122(11): 1030-1036.
- Manappallil, J. J. (2003). *Basic Dental Materials Second Edition*, New Delhi : Jaypee Brothers Medical: 59-61.
- Margolis, H., Moreno, E., Murphy, B. (1986). Effect of Low Levels of Fluoride in Solution on Enamel Demineralization in Vitro. *J. Dent. Res.*, 65, 23-29.
- Marya C.M. (2007). Fluoride Varnish : A Useful dental public health tool. *The Internet Journal of Dental Science* 4: 1-5.
- McCabe, J.F., Walls, A.W.G., (2008). *Applied Dental Material. 9th ed.* Oxford: Blackwell Publishing Ltd: 32-39.
- McIntyre J.M., (2005). *Dental Caries – The Major Cause of Tooth Damage, In: Mount GJ, Hume WR (ed). Preservation and Restoration of Tooth Structure, 2nd ed.* Quensland: Knowledge Books & Software: 21-25
- Nakabo, S., Torii, Y., Itota, T., Ishikawa, K., Suzuki, K.(2002). Regulation of NaF Release from bis-GMA/TEGDMA Resin Using Gamma-methacryloxypropyltrimethoxysilane. *Dent Mater.* 18: 81-87.
- Nakajo, K., Imazato, S., Takahashi, Y., Kiba, W., Ebisu, S., Takahashi, N. (2009). Fluoride Release from Glass Ionomer Cement is Responsible to Inhibit the Acid Production of Caries-related from Glass Ionomer Cement is Responsible to Inhibit the Acid Production of Caries-related Oral Streptococci, *Dental Material*, 25(6): 703-8.
- Nakornchai, N., Arksornnukit, M., Kamonkhantikul, K., Takahashi, H. (2016). The pH Effect of Solvent in Silanization on Fluoride Released and Mechanical Properties of Heat-Cured Acrylic Resin Containing Fluoride Releasing Filler. *Dental Malterials Journal.* 35(3): 440-446.

- Orsi, I.A., & Andrade, V.G. (2004). Effect of Chemical Desinfectants on the Transverse Strength of Heat-polymerized Acrylic Resin Submitted to Mechanical and Chemical Polishing. *J. Prosthet Dent.*, Vol. 92. No. 4., p. 382-388.
- Paschoal, M.A.B., Gurgel, C.V., Rios, D., Magalhaes, A.C., Buzalaf, M.A.R., Machado, M.A. (2011). Fluoride Release Profile of a Nanofilled Resin-Modified Glass Ionomer Cement.*Braz. Dent.*22(4): 275-279.
- Rawls, R. 1987. Fluoride Releasing Acrylics. *Journal of Biomaterials Applications*. Vol.1
- Robert J, dkk., 2008, *Prevention of Dental Caries*, AAP Textbook of Pediatric Care.
- Robjohn, (2008). *HPA Compendium of Chemical Hazard Sodium Fluoride*, Health Protection Agency: 5-6
- Saputri, D., Nasution, A., I., Surbakti, M.R.W., Gani, B.A., 2017, The Corelation Between pH and Flow Rate of Salivary Smokers related to Nicotine Levels Labelled on Cigarettes, *Dental Journal (Majalah Kedokteran Gigi)*, 50(2): 61 – 65.
- Sjogren, K. (1995). Toothpaste Technique. Studies on Fluoride Delivery and Caries Prevention. *Swed. Dent. J Suppl.*, 110, 1-44.
- Takahashi, N., 2005, Microbial Ecosystem in the Oral Cavity: Metabolic Diversity on an Ecological Niche and Its Relationship with Oral Desease, *Int. Congr.*, 1284:103 – 112.
- Takarsyah M.P. (1995). Mekanisme Bakterisidal Pasta Gigi Fluor Terhadap Streptococcus Mutans, *Ceril V*, Yogyakarta :105-109.
- Titik, I., Suparyono, S., (2011). Pengaruh Penambahan Fluor Pada Resin Akrilik Terhadap Kekerasan Basis Gigi Tiruan Sebagian. *Majalah Kedokteran Gigi*; 18(1):113 - 116.
- Upadhyay, S., Rao, A., Shenoy, R. (2013). Comparison of The Amount of Fluoride Release from Nanofilled Resin Modified Glass Ionomer, Conventional and Resin Modified Glass Ionomer Cements. *Journal of Dentistry*. 10(2); 134 – 140.
- Van-noort, Richard. (2007). *Dental Materials*. London : Elsevier Limited
- Wefel J. S. (1990). Effect Fluoride on Caries Development and Progression Using Intra Oral Models, *J.dent,res (Spec. Iss)*: 626 – 633.

Weatherell JA, Deutsch D & Robinson C. (1977). Assimilation of fluoride by enamel throughout the life of tooth. *Caries res*, 11:85-115

Wu, S.S., Yap, A.U., Chelvan, S., Tan, E.S. (2005). Effect of Prophylaxis Regimens on Surface Roughness of Glass Ionomer Cement. *Oper Dent*. 30: 180-184.

Xu X., Burgess JO. (2003). Compressive Strength, Fluoride release and recharge of fluoride-releasing materials. *Biomater*: 2451-2461.

Yos F. (2022). *Konsentrasi Larutan Dalam Satuan Ppm*. Diunduh dari: [mplk.politanikoe.ac.id.](http://mplk.politanikoe.ac.id/), pada tanggal 1 Desember 2023.

Zitzmann, N. U., Staehelin, K., Walls, A. W., Menghini, G., Weiger, R., & Zemp Stutz, E. (2008). Changes in oral health over a 10-yr period in Switzerland. *European journal of oral sciences*, 116(1), 52-59.

Zitz A, Gedalia I, & Grajower R. (1981). Addition of Fluoride Compound to a Acrylic Resin Plates : Bending Strength and Fluoride release, *J. Oral Rehabil*: 8(1) : 37-41.

Zbigniew R., Danuta., Włodzimierz W., & Agnieszka N. (2021). Release and Recharge of Fluoride Ions From Acrylic Resin Modified with Bioactive Glass. *Polymers*, 13, 1054.