

**DAFTAR PUSTAKA**

- Adinata, D., Wan Daud, W.M.A., Aroua, M.K., 2007. Production of carbon molecular sieves from palm shell based activated carbon by pore sizes modification with benzene for methane selective separation. *Fuel Processing Technology* 88, 599–605. <https://doi.org/10.1016/j.fuproc.2007.01.009>
- Ahmad, M.A., 2009. Preparation of carbon molecular sieves from palm shell: Effect of benzene deposition conditions. *Adsorption* 15, 489–495. <https://doi.org/10.1007/s10450-009-9199-0>
- Ahmad, M.A., Wan Daud, W.M.A., Aroua, M.K., 2008. Adsorption kinetics of various gases in carbon molecular sieves (CMS) produced from palm shell. *Colloids Surf A Physicochem Eng Asp* 312, 131–135. <https://doi.org/10.1016/j.colsurfa.2007.06.040>
- Ahmad, M.A., Wan Daud, W.M.A., Aroua, M.K., 2007. Synthesis of carbon molecular sieves from palm shell by carbon vapor deposition. *Journal of Porous Materials* 14, 393–399. <https://doi.org/10.1007/s10934-006-9032-z>
- Ahmad, N.E., Mel, M., Sinaga, N., 2017. Design of Liquefaction Process of Biogas using Aspen HYSYS Simulation. *Journal of Advanced Research in Biofuel and Bioenergy* 1, 10–15.
- Alcañiz-Monge, J., Marco-Lozar, J.P., Lillo-Ródenas, M.Á., 2011. CO₂ separation by carbon molecular sieve monoliths prepared from nitrated coal tar pitch. *Fuel Processing Technology* 92, 915–919. <https://doi.org/10.1016/j.fuproc.2010.12.010>
- Alcañiz-Monge, J., Marco-Lozar, J.P., Lozano-Castelló, D., 2012. Monolithic Carbon Molecular Sieves from activated bituminous coal impregnated with a slurry of coal tar pitch. *Fuel Processing Technology* 95, 67–72. <https://doi.org/10.1016/j.fuproc.2011.11.016>
- Angelidaki, I., Treu, L., Tsapekos, P., Luo, G., Campanaro, S., Wenzel, H., Kougias, P.G., 2018. Biogas upgrading and utilization: Current status and perspectives. *Biotechnol Adv* 36, 452–466. <https://doi.org/https://doi.org/10.1016/j.biotechadv.2018.01.011>
- Annisa, A., Prasetyo, I., Swantomo, D., Ariyanto, T., 2021. Surface modification of nanoporous carbon using gamma irradiation treatment as supercapacitor material. *4Th International Seminar on Chemistry* 2349, 020007. <https://doi.org/10.1063/5.0052360>
- Ariyanto, T., Masruroh, K., Pambayun, G.Y.S., Mukti, N.I.F., Cahyono, R.B., Prasetya, A., Prasetyo, I., 2021. Improving the Separation of CO₂/CH₄ Using Impregnation of Deep Eutectic Solvents on Porous Carbon. *ACS Omega* 6, 19194–19201. <https://doi.org/10.1021/acsomega.1c02545>



Awe, O.W., Zhao, Y., Nzhou, A., Minh, D.P., Lyczko, N., 2017. A Review of Biogas Utilisation, Purification and Upgrading Technologies. *Waste Biomass Valorization* 8, 267–283. <https://doi.org/10.1007/s12649-016-9826-4>

Bai, B.C., Cho, S., Yu, H.-R.R., Yi, K.B., Kim, K.-D.D., Lee, Y.-S.S., 2013. Effects of aminated carbon molecular sieves on breakthrough curve behavior in CO₂/CH₄ separation. *Journal of Industrial and Engineering Chemistry* 19, 776–783. <https://doi.org/10.1016/j.jiec.2012.10.016>

Banerjee, R., Furukawa, H., Britt, D., Knobler, C., O'Keeffe, M., Yaghi, O.M., 2009. Control of Pore Size and Functionality in Isoreticular Zeolitic Imidazolate Frameworks and their Carbon Dioxide Selective Capture Properties. *J Am Chem Soc* 131, 3875–3877. <https://doi.org/10.1021/ja809459e>

Bhatnagar, A., Hogland, W., Marques, M., Sillanpää, M., 2013. An overview of the modification methods of activated carbon for its water treatment applications. *CHEMICAL ENGINEERING JOURNAL* 219, 499–511. <https://doi.org/10.1016/j.cej.2012.12.038>

Brockner, W., Ehrhardt, C., Gjikaj, M., 2007. Thermal decomposition of nickel nitrate hexahydrate, Ni(NO₃)₂·6H₂O, in comparison to Co(NO₃)₂·6H₂O and Ca(NO₃)₂·4H₂O. *Thermochim Acta* 456, 64–68. <https://doi.org/10.1016/j.tca.2007.01.031>

Buasri, A., Chaiyut, N., Nakweang, C., 2011. Preparing activated carbon from palm shell for biodiesel fuel production. *Chiang Mai Journal of Science* 38, 572–578.

Cai, H., Wei, Q., Xiao, H., Liu, H., Wang, J., 2020. Preparation and microwave absorption properties of petal CoO/CNFs composites. *Journal of Materials Science: Materials in Electronics* 31, 7606–7615. <https://doi.org/10.1007/s10854-020-03231-y>

Carrott, P.J.M.M., Cansado, I.P.P.P., Carrott, M.M.L.R.L.R., 2006. Carbon molecular sieves from PET for separations involving CH₄, CO₂, O₂ and N₂. *Appl Surf Sci* 252, 5948–5952. <https://doi.org/10.1016/j.apsusc.2005.11.014>

Caskey, S.R., Wong-Foy, A.G., Matzger, A.J., 2008. Dramatic tuning of carbon dioxide uptake via metal substitution in a coordination polymer with cylindrical pores. *J Am Chem Soc* 130, 10870–10871. <https://doi.org/10.1021/ja8036096>

Chagger, H.K., Ndaji, F.E., Sykes, M.L., Thomas, K.M., 1995. Kinetics of adsorption and diffusional characteristics of carbon molecular sieves. *Carbon N Y* 33, 1405–1411. [https://doi.org/10.1016/0008-6223\(95\)00087-T](https://doi.org/10.1016/0008-6223(95)00087-T)

Chen, C., Ahn, W.S., 2014. CO₂ adsorption on LTA zeolites: Effect of mesoporosity. *Appl Surf Sci* 311, 107–109. <https://doi.org/10.1016/j.apsusc.2014.04.218>

Chen, D.-L.L., Shang, H., Zhu, W., Krishna, R., 2014. Transient breakthroughs of CO₂/CH₄ and C₃H₆/C₃H₈ mixtures in fixed beds packed with Ni-MOF-74. *Chem Eng Sci* 117, 407–415. <https://doi.org/10.1016/j.ces.2014.07.008>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E UNIVERSITAS GADJAH MADA Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Chen, X.Y., Vinh-Thang, H., Ramirez, A.A., Rodrigue, D., Kaliaguine, S., 2015.

Membrane gas separation technologies for biogas upgrading. RSC Adv 5, 24399–24448. <https://doi.org/10.1039/c5ra00666j>

Chiang, H.L., Chiang, P.C., Huang, C.P., 2002. Ozonation of activated carbon and its effects on the adsorption of VOCs exemplified by methylethylketone and benzene. Chemosphere 47, 267–275. [https://doi.org/10.1016/S0045-6535\(01\)00216-8](https://doi.org/10.1016/S0045-6535(01)00216-8)

Chiang, Y.-C., Juang, R.-S., 2017. Surface modifications of carbonaceous materials for carbon dioxide adsorption: A review. J Taiwan Inst Chem Eng 71, 214–234. <https://doi.org/https://doi.org/10.1016/j.jtice.2016.12.014>

Cho, H.Y., Yang, D.A., Kim, J., Jeong, S.Y., Ahn, W.S., 2012. CO₂ adsorption and catalytic application of Co-MOF-74 synthesized by microwave heating. Catal Today 185, 35–40. <https://doi.org/10.1016/j.cattod.2011.08.019>

Cho, S., Yu, H.R., Choi, T.H., Jung, M.J., Lee, Y.S., 2018. Surface functionalization and CO₂ uptake on carbon molecular sieves: Experimental observation and theoretical study. Appl Surf Sci 447, 8–14. <https://doi.org/10.1016/j.apsusc.2018.03.153>

Choi, S., Watanabe, T., Bae, T.H., Sholl, D.S., Jones, C.W., 2012. Modification of the Mg/DOBDC MOF with amines to enhance CO₂ adsorption from ultradilute gases. Journal of Physical Chemistry Letters 3, 1136–1141. <https://doi.org/10.1021/jz300328j>

da Silva, C.P., dos Santos, A.V., Oliveira, A.S., da Guarda Souza, M.O., 2018. Synthesis of composites and study of the thermal behavior of sugarcane bagasse/iron nitrate mixtures in different proportions. J Therm Anal Calorim 131, 611–620. <https://doi.org/10.1007/s10973-017-6260-1>

D'Alessandro, D.M., Smit, B., Long, J.R., 2010. Carbon dioxide capture: Prospects for new materials. Angewandte Chemie - International Edition 49, 6058–6082. <https://doi.org/10.1002/anie.201000431>

Das, B.K., Haque, S.M.N., Kader, M.A., Rahman, S., 2013. Prospects of Bagasse Gasification Technology for Electricity Generation in Sugar Industries in Bangladesh. International Conference on Mechanical, Industrial and Materials Engineering, Rajshahi, Bangladesh, November 1-3 268–272.

David, E., Talaie, A., Stanciu, V., Nicolae, A.C., 2004. Synthesis of carbon molecular sieves by benzene pyrolysis over microporous carbon materials. J Mater Process Technol 157–158, 290–296. <https://doi.org/10.1016/j.jmatprotec.2004.09.046>

De Salazar, C.G., Sepúlveda-Escribano, A., Rodríguez-Reinoso, F., 2005. Preparation of Carbon Molecular Sieves by Pyrolytic Carbon Deposition. Adsorption 11, 663–667. <https://doi.org/10.1007/s10450-005-6003-7>

Demiral, H., Demiral, İ., 2018. Preparation and characterization of carbon molecular sieves from chestnut shell by chemical vapor deposition. Advanced Powder



DeSantis, D., Mason, J.A., James, B.D., Houchins, C., Long, J.R., Veenstra, M., 2017. Techno-economic Analysis of Metal-Organic Frameworks for Hydrogen and Natural Gas Storage. *Energy and Fuels* 31, 2024–2032. <https://doi.org/10.1021/acs.energyfuels.6b02510>

Direktorat Jenderal Perkebunan, 2021. Statistik Perkebunan Unggulan Nasional , 2019-2021. Sekretariat Direktorat Jenderal Perkebunan, Direktorat Jendral Perkebunan, Kementerian Pertanian, Jakarta.

Do, D.D., 1998a. Adsorption Analysis: Equilibria and Kinetics.

Do, D.D., 1998b. Adsorption Analysis: Equilibria and Kinetics, Chemical Engineering.

Durán, I., Álvarez-Gutiérrez, N., Rubiera, F., Pevida, C., 2018. Biogas purification by means of adsorption on pine sawdust-based activated carbon: Impact of water vapor. *Chemical Engineering Journal* 353, 197–207. <https://doi.org/10.1016/j.cej.2018.07.100>

Faizul, C.P., Abdullah, C., Fazlul, B., 2013. Extraction of silica from palm ash using citric acid leaching treatment: Preliminary result, in: Advanced Materials Research. pp. 701–706. <https://doi.org/10.4028/www.scientific.net/AMR.795.701>

Figueiredo, J.L., Pereira, M.F.R., Freitas, M.M.A., Órfão, J.J.M., 1999. Modification of the surface chemistry of activated carbons. *Carbon N Y* 37, 1379–1389. [https://doi.org/10.1016/S0008-6223\(98\)00333-9](https://doi.org/10.1016/S0008-6223(98)00333-9)

Fogler, H.S., 2011. Essentials of Chemical Reaction Engineering. Pearson Education, Inc., London.

Fu, S., Sanders, E.S., Kulkarni, S.S., Koros, W.J., 2015a. Carbon molecular sieve membrane structure-property relationships for four novel 6FDA based polyimide precursors. *J Memb Sci* 487, 60–73. <https://doi.org/10.1016/j.memsci.2015.03.079>

Fu, S., Sanders, E.S., Kulkarni, S.S., Wenz, G.B., Koros, W.J., 2015b. Temperature dependence of gas transport and sorption in carbon molecular sieve membranes derived from four 6FDA based polyimides: Entropic selectivity evaluation. *Carbon N Y* 95, 995–1006. <https://doi.org/https://doi.org/10.1016/j.carbon.2015.09.005>

Gapki, D.J.P.K.P. dan G.P.K.S.I., 2018. Volume produksi kelapa sawit (CPO), 2000-2018 - Lokadata [WWW Document]. URL <https://lokadata.beritagar.id/chart/preview/volume-produksi-kelapa-sawit-cpo-2000-2018-1550473390> (accessed 2.26.21).

Goldie, S.J., Jiang, S., Coleman, K.S., 2021. Cobalt nanoparticle catalysed graphitization and the effect of metal precursor decomposition temperature. *Mater Adv* 2, 3353–3361. <https://doi.org/10.1039/d1ma00125f>



Gunten, U. Von, 2003. Ozonation of drinking water: Part I. Oxidation kinetics and product formation. *Water Res* 37, 1443–1467.

Hägg, M.-B., He, X., 2011. Chapter 15. Carbon Molecular Sieve Membranes for Gas Separation, in: Drioli, E., Barbieri, G. (Eds.), *Membrane Engineering for the Treatment of Gases*. Royal Society of Chemistry, pp. 162–191. <https://doi.org/10.1039/9781849733489-00162>

Hakim, A., Marliza, T.S., Abu Tahari, N.M., Wan Isahak, R.W.N., Yusop, R.M., Mohamed Hisham, W.M., Yarmo, A.M., 2016. Studies on CO₂ Adsorption and Desorption Properties from Various Types of Iron Oxides (FeO, Fe₂O₃, and Fe₃O₄). *Ind Eng Chem Res* 55, 7888–7897. <https://doi.org/10.1021/acs.iecr.5b04091>

Hardjasaputra, H., Fernando, I., Indrajaya, J., Cornelia, M., Rachmansyah, 2018. The Effect of Using Palm Kernel Shell Ash and Rice Husk Ash on Geopolymer Concrete, in: MATEC Web of Conferences. EDP Sciences. <https://doi.org/10.1051/matecconf/201825101044>

Hariani, P.L., Faizal, M., Ridwan, Marsi, Setiabudidaya, D., 2018. Removal of Procion Red MX-5B from songket's industrial wastewater in South Sumatra Indonesia using activated carbon-Fe₃O₄ composite. *Sustainable Environment Research* 28, 158–164. <https://doi.org/10.1016/j.serj.2018.01.004>

Heidari, A., Younesi, H., Rashidi, A., Ghoreyshi, A.A., 2014. Evaluation of CO₂ adsorption with eucalyptus wood based activated carbon modified by ammonia solution through heat treatment. *Chemical Engineering Journal* 254, 503–513. <https://doi.org/https://doi.org/10.1016/j.cej.2014.06.004>

Hemalatha, P., Palanichamy, M., Murugesan, V., Kwon, S.B., Park, D., Cho, Y., Jang, H.T., 2011. CO₂ adsorption over zinc oxide impregnated NaZSM-5 synthesized using rice husk ash. *Asian Journal of Chemistry* 23, 2806–2810.

Hosseini, S., Bayesti, I., Marahel, E., Eghbali, F., 2015. Adsorption of carbon dioxide using activated carbon impregnated with Cu promoted by zinc. *J Taiwan Inst Chem Eng* 000, 1–9. <https://doi.org/10.1016/j.jtice.2015.02.015>

Hu, Q., Xie, Y., Feng, C., Zhang, Z., 2019. Prediction of breakthrough behaviors using logistic, hyperbolic tangent and double exponential models in the fixed-bed column. *Sep Purif Technol* 212, 572–579. <https://doi.org/10.1016/j.seppur.2018.11.071>

Hu, Z., Vansant, E.F., 1995. Carbon molecular sieves produced from walnut shell. *Carbon N Y* 33, 561–567. [https://doi.org/10.1016/0008-6223\(94\)00141-L](https://doi.org/10.1016/0008-6223(94)00141-L)

Hudson, M.R., Queen, W.L., Mason, J.A., Fickel, D.W., Lobo, R.F., Brown, C.M., 2012. Unconventional, highly selective CO₂ adsorption in zeolite SSZ-13. *J Am Chem Soc* 134, 1970–1973. <https://doi.org/10.1021/ja210580b>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E UNIVERSITAS GADJAH MADA Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Ismail, S., Ahmed, A.S., Anr, R., Hamdan, S., 2016. Biodiesel Production from Castor Oil by Using Calcium Oxide Derived from Mud Clam Shell. *Journal of Renewable Energy* 2016, 1–8. <https://doi.org/10.1155/2016/5274917>

Jang, D., Park, S., 2012. Influence of nickel oxide on carbon dioxide adsorption behaviors of activated carbons. *Fuel* 102, 439–444. <https://doi.org/10.1016/j.fuel.2012.03.052>

Jaramillo, J., Álvarez, P.M., Gómez-Serrano, V., 2010. Oxidation of activated carbon by dry and wet methods surface chemistry and textural modifications. *Fuel Processing Technology* 91, 1768–1775. <https://doi.org/10.1016/j.fuproc.2010.07.018>

Jasieńko-Hałat, M., Kędzior, K., 2005. Comparison of molecular sieve properties in microporous chars from low-rank bituminous coal activated by steam and carbon dioxide. *Carbon N Y* 43, 944–953. <https://doi.org/10.1016/j.carbon.2004.11.024>

Jensen, N.K., Rufford, T.E., Watson, G., Zhang, D.K., Chan, K.I., May, E.F., 2012. Screening zeolites for gas separation applications involving methane, nitrogen, and carbon dioxide. *J Chem Eng Data* 57, 106–113. <https://doi.org/10.1021/je200817w>

Jiao, W., Ban, Y., Shi, Z., Jiang, X., Li, Y., Yang, W., 2017. Gas separation performance of supported carbon molecular sieve membranes based on soluble polybenzimidazole. *J Memb Sci* 533, 1–10. <https://doi.org/10.1016/j.memsci.2017.03.022>

Jonnalagadda, M., Anjum, R., Burri, H., Mutyal, S., 2021. Study of CO₂ adsorption and separation using modified porous carbon. *J Chem Res* 45, 194–200. <https://doi.org/10.1177/1747519820938030>

Jüntgen, H., Knoblauch, K., Harder, K., 1981. Carbon molecular sieves: production from coal and application in gas separation. *Fuel* 60, 817–822. [https://doi.org/10.1016/0016-2361\(81\)90144-7](https://doi.org/10.1016/0016-2361(81)90144-7)

Kamilah, S., Soh, C., Azzura, A., Rahman, A., Shamsuddin, M., 2018. Synthesis and Physicochemical Properties of Magnetite Nanoparticles (Fe₃O₄) as Potential Solid Support for Homogeneous Catalysts. *Malaysian J. Anal. Sci.* 22, 768–774. <https://doi.org/10.17576/mjas-2018-2205-04>

Kanungini, A.G., Azizi, S., Sintwa, N., Mokalane, K., Mohale, K.C., Mudau, F.N., Maaza, M., 2022. Effect of Optimized Precursor Concentration, Temperature, and Doping on Optical Properties of ZnO Nanoparticles Synthesized via a Green Route Using Bush Tea (*Athrixia phylicoides* DC.) Leaf Extracts. *ACS Omega* 7, 31658–31666. <https://doi.org/10.1021/acsomega.2c00530>

Karra, J.R., Grabicka, B.E., Huang, Y.G., Walton, K.S., 2013. Adsorption study of CO₂, CH₄, N₂, and H₂O on an interwoven copper carboxylate metal-organic framework (MOF-14). *J Colloid Interface Sci* 392, 331–336. <https://doi.org/10.1016/j.jcis.2012.10.018>



Kawabuchi, Y., Kishino, M., Kawano, S., Whitehurst, D., Mochida, I., 1996. Carbon deposition from benzene and cyclohexane onto active carbon fiber to control its pore size. *Langmuir* 12, 4281–4285. <https://doi.org/10.1021/la960292a>

Kawabuchi, Y., Sotowa, C., Kuroda, K., Kawano, S., Whitehurst, D.D., Mochida, I., 1998. Chemical Vapor Deposition of Organic Compounds over Active Carbon Fiber to Control Its Porosity and Surface Function. *ACS Symposium Series* 681, 61–70. <https://doi.org/10.1021/la961052y>

Khalil, S.H., Aroua, M.K., Daud, W.M.A.W., 2012. Study on the improvement of the capacity of amine-impregnated commercial activated carbon beds for CO₂ adsorbing. *Chemical Engineering Journal* 183, 15–20. <https://doi.org/10.1016/j.cej.2011.12.011>

Khan, M.U., Lee, J.T.E., Bashir, M.A., Dissanayake, P.D., Ok, Y.S., Tong, Y.W., Shariati, M.A., Wu, S., Ahring, B.K., 2021. Current status of biogas upgrading for direct biomethane use: A review. *Renewable and Sustainable Energy Reviews* 149, 111343. <https://doi.org/10.1016/j.rser.2021.111343>

Khelifa, A., Benchehida, L., Derriche, Z., 2004. Adsorption of carbon dioxide by X zeolites exchanged with Ni²⁺ and Cr³⁺: Isotherms and isosteric heat. *J Colloid Interface Sci* 278, 9–17. <https://doi.org/10.1016/j.jcis.2004.05.033>

Kim, B., Cho, K., Park, S., 2010. Journal of Colloid and Interface Science Copper oxide-decorated porous carbons for carbon dioxide adsorption behaviors. *J Colloid Interface Sci* 342, 575–578. <https://doi.org/10.1016/j.jcis.2009.10.045>

Kim, M.B., Bae, Y.S., Ahn, H., Lee, C.H., 2004. Comparison of adsorption dynamics in kinetic and equilibrium beds in hydrogen ternary system. *Sep Sci Technol* 39, 2951–2976. <https://doi.org/10.1081/SS-200035947>

Kirbiyikkurukavak, Ā., Buyükbekar, B.Z., Ersöz, M., 2021. PAN-based activated carbon nanofiber/metal oxide composites for CO₂ and CH₄ adsorption: Influence of metal oxide. *Turk J Chem* 45, 914–926. <https://doi.org/10.3906/kim-2012-37>

Kiyono, M., Koros, W.J., Williams, P.J., 2011. Correlation Between Pyrolysis Atmosphere and Carbon Molecular Sieve Membrane Performance Properties, 1st ed, Inorganic Polymeric and Composite Membranes. Elsevier BV. <https://doi.org/10.1016/B978-0-444-53728-7.00007-0>

Kiyono, M., Williams, P.J., Koros, W.J., 2010. Effect of polymer precursors on carbon molecular sieve structure and separation performance properties. *Carbon N Y* 48, 4432–4441. <https://doi.org/10.1016/j.carbon.2010.08.002>

Lahuri, A.H., Yarmo, M.A., Marliza, T.S., Abu Tahari, M.N., Samad, W.Z., Dzakaria, N., Yusop, M.R., 2017. Carbon dioxide adsorption and desorption study using bimetallic calcium oxide impregnated on iron (III) oxide. *Materials Science Forum* 888 MSF, 479–484. <https://doi.org/10.4028/www.scientific.net/MSF.888.479>



Lee, C.S., Ong, Y.L., Aroua, M.K., Daud, W.M.A.W., 2013. Impregnation of palm shell-based activated carbon with sterically hindered amines for CO₂ adsorption. Chemical Engineering Journal 219, 558–564. <https://doi.org/https://doi.org/10.1016/j.cej.2012.10.064>

Lekota, M.W., Dimpe, K.M., Nomngongo, P.N., 2019. MgO-ZnO / carbon nanofiber nanocomposite as an adsorbent for ultrasound-assisted dispersive solid-phase microextraction of carbamazepine from wastewater prior to high-performance liquid chromatographic detection 1, 1–12.

Lesiak, B., Rangam, N., Jiricek, P., Gordeev, I., Tóth, J., Kövér, L., Mohai, M., Borowicz, P., 2019. Surface Study of Fe₃O₄ Nanoparticles Functionalized With Biocompatible Adsorbed Molecules. Front Chem 7, 1–16. <https://doi.org/10.3389/fchem.2019.00642>

Li, Y., Yi, H., Tang, X., Li, F., Yuan, Q., 2013. Adsorption separation of CO₂/CH₄ gas mixture on the commercial zeolites at atmospheric pressure. Chemical Engineering Journal 229, 50–56. <https://doi.org/10.1016/j.cej.2013.05.101>

Liu, J., Wang, Y., Benin, A.I., Jakubczak, P., Willis, R.R., LeVan, M.D., 2010. CO₂/H₂O adsorption equilibrium and rates on metal-organic frameworks: HKUST-1 and Ni/DOBDC. Langmuir 26, 14301–14307. <https://doi.org/10.1021/la102359q>

Liu, Q., Zheng, T., Li, N., Wang, P., Abulikemu, G., 2010. Applied Surface Science Modification of bamboo-based activated carbon using microwave radiation and its effects on the adsorption of methylene blue 256, 3309–3315. <https://doi.org/10.1016/j.apsusc.2009.12.025>

Liu, Y., Hu, E., Khan, E.A., Lai, Z., 2010. Synthesis and characterization of ZIF-69 membranes and separation for CO₂/CO mixture. J Memb Sci 353, 36–40. <https://doi.org/10.1016/j.memsci.2010.02.023>

Lizzio, A.A., Rostam-Abadi, M., 1993. Production of carbon molecular sieves from Illinois coal. Fuel Processing Technology 34, 97–122. [https://doi.org/10.1016/0378-3820\(93\)90094-K](https://doi.org/10.1016/0378-3820(93)90094-K)

Loiseau, T., Lecroq, L., Volkinger, C., Marrot, J., Ferey, G., Haouas, M., Taulelle, F., Bourrelly, S., Llewellyn, P.L., Latroche, M., 2006. MIL-96, a Porous Aluminum Trimesate 3D Structure Constructed from a Hexagonal Network of 18-Membered Rings and Oxo-Centered Trinuclear Units. J. Am. Chem. Soc. 128, 10223–10230.

Lota, G., Krawczyk, P., Lota, K., Sierczy, A., 2016. The application of activated carbon modified by ozone treatment for energy storage. Journal of Solid State Electrochemistry 20, 2857–2864. <https://doi.org/10.1007/s10008-016-3293-5>

Lou, W., Yang, J., Li, L., Li, J., 2014. Adsorption and separation of CO₂ on Fe(II)-MOF-74: Effect of the open metal coordination site. J Solid State Chem 213, 224–228. <https://doi.org/10.1016/j.jssc.2014.03.005>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E-mail, O.I., Muzenda, E., Tesfagiorgis, H., 2017. Chemical Absorption of Carbon Dioxide in Biogas Purification. Procedia Manuf 7, 639–646. <https://doi.org/10.1016/j.promfg.2016.12.095>

Makoś, P., Ślupek, E., Małachowska, A., 2020. Silica gel impregnated by deep eutectic solvents for adsorptive removal of BTEX from Gas Streams. Materials 13. <https://doi.org/10.3390/MA13081894>

Małecka, B., Gajerski, R., Małecki, A., Wierzbicka, M., Olszewski, P., 2003. Mass spectral studies on the mechanism of thermal decomposition of Zn(NO₃)₂·nH₂O. Thermochim Acta. [https://doi.org/10.1016/S0040-6031\(03\)00101-1](https://doi.org/10.1016/S0040-6031(03)00101-1)

Martins, A.V.P.R., Ramos, J.E.T., Coelho, J.A., Vidal, C.B., Cavalcante, C.L., Azevedo, D.C.S., 2014. Metal-impregnated carbon applied as adsorbent for removal of sulphur compounds using fixed-bed column technology. Environmental Technology (United Kingdom) 35, 1367–1377. <https://doi.org/10.1080/09593330.2013.868530>

Masruroh, K., Cahyono, R.B., Prasetyo, I., Ariyanto, T., 2021. The effect of amine types on breakthrough separation of methane on biogas. International Journal of Renewable Energy Development 10, 249–255. <https://doi.org/10.14710/ijred.2021.33514>

Menéndez-Díaz, J.A., Martín-Gullón, I., 2006. Chapter 1 Types of carbon adsorbents and their production. Interface Science and Technology 7, 1–47. [https://doi.org/10.1016/S1573-4285\(06\)80010-4](https://doi.org/10.1016/S1573-4285(06)80010-4)

Miltner, M., Makaruk, A., Harasek, M., 2017. Review on available biogas upgrading technologies and innovations towards advanced solutions. J Clean Prod 161, 1329–1337. <https://doi.org/10.1016/j.jclepro.2017.06.045>

Miura, K., Hayashi, J., Hashimoto, K., 1991. Production of molecular sieving carbon through carbonization of coal modified by organic additives. Carbon N Y 29, 653–660. [https://doi.org/10.1016/0008-6223\(91\)90133-4](https://doi.org/10.1016/0008-6223(91)90133-4)

Mohamed, A.R., Mohammadi, M., Darzi, G.N., 2010. Preparation of carbon molecular sieve from lignocellulosic biomass: A review. Renewable and Sustainable Energy Reviews 14, 1591–1599. <https://doi.org/10.1016/j.rser.2010.01.024>

Mohammadi, M., Najafpour, G.D., Mohamed, A.R., 2011a. Dobijanje ugljeničnih molekulskih sita iz palmine ljsuske depozicijom ugljenika iz metana. Chemical Industry and Chemical Engineering Quarterly 17, 525–533. <https://doi.org/10.2298/CICEQ110506038M>

Mohammadi, M., Najafpour, G.D., Mohamed, A.R., 2011b. Production Of Carbon Molecular Sieves From Palm Shell Through Carbon Deposition From Methane. Chemical Industry and Chemical Engineering Quarterly 17, 525–533. <https://doi.org/10.2298/CICEQ110506038M>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E UNIVERSITAS GADJAH MADA Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Morali, U., Demiral, H., Senoz, S., 2020. Preparation of new carbon molecular sieves for optimized carbon dioxide adsorption and product yield. *Xinxing Tan Cailiao/New Carbon Materials* 35, 209–219. [https://doi.org/10.1016/S1872-5805\(20\)60485-1](https://doi.org/10.1016/S1872-5805(20)60485-1)

Morali, U., Demiral, H., Senoz, S., 2019. Synthesis of carbon molecular sieve for carbon dioxide adsorption: Chemical vapor deposition combined with Taguchi design of experiment method. *Powder Technol* 355, 716–726. <https://doi.org/10.1016/j.powtec.2019.07.101>

Moreira, R.F.P.M., José, H.J., Rodrigues, A.E., 2001. Modification of pore size in activated carbon by polymer deposition and its effects on molecular sieve selectivity. *Carbon N Y* 39, 2269–2276. [https://doi.org/10.1016/S0008-6223\(01\)00046-X](https://doi.org/10.1016/S0008-6223(01)00046-X)

Mugheri, A.Q., Tahira, A., Aftab, U., Abro, M.I., Chaudhry, S.R., Amaral, L., Ibupoto, Z.H., 2019. Facile efficient earth abundant NiO/C composite electrocatalyst for the oxygen evolution reaction. *RSC Adv* 9, 5701–5710. <https://doi.org/10.1039/c8ra10472g>

Mukti, N.I.F., Prasetyo, I., Mindaryani, A., Septarini, S., 2018. Preparation of porous carbon as ethylene adsorbent by pyrolysis of extraction waste Mangosteen rinds, in: MATEC Web of Conferences. <https://doi.org/10.1051/matecconf/201815401032>

Musa, M., Othuman Mydin, A., Abdul Ghani, A.N., 2018. Optimization of mechanical properties in foamcrete reinforced with raw oil palm empty fruit bunch (EFB) fiber. MATEC Web of Conferences 250, 1–9. <https://doi.org/10.1051/matecconf/201825005004>

Ngo, Y.L.T., Hur, S.H., 2016. Low-temperature NO₂ gas sensor fabricated with NiO and reduced graphene oxide hybrid structure. *Mater Res Bull* 84, 168–176. <https://doi.org/10.1016/j.materresbull.2016.08.004>

Nohman, A.K.H., Ismail, H.M., Hussein, G.A.M., 1995. Thermal and chemical events in the decomposition course of manganese compounds. *J Anal Appl Pyrolysis* 34, 265–278. [https://doi.org/10.1016/0165-2370\(95\)00896-M](https://doi.org/10.1016/0165-2370(95)00896-M)

Olajire, A.A., 2010a. CO₂ capture and separation technologies for end-of-pipe applications - A review. *Energy* 35, 2610–2628. <https://doi.org/10.1016/j.energy.2010.02.030>

Olajire, A.A., 2010b. CO₂ capture and separation technologies for end-of-pipe applications - A review. *Energy* 35, 2610–2628. <https://doi.org/10.1016/j.energy.2010.02.030>

Park, K.S., Ni, Z., Cote, A.P., Choi, J.Y., Huang, R., Uribe-Romo, F.J., Chae, H.K., O'Keeffe, M., Yaghi, O.M., 2006. ZIFs - first synthesis. *Proceedings of the National Academy of Sciences* 103, 10186–10191. <https://doi.org/10.1073/pnas.0602439103>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

UNIVERSITAS
GADJAH MADA
Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E

Parshetti, G.K., Chowdhury, S., Balasubramanian, R., 2015. Biomass derived low-cost microporous adsorbents for efficient CO₂ capture. *Fuel* 148, 246–254. <https://doi.org/10.1016/j.fuel.2015.01.032>

Patel, H., 2019. Fixed-bed column adsorption study: a comprehensive review. *Appl Water Sci* 9, 1–17. <https://doi.org/10.1007/s13201-019-0927-7>

Plaza, M.G., Pevida, C., Martín, C.F., Fermoso, J., Pis, J.J., Rubiera, F., 2010. Developing almond shell-derived activated carbons as CO₂ adsorbents. *Sep Purif Technol* 71, 102–106. <https://doi.org/10.1016/j.seppur.2009.11.008>

Pop, D., Buzatu, R., Moacă, E.A., Watz, C.G., Cîntă-Pînzaru, S., Tudoran, L.B., Nekvapil, F., Avram, Ștefana, Dehelean, C.A., Crețu, M.O., Nicolov, M., Szuhanek, C., Jivănescu, A., 2021. Development and characterization of Fe₃O₄@carbon nanoparticles and their biological screening related to oral administration. *Materials* 14. <https://doi.org/10.3390/ma14133556>

Pradita, T., Shih, S.J., Aji, B.B., Sudibyo, 2017. Synthesis of MgO powder from magnesium nitrate using spray pyrolysis. *AIP Conf Proc* 1823. <https://doi.org/10.1063/1.4978089>

Prasetyo, I., Mukti, N.I.F., Cahyono, R.B., Prasetya, A., Ariyanto, T., 2020a. Nanoporous Carbon Prepared from Palm Kernel Shell for CO₂/CH₄ Separation. *Waste Biomass Valorization* 11, 5599–5606. <https://doi.org/10.1007/s12649-020-01006-4>

Prasetyo, I., Mukti, N.I.F., Cahyono, R.B., Prasetya, A., Ariyanto, T., 2020b. Nanoporous Carbon Prepared from Palm Kernel Shell for CO₂/CH₄ Separation. *Waste Biomass Valorization* 11, 5599–5606. <https://doi.org/10.1007/s12649-020-01006-4>

Prasetyo, I., Mukti, N.I.F., Cahyono, R.B., Prasetya, A., Ariyanto, T., 2020c. Nanoporous Carbon Prepared from Palm Kernel Shell for CO₂/CH₄ Separation. *Waste Biomass Valorization* 11, 5599–5606. <https://doi.org/10.1007/s12649-020-01006-4>

Prasetyo, I., Rochmadi, Wahyono, E., 2010. Pembuatan Ayakan Molekuler Berbasis Karbon Untuk Pemisahan N₂/O₂ Dari Pirolisis Resin Phenol Formaldehyde. *Reaktor* 13, 24–30. <https://doi.org/10.14710/reaktor.13.1.24-30>

Prasetyo, I., Rochmadi, Wahyono, E., Ariyanto, T., 2017. Controlling synthesis of polymer-derived carbon molecular sieve and its performance for CO₂/CH₄ separation. *Engineering Journal* 21, 83–94. <https://doi.org/10.4186/ej.2017.21.4.83>

Prasetyo, Imam, Rochmadi, Wahyono, E., Ariyanto, T., 2017. Controlling synthesis of polymer-derived carbon molecular sieve and its performance for CO₂/CH₄ separation. *Engineering Journal* 21, 83–94. <https://doi.org/10.4186/ej.2017.21.4.83>

Qian, D., Lei, C., Wang, E.M., Li, W.C., Lu, A.H., 2014. A method for creating microporous carbon materials with excellent CO₂-adsorption capacity and selectivity. *ChemSusChem* 7, 291–298. <https://doi.org/10.1002/cssc.201300585>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

UNIVERSITAS
GADJAH MADA
Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E Queen, W.L., Hudson, M.R., Bloch, E.D., Mason, J.A., Gonzalez, M.I., Lee, J.S., Gygi, D., Howe, J.D., Lee, K., Darwish, T.A., James, M., Peterson, V.K., Teat, S.J., Smit, B., Neaton, J.B., Long, J.R., Brown, C.M., 2014. Comprehensive study of carbon dioxide adsorption in the metal-organic frameworks M2(dobdc) (M = Mg, Mn, Fe, Co, Ni, Cu, Zn). *Chem Sci* 5, 4569–4581. <https://doi.org/10.1039/c4sc02064b>

Radosz, M., Hu, X., Krutkramelis, K., Shen, Y., 2008. Flue-gas carbon capture on carbonaceous sorbents: Toward a low-cost multifunctional carbon filter for “green” energy producers. *Ind Eng Chem Res* 47, 3783–3794. <https://doi.org/10.1021/ie0707974>

Rahmadani, D.P., Rahmada, A., Marendra, F., Rimbawan, H.J., Cahyono, R.B., Suherman, Ariyanto, T., 2021. Biogas Purification Using Chitosan-Impregnated Porous Carbon. *Proceedings of the International Conference on Sustainable Biomass (ICSB 2019)* 202, 287–291. <https://doi.org/10.2991/aer.k.210603.051>

Rajendran, K., Drielak, E., Sudarshan Varma, V., Muthusamy, S., Kumar, G., 2018. Updates on the pretreatment of lignocellulosic feedstocks for bioenergy production—a review. *Biomass Convers Biorefin* 8, 471–483. <https://doi.org/10.1007/s13399-017-0269-3>

Rashidi, N.A., Yusup, S., 2019. Production of palm kernel shell-based activated carbon by direct physical activation for carbon dioxide adsorption. *Environmental Science and Pollution Research* 26, 33732–33746. <https://doi.org/10.1007/s11356-018-1903-8>

Razdyakonova, G.I., Kokhanovskaya, O.A., Likhobov, V.A., 2015a. Self-Decomposition of Hydrogen Peroxide on the Surface of Disperse Carbon Black. *Radioelectronics. Nanosystems. Information Technologies.* 7, 180–190. <https://doi.org/10.17725/rensit.2015.07.180>

Razdyakonova, G.I., Kokhanovskaya, O.A., Likhobov, V.A., 2015b. Self-Decomposition of Hydrogen Peroxide on the Surface of Disperse Carbon Black. *Radioelectronics. Nanosystems. Information Technologies.* 7, 180–190. <https://doi.org/10.17725/rensit.2015.07.180>

Render, D., Samuel, T., King, H., Vig, M., Jeelani, S., Babu, R.J., Rangari, V., 2016. Biomaterial-Derived Calcium Carbonate Nanoparticles for Enteric Drug Delivery. *J Nanomater* 2016. <https://doi.org/10.1155/2016/3170248>

Rizal, W.A., Nisa, K., Maryana, R., Prasetyo, D.J., Pratiwi, D., Jatmiko, T.H., Ariani, D., Suwanto, A., 2020. Chemical composition of liquid smoke from coconut shell waste produced by SME in Rongkop Gunungkidul. *IOP Conf Ser Earth Environ Sci* 462. <https://doi.org/10.1088/1755-1315/462/1/012057>

Ryckebosch, E., Drouillon, M., Vervaeren, H., 2011. Techniques for transformation of biogas to biomethane. *Biomass Bioenergy* 35, 1633–1645. <https://doi.org/10.1016/j.biombioe.2011.02.033>



Sahebian, S., Zebarjad, S.M., Vahdati Khaki, J., Lazzeri, A., 2016. The decoration of multi-walled carbon nanotubes with nickel oxide nanoparticles using chemical method. *Int Nano Lett* 6, 183–190. <https://doi.org/10.1007/s40089-016-0185-8>

Sahota, S., Shah, G., Ghosh, P., Kapoor, R., Sengupta, S., Singh, P., Vijay, V.K.V., Sahay, A., Vijay, V.K.V., Thakur, I.S., 2018. Review of trends in biogas upgradation technologies and future perspectives. *Bioresour Technol Rep* 1, 79–88. <https://doi.org/10.1016/j.biteb.2018.01.002>

Sakib, A.A.M., Masum, S.M., Hoinkis, J., Islam, R., Molla, M.A.I., 2019. Synthesis of cuo/zno nanocomposites and their application in photodegradation of toxic textile dye. *Journal of Composites Science* 3. <https://doi.org/10.3390/jcs3030091>

Schott, J.A., Wu, Z., Dai, S., Li, M., Huang, K., Schott, J.A., 2017. Effect of metal oxides modification on CO₂ adsorption performance over mesoporous carbon. *Microporous and Mesoporous Materials* 249, 34–41. <https://doi.org/10.1016/j.micromeso.2017.04.033>

Sethia, G., Somani, R.S., Chand Bajaj, H., 2015. Adsorption of carbon monoxide, methane and nitrogen on alkaline earth metal ion exchanged zeolite-X: Structure, cation position and adsorption relationship. *RSC Adv* 5, 12773–12781. <https://doi.org/10.1039/c4ra11511b>

Sethupathi, S., Bashir, M.J., Akbar, Z.A., Mohamed, A.R., 2015. Biomass-based palm shell activated carbon and palm shell carbon molecular sieve as gas separation adsorbents. *Waste Management and Research* 33, 303–312. <https://doi.org/10.1177/0734242X15576026>

Shafeeyan, M.S., Daud, W.M.A.W., Houshmand, A., Arami-Niya, A., 2011. Ammonia modification of activated carbon to enhance carbon dioxide adsorption: Effect of pre-oxidation. *Appl Surf Sci* 257, 3936–3942. <https://doi.org/10.1016/j.apsusc.2010.11.127>

Shafeeyan, M.S., Daud, W.M.A.W., Houshmand, A., Shamiri, A., 2010a. A review on surface modification of activated carbon for carbon dioxide adsorption. *J Anal Appl Pyrolysis* 89, 143–151. <https://doi.org/10.1016/j.jaat.2010.07.006>

Shafeeyan, M.S., Daud, W.M.A.W., Houshmand, A., Shamiri, A., 2010b. A review on surface modification of activated carbon for carbon dioxide adsorption. *J Anal Appl Pyrolysis* 89, 143–151. <https://doi.org/10.1016/j.jaat.2010.07.006>

Shahbandeh, M., 2021. Global production volume palm oil by country 2020/2021 | Statista [WWW Document]. URL <https://www.statista.com/statistics/856231/palm-oil-top-global-producers/> (accessed 2.26.21).

Shahkarami, S., Dalai, A.K., Soltan, J., 2016. Enhanced CO₂ Adsorption Using MgO-Impregnated Activated Carbon : Impact of Preparation Techniques. *Ind Eng Chem Res* 55, 5955–5964. <https://doi.org/10.1021/acs.iecr.5b04824>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E UNIVERSITAS GADJAH MADA Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Silvestre-Albero, A.M., Wahby, A., Silvestre-Albero, J., Rodríguez-Reinoso, F., Betz, W.,

2009. Carbon molecular sieves prepared from polymeric precursors: Porous structure and hydrogen adsorption properties. *Ind Eng Chem Res* 48, 7125–7131. <https://doi.org/10.1021/ie900091n>

Siriwardane, R. V., Shen, M.-S., Fisher, E.P., 2003a. Adsorption of CO₂, N₂, and O₂ on Natural Zeolites. *Energy & Fuels* 17, 571–576. <https://doi.org/10.1021/ef020135l>

Siriwardane, R. V., Shen, M.-S., Fisher, E.P., 2003b. Adsorption of CO₂, N₂, and O₂ on Natural Zeolites. *Energy & Fuels* 17, 571–576. <https://doi.org/10.1021/ef020135l>

Siriwardane, R. V., Shen, M.S., Fisher, E.P., Poston, J.A., 2001. Adsorption of CO₂ on molecular sieves and activated carbon. *Energy and Fuels* 15, 279–284. <https://doi.org/10.1021/ef000241s>

Sivakumar, V.M., Lam, K.K., Mohamed, A.R., 2010. Synthesis of carbon molecular sieve from palm shell using deposition of polyfurfuryl alcohol. *Journal of the Korean Chemical Society* 54, 323–328. <https://doi.org/10.5012/jkcs.2010.54.3.323>

Son, S.J., Choi, J.S., Choo, K.Y., Song, S.D., Vijayalakshmi, S., Kim, T.H., 2005. Development of carbon dioxide adsorbents using carbon materials prepared from coconut shell. *Korean Journal of Chemical Engineering* 22, 291–297. <https://doi.org/10.1007/BF02701500>

Srichat, A., Suntivarakorn, R., Kamwilaisak, K., 2017. A Development of Biogas Purification System Using Calcium Hydroxide and Amine Solution. *Energy Procedia* 138, 441–445. <https://doi.org/10.1016/j.egypro.2017.10.196>

Su, D., Men, J.A., 2004. On the nature of basic sites on carbon surfaces : An overview 42, 1219–1225. <https://doi.org/10.1016/j.carbon.2004.01.023>

Tae-Hwan, K., Vijayalakshmi, S., Jin, S.S., Dong, K.J., 2003a. Carbon molecular sieves (CMS) from coconut shell by carbonization and carbon dioxide activation. *Indian Journal of Chemical Technology* 10, 298–304.

Tae-Hwan, K., Vijayalakshmi, S., Jin, S.S., Dong, K.J., 2003b. Carbon molecular sieves (CMS) from coconut shell by carbonization and carbon dioxide activation. *Indian Journal of Chemical Technology* 10, 298–304.

Tamaekong, N., Liewhiran, C., Phanichphant, S., 2014. Synthesis of thermally spherical CuO nanoparticles. *J Nanomater* 2014. <https://doi.org/10.1155/2014/507978>

Tucureanu, V., Alina, M., Andrei, M.A., 2016. FTIR spectroscopy for carbon family study. *Crit Rev Anal Chem* 46, 502–520. <https://doi.org/10.1080/10408347.2016.1157013>

Ullah Khan, I., Hafiz Dzarfan Othman, M., Hashim, H., Matsuura, T., Ismail, A.F., Rezaei-DashtArzhandi, M., Wan Azelee, I., 2017. Biogas as a renewable energy fuel – A review of biogas upgrading, utilisation and storage. *Energy Convers Manag* 150, 277–294. <https://doi.org/10.1016/j.enconman.2017.08.035>



Vagner, C., Finqueneisel, G., Zimny, T., Burg, P., Grzyb, B., Machnikowski, J., Weber, J. V., 2003. Characterization of the surface properties of nitrogen-enriched carbons by inverse gas chromatography methods. *Carbon N Y* 41, 2847–2853. [https://doi.org/10.1016/S0008-6223\(03\)00412-3](https://doi.org/10.1016/S0008-6223(03)00412-3)

Vakili, M.H.A.R.M.H., 2017. Preparation of carbon molecular sieves and its impregnation with Co and Ni for CO₂ / N₂ separation. *International Journal of Environmental Science and Technology*. <https://doi.org/10.1007/s13762-017-1526-5>

Valdés, H., Sánchez-Polo, M., Rivera-Utrilla, J., Zaror, C.A., 2002. Effect of ozone treatment on surface properties of activated carbon. *Langmuir* 18, 2111–2116. <https://doi.org/10.1021/la010920a>

Verma, S.K., Walker, P.L., 1993. Preparation of carbon molecular sieves by propylene pyrolysis over nickel-impregnated activated carbons. *Carbon N Y* 31, 1203–1207. [https://doi.org/10.1016/0008-6223\(93\)90073-J](https://doi.org/10.1016/0008-6223(93)90073-J)

Vu, D.Q., Koros, W.J., Miller, S.J., 2002. High pressure CO₂/CH₄ separation using carbon molecular sieve hollow fiber membranes. *Ind Eng Chem Res* 41, 367–380. <https://doi.org/10.1021/ie010119w>

Vyas, S.N., patwardhan, S.R., gangadhar, B., 1992. Carbon molecular sieves from bituminous coal by controlled coke deposition. *Carbon N Y* 30, 605–612. [https://doi.org/10.1016/0008-6223\(92\)90179-Z](https://doi.org/10.1016/0008-6223(92)90179-Z)

Wahby, A., Silvestre-Albero, J., Sepúlveda-Escribano, A., Rodríguez-Reinoso, F., 2012. CO₂ adsorption on carbon molecular sieves. *Microporous and Mesoporous Materials* 164, 280–287. <https://doi.org/10.1016/j.micromeso.2012.06.034>

Wang, Q., Luo, J., Zhong, Z., Borgna, A., 2011. CO₂ capture by solid adsorbents and their applications: Current status and new trends. *Energy Environ Sci* 4, 42–55. <https://doi.org/10.1039/c0ee00064g>

Wang, Z., Cohen, S.M., 2009. Postsynthetic modification of metal–organic frameworks. *Chem Soc Rev* 38, 1315–1329. <https://doi.org/10.1039/b802258p>

Widhiyanuriyawan, D., Sugiarto, 2014. Biogas purification using natural zeolite and NaOH. *Applied Mechanics and Materials* 664, 415–418. <https://doi.org/10.4028/www.scientific.net/AMM.664.415>

Wu, L., Xue, M., Qiu, S.L., Chaplain, G., Simon-Masseron, A., Patarin, J., 2012. Amino-modified MIL-68(In) with enhanced hydrogen and carbon dioxide sorption enthalpy. *Microporous and Mesoporous Materials* 157, 75–81. <https://doi.org/10.1016/j.micromeso.2011.12.034>

Xia, Y., Zhu, Y., Tang, Y., 2012. Preparation of sulfur-doped microporous carbons for the storage of hydrogen and carbon dioxide. *Carbon N Y* 50, 5543–5553. <https://doi.org/10.1016/j.carbon.2012.07.044>



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E UNIVERSITAS GADJAH MADA Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Xian, S., Wu, Y., Wu, J., Wang, X., Xiao, J., 2015. Enhanced Dynamic CO₂ Adsorption Capacity and CO₂/CH₄ Selectivity on Polyethylenimine-Impregnated UiO-66. *Ind Eng Chem Res* 54, 11151–11158. <https://doi.org/10.1021/acs.iecr.5b03517>

Xiao, J., Wei, J., 1992. Diffusion of Hydrocarbons Theory. *Chem Eng Sci* 47, 1123–1141.

Yang, W., Du, Z., Ma, Z., Wang, G., Bai, H., Shao, G., 2016. Facile synthesis of nitrogen-doped hierarchical porous lamellar carbon for high-performance supercapacitors. *RSC Adv* 6, 3942–3950. <https://doi.org/10.1039/c5ra21431a>

Yang, Z., Wang, D., Meng, Z., Li, Y., 2019a. Adsorption separation of CH₄/N₂ on modified coal-based carbon molecular sieve. *Sep Purif Technol* 218, 130–137. <https://doi.org/10.1016/j.seppur.2019.02.048>

Yang, Z., Wang, D., Meng, Z., Li, Y., 2019b. Adsorption separation of CH₄/N₂ on modified coal-based carbon molecular sieve. *Sep Purif Technol* 218, 130–137. <https://doi.org/10.1016/j.seppur.2019.02.048>

Yazaydin, A.Ö., Snurr, R.Q., Park, T.H., Koh, K., Liu, J., LeVan, M.D., Benin, A.I., Jakubczak, P., Lanuza, M., Galloway, D.B., Low, J.J., Willis, R.R., 2009. Screening of metal-organic frameworks for carbon dioxide capture from flue gas using a combined experimental and modeling approach. *J Am Chem Soc* 131, 18198–18199. <https://doi.org/10.1021/ja9057234>

Yoda, S., Hasegawa, A., Suda, H., Uchimaru, Y., Haraya, K., Tsuji, T., Otake, K., 2004. Preparation of a Platinum and Palladium / Polyimide Nanocomposite Film as a Precursor of Metal-Doped Carbon Molecular Sieve Membrane via Supercritical 2363–2368.

Younas, M., Sohail, M., Kong, L.L., Bashir, M.J.K., Sethupathi, S., 2016. Feasibility of CO₂adsorption by solid adsorbents: a review on low-temperature systems. *International Journal of Environmental Science and Technology* 13, 1839–1860. <https://doi.org/10.1007/s13762-016-1008-1>

Yu, L., Song, M., Wei, Y., Xiao, J., 2018. Combining carbon fibers with Ni/γ-Al₂O₃ used for syngas production: Part A: Preparation and evaluation of complex carrier catalysts. *Catalysts* 8. <https://doi.org/10.3390/catal8120658>

Yustanti, E., Kusumawati, H., Partuti, T., Mursito, A.T., 2019. The effects of hot briquetting on the coke strength in the biocoke making process with coal blending method. *IOP Conf Ser Mater Sci Eng* 478. <https://doi.org/10.1088/1757-899X/478/1/012025>

Zhang, J., Singh, R., Webley, P.A., 2008. Alkali and alkaline-earth cation exchanged chabazite zeolites for adsorption based CO₂ capture. *Microporous and Mesoporous Materials* 111, 478–487. <https://doi.org/10.1016/j.micromeso.2007.08.022>

Zhang, R., 2012. Biogas Production Technologies. *Biogas and Fuel Cell Workshop* 1–8.



Pembuatan Carbon Molecular Sieve (CMS) dari Limbah Cangkang Kelapa Sawit untuk Pemisahan CO₂/CH₄ pada Biogas

Nur Indah Fajar Mukti, Prof. Ir. Imam Prasetyo, M.Eng., Ph.D; Dr.-Ing. Ir. Teguh Ariyanto, ST, M.Eng., IPM, ASEAN E UNIVERSITAS GADJAH MADA Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhang, Y., Ji, X., Lu, X., 2018. Choline-based deep eutectic solvents for CO₂ separation : Review and thermodynamic analysis. Renewable and Sustainable Energy Reviews 97, 436–455. <https://doi.org/10.1016/j.rser.2018.08.007>

Zhao, Y., Liu, X., Yao, K.X., Zhao, L., Han, Y., 2012. Superior capture of CO₂ achieved by introducing extra-framework cations into N-doped microporous carbon. Chemistry of Materials 24, 4725–4734. <https://doi.org/10.1021/cm303072n>

Zhou, D., Liu, Q., Cheng, Q.Y., Zhao, Y.C., Cui, Y., Wang, T., Han, B.H., 2012. Graphene-manganese oxide hybrid porous material and its application in carbon dioxide adsorption. Chinese Science Bulletin 57, 3059–3064. <https://doi.org/10.1007/s11434-012-5158-3>

Zhou, G., Xu, C., Cheng, W., Zhang, Q., Nie, W., 2015. Effects of Oxygen Element and Oxygen-Containing Functional Groups on Surface Wettability of Coal Dust with Various Metamorphic Degrees Based on XPS Experiment. J Anal Methods Chem 2015, 1–8. [https://doi.org/https://doi.org/10.1155/2015/467242](https://doi.org/10.1155/2015/467242)

Zulkurnai, N.Z., Mohammad Ali, U.F., Ibrahim, N., Abdul Manan, N.S., 2017. Carbon Dioxide (CO₂) Adsorption by Activated Carbon Functionalized with Deep Eutectic Solvent (DES). IOP Conf Ser Mater Sci Eng 206. <https://doi.org/10.1088/1757-899X/206/1/012001>