



DAFTAR PUSTAKA

- Afsar, A. and Sekeroglu, O., 2008. An investigation about the effect of oxazolidine on modified valonia extract tanning. *African Journal of Biotechnology*, 7(20): 3737-3742.
- Angelo Moretto. 2015. Hexavalent and trivalent chromium in leather: What should be done? *Regulatory Toxicology and Pharmacology*.73 (2): 681-686,
- Alao, B., Falowo,B,A, Chulayo,Y,A, Muchenje,V. 2017. The potential of animal by-products in food systems: Production, prospects and Challenges', *Sustainability*, 9(7): 1089.
- Ali, H.E. Haroun, and A.E. Musa. Haraz bark powder extracts for manufacture of Nappa upper leather as alternatives retanning agents.2013. *Journal of Forest Production and Industries*. 2(5): 25-29
- Anggara, D.F., D.S. Sutardjo, dan K. Suradi. 2013. Pengaruh Penggunaan Jenis Asam pada Proses Pickle terhadap Kualitas Kimia Kulit Kelinci Peranakan New Zealand White. *Students e-Journal*. 2(1): 1-12.
- Ardinal., Kasim,A., Mutiar, S. 2013. Karakteristik penyamakan kulit menggunakan gambir pada pH 4 dan 8. *Biopropal Industri*. 4(2) : 81-85
- Badan Pusat Statistik. 2020. Populasi Kambing menurut Provinsi (Ekor), 2020-2022, <https://www.bps.go.id/indicator/24/472/1/populasi-kambing-menurut-provinsi.html>
- Budisatria, I, G, S. 2009. Germ plasm of goats in Indonesia, Universitas Gadjah Mada, Yogyakarta,
- Budiyanto, R. A. 2010. Pengaruh Kadar Krom (Cr_2O_3) terhadap Mutu Kulit Ikan Kakap (*Lutjanus sp*) Tersamak. Program Studi Teknologi Hasil Perikanan, Institut Pertanian Bogor, Bogor
- Bhunia, B., Basak, B. and Dey, A. 2012. A review on production of serine alkaline protease by *Bacillus* spp. *Journal of Biochemical Technology*. 3(4): 448–457.
- Cahyo, D,S., Agustini W,T., Sumardianto. 2016. Pengaruh Penyamakan Kombinasi Mimosa dengan konsentrasi zrikonium yang bereda. *Jurnal Penglahan.& Biotek. Hasil Pi*. 5(3).
- Carocho M, Antonio AL, Barros L, Bento A, Botelho ML, Kaluska I, Ferreira ICFR. 2012. Comparative effects of gamma and electron beam irradiation on the antioxidant potential of Portuguese chestnuts (*Castanea sativa* Mill.). *Food and Chemical Toxicology*. 50(10): 3452–3455.
- Chongeri. 2023. Assessment of the change in the conformation and content of collagen of the goat skin due to different unhairing process.ast African Journal of Science, Technology and Innovation. 4(2)



Covington, A. D. 2009. Tanning Chemistry: The Science of Leather. Royal Society of Chemistry.

Daroini, A, T dan Arisandi A. 2020. Analisis BOD (Biological Oxygen Demand) di Perairan Desa Prancak Kecamatan Sepulu, Bangkalan. Juvenil. 1(4):558-566.

Dixit S et al. 2015. Toxic hazards of leather industry and technologies to combat a threat: A review' Journal of Cleaner. 87 (C): 39-49.

Elhassan, A. M. 2016. Chromium combination tannage of rural and minimal tanned crusts. Journal of Advances in Biology, 9(2), 1816–1824.

Esakkiraj, P., Sankaralingam, S., Usha, R. et al. 2011. Solid-state protease production using anchovy waste meal by moderate halophile *Serratia proteamaculans* AP-CMST isolated from fish intestine. Ann Microbiol 67: 749–755.

Ezeabara,C,A., Faith,C., Ilodibia,C,V., Aziagba, B., Okanume, O. E. and Mbaekwe, E. I. "Comparative determination of phytochemical, proximate, and mineral compositions in various parts of *Portulaca oleracea L.*" *Journal of Plant Sciences*, 2 (6): 293–298..

European Food Safety Authority, Animal by-products offer important a biodiesel or renewable fuels. 2023

Fatema-Tuj-Zohra, Md. Saidur Rahman Shakil, Mst. Sharmin Aktar, Shohanur Rahman, Sobur Ahmed. 2023. A novel vegetable tannin for eco-leather production: separation, characterization and application of facile valorized indigenous *Acacia nilotica* bark extract. Bioresource Technology Reports 23.101951.

Ferdianto, R., P.H. Riyadi, dan A.D. Anggo. 2016. Minyak biji anggur sebagai bahan peminyakan pada proses penyamakan kulit ikan nila (*Oreochromis Niloticus*) terhadap kualitas fisik. *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*. 5(3): 25-31

Griyanitasari.G., I, F, Pahlawan and E Kasmudjiastuti. 2018. Thermal stability of shoe upper leather: Comparison of chestnut and quebracho as vegetable tanning agent. IOP Conf. Ser: Mater. Sci. Eng. 432 012040.

Gupta, R., Beg, Q., and Lorenz, P. 2002. Bacterial alkaline proteases: molecular approaches and industrial applications. Appl. Microbiol. Biotechnol. 59: 15–32.

P. Frutos, G. Hervas, G., F.J. Giraldez and A.R. Matelon, Tanning and ruminant nutrition. Spanish Journal of Agricultural Research, 2 : 191-202.

Guiné, Raquel & Costa, Cátia & Florença, Sofia & Correia, Paula. 2023. A Review of the Use of Chestnut in Traditional and Innovative Food Products. Journal of Nuts. 14. 1-18.



Guo Linxin, Taotao Qiang, Yangmin Ma, Kun Wang, Kai Du. 2020. Optimisation of tannin extraction from *Coriaria nepalensis* bark as a renewable resource for use in tanning. *Industrial Crops and Products* 149:112360.

Hermiyati, I., Syabani, M.W dan Fitriana Silvianti. 2017. Vegetable Tanning Process Of Starry Trigger Fish (*Abalistes Stellaris*) And Its Plotting To Leather Products. The 7th International Seminar on Tropical Animal Production.

Impoolsup, A., Bhumiratana, A. and Flegel, T.W. 1981. Isolation of alkaline and neutral protease from *Aspergillus flavus* var. *columnaris*, a soy sauce koji mold. *Applied and Environmental Microbiology*. 42(4): 619–628.

Jayathilakan, K, Sultana K, Radhakrishna K, Bawa AS. 2012. Utilization of by products and waste materials from meat, poultry and fish processing industries: a review, *J Food Sci Technology*. 49(3): 278-293

Hakan Karataş,, Uyar, F., Tolan, V et al. 2013. Optimization and enhanced production of α-amylase and protease by a newly isolated *Bacillus licheniformis* ZB-05 under solid-state fermentation, *Ann Microbiology*. 63: 45–52.

Ibrahim, A.N., Azid,S,Z,A,A., and Al-Amsyar,M,S. 2019. Eco-friendly enzymatic dehairing on hides. *AIP Conference Proceedings* 2068, 020024.

Karanam Sai Bhavya, Raji P, Jenifer Selvarani A, Antony V Samrot, PazhayakathThevarkattil Mohamed Javad, Appalaraju, V.V.S.S,. 2019. Leather Processing, Its Effects on Environment and Alternatives of Chrome Tanning, *International Journal of Advanced Research in Engineering and Technology (IJARET)*.10 (6) : 69-79.

Kanagaraj, J., R.C. Panda, dan V. Kumar. 2020. Trends and advancements in sustainable leather processing: Future directions and challenges A review. *Journal of Environmental Chemical Engineering*. 8(5): 1-13.

Kandasamy, N., Velmurugan, P., Sundarvel, A., Jonnalagadda Raghava, R., Bangaru, C., & Palanisamy, T. 2012. Eco-benign enzymatic dehairing of goatskins utilizing a protease from a *pseudomonas fluorescens* species isolated from fish visceral waste. *Journal of Cleaner Production*. 25: 27-33

Khandelwal, Harish & More, Snehal & Kalal, K. & Laxman, Seeta. 2014. Eco-friendly enzymatic dehairing of skins and hides by *C. brefeldianus* protease. *Clean Technologies and Environmental Policy*.

Kholida, D.N. 2019. *Perbaikan Kualitas Tear Strength Kulit Domba Golf Glove Pearl White dengan Penambahan Konentrasi Peramit LSW New pada Proses Fatliquoring di CV Sari Banteng Mulya, Sukoharjo, Jawa Tengah*. Skripsi. Program Sarjana. Politeknik Akademi Teknologi Kulit Yogyakarta, Yogyakarta

Krisper, P., Tišler, V., Skubic, V., Rupnik, I., Kobal, S., 1992. The use of tannin from chestnut (*Castanea vesca*). In: Hemingway, R.W., Laks, P.E. (Eds.), *Plant Polyphenols*. Plenum Press, New York, NY, USA.1013–1019



Kasman, A. Riyanti, S. Sy, and M. Ridwan, "Reduksi pencemar limbah cair industri tahu dengan tumbuhan melati air (*Echinodorus palaefolius*) dalam sistem kombinasi constructed wetland dan filtrasi," *Jurnal Litbang Industri*, vol. 8, pp. 39-46, 2018

Kuria, A., Ombui, J., Onyuka, A., Sasia, A., Kipyegon, C., Kaimenyi, P., & Ngugi, A. 2016. Quality evaluation of leathers produced by selected vegetable tanning materials from Laikipia County, Kenya. *IOSR Journal of Agriculture and Veterinary Sciences*, 9(4): 13–17

Kurniani, A.G. 2007. Pengaruh metode pengawetan kulit mentah terhadap kualitas paro tersamakan. Perikanan UGM Press. Yogyakarta.

Lim, E., Mbewe, O., Lee, A. S., & Davis, J. 2016. Effect of environmental exposure to hydrogen sulfide on central nervous system and respiratory function: a systematic review of human studies. *International journal of occupational and environmental health*. 22(1): 80–90.

Mahdi, H., Palmina, K., Gurshi, A. New approach of depollution of solid chromium leather waste by the use of organic chelates: economical and environmental impacts, *Journal of Hazardous Materials* 170 (1): 156-162.

Maina, P., M.A. Ollengo, dan E.W. Nthiga. 2019. Trends in leather processing: A Review. *International Journal of Scientific and Research Publications*. 9(12): 212-223

Manal Ahmed M., and Haroun Mahdi. 2023. Characteristics of leather produced by using *Acacia nilotica* ssp *tomentosa* pods as tanning materials from Blue Nile State-Sudan.

Mizusawa, K., Ichishima, E. and Yoshida, F. 1969. Production of thermostable alkaline proteases by thermophilic *Streptomyces*. *Applied Microbiology*.17(3): 366–371.

Mustakim. 2009. Pengaruh Penggunaan Kuning Telur Ayam Ras dalam Proses Peminyakan terhadap Kekuatan Tarik, Kemuluran Penyerapan Air dan Kekuatan Jahit Kulit Cakar Ayam Pedaging Samak Kombinasi (Khrom-Nabati). [Jurnal Ilmu dan Teknologi Hasil Ternak], 4(2):18-26

Mustakim, Widati, A, S, & Kurniawan, A, P. 2010. Perbedaan kualitas kulit kambing Peranakan Etawa (PE) dan Peranakan Boor (PB) yang disamak krom, Ternak Tropika. 11(1): 1–13

Nasr, A. I., Abdelsalam, M. M. and Azzam, A. H. 2013. Effect of tanning method and region on physical and chemical properties of barki sheep leather. *Journal of Sheep and Goat Sciences*. 8(1): 123-130.

Nilay, O. R. K., Hasan, O., Mehmet, M. M., and Ziynet, O. 2014. Comparative Determination of Physical and Fastness Properties of Garment Leather Tanned with Various Tanning Material for Leather Skirt Production. *Tekstil ve Konfeksiyon*. 24(4) :413-419.



Nugraha, A.W., O. Suparno, N.S. Indrasti, dan H. Hoerudin. 2020. Free ammonia deliming: effect of tartaric acid addition as a deliming agent on the quality of wet blue and wastewater. *Tropical Animal Science Journal.* 43(2): 176-182.

Obiero, K.D., Ombui,N,J and Sasai,A,A. 2020. Evaluation of the physical properties of leathers tanned with *Plectranthus barbatus* Andrews extracts. *African Journal of Biotechnology* 19(3): 137-141.

Oberoi, R., Beg, Q.K., Puri, S., Saxena, R.K. and Gupta, R. 2001. Characterization and wash performance analysis of an SDS-stable alkaline protease from a *Bacillus* sp. *World Journal of Microbiology and Biotechnology.* 17(5): 493–497.

Suparno dan DRS Hasibuan. 2022. Aldehyde-vegetable combination tanning for tuna fish skin. *IOP Conf. Series Earth and Environmental Science* 1063 012009.

Paul, R.G., Mohamed, I., Davighi, D., Covington, A.D., Addy, V.L. 2001. The use of neutral protease in enzymatic unhairing. *Journal of the American Leather Chemists Association.* 96 (5): 180-185.

Peter Mainaoses, A Ollengo and Esther W Nthiga. 2019. Trends In Leather Processing: A Review. *International Journal of Scientific and Research Publications.* 9 (12).

Prayitno. 2010. Kajian penerapan bioteknologi pengolahan kulit untuk mengurangi limbah. *Majalah Kulit, Karet dan Plastik.* 26(1): 49-56.

Priyanka Kesarwani, Shahnaz Jahan dan Kirti Kesarwani. 2015. A Review On Leather Processing. *International Journal Applied of Research.*

Qiang, T., Chen, L., Zhang, Q. and Liu, X. 2018. A sustainable and cleaner speedy tanning system based on condensed tannins catalyzed by laccase. *Journal of cleaner production.* 17: 1117-1123.

Ramakrishnan, K. Krishnan, M.R.V. 1994. 'Tannin: Classification, Analysis and Applications', *Ancient Science of Life* 13 (3): 232 – 238

Sakai DK. 1985. Significance of Extracellular Protease for Growth of a Heterotrophic Bacterium, *Aeromonas salmonicida*. *Applied Environmental Microbiology.* 50(4):1031-7.

Simms, P.C. and Ogrydziak, D.M. 1981. Structural gene for the alkaline extracellular protease of *Saccharomyces lipolytica*. *Journal of Bacteriology.* 145(1): 404–409.

Sivasubramanian S., B Murali Manohar., A Rajaram., R Puvanakhrisnan. 2008. Ecofriendly lime and sulfide free enzymatic dehairing of skins and hides using a bacterial alkaline protease. *Chemosphere.* 70: 1015-1024.

Suparno O, Wahyudi E. 2012 The effect of sodium percarbonate concentration and the amount of water in chamois leather tanning on the quality of chamois leather. *Jurnal Teknologi Industri Pertanian* 22 (1): 1-9



Sutiyasmi, S. 2015. Sifat fisik, kimia, dan morfologik kulit jaket kambing tersamak menggunakan krom hasil recovery air limbah penyamakan, Majalah Kulit, Karet, dan Plastik, 31(2): 107–114.

Teklemedhin T,B., Gebretsadik, T,T.,Gebrehiwot T,B. 2023. Vegetable Tannin As Chrome Free Leather Tanning. Advanced in Materials Science and Engineering. Volume 2023, Article ID 6220778.

Triatmojo, S. 2012. Teknologi pengolahan kulit sapi, PT Citra Aji Parama, Yogyakarta,

Thanikaivelan, P., J.R. Rao.,B.U.Nair and T. Ramasami. 2004. Progress and Recent Trends in biotchnologocal methods for leather. Trends Biotechnology. 22 (4): 181-188

Widari, Rambat dan Suparti. 2013. Pembuatan kulit atasan sepatu bebas krom. Majalah kulit, karet dan plastic. 29(2): 99-104.

Wu, J., L. Zhao, X. Liu, W. Chen, dan H. Gu. 2017. Recent progress in cleaner preservation of hides and skins. *Journal of Cleaner Production*. 148 (2017): 158-173.

Yafei Zhang, Hui Liu, Keyong Tang, Jie Liu, Xumin Li. 2021.Effect of different ions in assisting protease to open the collagen fiber bundles in leather making. *Journal of Cleaner Production*.293.126017.

Yuliatmo,R dan Mustafidah Udkhiyati, 2020. Aplikasi Enzim Bakteri Pada Penyamakan Kulit: Review Dalam Pengoahan Kulit Mutakhir, Seminar Nasional Teknologi Industri Hijau 3.

Yuni Erlita. 2016. Proses Penyamakan Kulit. [http://https://sumbarprov.go.id/home/news/7505-proses-penyamakan-kulit](https://sumbarprov.go.id/home/news/7505-proses-penyamakan-kulit) (Diakses 8 Maret 2022)

Zhou H,Z., Tan ,Z,L., Li ,X,D.2012. Assessment of wastewater pollution in pig leather industry in China. Water Environment Journal. 26(4): 521–529

Zhou C, Yang G, Zhang L, Zhang H, Zhou H, Lu F. 2021. Construction of an alkaline protease overproducer strain based on *Bacillus licheniformis* 2709 using an integrative approach. International Journal Biol Macromol. 193:1449–1456