

## DAFTAR PUSTAKA

- [1] I. Agtzidis, M. Startsev, and M. Dorr, "In the pursuit of (ground) truth: A hand-labelling tool for eye movements recorded during dynamic scene viewing," in *2016 IEEE Second Workshop on Eye Tracking and Visualization (ETVIS)*, 2016, pp. 65–68.
- [2] D. A. Suryakusuma, "Perancangan dan implementasi antarmuka dengan analisis user experience pada sistem smart public display berbasis kendali gerakan mata untuk edukasi covid-19," Bachelor's Thesis, Universitas Gadjah Mada, 2022.
- [3] Glosser.ca. (28 February 2013) Colored neural network. Licensed under CC BY-SA 3.0. [Online]. Available: [https://commons.wikimedia.org/wiki/File:Colored\\_neural\\_network.svg](https://commons.wikimedia.org/wiki/File:Colored_neural_network.svg)
- [4] R. Nugraheni, S. Winarni *et al.*, "Infeksi nosokomial di rsud setjonegoro kabupaten wonosobo," *Media Kesehatan Masyarakat Indonesia*, vol. 11, no. 1, pp. 94–100, 2012.
- [5] S. S. Magill, J. R. Edwards, W. Bamberg, Z. G. Beldavs, G. Dumyati, M. A. Kainer, R. Lynfield, M. Maloney, L. McAllister-Hollod, J. Nadle *et al.*, "Multistate point-prevalence survey of health care–associated infections," *New England Journal of Medicine*, vol. 370, no. 13, pp. 1198–1208, 2014.
- [6] A. S. Collins and R. Hughes, "Preventing health care–associated infections," in *Patient Safety and Quality: An Evidence-Based Handbook for Nurses*. Agency for Healthcare Research and Quality, 2008, pp. 550–551.
- [7] C. P. Gerba, A. L. Wuollet, P. Raisanen, and G. U. Lopez, "Bacterial contamination of computer touch screens," *American Journal of Infection Control*, vol. 44, no. 3, pp. 358–360, 2016.
- [8] M. Z. Iqbal and A. G. Campbell, "Potential security and privacy issues in zero ui touchless technology," *International Cybersecurity Law Review*, vol. 3, no. 1, pp. 131–137, 2022.
- [9] Tobii. (2022) What is eye tracking? | how does eye tracking work - tobii. Tobii. Accessed: 20 October 2023. [Online]. Available: <https://www.tobii.com/learn-and-support/get-started/what-is-eye-tracking>
- [10] M. Z. Iqbal and A. G. Campbell, "From luxury to necessity: Progress of touchless interaction technology," *Technology in Society*, vol. 67, p. 101796, 2021.
- [11] S. Stellmach and R. Dachsel, "Still looking: Investigating seamless gaze supported selection, positioning, and manipulation of distant targets," in *Conference on Human Factors in Computing Systems - Proceedings*, 2013, pp. 285–294.
- [12] M. Khamis, A. Hoesl, A. Klimczak, M. Reiss, F. Alt, and A. Bulling, "Eyescout: Active eye tracking for position and movement independent gaze interaction with large public displays," in *Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology*, October 2017, pp. 155–166.

- [15] S. Wibirama, I. D. Murnani, I. D. Sukowati, and R. Ferdiana, "Gaze-controlled digital signage for public health education during covid-19 pandemic," in *2021 9th International Conference on Information and Communication Technology (ICoICT)*, Aug 2021.
- [14] S. Wibirama, S. Murnani, and N. A. Setiawan, "Spontaneous gaze gesture interaction in the presence of noises and various types of eye movements," in *ACM Symposium on Eye Tracking Research and Applications*, 2020.
- [15] K. Holmqvist, M. Nyström, R. Andersson, R. Dewhurst, H. Jarodzka, and J. Van de Weijer, *Eye tracking: A comprehensive guide to methods and measures*. OUP Oxford, 2011.
- [16] H. Nurlatifa, R. Hartanto, and S. Wibirama, "Spontaneous gaze-based application using 2d correlation and velocity threshold identification," in *5th International Conference on Informatics and Computational Sciences (ICICoS)*, 2021.
- [17] R. Zemblys, D. C. Niehorster, and K. Holmqvist, "gazenet: End-to-end eye-movement event detection with deep neural networks," *Behavior Research Methods*, vol. 51, no. 2, pp. 840–864, Oct 2018.
- [18] T. Santini, W. Fuhl, T. Kubler, and E. Kasneci, "Bayesian identification of fixations, saccades, and smooth pursuits," in *Proceedings of the Ninth Biennial ACM Symposium on Eye Tracking Research & Applications*, 2016, pp. 163–170.
- [19] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, "Using machine learning to detect events in eye-tracking data," *Behavior Research Methods*, vol. 50, no. 1, pp. 160–181, Feb 2017.
- [20] M. Startsev, I. Agtzidis, and M. Dorr, "1d cnn with blstm for automated classification of fixations, saccades, and smooth pursuits," *Behavior Research Methods*, vol. 51, pp. 556–572, 2019.
- [21] A. S. Glassner, *Deep learning: a visual approach*. San Francisco, CA: No Starch Press, Inc, 2021.
- [22] E. Brophy, Z. Wang, Q. She, and T. Ward, "Generative adversarial networks in time series: A systematic literature review," *ACM Computing Surveys*, Aug 2022.
- [23] I. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair *et al.*, "Generative adversarial nets," in *Advances in Neural Information Processing Systems*, vol. 27, 2014.
- [24] O. Mogren, "C-rnn-gan: Continuous recurrent neural networks with adversarial training," *arXiv preprint arXiv:1611.09904*, Nov 2016.
- [25] C. Esteban, S. L. Hyland, and G. Rätsch, "Real-valued (medical) time series generation with recurrent conditional gans," *arXiv preprint arXiv:1706.02633*, Jun 2017.
- [26] K. E. Smith and A. O. Smith, "Conditional gan for timeseries generation," *arXiv preprint arXiv:2006.16477*, 2020.

- [27] R. D. I. Puspitasari, M. A. Ma'sum, M. R. Alhamidi, K. Kurnianingsih, and W. Jaitmiko, "Generative adversarial networks for unbalanced fetal heart rate signal classification," *ICT Express*, vol. 8, no. 2, pp. 239–243, Jun 2022.
- [28] O. V. Komogortsev and A. Karpov, "Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades," *Behavior Research Methods*, vol. 45, pp. 203–215, 2013.
- [29] L. Larsson, "Event detection in eye-tracking data for use in applications with dynamic stimuli," Ph.D. dissertation, Lund University, 2016.
- [30] L. R. Young and D. Sheena, "Survey of eye movement recording methods," *Behavior Research Methods & Instrumentation*, vol. 7, no. 5, pp. 397–429, Sep 1975.
- [31] S. Herholz, L. L. Chuang, T. Tanner, H. H. Bülthoff, and R. W. Fleming, "Libgaze: Real-time gaze-tracking of freely moving observers for wall-sized displays," in *13th International Fall Workshop on Vision, Modeling, and Visualization (VMV 2008)*. IOS Press, 2008, pp. 101–110.
- [32] K. Essig, N. Sand, T. Schack, J. Künsemöller, M. Weigelt, and H. Ritter, "Fully-automatic annotation of scene videos: Establish eye tracking effectively in various industrial applications," in *Proceedings of SICE Annual Conference 2010*, 2010, pp. 3304–3307.
- [33] Y. Zhang, J. Tan, Z. Zeng, W. Liang, and Y. Xia, "Monocular camera and imu integration for indoor position estimation," in *Proceedings of 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. IEEE, 2014, pp. 1198–1201.
- [34] M. Nystrom and K. Holmqvist, "An adaptive algorithm for fixation, saccade, and glissade detection in eyetracking data," *Behavior Research Methods*, vol. 42, no. 1, pp. 188–204, 2010.
- [35] H. Nurlatifa, S. Wibirama, and R. Hartanto, "A study of event detection methods in eye-tracking based on its properties," in *2020 6th International Conference on Science and Technology (ICST)*, Sep 2020, pp. 1–6.
- [36] S. Wibirama, S. Murnani, N. A. Setiawan, and H. Nurlatifa, "A survey of event detection methods for eye movements classification in smooth-pursuit-based interactive applications," in *2020 International Symposium on Community-centric Systems (CcS)*, Sep 2020, pp. 1–6.
- [37] M. Vidal, A. Bulling, and H. Gellersen, "Detection of smooth pursuits using eye movement shape features," in *Proceedings of the Symposium on Eye Tracking Research and Applications*, 2012, pp. 177–180.
- [38] J. Pekkanen and O. Lappi, "A new and general approach to signal denoising and eye movement classification based on segmented linear regression," *Scientific reports*, vol. 7, no. 1, pp. 1–13, 2017.
- [39] S. Hoppe and A. Bulling, "End-to-end eye movement detection using convolutional neural networks," *arXiv preprint arXiv:1609.02241*, Sep 2016.

- [40] M. Startsev. (2016) Smooth pursuit. [Online]. Available: <http://michaeldorr.de/smoothpursuit/>
- [41] K. Wang, C. Gou, Y. Duan, Y. Lin, X. Zheng, and F.-Y. Wang, “Generative adversarial networks: introduction and outlook,” *IEEE/CAA Journal of Automatica Sinica*, vol. 4, no. 4, pp. 588–598, 2017.
- [42] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016, <http://www.deeplearningbook.org>.
- [43] I. J. Goodfellow, “Nips 2016 tutorial: Generative adversarial networks,” *arXiv preprint arXiv:1611.06473*, Dec 2016.
- [44] J. Brownlee, *Generative Adversarial Networks with Python*. Machine Learning Mastery, 2019. [Online]. Available: [https://machinelearningmastery.com/generative\\_adversarial\\_networks/](https://machinelearningmastery.com/generative_adversarial_networks/)
- [45] A. Radford, L. Metz, and S. Chintala, “Unsupervised representation learning with deep convolutional generative adversarial networks,” in *Proc. 5th Int. Conf. Learning Representations Workshop Track*, 2016.
- [46] M. Mirza and S. Osindero, “Conditional generative adversarial nets,” *arXiv preprint arXiv:1411.1784*, 2014.
- [47] M. Arjovsky, S. Chintala, and L. Bottou, “Wasserstein gan,” in *Proc. 34th Int. Conf. Machine Learning*, 2017, pp. 214–223.
- [48] I. Gulrajani, F. Ahmed, M. Arjovsky, V. Dumoulin, and A. C. Courville, “Improved training of wasserstein gans,” *Advances in Neural Information Processing Systems*, vol. 30, 2017.
- [49] Y. Cabrera, O. Chen, J. M’Hamdi, J. F. Nickerson, and P. Hejtmancik, “Vision,” in *Conn’s Translational Neuroscience*. Elsevier Inc., 2016, ch. 19, pp. 399–438.
- [50] Tobii.com. (2023) Tobii customer portal. [Online]. Available: [https://connect.tobii.com/s/article/types-of-eye-movements?language=en\\_US](https://connect.tobii.com/s/article/types-of-eye-movements?language=en_US)
- [51] P. Hejtmancik, Y. Cabrera, O. Chen, J. M’Hamdi, and J. F. Nickerson, “Vision,” in *Conn’s Translational Neuroscience*, 2017, pp. 399–438.
- [52] B. T. Carter and S. G. Luke, “Best practices in eye tracking research,” *International Journal of Psychophysiology*, vol. 155, pp. 49–62, Sep 2020.
- [53] J. Sigut and S.-A. Sidha, “Iris center corneal reflection method for gaze tracking using visible light,” *IEEE Transactions on Biomedical Engineering*, vol. 58, no. 2, pp. 411–419, Feb 2011.
- [54] L. Saba *et al.*, “The present and future of deep learning in radiology,” *European journal of radiology*, vol. 114, pp. 14–24, 2019.
- [55] R. C. Staudemeyer and E. R. Morris, “Understanding lstm—a tutorial into long short-term memory recurrent neural networks,” *arXiv preprint arXiv:1909.09586*, 2019.

- [56] Massachusetts Institute of Technology. (2022) Introduction to deep learning. Video Lecture. [Online]. Available: [https://youtu.be/7sB052Pz0sQ?si=F\\_mS76XEZS8b8nIq](https://youtu.be/7sB052Pz0sQ?si=F_mS76XEZS8b8nIq)
- [57] F. Chollet, *Deep Learning with Python*. Shelter Island, NY, USA: Manning, 2018.
- [58] R. S. Srinivasamurthy, “Understanding 1d convolutional neural networks using multiclass time-varying signals,” Ph.D. dissertation, Clemson University, 2018.
- [59] (2023) Keras documentation: Upsampling1d layer. Accessed: Oct. 18, 2023. [Online]. Available: [https://keras.io/api/layers/reshaping\\_layers/up\\_sampling1d/](https://keras.io/api/layers/reshaping_layers/up_sampling1d/)
- [60] J. F. Torres, D. Hadjout, A. Sebaa, F. Martínez-Álvarez, and A. Troncoso, “Deep learning for time series forecasting: A survey,” *Big Data*, vol. 9, no. 1, pp. 3–21, 2021.
- [61] J. Jiang, S. Zou, Y. Sun, and S. Zhang, “Gl-blstm: a novel structure of bidirectional long-short term memory for disulfide bonding state prediction,” *arXiv preprint arXiv:1808.03745*, Aug 2018.
- [62] Z. Yu *et al.*, “Using bidirectional lstm recurrent neural networks to learn high-level abstractions of sequential features for automated scoring of non-native spontaneous speech,” in *IEEE Xplore*, 2015. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/7404814>
- [63] N. Srivastava, G. E. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: a simple way to prevent neural networks from overfitting,” *Journal of Machine Learning Research*, vol. 15, no. 1, pp. 1929–1958, Jan 2014.
- [64] C. Villani *et al.*, *Optimal Transport: Old and New*. Berlin: Springer, 2009, vol. 338.
- [65] L. Wyse, “Audio spectrogram representations for processing with convolutional neural networks,” *arXiv preprint arXiv:1706.09559*, 2017.
- [66] A. Oliver, A. Odena, C. Raffel, E. D. Cubuk, and I. J. Goodfellow, “Realistic evaluation of deep semi-supervised learning algorithms,” *arXiv preprint arXiv:1804.09170*, vol. 31, pp. 3235–3246, Feb 2018.
- [67] D.-H. Lee, “Pseudo-label: The simple and efficient semi-supervised learning method for deep neural networks,” in *Workshop on Challenges in Representation Learning, ICML*, vol. 3, no. 2, June 2013, p. 896.
- [68] P. Cascante-Bonilla, F. Tan, Y. Qi, and V. Ordonez, “Curriculum labeling: Revisiting pseudo-labeling for semi-supervised learning,” *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 35, no. 8, pp. 6912–6920, May 2021.
- [69] M. Sokolova, N. Japkowicz, and S. Szpakowicz, “Beyond accuracy, f-score and roc: a family of discriminant measures for performance evaluation,” in *Australasian joint conference on artificial intelligence*. Springer, 2006, pp. 1015–1021.
- [70] H. Dalianis, “Evaluation metrics and evaluation,” in *Clinical Text Mining*. Springer International Publishing, 2018, pp. 45–53. [Online]. Available: [http://link.springer.com/10.1007/978-3-319-78503-5\\_6](http://link.springer.com/10.1007/978-3-319-78503-5_6)



- [71] A. H. Fristiana, S. A. I. Alfarozi, A. E. Permanasari, and S. Wibirama, "Improving deep learning-based eye movements classification using bayesian optimization," in *Parallel Session 2023 - The 3rd IBITeC*. IEEE, 2023.
- [72] K. Takahashi, K. Yamamoto, A. Kuchiba, and T. Koyama, "Confidence interval for micro-averaged f1 and macro-averaged f1 scores," *Applied Intelligence*, vol. 52, no. 5, pp. 4961–4972, Jul 2021.
- [73] A. Borji, "Pros and cons of gan evaluation measures," *Computer Vision and Image Understanding*, vol. 179, pp. 41–65, Feb 2019.
- [74] F. B. Bryant and P. R. Yarnold, "Principal-components analysis and exploratory and confirmatory factor analysis," in *Reading and Understanding Multivariate Statistics*. American Psychological Association, 1995.
- [75] M. Heusel, H. Ramsauer, T. Unterthiner, B. Nessler, and S. Hochreiter, "Gans trained by a two time-scale update rule converge to a local nash equilibrium," in *Advances in Neural Information Processing Systems*, vol. 30, 2017.
- [76] J. Lazar, J. H. Feng, and H. Hochheiser, *Research Methods in Human-Computer Interaction*. Saint Louis, MO, USA: Elsevier Science, 2017, accessed: Oct. 15, 2023. [Online]. Available: <https://www.elsevier.com/books/research-methods-in-human-computer-interaction/lazar/978-0-12-805390-4>
- [77] H. Coolican, *Research methods and statistics in psychology*. London: Hodder Education, 2009.
- [78] R. Rosenthal and R. Rosnow, *Essentials of Behavioral Research: Methods and Data Analysis*, 3rd ed. Boston, MA, USA: McGraw Hill, 2008.
- [79] A. Mayorga and M. Gleicher, "Splatterplots: Overcoming overdraw in scatter plots," *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 9, pp. 1526–1538, 2013.