

## DAFTAR PUSTAKA

- [1] A. Chakraborty, A. Pal, and B. B. Saha, “A Critical Review of the Removal of Radionuclides from Wastewater Employing Activated Carbon as an Adsorbent,” *Materials*, vol. 15, no. 24. MDPI, Dec. 01, 2022. doi: 10.3390/ma15248818.
- [2] M. Caccin, F. Giacobbo, M. Da Ros, L. Besozzi, and M. Mariani, “Adsorption of uranium, cesium and strontium onto coconut shell activated carbon,” *J Radioanal Nucl Chem*, vol. 297, no. 1, pp. 9–18, Jul. 2013, doi: 10.1007/s10967-012-2305-x.
- [3] J. Nyika and M. Dinka, “Activated bamboo charcoal in water treatment: A mini-review,” *Mater Today Proc*, vol. 56, pp. 1904–1907, Jan. 2022, doi: 10.1016/j.matpr.2021.11.167.
- [4] S. Khandaker, T. Kuba, S. Kamida, and Y. Uchikawa, “Adsorption of cesium from aqueous solution by raw and concentrated nitric acid-modified bamboo charcoal,” *J Environ Chem Eng*, vol. 5, no. 2, pp. 1456–1464, Apr. 2017, doi: 10.1016/j.jece.2017.02.014.
- [5] F. T. Ademiluyi and E. O. David-West, “Effect of Chemical Activation on the Adsorption of Heavy Metals Using Activated Carbons from Waste Materials,” *ISRN Chemical Engineering*, vol. 2012, pp. 1–5, Dec. 2012, doi: 10.5402/2012/674209.
- [6] P. Su, J. Zhang, J. Tang, and C. Zhang, “Preparation of nitric acid modified powder activated carbon to remove trace amount of Ni(II) in aqueous solution,” *Water Science and Technology*, vol. 80, no. 1, pp. 86–97, Jul. 2019, doi: 10.2166/wst.2019.248.
- [7] S. Z. Naji and C. T. Tye, “A review of the synthesis of activated carbon for biodiesel production: Precursor, preparation, and modification,” *Energy Conversion and Management: X*, vol. 13, Jan. 2022, doi: 10.1016/j.ecmx.2021.100152.
- [8] E. Kaçan and C. Kütahyalı, “Adsorption of strontium from aqueous solution using activated carbon produced from textile sewage sludges,” *J Anal Appl Pyrolysis*, vol. 97, pp. 149–157, 2012, doi: 10.1016/j.jaap.2012.06.006.
- [9] S. Chegrouche, A. Mellah, and M. Barkat, “Removal of strontium from aqueous solutions by adsorption onto activated carbon: kinetic and thermodynamic studies,” *Desalination*, vol. 235, no. 1–3, pp. 306–318, Jan. 2009, doi: 10.1016/j.desal.2008.01.018.



- [10] S. S. M. Hassan, A. H. Kamel, M. A. Youssef, A. H. A. Aboterika, and N. S. Awwad, "Removal of barium and strontium from wastewater and radioactive wastes using a green bioadsorbent, *salvadora persica* (Miswak)," *Desalination Water Treat*, vol. 192, pp. 306–314, Jul. 2020, doi: 10.5004/dwt.2020.25774.
- [11] *Peraturan Pemerintah Nomor 61 Tahun 2013 tentang Pengelolaan Limbah Radioaktif*. Pemerintah Pusat, 2013. Accessed: Sep. 25, 2023. [Online]. Available: <http://peraturan.bpk.go.id/Details/5395>
- [12] S. Nagasaki and S. Nakayama, *Radioactive Waste Engineering and Management*. in *An Advanced Course in Nuclear Engineering*. Tokyo: Springer Japan, 2015. doi: 10.1007/978-4-431-55417-2.
- [13] *Peraturan Pemerintah Nomor 27 Tahun 2002 tentang Pengelolaan Limbah Radioaktif*. Pemerintah Pusat, 2002. Accessed: Sep. 26, 2023. [Online]. Available: <https://jdih.bapeten.go.id/id/dokumen/peraturan/peraturan-pemerintah-nomor-27-tahun-2002-tentang-pengelolaan-limbah-radioaktif>
- [14] G. Petrangeli, *Nuclear Safety*, 2nd ed. Oxford: Elsevier Ltd., 2020.
- [15] "Classification of Radioactive Waste: No. GSG-1 General Safety Guide," Vienna. [Online]. Available: <http://www-ns.iaea.org/standards/>
- [16] Y. J. Tu, C. F. You, Z. Zhang, Y. Duan, J. Fu, and D. Xu, "Strontium removal in seawater by means of composite magnetic nanoparticles derived from industrial sludge," *Water (Switzerland)*, vol. 8, no. 8, Aug. 2016, doi: 10.3390/w8080357.
- [17] T. L. Gerke, B. J. Little, T. P. Luxton, K. G. Scheckel, and J. B. Maynard, "Strontium concentrations in corrosion products from residential drinking water distribution systems," *Environ Sci Technol*, vol. 47, no. 10, pp. 5171–5177, May 2013, doi: 10.1021/es4000609.
- [18] "Enclosure 3 - Strontium." United States Nuclear Regulatory Commission, Dec. 04, 2009. Accessed: Sep. 28, 2023. [Online]. Available: <https://www.nrc.gov/docs/ML0103/ML010390363.pdf>
- [19] T. Pliszczyński, K. Ciszewska, M. Dymecka, J. Oæko, and Z. Haratym, "Assessment of occupational internal exposure to beta emitters from the nuclear reactor primary coolant circuit," *Polish Journal of Medical Physics and Engineering*, vol. 18, no. 2, pp. 41–47, 2013, doi: 10.2478/v10013-012-0006-y.
- [20] S. Holmgren, A. Tovedal, S. Jonsson, U. Nygren, and H. Ramebäck, "Handling interferences in 89Sr and 90Sr measurements of reactor coolant



- water: A method based on strontium separation chemistry,” *Applied Radiation and Isotopes*, vol. 90, pp. 94–101, 2014.
- [21] S. G. Dahl *et al.*, “Incorporation and Distribution of Strontium in Bone,” 2001.
- [22] S. Pors Nielsen, “The biological role of strontium,” *Bone*, vol. 35, no. 3. pp. 583–588, Sep. 2004. doi: 10.1016/j.bone.2004.04.026.
- [23] *Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 7 Tahun 2013 Tentang Nilai Batas Radioaktivitas*. Jakarta: Badan Pengawas Tenaga Nuklir, 2013. Accessed: Sep. 28, 2023. [Online]. Available: <https://jdih.bapeten.go.id/id/dokumen/peraturan/peraturan-kepala-badan-pengawas-tenaga-nuklir-nomor-7-tahun-2013-tentang-nilai-batas-radioaktivitas-lingkungan>
- [24] *Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 4 Tahun 2013 Tentang Proteksi dan Keselamatan Radiasi*. Jakarta: Badan Pengawas Tenaga Nuklir, 2013. Accessed: Sep. 28, 2023. [Online]. Available: <https://jdih.bapeten.go.id/id/dokumen/peraturan/peraturan-kepala-badan-no-4-tahun-2013-tentang-keselamatan-radiasi-dalam-pemanfaatan-tenaga-nuklir>
- [25] Pradyot. Patnaik, *Handbook of inorganic chemicals*. McGraw-Hill, 2003.
- [26] M. I. Ojovan and W. E. Lee, *An Introduction to Nuclear Waste Immobilisation*. Elsevier, 2014.
- [27] G. Nabakhtiani, I. Giorgadze, and M. I. Ojovan, “IAEA-assisted treatment of liquid radioactive waste at the saakadze site in Georgia,” *Processes*, vol. 9, no. 9, Sep. 2021, doi: 10.3390/pr9091679.
- [28] Y. Artioli, “Adsorption,” *Encyclopedia of Ecology, Five-Volume Set*, pp. 60–65, Jan. 2008, doi: 10.1016/B978-008045405-4.00252-4.
- [29] D. Clifford, W. Vijeswarapu, and S. Subramonian, “Evaluating Various Adsorbents and Membranes for Removing Radium From Groundwater,” *J Am Water Works Assoc*, vol. 80, no. 7, pp. 94–104, Jul. 1988, doi: 10.1002/J.1551-8833.1988.TB03073.X.
- [30] A. E. Osmanlioglu, “Decontamination of radioactive wastewater by two-staged chemical precipitation,” 2018, doi: 10.1016/j.net.2018.04.009.
- [31] A. Miśkiewicz, A. Nowak, J. Pałka, and G. Zakrzewska-Kołodziej, “Liquid low-level radioactive waste treatment using an electrodialysis process,” *Membranes (Basel)*, vol. 11, no. 5, 2021, doi: 10.3390/membranes11050324.



- [32] I. Michalak, K. Chojnacka, and A. Witek-Krowiak, "State of the art for the biosorption process - A review," *Appl Biochem Biotechnol*, vol. 170, no. 6, pp. 1389–1416, Jul. 2013, doi: 10.1007/s12010-013-0269-0.
- [33] S. M. Abegunde, K. S. Idowu, O. M. Adejuwon, and T. Adeyemi-Adejolu, "A review on the influence of chemical modification on the performance of adsorbents," *Resources, Environment and Sustainability*, vol. 1. Elsevier B.V., Sep. 01, 2020. doi: 10.1016/j.resenv.2020.100001.
- [34] R. Pazira, A. Lashanizadegan, H. Sharififard, and P. Darvishi, "Xylene removal from dilute solution by palm kernel activated charcoal: Kinetics and equilibrium analysis," *Advances in Environmental Technology*, vol. 4, no. 2, pp. 107–117, Apr. 2018, doi: 10.22104/AET.2018.2989.1145.
- [35] H. Hu and K. Xu, "Physicochemical technologies for HRP and risk control," *High-Risk Pollutants in Wastewater*, pp. 169–207, Jan. 2020, doi: 10.1016/B978-0-12-816448-8.00008-3.
- [36] M. Ghaedi, *Adsorption: Fundamental Processes and Applications*. Oxford: Elsevier Ltd., 2021.
- [37] S. F. Lo, S. Y. Wang, M. J. Tsai, and L. D. Lin, "Adsorption capacity and removal efficiency of heavy metal ions by Moso and Ma bamboo activated carbons," *Chemical Engineering Research and Design*, vol. 90, no. 9, pp. 1397–1406, Sep. 2012, doi: 10.1016/j.cherd.2011.11.020.
- [38] V. Kumar, R. Goel, R. Chawla, M. Silambarasan, and R. K. Sharma, "Chemical, biological, radiological, and nuclear decontamination: Recent trends and future perspective," *J Pharm Bioallied Sci*, vol. 2, no. 3, p. 220, 2010, doi: 10.4103/0975-7406.68505.
- [39] K. Chaturvedi *et al.*, "Bamboo for producing charcoal and biochar for versatile applications," *Biomass Conversion and Biorefinery*. Springer Science and Business Media Deutschland GmbH, 2023. doi: 10.1007/s13399-022-03715-3.
- [40] D. N. K. P. Negara, T. G. T. Nindhia, I. W. Surata, M. Sucipta, and F. Hidajat, "Activated carbon characteristics of tabah bamboo that physically activated under different activation time," in *IOP Conference Series: Materials Science and Engineering*, Institute of Physics Publishing, 2019. doi: 10.1088/1757-899X/539/1/012011.
- [41] D. Wahyuni *et al.*, "Optimasi Sintesis Karbon Aktif dari Bambu Buluh (*Schizostachyum brachycladum*) dengan Variasi Suhu Karbonisasi untuk Penyerapan Besi pada Air Sumur Gambut," *Jurnal Fisika Unand (JFU)*, vol. 11, no. 3, pp. 292–298, 2022, doi: 10.25077/jfu.11.2.292-298.2022.



- [42] I. G. L. B. Eratodi, *Struktur dan Rekayasa Bambu*, vol. 1. Denpasar: Universitas Pendidikan Nasional, 2017.
- [43] M. Manurung, E. Sahara, and P. S. Sihombing, “Pembuatan dan Karakterisasi Arang Aktif dari Bambu Apus (*Gigantochloa apus*) dengan Aktivator H<sub>3</sub>PO<sub>4</sub>,” *Jurnal Kimia*, vol. 13, no. 1, pp. 16–21, 2019.
- [44] A. Fillaeli, S. Kristianingrum, E. D. Siswani, Sulistyani, and S. D. Fatimah, “Synthesis activated carbon of Screw-pine leaves by HNO<sub>3</sub> and its properties,” in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Feb. 2019. doi: 10.1088/1742-6596/1156/1/012001.
- [45] N. Rachmawati and M. Mujiburohman, “The influence of activator type and temperature activation on the specific surface of corncob waste adsorbent,” in *Journal of Physics: Conference Series*, IOP Publishing Ltd, Apr. 2021. doi: 10.1088/1742-6596/1858/1/012050.
- [46] K. Phothong, C. Tangsathitkulchai, and P. Lawtae, “The analysis of pore development and formation of surface functional groups in bamboo-based activated carbon during CO<sub>2</sub> activation,” *Molecules*, vol. 26, no. 18, Sep. 2021, doi: 10.3390/molecules26185641.
- [47] H. Sütçü, “Characterization of Activated Carbons Produced from Oleaster Stones,” in *Progress in Biomass and Bioenergy Production*, 2011. doi: 10.5772/19061.
- [48] Y. Hendrawan, N. Sajidah, C. Umam, M. R. Fauzy, Y. Wibisono, and L. C. Hawa, “Effect of Carbonization Temperature Variations and Activator Agent Types on Activated Carbon Characteristics of Sengon Wood Waste (*Paraserianthes falcataria* (L.) Nielsen),” in *IOP Conference Series: Earth and Environmental Science*, Institute of Physics Publishing, Feb. 2019. doi: 10.1088/1755-1315/239/1/012006.
- [49] E. A. Saputro, V. D. R. Wulan, B. Y. Winata, R. R. Yogaswara, and N. K. Erliyanti, “The Process of Activated Carbon from Coconut Shells Through Chemical Activation,” *Natural Science: Journal of Science and Technology*, vol. 9, no. 1, pp. 23–28, Apr. 2020, doi: 10.22487/25411969.2019.v9.i1.15042.
- [50] J. Pallarés, A. González-Cencerrado, and I. Arauzo, “Production and characterization of activated carbon from barley straw by physical activation with carbon dioxide and steam,” *Biomass Bioenergy*, vol. 115, pp. 64–73, Aug. 2018, doi: 10.1016/j.biombioe.2018.04.015.
- [51] İ. Demiral, C. Samdan, and H. Demiral, “Enrichment of the surface functional groups of activated carbon by modification method,” *Surfaces and Interfaces*, vol. 22, Feb. 2021, doi: 10.1016/j.surfin.2020.100873.



- [52] J. H. Kim *et al.*, “Impact of the oxygen functional group of nitric acid-treated activated carbon on KOH activation reaction,” *Carbon Letters*, vol. 29, no. 3, pp. 281–287, Jun. 2019, doi: 10.1007/s42823-019-00024-0.
- [53] M. Nurhadi, G. A. Oktaviani, H. Kusumawati, and N. Hidayah, “Pengaruh Aktivasi dan Massa pada Karbon Eceng Gondok (*Eichhornia crassipes*) Terhadap Kemampuan Degradasi Methylene Blue,” *Pros. Semnas KPK*, vol. 2, 2019.
- [54] M. S. Muzarpar and A. M. Leman, “The Adsorption Mechanism of Activated Carbon and Its Application - A Review,” *International Journal of Advanced Technology in Mechanical, Mechatronics and Materials*, vol. 1, no. 3, pp. 118–124, Jan. 2021, doi: 10.37869/ijatec.v1i3.37.
- [55] C. Jiang *et al.*, “Study on Application of Activated Carbon in Water Treatment,” in *IOP Conference Series: Earth and Environmental Science*, Institute of Physics Publishing, Mar. 2019. doi: 10.1088/1755-1315/237/2/022049.
- [56] S. Brown, R. Tauler, and W. Beata, *Comprehensive Chemometrics: Chemical and Biochemical Data Analysis*, 2nd ed. Elsevier, 2020.
- [57] A. S. Thomareis and G. Dimitreli, “Techniques used for processed cheese characterization,” *Processed Cheese Science and Technology: Ingredients, Manufacture, Functionality, Quality, and Regulations*, pp. 295–349, Jan. 2022, doi: 10.1016/B978-0-12-821445-9.00007-8.
- [58] S. Bhattacharya, *Central Composite Design for Response Surface Methodology and Its Application in Pharmacy*. 2021. doi: 10.5772/intechopen.95835.
- [59] “Central Composite Design,” StatEase.
- [60] K. J. Seelan, R. Rajesh, S. Pugazhendhi, and R. F. Liji, “RSM and ANOVA: An Approach for Selection of Process Parameters of EDM of Aluminium Titanium Diboride (AL-TIB<sub>2</sub>),” *International Journal of Civil Engineering and Technology (IJCET)*, vol. 8, no. 6, pp. 241–250, 2017, [Online]. Available: <http://iaeme.com/Home/issue/IJCET?Volume=8&Issue=6><http://iaeme.com>
- [61] D. Visser, “Atomic Absorption Spectroscopy, Principles and Applications,” *Technology Networks*. Technology Networks, Dec. 2021.
- [62] J. Wang, R. Wang, J. Ma, and Y. Sun, “Study on the Application of Shell-Activated Carbon for the Adsorption of Dyes and Antibiotics,” *Water (Switzerland)*, vol. 14, no. 22, Nov. 2022, doi: 10.3390/w14223752.





- [63] “Reflux,” Biocyclopedia. Accessed: Oct. 04, 2023. [Online]. Available: [https://biocyclopedia.com/index/chem\\_lab\\_methods/reflux.php](https://biocyclopedia.com/index/chem_lab_methods/reflux.php)
- [64] T. P. Valsala *et al.*, “Separation of strontium from low level radioactive waste solutions using hydrous manganese dioxide composite materials,” *Journal of Nuclear Materials*, vol. 404, no. 2, pp. 138–143, Sep. 2010, doi: 10.1016/j.jnucmat.2010.07.017.
- [65] D. Birbas, “Preparation of Activated Carbon: Forest residues activated with Phosphoric Acid and Zinc Sulfate,” Royal Institute of Technology (KTH), Stockholm, 2011.
- [66] K. M. Mena Aguilar, Y. Kose, Y. Amano, M. Machida, and F. Imazeki, “Influence of Oxidation Conditions of Activated Carbon on Adsorption of Pb(II) from Aqueous Solution,” *Journal of Environmental Chemistry*, vol. 26, no. 3, pp. 109–114, 2016.
- [67] “IAEA Safety Glossary,” IAEA. [Online]. Available: <http://www-pub.iaea.org/books/>
- [68] “National waste class definitions versus the IAEA’s proposed waste classes,” Vienna, 2000.

