



DAFTAR PUSTAKA

- Ahmed, F. E., Lalia, B. S., & Hashaikeh, R. (2015). A review on electrospinning for membrane fabrication: Challenges and applications. *Desalination*, 356, 15–30. <https://doi.org/10.1016/j.desal.2014.09.033>
- Akram, M., Alshemary, A. Z., Goh, Y. F., Wan Ibrahim, W. A., Lintang, H. O., & Hussain, R. (2015). Continuous microwave flow synthesis of mesoporous hydroxyapatite. *Materials Science and Engineering C*, 56, 356–362. <https://doi.org/10.1016/j.msec.2015.06.040>
- Almukarrama, & Yusuf, Y. (2019). Development Carbonated Hydroxyapatite Powders from Oyster Shells (*Crassostrea gigas*) by Sintering Time Controlling. *IOP Conference Series: Materials Science and Engineering*, 546(4). <https://doi.org/10.1088/1757-899X/546/4/042001>
- Aminatun, Suciati, T., Sari, Y. W., Sari, M., Alamsyah, K. A., Purnamasari, W., & Yusuf, Y. (2023). Biopolymer-based polycaprolactone-hydroxyapatite scaffolds for bone tissue engineering. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 72(5), 376–385. <https://doi.org/10.1080/00914037.2021.2018315>
- Aminian, A., Solati-Hashjin, M., Samadikuchaksaraei, A., Bakhshi, F., Gorjipour, F., Farzadi, A., Moztarzadeh, F., & Schmücker, M. (2011). Synthesis of silicon-substituted hydroxyapatite by a hydrothermal method with two different phosphorous sources. *Ceramics International*, 37(4), 1219–1229. <https://doi.org/10.1016/j.ceramint.2010.11.044>
- Anggraini, R. M., & Yusuf, Y. (2019). The Effect of Stirring Time on the Characteristics of Carbonated Hydroxyapatite from Pearl Shells (*Pinctada maxima*). *IOP Conference Series: Materials Science and Engineering*, 546(4). <https://doi.org/10.1088/1757-899X/546/4/042002>
- Azari, A., Golchin, A., Maymand, M. M., Mansouri, F., & Ardestirylajimi, A. (2022). Electrospun Polycaprolactone Nanofibers: Current Research and Applications in Biomedical Application. *Advanced Pharmaceutical Bulletin*, 12(4), 658–672. <https://doi.org/10.34172/apb.2022.070>
- Bang, L. T., Long, B. D., & Othman, R. (2014). Carbonate hydroxyapatite and silicon-substituted carbonate hydroxyapatite: Synthesis, mechanical properties, and solubility evaluations. *The Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/969876>
- Benov, L. (2019). Effect of growth media on the MTT colorimetric assay in bacteria. *PLoS ONE*, 14(8), 1–15. <https://doi.org/10.1371/journal.pone.0219713>
- Chaudhuri, B., Mondal, B., Ray, S. K., & Sarkar, S. C. (2016). A novel biocompatible conducting polyvinyl alcohol (PVA)-polyvinylpyrrolidone



- (PVP)-hydroxyapatite (HAP) composite scaffolds for probable biological application. *Colloids and Surfaces B: Biointerfaces*, 143, 71–80. <https://doi.org/10.1016/j.colsurfb.2016.03.027>
- Chinnasami, H., Dey, M. K., & Devireddy, R. (2023). Three-Dimensional Scaffolds for Bone Tissue Engineering. *Bioengineering*, 10(7), 759. <https://doi.org/10.3390/bioengineering10070759>
- Choung, J. M., & Cho, S. R. (2008). Study on true stress correction from tensile tests. *Journal of Mechanical Science and Technology*, 22(6), 1039–1051. <https://doi.org/10.1007/s12206-008-0302-3>
- Croisier, F., Duwez, A. S., Jérôme, C., Léonard, A. F., Van Der Werf, K. O., Dijkstra, P. J., & Bennink, M. L. (2012). Mechanical testing of electrospun PCL fibers. *Acta Biomaterialia*, 8(1), 218–224. <https://doi.org/10.1016/j.actbio.2011.08.015>
- Dan Hari, H, Bahtiar, Hamzah, M. (2015). Studi Struktur dan Pertumbuhan Populasi Kerang Pokea (Batissa violacea var. celebensis, von Martens 1897) di Sungai Pohara Sulawesi Tenggara. *Jurnal Biologi Tropis*, 15(2), 112–124. <https://doi.org/10.29303/jbt.v15i2.200>
- Davis, W. W., & Stout, T. R. (1971). Disc plate method of microbiological antibiotic assay. II. Novel procedure offering improved accuracy. *Applied Microbiology*, 22(4), 666–670. <https://doi.org/10.1128/aem.22.4.666-670.1971>
- Devitaningtyas, N., Syaify, A., Herawati, D., & Suryono. (2020). Evaluation of Antibacterial Potential of Carbonated Hydroxyapatite Combined with Propolis on Porphyromonas gingivalis. *Majalah Obat Tradisional*, 25(1), 55–58. <https://doi.org/10.22146/mot.55173>
- Erizal, D. K. P. (2015). *Study on the Experiment of Medium Carbon Steel*. 2(2), 1–7.
- Feng, P., Zhao, R., Yang, L., Chen, S., Wang, D., Pan, H., & Shuai, C. (2022). Hydrothermal synthesis of hydroxyapatite nanorods and their use in PCL bone scaffold. *Ceramics International*, 48(22), 33682–33692. <https://doi.org/10.1016/j.ceramint.2022.07.314>
- Fihri, A., Len, C., Varma, R. S., & Solhy, A. (2017). Hydroxyapatite: A review of syntheses, structure and applications in heterogeneous catalysis. *Coordination Chemistry Reviews*, 347, 48–76. <https://doi.org/10.1016/j.ccr.2017.06.009>
- Fonseca, L. M., Radünz, M., dos Santos Hackbart, H. C., da Silva, F. T., Camargo, T. M., Bruni, G. P., Monks, J. L. F., da Rosa Zavareze, E., & Dias, A. R. G. (2020). Electrospun potato starch nanofibers for thyme essential oil encapsulation: antioxidant activity and thermal resistance. *Journal of the Science of Food and Agriculture*, 100(11), 4263–4271.



<https://doi.org/10.1002/jsfa.10468>

Gao, X., Song, J., Ji, P., Zhang, X., Li, X., Xu, X., Wang, M., Zhang, S., Deng, Y., Deng, F., & Wei, S. (2016). Polydopamine-templated hydroxyapatite reinforced polycaprolactone composite nanofibers with enhanced cytocompatibility and osteogenesis for bone tissue engineering. *ACS Applied Materials and Interfaces*, 8(5), 3499–3515. <https://doi.org/10.1021/acsmami.5b12413>

Garskaite, E., Gross, K. A., Yang, S. W., Yang, T. C. K., Yang, J. C., & Kareiva, A. (2014). Effect of processing conditions on the crystallinity and structure of carbonated calcium hydroxyapatite (CHAp). *CrystEngComm*, 16(19), 3950–3959. <https://doi.org/10.1039/c4ce00119b>

Gebrechristos, H. Y., Ma, X., Xiao, F., He, Y., Zheng, S., Oyungerel, G., & Chen, W. (2020). Potato peel extracts as an antimicrobial and potential antioxidant in active edible film. *Food Science and Nutrition*, 8(12), 6338–6345. <https://doi.org/10.1002/fsn3.1119>

Gil-Castell, O., Badia, J. D., & Ribes-Greus, A. (2018). Tailored electrospun nanofibrous polycaprolactone/gelatin scaffolds into an acid hydrolytic solvent system. *European Polymer Journal*, 101(March), 273–281. <https://doi.org/10.1016/j.eurpolymj.2018.02.030>

Giri Dev, V. R., & Hemamalini, T. (2018). Porous electrospun starch rich polycaprolactone blend nanofibers for severe hemorrhage. *International Journal of Biological Macromolecules*, 118, 1276–1283. <https://doi.org/10.1016/j.ijbiomac.2018.06.163>

Gong, T., Xie, J., Liao, J., Zhang, T., Lin, S., & Lin, Y. (2015). Nanomaterials and bone regeneration. *Bone Research*, 3(November). <https://doi.org/10.1038/boneres.2015.29>

Henkel, J., Woodruff, M. A., Epari, D. R., Steck, R., Glatt, V., DIckinson, I. C., Choong, P. F. M., Schuetz, M. A., & Hutmacher, Di. W. (2013). Bone Regeneration Based on Tissue Engineering Conceptions-A 21st Century Perspective. *Bone Research*, 1, 216–248. <https://doi.org/10.4248/BR201303002>

Ismail, R., Cionita, T., Shing, W. L., Fitriyana, D. F., Siregar, J. P., Bayuseno, A. P., Nugraha, F. W., Muhamadin, R. C., Junid, R., & Endot, N. A. (2022). Synthesis and Characterization of Calcium Carbonate Obtained from Green Mussel and Crab Shells as a Biomaterials Candidate. *Materials*, 15(16). <https://doi.org/10.3390/ma15165712>

Jamilludin, M. A., Dinatha, I. K. H., Supii, A. I., Partini, J., Kusindarta, D. L., & Yusuf, Y. (2023). Functionalized cellulose nanofibrils in carbonate-substituted hydroxyapatite nanorod-based scaffold from long-spined sea urchin (*Diadema setosum*) shells reinforced with polyvinyl alcohol for alveolar bone tissue engineering . *RSC Advances*, 13(46), 32444–32456.



<https://doi.org/10.1039/d3ra06165e>

- Jang, J. W., Min, K. E., Kim, C., Shin, J., Lee, J., & Yi, S. (2023). Review: Scaffold Characteristics, Fabrication Methods, and Biomaterials for the Bone Tissue Engineering. *International Journal of Precision Engineering and Manufacturing*, 24(3), 511–529. <https://doi.org/10.1007/s12541-022-00755-7>
- Januariyasa, I. K., Ana, I. D., & Yusuf, Y. (2020). Nanofibrous poly(vinyl alcohol)/chitosan contained carbonated hydroxyapatite nanoparticles scaffold for bone tissue engineering. *Materials Science and Engineering C*, 107(March 2019), 110347. <https://doi.org/10.1016/j.msec.2019.110347>
- Kee, C. C., Ismail, H., & Mohd Noor, A. F. (2013). Effect of synthesis technique and carbonate content on the crystallinity and morphology of carbonated hydroxyapatite. *Journal of Materials Science and Technology*, 29(8), 761–764. <https://doi.org/10.1016/j.jmst.2013.05.016>
- Kim, H., Che, L., Ha, Y., & Ryu, W. (2014). Mechanically-reinforced electrospun composite silk fibroin nanofibers containing hydroxyapatite nanoparticles. *Materials Science and Engineering C*, 40, 324–335. <https://doi.org/10.1016/j.msec.2014.04.012>
- Komur, B., Bayrak, F., Ekren, N., Eroglu, M. S., Oktar, F. N., Sinirlioglu, Z. A., Yucel, S., Guler, O., & Gunduz, O. (2017). Starch/PCL composite nanofibers by co-axial electrospinning technique for biomedical applications. *BioMedical Engineering Online*, 16(1), 1–13. <https://doi.org/10.1186/s12938-017-0334-y>
- Kong, L., & Ziegler, G. R. (2014). Formation of starch-guest inclusion complexes in electrospun starch fibers. *Food Hydrocolloids*, 38(July 2014), 211–219. <https://doi.org/10.1016/j.foodhyd.2013.12.018>
- Kostic, S., Miljkovic, J., Simunovic, G., Vukelic, D., & Tadic, B. (2022). Uncertainty in the determination of elastic modulus by tensile testing. *Engineering Science and Technology, an International Journal*, 25, 100998. <https://doi.org/10.1016/j.jestch.2021.05.002>
- Kouhi, M., Prabhakaran, M. P., Shamanian, M., Fathi, M., Morshed, M., & Ramakrishna, S. (2015). Electrospun PHBV nanofibers containing HA and bredigite nanoparticles: Fabrication, characterization and evaluation of mechanical properties and bioactivity. *Composites Science and Technology*, 121, 115–122. <https://doi.org/10.1016/j.compscitech.2015.11.006>
- Kuśnieruk, S., Wojnarowicz, J., Chodara, A., Chudoba, T., Gierlotka, S., & Lojkowski, W. (2016). Influence of hydrothermal synthesis parameters on the properties of hydroxyapatite nanoparticles. *Beilstein Journal of Nanotechnology*, 7(1), 1586–1601. <https://doi.org/10.3762/bjnano.7.153>
- Kwaśniak-Kominek, M., Manecki, M., Matusik, J., & Lempart, M. (2017). Carbonate substitution in lead hydroxyapatite Pb₅(PO₄)₃OH. *Journal of*



- Molecular Structure*, 1147, 594–602.
<https://doi.org/10.1016/j.molstruc.2017.06.111>
- Lancuški, A., Vasilyev, G., Putaux, J. L., & Zussman, E. (2015). Rheological Properties and Electrospinnability of High-Amylose Starch in Formic Acid. *Biomacromolecules*, 16(8), 2529–2536.
<https://doi.org/10.1021/acs.biomac.5b00817>
- Liu, G., Gu, Z., Hong, Y., Cheng, L., & Li, C. (2017). Electrospun starch nanofibers: Recent advances, challenges, and strategies for potential pharmaceutical applications. *Journal of Controlled Release*, 252, 95–107.
<https://doi.org/10.1016/j.jconrel.2017.03.016>
- López-García, J., Lehocký, M., Humpolíček, P., & Sáha, P. (2014). HaCaT Keratinocytes Response on Antimicrobial Atelocollagen Substrates: Extent of Cytotoxicity, Cell Viability and Proliferation. *Journal of Functional Biomaterials*, 5(2), 43–57. <https://doi.org/10.3390/jfb5020043>
- Mahdieh, Z., Bagheri, R., Eslami, M., Amiri, M., Shokrgozar, M. A., & Mehrjoo, M. (2016). Thermoplastic starch/ethylene vinyl alcohol/forsterite nanocomposite as a candidate material for bone tissue engineering. *Materials Science and Engineering C*, 69, 301–310.
<https://doi.org/10.1016/j.msec.2016.06.043>
- Megawati, M., Patty, D. J., & Yusuf, Y. (2023). Synthesis and Characterization of Carbonate Hydroxyapatite from *Pinctada Maxima* Shell with Short Aging Time for Bone Biomaterial Candidate. *Engineering Chemistry*, 3, 13–18.
<https://doi.org/10.4028/p-08k84g>
- Mohd Roslan, M. R., Mohd Kamal, N. L., Abdul Khalid, M. F., Mohd Nasir, N. F., Cheng, E. M., Beh, C. Y., Tan, J. S., & Mohamed, M. S. (2021). The state of starch/hydroxyapatite composite scaffold in bone tissue engineering with consideration for dielectric measurement as an alternative characterization technique. *Materials*, 14(8). <https://doi.org/10.3390/ma14081960>
- Mosaad, K. E., Shoueir, K. R., Saied, A. H., & Dewidar, M. M. (2021). New Prospects in Nano Phased Co-substituted Hydroxyapatite Enrolled in Polymeric Nanofiber Mats for Bone Tissue Engineering Applications. *Annals of Biomedical Engineering*, 49(9), 2006–2029.
<https://doi.org/10.1007/s10439-021-02810-2>
- Othman, R., Mustafa, Z., Loon, C. W., & Noor, A. F. M. (2016). Effect of Calcium Precursors and pH on the Precipitation of Carbonated Hydroxyapatite. *Procedia Chemistry*, 19, 539–545.
<https://doi.org/10.1016/j.proche.2016.03.050>
- Patty, D. J., Nugraheni, D., Ana, D., Sari, Y. W., & Yusuf, Y. (2023). with carbonate hydroxyapatite – egg white. 34427–34438.
<https://doi.org/10.1039/d3ra07486b>



- Permatasari, H. A., & Yusuf, Y. (2019). Characteristics of Carbonated Hydroxyapatite Based on Abalone Mussel Shells (*Halioitis asinina*) Synthesized by Precipitation Method with Aging Time Variations. *IOP Conference Series: Materials Science and Engineering*, 546(4). <https://doi.org/10.1088/1757-899X/546/4/042031>
- Qin, X., & Wu, D. (2012). Effect of different solvents on poly(caprolactone)(PCL) electrospun nonwoven membranes. *Journal of Thermal Analysis and Calorimetry*, 107(3), 1007–1013. <https://doi.org/10.1007/s10973-011-1640-4>
- Qu, H., Fu, H., Han, Z., & Sun, Y. (2019). Biomaterials for bone tissue engineering scaffolds: A review. *RSC Advances*, 9(45), 26252–26262. <https://doi.org/10.1039/c9ra05214c>
- Ragunathan, S., Govindasamy, G., Raghul, D. R., Karuppaswamy, M., & VijayachandraTogo, R. K. (2019). Hydroxyapatite reinforced natural polymer scaffold for bone tissue regeneration. *Materials Today: Proceedings*, 23, 111–118. <https://doi.org/10.1016/j.matpr.2019.07.712>
- Rho, J. Y., Kuhn-Spearing, L., & Ziopoulos, P. (1998). Mechanical properties and the hierarchical structure of bone. *Medical Engineering and Physics*, 20(2), 92–102. [https://doi.org/10.1016/S1350-4533\(98\)00007-1](https://doi.org/10.1016/S1350-4533(98)00007-1)
- Saikaew, K. R., Asawamenakul, C., & Buranarach, M. (2014). Design and evaluation of a NoSQL database for storing and querying RDF data. *Kku Engineering Journal*, 41(4), 537–545. <https://doi.org/10.14456/kkuengj.2015.30>
- Sanosh, K. P., Chu, M. C., Balakrishnan, A., Kim, T. N., & Cho, S. J. (2009). Preparation and characterization of nano-hydroxyapatite powder using sol-gel technique. *Bulletin of Materials Science*, 32(5), 465–470. <https://doi.org/10.1007/s12034-009-0069-x>
- Sari, M., & Yusuf, Y. (2018). Synthesis and characterization of hydroxyapatite based on green mussel shells (*perna viridis*) with the variation of stirring time using the precipitation method. *International Journal of Nanoelectronics and Materials*, 11(1), 357–370. <https://doi.org/10.1088/1757-899X/432/1/012046>
- Shinta, C., Alpina, A., Yelmida,), & Zultiniar,). (2017). Sintesis Hidroksiapatit dari Precipitated Calcium Carbonate (PCC) Cangkang Telur Ayam Melalui Proses Sol Gel dengan Variasi pH dan Waktu Aging 1). *Jom Fteknik*, 4(2), 1.
- Siddiqui, N., Asawa, S., Birru, B., Baadhe, R., & Rao, S. (2018). PCL-Based Composite Scaffold Matrices for Tissue Engineering Applications. *Molecular Biotechnology*, 60(7), 506–532. <https://doi.org/10.1007/s12033-018-0084-5>
- Smith, L. A., & Ma, P. X. (2004). Nano-fibrous scaffolds for tissue engineering. *Colloids and Surfaces B: Biointerfaces*, 39(3), 125–131.



<https://doi.org/10.1016/j.colsurfb.2003.12.004>

- Sunil, B. R., & Jagannatham, M. (2016). Producing hydroxyapatite from fish bones by heat treatment. *Materials Letters*, 185(September), 411–414. <https://doi.org/10.1016/j.matlet.2016.09.039>
- Suresh Kumar, C., Dhanaraj, K., Vimalathithan, R. M., Ilaiyaraaja, P., & Suresh, G. (2020). Hydroxyapatite for bone related applications derived from sea shell waste by simpleprecipitation method. *Journal of Asian Ceramic Societies*, 8(2), 416–429. <https://doi.org/10.1080/21870764.2020.1749373>
- Syafaat, F. Y., & Yusuf, Y. (2018). Effect of Ca:P Concentration and Calcination Temperature On Hydroxyapatite (HAp) Powders From Quail Eggshell (Coturnix Coturnix). In *International Journal of Nanoelectronics and Materials* (Vol. 11).
- Szcześ, A., Hołysz, L., & Chibowski, E. (2017). Synthesis of hydroxyapatite for biomedical applications. *Advances in Colloid and Interface Science*, 249(April), 321–330. <https://doi.org/10.1016/j.cis.2017.04.007>
- Wahyudi, I. A., Ramadhan, F. R., Wijaya, R. I. K., Ardhani, R., & Utami, T. W. (2020). Analgesic, Anti-Inflammatory and Anti-Biofilm-Forming Activity of Potato (Solanum tuberosum L.) Peel Extract. *Indonesian Journal of Cancer Chemoprevention*, 11(1), 30. <https://doi.org/10.14499/indonesianjcanchemoprev11iss1pp30-35>
- Wang, X., Ding, B., & Li, B. (2013). Biomimetic electrospun nanofibrous structures for tissue engineering. *Materials Today*, 16(6), 229–241. <https://doi.org/10.1016/j.mattod.2013.06.005>
- Wardani, N., & Fadli, A. (2015). Sintesis Hidroksiapatit dari Cangkang Telur dengan Metode Presipitasi. *Jom Fteknik*, 2(1), 1–6.
- Wati, R., & Yusuf, Y. (2019). Carbonated Hydroxyapatite Derived from Cerastoderma edule, Paphia undulata, and Meretrix meretrix Shells. *IOP Conference Series: Materials Science and Engineering*, 546(4), 042049. <https://doi.org/10.1088/1757-899X/546/4/042049>
- Wu, D., Samanta, A., Srivastava, R. K., & Hakkarainen, M. (2017). Starch-Derived Nanographene Oxide Paves the Way for Electrospinnable and Bioactive Starch Scaffolds for Bone Tissue Engineering. *Biomacromolecules*, 18(5), 1582–1591. <https://doi.org/10.1021/acs.biomac.7b00195>
- Wu, S. C., Hsu, H. C., Hsu, S. K., Tseng, C. P., & Ho, W. F. (2017). Preparation and characterization of hydroxyapatite synthesized from oyster shell powders. *Advanced Powder Technology*, 28(4), 1154–1158. <https://doi.org/10.1016/j.apt.2017.02.001>
- Wu, S. C., Hsu, H. C., Wu, Y. N., & Ho, W. F. (2011). Hydroxyapatite synthesized from oyster shell powders by ball milling and heat treatment.



Materials Characterization, 62(12), 1180–1187.
<https://doi.org/10.1016/j.matchar.2011.09.009>

Wutticharoenmongkol, P., Pavasant, P., & Supaphol, P. (2007). Osteoblastic phenotype expression of MC3T3-E1 cultured on electrospun polycaprolactone fiber mats filled with hydroxyapatite nanoparticles. *Biomacromolecules*, 8(8), 2602–2610. <https://doi.org/10.1021/bm700451p>

Yogananda, K. C., Ramasamy, E., Vasantha Kumar S, & Rangappa, D. (2019). Synthesis, characterization, and dye-sensitized solar cell fabrication using potato starch– and potato starch nanocrystal–based gel electrolytes. *Ionics*, 25(12), 6035–6042. <https://doi.org/10.1007/s11581-019-03123-0>

Yue, S., He, H., Li, B., & Hou, T. (2020). Hydrogel as a biomaterial for bone tissue engineering: A review. *Nanomaterials*, 10(8), 1–25. <https://doi.org/10.3390/nano10081511>

Yuwono, L. A., Siswanto, Sari, M., Yusuf, Y., Suciati, T., Sari, Y. W., Che Abdullah, C. A., & Aminatun. (2022). Fabrication and characterization of hydroxyapatite-polycaprolactone-collagen bone scaffold by electrospun nanofiber. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 0(0), 1–13. <https://doi.org/10.1080/00914037.2022.2097675>

Zaman, T., Mostari, M. S., Al Mahmood, M. A., & Rahman, M. S. (2018). Evolution and characterization of eggshell as a potential candidate of raw material. *Ceramica*, 64(370), 236–241. <https://doi.org/10.1590/0366-69132018643702349>