



## DAFTAR PUSTAKA

- Abbas, J., Minarti, M., & Artanti, N. (2021). *Antioxidant and antidiabetes activity from the fruit shell*. 11–16.
- Abubakar, A. R., & Haque, M. (2020). Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes. *Journal of Pharmacy and Bioallied Sciences*, 12, 1–10. [https://doi.org/10.4103/jpbs.JPBS\\_175\\_19](https://doi.org/10.4103/jpbs.JPBS_175_19)
- Ali, M. S., Mahmud, S., Perveen, S., Ahmad, V. U., & Rizwani, G. H. (1999). Epimers from the leaves of *Calophyllum inophyllum*. *Phytochemistry*, 50(8), 1385–1389. [https://doi.org/10.1016/S0031-9422\(98\)00480-4](https://doi.org/10.1016/S0031-9422(98)00480-4)
- Alsughayer, A. M., Dabbagh, T. Z., Abdel-Razeq, R. H., Al-Jussani, G. N., Alhassoon, S., & Sughayer, M. A. (2022). Changing Trends in Estrogen Receptors/Progesterone Receptors/Human Epidermal Growth Factor Receptor 2 Prevalence Rates Among Jordanian Patients With Breast Cancer Over the Years. *JCO Global Oncology*, 8, 1–8. <https://doi.org/10.1200/go.21.00359>
- Angerer, J., Bernauer, U., Chambers, C., Degen, G., & Lilienblum, W. (2012). Opinion on dichloromethane. In *Scientific Committee on Consumer Safety* (Issue 1408/11, pp. 1–22).
- Arora, R. B., Mathur, C. N., & Seth, S. D. S. (1962). Calophyllolide, a complex coumarin anticoagulant from *Calophyllum inophyllum* Linn. *Journal of Pharmacy and Pharmacology*, 14(1), 534–535. <https://doi.org/10.1111/j.2042-7158.1962.tb11133.x>
- Aung, T. N., Qu, Z., Kortschak, R. D., & Adelson, D. L. (2017). Understanding the effectiveness of natural compound mixtures in cancer through their molecular mode of action. *International Journal of Molecular Sciences*, 18(3). <https://doi.org/10.3390/ijms18030656>
- Ayers, L., Kohler, M., Harrison, P., Sargent, I., Dragovic, R., Schaap, M., Nieuwland, R., Brooks, S. A., & Ferry, B. (2011). Measurement of circulating cell-derived microparticles by flow cytometry: Sources of variability within the assay. *Thrombosis Research*, 127(4), 370–377. <https://doi.org/10.1016/j.thromres.2010.12.014>
- Aziz, D. M. (2006). Assessment of bovine sperm viability by MTT reduction assay. *Animal Reproduction Science*, 92(1–2), 1–8. <https://doi.org/10.1016/j.anireprosci.2005.05.029>
- Badisa, R. B., Darling-Reed, S. F., Joseph, P., Cooperwood, J. S., Latinwo, L. M., & Goodman, C. B. (2009). Selective cytotoxic activities of two novel synthetic drugs on human breast carcinoma MCF-7 cells. *Anticancer Research*, 29(8), 2993–2996.
- Bánki, O., Roskov, Y., Döring, M., Ower, G., Hernández Robles, D. R., Plata Corredor, C. A., Stjernegaard Jeppesen, T., Örn, A., Vandepitte, L., Hoborn, D., Schalk, P., DeWalt, R. E., Ma, K., Miller, J., Orrell, T., Aalbu, R., Abbott,



- J., Adlard, R., Adri, E. M. (2023). Catalogue of Life. In *Catalogue of Life Checklist (Version 2023-11-24)* (p. 48580). Catalogue of Life. <https://doi.org/https://doi.org/10.48580/dfgnm>
- Brkić Bubola, K., Lukić, M., Mofardin, I., Butumović, A., & Koprivnjak, O. (2017). Filtered vs. naturally sedimented and decanted virgin olive oil during storage: Effect on quality and composition. *LWT*, 84, 370–377. <https://doi.org/10.1016/j.lwt.2017.05.069>
- Budiarti, M., & Sholihah, I. Y. M. (2018). Laporan Penelitian Pengembangan Bahan Baku Obat Antimalaria dan Antikanker berdasarkan Hasil Ristoja. In *Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia, Jakarta*.
- Burdall, S. E., Hanby, A. M., Lansdown, M. R. J., & Speirs, V. (2003). Breast cancer cell lines: Friend or foe? *Breast Cancer Research*, 5(2), 89–95. <https://doi.org/10.1186/bcr577>
- Byun, J. W., Choo, S. H., Kim, H. H., Kim, Y. J., Hwang, Y. J., & Kim, D. Y. (2008). Evaluation of boar sperm viability by MTT Reduction assay in Beltsville thawing solution extender. *Asian-Australasian Journal of Animal Sciences*, 21(4), 494–498. <https://doi.org/10.5713/ajas.2008.70480>
- Cavanna, D., Righetti, L., Elliott, C., & Suman, M. (2018). The scientific challenges in moving from targeted to non-targeted mass spectrometric methods for food fraud analysis: A proposed validation workflow to bring about a harmonized approach. *Trends in Food Science and Technology*, 80, 223–241. <https://doi.org/10.1016/j.tifs.2018.08.007>
- Cayot, N., Lafarge, C., Bou-Maroun, E., & Cayot, P. (2016). Substitution of carcinogenic solvent dichloromethane for the extraction of volatile compounds in a fat-free model food system. *Journal of Chromatography A*, 1456(July), 77–88. <https://doi.org/10.1016/j.chroma.2016.06.015>
- Chan, K. M., Hamzah, R., Rahaman, A. A., Jong, V. Y. M., Khong, H. Y., Rajab, N. F., Ee, G. C. L., & Inayat-Hussain, S. H. (2012). The pyranoxanthone inophyllin A induces oxidative stress mediated-apoptosis in Jurkat T lymphoblastic leukemia cells. *Food and Chemical Toxicology*, 50(8), 2916–2922. <https://doi.org/10.1016/j.fct.2012.04.048>
- Chang, Y. L., Yang, C. C., Deng, J. F., Ger, J., Tsai, W. J., Wu, M. L., Liaw, H. C., & Liaw, S. J. (1999). Diverse manifestations of oral methylene chloride poisoning: Report of 6 cases. *Journal of Toxicology - Clinical Toxicology*, 37(4), 497–504. <https://doi.org/10.1081/CLT-100102442>
- Chen, X., Mukwaya, E., Wong, M. S., & Zhang, Y. (2014). A systematic review on biological activities of prenylated flavonoids. *Pharmaceutical Biology*, 52(5), 655–660. <https://doi.org/10.3109/13880209.2013.853809>
- Childs, B. G., Baker, D. J., Kirkland, J. L., Campisi, J., & van Deursen, J. M. (2014). Senescence and apoptosis: dueling or complementary cell fates? *EMBO Reports*, 15(11), 1139–1153. <https://doi.org/10.15252/embr.201439245>



- Choi, D. W., Cho, S. W., Lee, S. G., & Choi, C. Y. (2020). The beneficial effects of morusin, an isoprene flavonoid isolated from the root bark of morus. *International Journal of Molecular Sciences*, 21(18), 1–18. <https://doi.org/10.3390/ijms21186541>
- Copur, M. S. (2019). State of cancer research around the globe. *ONCOLOGY (United States)*, 33(5), 181–185.
- Crawford, K. W., & Bowen, W. D. (2002). Sigma-2 receptor agonists activate a novel apoptotic pathway and potentiate antineoplastic drugs in breast tumor cell lines. *Cancer Research*, 62(1), 313–322.
- Da Violante, G., Zerrouk, N., Richard, I., Provot, G., Chaumeil, J. C., & Arnaud, P. (2002). Evaluation of the cytotoxicity effect of dimethyl sulfoxide (DMSO) on Caco2/TC7 colon tumor cell cultures. *Biological and Pharmaceutical Bulletin*, 25(12), 1600–1603. <https://doi.org/10.1248/bpb.25.1600>
- Dai, H. F., Zeng, Y. B., Xiao, Q., Han, Z., Zhao, Y. X., & Mei, W. L. (2010). Caloxanthones O and P: Two new prenylated xanthones from calophyllum inophyllum. *Molecules*, 15(2), 606–612. <https://doi.org/10.3390/molecules15020606>
- Dat, N. T., Binh, P. T. X., Quynh, L. T. P., Van Minh, C., Huong, H. T., & Lee, J. J. (2010). Cytotoxic prenylated flavonoids from Morus alba. *Fitoterapia*, 81(8), 1224–1227. <https://doi.org/10.1016/j.fitote.2010.08.006>
- De Abreu Costa, L., Ottoni, M. H. F., Dos Santos, M. G., Meireles, A. B., De Almeida, V. G., De Fátima Pereira, W., De Avelar-Freitas, B. A., & Brito-Melo, G. E. A. (2017). Dimethyl sulfoxide (DMSO) decreases cell proliferation and TNF- $\alpha$ , IFN-, and IL-2 cytokines production in cultures of peripheral blood lymphocytes. *Molecules*, 22(11), 1–10. <https://doi.org/10.3390/molecules22111789>
- Diaz, G., Melis, M., Musinu, A., Piludu, M., Piras, M., & Falchi, A. M. (2007). Localization of MTT formazan in lipid droplets. An alternative hypothesis about the nature of formazan granules and aggregates. *European Journal of Histochemistry*, 51(3), 213–218.
- Do Nascimento, E., Menezes, H. C., Resende, R. R., Goulart, V. A. M., & Cardeal, Z. L. (2019). Determination of amino acids in plasma samples of preeclampsia patients by liquid chromatography coupled to high-resolution mass spectrometry. *Journal of the Brazilian Chemical Society*, 30(10), 2136–2143. <https://doi.org/10.21577/0103-5053.20190093>
- Dutta, S., & Ray, S. (2014). Evaluation of antioxidant potentials of leaf aqueous and methanolic extracts of *Calophyllum inophyllum* in relation to total phenol and flavonoid contents. *International Journal of Pharma and Bio Sciences*, 5(3), 96915111.
- Ekasari, W., Fatmawati, D., Khoiriah, S. M., Baqiuuddin, W. A., Nisa, H. Q., Maharupini, A. A. S., Wahyuni, T. S., Oktarina, R. D., Suhartono, E., & Sahu, R. K. (2022). Antimalarial Activity of Extract and Fractions of Sauropus



androgynus (L.) Merr. *Scientifica*, 2022.  
<https://doi.org/10.1155/2022/3552491>

Elmore, S. (2007). Apoptosis: A Review of Programmed Cell Death. *Toxicologic Pathology*, 35(4), 495–516. <https://doi.org/10.1080/01926230701320337>

Erdemir, A. (2021). Anti-proliferative and apoptosis inducing activity of *Calophyllum inophyllum L.* oil extracts on C6 glioma cell line. 30(1), 1–6.

Fathani, I. J., & Miladiyah, I. (2021). Jurnal Kedokteran dan Kesehatan Indonesia. *Indonesian Journal of Medicine and Health*, 12(2), 166–174. <https://doi.org/10.20885/JKKI.Vol12.Iss2art10>

Gopalakrishnan, C., Shankaranarayanan, D., & Nazimudeen, S. K. (1980). Anti-inflammatory and C.N.S. depressant activities of xanthones from *Calophyllum inophyllum* and *Mesua ferrea*. *Indian Journal of Pharmacology*, 12(3), 181–191.

Greenwald, P. (2002). Clinical review Cancer chemoprevention. *Bmj*, 324.

Grivennikov, S. I., & Karin, M. (2010). Dangerous liaisons: STAT3 and NF-κB collaboration and crosstalk in cancer. *Cytokine and Growth Factor Reviews*, 21(1), 11–19. <https://doi.org/10.1016/j.cytogfr.2009.11.005>

Gupta, S., & Gupta, P. (2020). The genus *Calophyllum*: Review of ethnomedicinal uses, phytochemistry and pharmacology. *Bioactive Natural Products in Drug Discovery*, 215–242. [https://doi.org/10.1007/978-981-15-1394-7\\_5](https://doi.org/10.1007/978-981-15-1394-7_5)

Hajighasemi, F., & Tajik, S. (2017). Assessment of cytotoxicity of dimethyl sulfoxide in human hematopoietic tumor cell lines. *Iranian Journal of Blood and Cancer*, 9(2), 48–53.

Hakim, E. H., Achmad, S. A., Juliawaty, L. D., Makmur, L., Syah, Y. M., Aimi, N., Kitajima, M., Takayama, H., & Ghisalberti, E. L. (2006). Prenylated flavonoids and related compounds of the Indonesian Artocarpus (Moraceae). *Journal of Natural Medicines*, 60(3), 161–184. <https://doi.org/10.1007/s11418-006-0048-0>

Handa, S. S., Khanuja, S. P. S., Longo, G., & Rakesh, D. D. (2008). *Extraction Technologies for Medicinal and Aromatic Plant* (S. S. Handa, S. P. S. Khanuja, G. Longo, & D. D. Rakesh (eds.)). INTERNATIONAL CENTRE FOR SCIENCE AND HIGH TECHNOLOGY.

Hartmann, C. L., Seller, T. A., Frost, M. H., Lingle, W. L., Degnim, A. C., Ghosh, K., Vierkant, R. A., Maloney, S. D., Pankratz, V. S., Hillman, D. W., Suman, V. J., Johnson, J., Blake, C., Tlsty, T., Vachon, C. M., Melton, L. J., & Visscher, D. W. (2005). Benign Breast Disease and the Risk of Breast Cancer. *N Engl J Med*, 353, 229–237.

Heblinga, J., Bianchia, L., Bassoa, F., Scheffela, D., Soaresa, D., Carrilhob, M., Pashleyc, D., Tjäderhaned, L., & Costae, C. de S. (2015). Cytotoxicity of dimethyl sulfoxide (DMSO) in direct contact with odontoblast-like cells. *Dent Mater*, 31(4), 399–405.



[https://doi.org/10.1016/j.dental.2015.01.007.Cytotoxicity](https://doi.org/10.1016/j.dental.2015.01.007)

- Hondermarck, H. (2003). Breast cancer: when proteomics challenges biological complexity. *Molecular & Cellular Proteomics: MCP*, 2(5), 281–291. <https://doi.org/10.1074/mcp.R300003-MCP200>
- Hordyjewska, A., Ostapiuk, A., Horecka, A., & Kurzepa, J. (2019). Betulin and betulinic acid: triterpenoids derivatives with a powerful biological potential. *Phytochemistry Reviews*, 18(3), 929–951. <https://doi.org/10.1007/s11101-019-09623-1>
- Hsieh, C., Lin, Y. W., Chen, C. H., Ku, W., Ma, F., Yu, H., & Chu, C. (2018). Yellow and green pigments from *Calophyllum inophyllum* L. seed oil induce cell death in colon and lung cancer cells. *Oncology Letters*, 15(4), 5915–5923. <https://doi.org/10.3892/ol.2018.8052>
- Huang, T. T., Liu, F. G., Wei, C. F., Lu, C. C., Chen, C. C., Lin, H. C., Ojcius, D. M., & Lai, H. C. (2011). Activation of multiple apoptotic pathways in human nasopharyngeal carcinoma cells by the prenylated isoflavone, osajin. *PLoS ONE*, 6(4). <https://doi.org/10.1371/journal.pone.0018308>
- Huffman, B. A., Poltash, M. L., & Hughey, C. A. (2012). Effect of polar protic and polar aprotic solvents on negative-ion electrospray ionization and chromatographic separation of small acidic molecules. *Analytical Chemistry*, 84(22), 9942–9950. <https://doi.org/10.1021/ac302397b>
- Hurst, H. E., & Michael D. Martin. (2017). 40 - Toxicology. In F. J. Dowd, B. S. Johnson, & A. J. Mariotti (Eds.), *Pharmacology and Therapeutics for Dentistry* (7th ed., pp. 603–620). Mosby. <https://doi.org/https://doi.org/10.1016/B978-0-323-39307-2.00040-0>.
- Itoigawa, M., Ito, C., Tan, H. T. W., Kuchide, M., Tokuda, H., Nishino, H., & Furukawa, H. (2001). Cancer chemopreventive agents, 4-phenylcoumarins from *Calophyllum inophyllum*. *Cancer Letters*, 169(1), 15–19. [https://doi.org/10.1016/S0304-3835\(01\)00521-3](https://doi.org/10.1016/S0304-3835(01)00521-3)
- Jaiswal, N., Gunaganti, N., Maurya, C. K., Narender, T., & Tamrakar, A. K. (2015). Free fatty acid induced impairment of insulin signaling is prevented by the diastereomeric mixture of calophylllic acid and isocalophylllic acid in skeletal muscle cells. *European Journal of Pharmacology*, 746(January), 70–77. <https://doi.org/10.1016/j.ejphar.2014.10.049>
- Jenie, R. I., Handayani, S., Susidarti, R. A., & Meiyanto, E. (2020). The effect of brazilin from caesalpinia sappan on cell cycle modulation and cell senescence of T47D cells. *Indonesian Journal of Pharmacy*, 31(2), 84–91. <https://doi.org/10.14499/indonesianjpharm31iss2pp84>
- Jeon, J. G., Rosalen, P. L., Falsetta, M. L., & Koo, H. (2011). Natural products in caries research: Current (limited) knowledge, challenges and future perspective. *Caries Research*, 45(3), 243–263. <https://doi.org/10.1159/000327250>



- Jiang, L., Tixeira, R., Caruso, S., Atkin-Smith, G. K., Baxter, A. A., Paone, S., Hulett, M. D., & Poon, I. K. H. (2016). Monitoring the progression of cell death and the disassembly of dying cells by flow cytometry. *Nature Protocols*, 11(4), 655–663. <https://doi.org/10.1038/nprot.2016.028>
- Karunanayake, S., Soheeswaran, S., Uvais, M., Sultanbawa, S., & Balasubramaniam, S. (1981). Xanthones and triterpenes of *Calophyllum tomentosum*. *Phytochemistry*, 20(6), 1303–1304. [https://doi.org/10.1016/0031-9422\(81\)80026-X](https://doi.org/10.1016/0031-9422(81)80026-X)
- Khan, M. R., Kihara, M., & Omoloso, A. D. (2002). Antimicrobial activity of *Calophyllum soulattri*. *Fitoterapia*, 73(7–8), 741–743. [https://doi.org/10.1016/S0367-326X\(02\)00242-3](https://doi.org/10.1016/S0367-326X(02)00242-3)
- Król, S. K., Kiełbus, M., Rivero-Müller, A., & Stepulak, A. (2015). Comprehensive review on betulin as a potent anticancer agent. *BioMed Research International*, 2015. <https://doi.org/10.1155/2015/584189>
- Ku, W.-J., Lin, C.-J., & Lin, H. (2021). *Protection Performance of Calophyllum inophyllum Seed Extracts: A Natural Ultraviolet Screening Agent*. <https://doi.org/10.1177/1934578X20985650>
- Kumar, S., Jyotirmayee, K., & Sarangi, M. (2013). Thin Layer Chromatography : A Tool of Biotechnology for Isolation of Bioactive. *Int. J. Pharm. Sci. Res.*, 18(1), 126–132.
- Laure, F., Raharivelomanana, P., Butaud, J. F., Bianchini, J. P., & Gaydou, E. M. (2008). Screening of anti-HIV-1 inophyllums by HPLC-DAD of *Calophyllum inophyllum* leaf extracts from French Polynesia Islands. *Analytica Chimica Acta*, 624(1), 147–153. <https://doi.org/10.1016/j.aca.2008.06.046>
- Li, Y., He, K., Huang, Y., Zheng, D., Gao, C., Cui, L., & Jin, Y. H. (2010). Betulin induces mitochondrial cytochrome c release associated apoptosis in human cancer cells. *Molecular Carcinogenesis*, 49(7), 630–640. <https://doi.org/10.1002/mc.20638>
- Li, Y. Z., Li, Z. L., Yin, S. L., Shi, G., Liu, M. S., Jing, Y. K., & Hua, H. M. (2010). Triterpenoids from *Calophyllum inophyllum* and their growth inhibitory effects on human leukemia HL-60 cells. *Fitoterapia*, 81(6), 586–589. <https://doi.org/10.1016/j.fitote.2010.02.005>
- Liu, T., Zhu, W., Yang, X., Chen, L., Yang, R., Hua, Z., & Li, G. (2009). Detection of apoptosis based on the interaction between annexin V and phosphatidylserine. *Analytical Chemistry*, 81(6), 2410–2413. <https://doi.org/10.1021/ac801267s>
- Łukasiewicz, S., Czeczelewski, M., Forma, A., Baj, J., Sitarz, R., & Stanisławek, A. (2021). Breast Cancer—Epidemiology, Risk Factors, Classification, Prognostic Markers, and Current Treatment Strategies—An Updated Review. *Cancers*, 13(4287), 1–30. <https://doi.org/https://doi.org/10.3390/cancers13174287>



- Machana, S., Weerapreeyakul, N., Barusrux, S., Nonpunya, A., Sripanidkulchai, B., & Thitimetharoch, T. (2011). Cytotoxic and apoptotic effects of six herbal plants against the human hepatocarcinoma (HepG2) cell line. *Chinese Medicine*, 6, 2–9. <https://doi.org/10.1186/1749-8546-6-39>
- Mah, S. H., Ee, G. C. L., Teh, S. S., & Sukari, M. A. (2015). Antiproliferative xanthone derivatives from *Calophyllum inophyllum* and *Calophyllum soulattri*. *Pakistan Journal of Pharmaceutical Sciences*, 28(2), 425–429.
- Miladi, H., Zmantar, T., Kouidhi, B., Al Qurashi, Y. M. A., Bakhrouf, A., Chaabouni, Y., Mahdouani, K., & Chaieb, K. (2017). Synergistic effect of eugenol, carvacrol, thymol, p-cymene and  $\gamma$ -terpinene on inhibition of drug resistance and biofilm formation of oral bacteria. *Microbial Pathogenesis*, 112(November), 156–163. <https://doi.org/10.1016/j.micpath.2017.09.057>
- Mollerup, C. B., Mardal, M., Dalsgaard, P. W., Linnet, K., & Barron, L. P. (2018). Prediction of collision cross section and retention time for broad scope screening in gradient reversed-phase liquid chromatography-ion mobility-high resolution accurate mass spectrometry. *Journal of Chromatography A*, 1542(March), 82–88. <https://doi.org/10.1016/j.chroma.2018.02.025>
- Mullauer, F. B., Kessler, J. H., & Medema, J. P. (2009). Betulin is a potent anti-tumor agent that is enhanced-by cholesterol. *PLoS ONE*, 4(4). <https://doi.org/10.1371/journal.pone.0005361>
- Muroya, S., Ueda, S., Komatsu, T., Miyakawa, T., & Ertbjerg, P. (2020). Meatabolomics: Muscle and meat metabolomics in domestic animals. *Metabolites*, 10(5). <https://doi.org/10.3390/metabo10050188>
- Myrianthopoulos, V., Evangelou, K., Vasileiou, P. V. S., Cooks, T., Vassilakopoulos, T. P., Pangalis, G. A., Kouloukoussa, M., Kittas, C., Georgakilas, A. G., & Gorgoulis, V. G. (2019). Senescence and senotherapeutics: a new field in cancer therapy. *Pharmacology and Therapeutics*, 193, 31–49. <https://doi.org/10.1016/j.pharmthera.2018.08.006>
- Naithani, R., Huma, L., Moriarty, R., McCormick, D., & Mehta, R. (2008). Comprehensive Review of Cancer Chemopreventive Agents Evaluated in Experimental Carcinogenesis Models and Clinical Trials. *Current Medicinal Chemistry*, 15(11), 1044–1071. <https://doi.org/10.2174/092986708784221403>
- Nambiar, K. S., & Hegde, V. (2016). Apoptosis detection modalities: A brief review. *International Dental & Medical Journal of Advanced Research - VOLUME 2015*, 2(1), 1–5. <https://doi.org/10.15713/ins.idmjar.53>
- Naz, S., Gallart-Ayala, H., Reinke, S. N., Mathon, C., Blankley, R., Chaleckis, R., & Wheelock, C. E. (2017). Development of a Liquid Chromatography-High Resolution Mass Spectrometry Metabolomics Method with High Specificity for Metabolite Identification Using All Ion Fragmentation Acquisition. *Analytical Chemistry*, 89(15), 7933–7942. <https://doi.org/10.1021/acs.analchem.7b00925>
- Negro, G., Aschenbrenner, B., Brezar, S. K., Cemazar, M., Coer, A., Gasljevic, G.,



- Savic, D., Sorokin, M., Buzdin, A., Callari, M., Kvitsaridze, I., Jewett, A., Vasileva-Slaveva, M., Ganswindt, U., Skvortsova, I., & Skvortsov, S. (2020). Molecular heterogeneity in breast carcinoma cells with increased invasive capacities. *Radiology and Oncology*, 54(1), 103–118. <https://doi.org/10.2478/raon-2020-0007>
- Nomura, T., Fukai, T., Hano, Y., Yoshizawa, S., Suganuma, M., & Fujiki, H. (1988). Chemistry and anti-tumor promoting activity of Morus flavonoids. *Progress in Clinical and Biological Research*, 280, 267–281.
- Obeng, E. (2020). *Apoptosis (programmed cell death) and its signals - A review*. 6984, 1133–1143.
- Oo, W. M. (2021). *Pharmacological Properties of Calophyllum inophyllum – Updated Review Pharmacological Properties of Calophyllum inophyllum – Updated Review. April*. <https://doi.org/10.11648/j.ijpp.20180201.16>
- Patel, M., Dave, K., & Patel, P. H. (2021). a Review on Different Extraction Method of Plants: Innovation From Ancient To Modern Technology. *International Journal of Biology, Pharmacy and Allied Sciences*, 10(12 (SPECIAL ISSUE)). <https://doi.org/10.31032/ijbpas/2021/10.12.1044>
- Patil, A. D., Freyer, A. J., Eggleston, D. S., Haltiwanger, R. C., Bean, M. F., Taylor, P. B., Caranfa, M. J., Breen, A. L., Bartus, H. R., Johnson, R. K., Hertzberg, R. P., & Westley, J. W. (1993). The Inophyllums, Novel Inhibitors of HIV-1 Reverse Transcriptase Isolated from the Malaysian Tree, *Calophyllum inophyllum* Linn. *Journal of Medicinal Chemistry*, 36(26), 4131–4138. <https://doi.org/10.1021/jm00078a001>
- Pearce, A., Haas, M., Viney, R., Pearson, S., Haywood, P., Brown, C., & Ward, R. (2017). Incidence and severity of self-reported chemotherapy side effects in routine care: A prospective cohort study. *Plosone*, 12(10), 1–12.
- Peat, J., Davis, B., Frazee, C., & Garg, U. (2016). Quantification of 11-carboxy-delta-9-tetrahydrocannabinol (THC-COOH) in meconium using gas chromatography/mass spectrometry (GC/MS). In *Methods in Molecular Biology* (Vol. 1383). [https://doi.org/10.1007/978-1-4939-3252-8\\_11](https://doi.org/10.1007/978-1-4939-3252-8_11)
- Pietkiewicz, S., Schmidt, J. H., & Lavrik, I. N. (2015). Quantification of apoptosis and necroptosis at the single cell level by a combination of Imaging Flow Cytometry with classical Annexin V/propidium iodide staining. *Journal of Immunological Methods*, 423(August), 99–103. <https://doi.org/10.1016/j.jim.2015.04.025>
- Prabakaran, K., & Britto, S. J. (2012). Biology, Agroforestry and Medicinal Value of *Calophyllum inophyllum* L. (Clusiaceae): A Review. *International Journal of Natural Products Research*, 1(2), 24–33.
- Prasad, J., Maurya, C. K., Pandey, J., Jaiswal, N., Madhur, G., Srivastava, A. K., Narender, T., & Tamrakar, A. K. (2013). Diastereomeric mixture of calophylllic acid and isocalophylllic acid stimulates glucose uptake in skeletal muscle cells: Involvement of PI-3-Kinase- and ERK1/2-dependent pathways.



*Molecular and Cellular Endocrinology*, 370(1–2), 11–19.  
<https://doi.org/10.1016/j.mce.2013.02.013>

Prasad, J., Shrivastava, A., Khanna, A. K., Bhatia, G., Awasthi, S. K., & Narender, T. (2012). Antidyslipidemic and antioxidant activity of the constituents isolated from the leaves of *Calophyllum inophyllum*. *Phytomedicine*, 19(14), 1245–1249. <https://doi.org/10.1016/j.phymed.2012.09.001>

Purwaningsih, E. (2014). Pemendekan Telomer Dan Apoptosis Telomere Shortening And Apoptosis. *Jurnal Kedokteran Yarsi*, 22(2), 132–141.

Raudenská, M., Balvan, J., & Masařík, M. (2021). Cell death in head and neck cancer pathogenesis and treatment. *Cell Death and Disease*, 12(2). <https://doi.org/10.1038/s41419-021-03474-5>

Rubert, J., Zachariasova, M., & Hajslova, J. (2015). Advances in high-resolution mass spectrometry based on metabolomics studies for food – a review. *Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment*, 32(10), 1685–1708. <https://doi.org/10.1080/19440049.2015.1084539>

Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K. M., & Lat, L. Y. (2011). Extraction, Isolation and Characterization of Bioactive Compounds from Plants' Extracts. *Afr J Tradit Complement Altern Med*, 8(1), 1–10. [https://doi.org/10.1007/978-3-642-56936-4\\_2](https://doi.org/10.1007/978-3-642-56936-4_2)

Schafer, J. M., Lee, E. S., O'Regan, R. M., Yao, K., & Jordan, V. C. (2000). Rapid development of tamoxifen-stimulated mutant p53 breast tumors (T47D) in athymic mice. *Clinical Cancer Research*, 6(11), 4373–4380.

Shaikh, N., Sawant, G., & Dixit, Ni. (2021). a Review on Ursolic Acid: a Naturally Obtained Pentacyclic Triterpene. *International Journal of Pharmacy and Pharmaceutical Sciences*, 13(6), 1–5. <https://doi.org/10.22159/ijpps.2021v13i6.41106>

Shanmugapriya, Chen, Y., Kanwar, J. R., & Sasidharan, S. (2017). Anticancer Activity and Molecular Mechanism of Polyphenol Rich *Calophyllum inophyllum* Fruit Extract in MCF-7 Breast Cancer Cells. *Nutrition and Cancer*, 69(8), 1308–1324. <https://doi.org/10.1080/01635581.2017.1367944>

Shanmugapriya, Chen, Y., Jothy, S. L., & Sasidharan, S. (2016). Research Journal of Pharmaceutical , Biological and Chemical Sciences *Calophyllum inophyllum* : A Medical Plant with Multiple Curative Values . *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 7(4), 1446–1452.

Singh, D., Kumari, K., & Ahmed, S. (2022). CHAPTER 17 - Natural herbal products for cancer therapy. In B. Jain & S. Pandey (Eds.), *Understanding Cancer* (pp. 257–268). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-323-99883-3.00010-X>.

Sjursnes, B. J., Kvittingen, L., & Schmid, R. (2015). Normal and reversed-phase



- thin layer chromatography of green leaf extracts. *Journal of Chemical Education*, 92(1), 193–196. <https://doi.org/10.1021/ed400519v>
- Son, I. H., Chung, I. M., Lee, S. I., Yang, H. D., & Moon, H. I. (2007). Pomiferin, histone deacetylase inhibitor isolated from the fruits of *Maclura pomifera*. *Bioorganic and Medicinal Chemistry Letters*, 17(17), 4753–4755. <https://doi.org/10.1016/j.bmcl.2007.06.060>
- Souihi, A., Mohai, M. P., Martin, J. W., & Kruve, A. (2023). Mobile phase and column chemistry selection for high sensitivity non-targeted LC/ESI/HRMS screening of water. *Analytica Chimica Acta*, 1274(September). <https://doi.org/10.1016/j.aca.2023.341573>
- Subaryono, & Nurbaiti, S. (2010). Pengaruh Dekantasi Filtrat pada Proses Ekstraksi Alginat dari *Sargassum* sp. Terhadap Mutu Produk yang Dihasilkan. *J. Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 5(2), 165–173.
- Subeki, & Muhartono. (2015). Senyawa Brusein-A dari Buah Makasar (*Brucea javanica* (L.) Merr.) sebagai Antiproliferasi terhadap Sel Kanker Payudara T47D. *Majalah Kedokteran Bandung*, 47(1), 22–28. <https://doi.org/10.15395/mkb.v47n1.394>
- Suhendi, A., Sjahid, L. R., & Hanwar, D. (2011). Isolation and Identification of Flavonoids from Dewandaru (*Eugenia uniflora* L.) Leaf. *Pharmacon*, 12(2), 73–81. [https://doi.org/10.1007/springerreference\\_68522](https://doi.org/10.1007/springerreference_68522)
- Sundur, S., Shrivastava, B., Sharma, P., Raj, S. S., & Jayasekhar, V. L. (2014). *A REVIEW ARTICLE OF PHARMACOLOGICAL ACTIVITIES AND BIOLOGICAL IMPORTANCE OF CALOPHYLLUM INOPHYLLUM*. 2(12), 599–603.
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA: A Cancer Journal for Clinicians*, 71(3), 209–249. <https://doi.org/10.3322/caac.21660>
- Sutejo, I. R., Putri, H., & Meiyanto, E. (2016). Selektivitas ekstrak Etanolik buah Makassar (*Brucea javanica*) pada kanker payudara Metastasis secara In Vitro. *Journal of Agromedicine and Medical Science*, 2(1), 1–5.
- Syahrir, N. H. A., Afendi, F. M., & Susetyo, B. (2016). Efek Sinergis Bahan Aktif Tanaman Obat Berbasiskan Jejaring dengan Protein Target. *Jurnal Jamu Indonesia*, 1(1), 35–46. <https://doi.org/10.29244/jjidn.v1i1.30594>
- Teringova, E., & Tousek, P. (2017). Apoptosis in ischemic heart disease. *Journal of Translational Medicine*, 15(1), 1–7. <https://doi.org/10.1186/s12967-017-1191-y>
- Thomas, R., & Williams, D. J. (1983). Oxytetracycline biosynthesis: Origin of the carboxamide substituent. *Journal of the Chemical Society, Chemical Communications*, 12, 677–679. <https://doi.org/10.1039/c39830000677>



- Thoren, K. L., Colby, J. M., Shugarts, S. B., Wu, A. H. B., & Lynch, K. L. (2016). Comparison of information-dependent acquisition on a tandem quadrupole TOF vs a triple quadrupole linear ion trap mass spectrometer for broad-spectrum drug screening. *Clinical Chemistry*, 62(1), 170–178. <https://doi.org/10.1373/clinchem.2015.241315>
- Tsao, R., Yang, R., & Young, J. C. (2003). Antioxidant Isoflavones in Osage Orange, *Maclura pomifera* (Raf.) Schneid. *Journal of Agricultural and Food Chemistry*, 51(22), 6445–6451. <https://doi.org/10.1021/jf0342369>
- Udarno, L., & Tjahyana, B. E. (2019). MORFOLOGI DAN BUDIDAYA TANAMAN NYAMPLUNG (*Calophyllum inophyllum* LINN ). In *Bunga Rampai Tanaman Industri Potensial Biodesel dan Bioetanol* (pp. 59–64). Balai Penelitian Tanaman Rempah dan Aneka Tanaman Industri.
- van den Berg, B. M. (2015). Microscopic analysis of MTT stained boar sperm cells. *Open Veterinary Journal*, 5(1), 58–63.
- Wahyono, S. (2012). *Laporan Nasional : Ekplorasi Pengetahuan Lokal Etnomedisin dan Tumbuhan Obat di Indonesia Berbasis Komunitas 2012*. 69.
- Wahyono, S., Priyambodo, W. J., Rahmawati, N., Maruzy, A., Widowati, L., Subositi, D., Haryanti, S., Mustofa, F. I., Sari, A. N., Mujahid, R., Widyastuti, Y., Budiarti, M., & Junediyono. (2017). *Eksplorasi Pengetahuan Lokal Etnomedisin*. 69.
- Walker, J. M. (2009). Natural products isolation Methods and protocols. In *Life Sciences* (Vol. 531, Issue 1). <http://books.google.com/books?id=Ku2wPAAACAAJ>
- Wang, X., Bai, H., Zhang, X., Liu, J., Cao, P., Liao, N., Zhang, W., Wang, Z., & Hai, C. (2013). Inhibitory effect of oleanolic acid on hepatocellular carcinoma via ERK-p53-mediated cell cycle arrest and mitochondrial-dependent apoptosis. *Carcinogenesis*, 34(6), 1323–1330. <https://doi.org/10.1093/carcin/bgt058>
- Weerapreeyakul, N., Nonpunya, A., Barusrux, S., Thitimetharoch, T., & Sripanidkulchai, B. (2012). Evaluation of the anticancer potential of six herbs against a hepatoma cell line. *Chinese Medicine (United Kingdom)*, 7(1), 1. <https://doi.org/10.1186/1749-8546-7-15>
- Wibowo, R. A., & Wahyono, S. (2015). *Eksplorasi pengetahuan lokal*.
- Wijaya, S. H., Fadillah, C., & Kusuma, W. A. (2019). Prediction of synergistic effect between multiple compounds related to diabetes mellitus. *IOP Conference Series: Earth and Environmental Science*, 299(1). <https://doi.org/10.1088/1755-1315/299/1/012038>
- Wirasuta, I. M. A. G., Astuti, N. M. W., Dharmapradnyawati, N. N. P., Wiputri, N. M. C. A., N.K., W., Indriani, N. P. W., & Widjaja, I. N. K. (2016). Uji Kemurnian Isolat Andrografolid dengan HPLC Fase Terbalik. *Jurnal Farmasi Udayana*, 5(2), 24–29.



Wong, R. S. Y. (2011). Apoptosis in cancer: From pathogenesis to treatment. *Journal of Experimental and Clinical Cancer Research*, 30(1), 1–14. <https://doi.org/10.1186/1756-9966-30-87>

Xiao, Q., Zeng, Y. B., Mei, W. L., Zhao, Y. X., Deng, Y. Y., & Dai, H. F. (2008). Cytotoxic prenylated xanthones from *Calophyllum inophyllum*. *Journal of Asian Natural Products Research*, 10(10), 993–997. <https://doi.org/10.1080/10519990802240387>

Yimdo, M. C., Azebaze, A. G., Nkengfack, A. E., Meyer, A. M., Bodo, B., & Fomum, Z. T. (2004). Antimicrobial and cytotoxic agents from *Calophyllum inophyllum*. *Phytochemistry*, 65(20), 2789–2795. <https://doi.org/10.1016/j.phytochem.2004.08.024>

Žiberna, L., Šamec, D., Mocan, A., Nabavi, S. F., Bishayee, A., Farooqi, A. A., Sureda, A., & Nabavi, S. M. (2017). Oleanolic acid alters multiple cell signaling pathways: Implication in cancer prevention and therapy. *International Journal of Molecular Sciences*, 18(3), 1–16. <https://doi.org/10.3390/ijms18030643>