

REFERENCE

- Abdel-Aziz, S. M., Abo Elsoud, M. M., & Anise, A. A. H. (2017). Chapter 2 - Microbial Biosynthesis: A Repertory of Vital Natural Products. In A. M. Grumezescu & A. M. Holban (Eds.), *Food Biosynthesis* (pp. 25–54). Academic Press. <https://doi.org/10.1016/B978-0-12-811372-1.00003-8>
- Abdelmohsen, U. R., Bayer, K., & Hentschel, U. (2014). Diversity, abundance and natural products of marine sponge-associated actinomycetes. *Natural Product Reports*, 31(3), 381–399. <https://doi.org/10.1039/C3NP70111E>
- Abdelmohsen, U. R., Pimentel-Elardo, S. M., Hanora, A., Radwan, M., Abou-El-Ela, S. H., Ahmed, S., & Hentschel, U. (2010). Isolation, Phylogenetic Analysis and Anti-infective Activity Screening of Marine Sponge-Associated Actinomycetes. *Marine Drugs*, 8(3), 399–412. <https://doi.org/10.3390/md8030399>
- Alexander, D. C., & Jensen, S. E. (1998). Investigation of the Streptomyces clavuligerus Cephamycin C Gene Cluster and Its Regulation by the CcaR Protein. *Journal of Bacteriology*, 180(16), 4068–4079. <https://doi.org/10.1128/JB.180.16.4068-4079.1998>
- Amin, D., Abolmaaty, A., Tolba, S., Abdallah, N., & Wellington, E. M. (2018). Phylogenic characteristics of a unique antagonistic Micromonospora sp. Rc5 to S. aureus isolated from Sinai Desert of Egypt. *Annual Research & Review in Biology*, 22(2), 1–15.
- Amin, D. H., Abdallah, N. A., Abolmaaty, A., Tolba, S., & Wellington, E. M. H. (2020). Microbiological and molecular insights on rare Actinobacteria harboring bioactive prospective. *Bulletin of the National Research Centre*, 44(1), 5. <https://doi.org/10.1186/s42269-019-0266-8>
- Anggelina, A. C., Pringgenies, D., & Setyati, W. A. (2021). Presence of Biosynthetic Gene Clusters (NRPS/PKS) in Actinomycetes of Mangrove Sediment in Semarang and Karimunjawa, Indonesia: 10.32526/enrj/19/202100050. *Environment and Natural Resources Journal*, 19(5), Article 5.
- Ansari, Mohd. Z., Yadav, G., Gokhale, R. S., & Mohanty, D. (2004). NRPS-PKS: A knowledge-based resource for analysis of NRPS/PKS megasynthases. *Nucleic Acids Research*, 32(Web Server issue), W405–W413. <https://doi.org/10.1093/nar/gkh359>

- Anteneh, Y. S., Yang, Q., Brown, M. H., & Franco, C. M. M. (2021). Antimicrobial Activities of Marine Sponge-Associated Bacteria. *Microorganisms*, 9(1), Article 1. <https://doi.org/10.3390/microorganisms9010171>
- Araujo-Melo, R. de O., de Oliveira, T. H. B., de Oliveira, C. V. J., de Araújo, J. M., de Sena, K. X., & Coelho, L. (2019). Actinobacteria: A renewable source of bioactive molecules with medical, industrial and pharmacological importance. *Advances and Trends in Biotechnology and Genetics*, 1, 63–79.
- Arisandi, A., Tamam, B., & Fauzan, A. (2018). Profil Terumbu Karang Pulau Kangean, Kabupaten Sumenep, Indonesia
<i>[Coral Reef Profile of Kangean Island, Sumenep District, Indonesia]</i>. *Jurnal Ilmiah Perikanan Dan Kelautan*, 10(2), Article 2. <https://doi.org/10.20473/jipk.v10i2.10516>
- Armstrong, E., Yan, L., Boyd, K. G., Wright, P. C., & Burgess, J. G. (2001). The symbiotic role of marine microbes on living surfaces. *Hydrobiologia*, 461(1), 37–40. <https://doi.org/10.1023/A:1012756913566>
- Baig, U., Dahanukar, N., Shintre, N., Holkar, K., Pund, A., Lele, U., Gujarathi, T., Patel, K., Jakati, A., Singh, R., Vidwans, H., Tamhane, V., Deshpande, N., & Watve, M. (2021). Phylogenetic diversity and activity screening of cultivable Actinobacteria isolated from marine sponges and associated environments from the western coast of India. *Access Microbiology*, 3(9), 000242. <https://doi.org/10.1099/acmi.0.000242>
- Balagurunathan, R., Radhakrishnan, M., Shanmugasundaram, T., Gopikrishnan, V., & Jerrine, J. (2020). Sample Collection, Isolation, and Diversity of Actinobacteria. In R. Balagurunathan, M. Radhakrishnan, T. Shanmugasundaram, V. Gopikrishnan, & J. Jerrine (Eds.), *Protocols in Actinobacterial Research* (pp. 1–24). Springer US. https://doi.org/10.1007/978-1-0716-0728-2_1
- Balasubramanian, S., Othman, E. M., Kampik, D., Stopper, H., Hentschel, U., Ziebuhr, W., Oelschlaeger, T. A., & Abdelmohsen, U. R. (2017). Marine Sponge-Derived Streptomyces sp. SBT343 Extract Inhibits Staphylococcal Biofilm Formation. *Frontiers in Microbiology*, 8. <https://www.frontiersin.org/articles/10.3389/fmicb.2017.00236>
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>
- Barka, E. A., Vatsa, P., Sanchez, L., Gaveau-Vaillant, N., Jacquard, C., Meier-Kolthoff, J. P., Klenk, H.-P., Clément, C., Ouhdouch, Y., & van Wezel, G.

- P. (2016). Taxonomy, Physiology, and Natural Products of Actinobacteria. *Microbiology and Molecular Biology Reviews: MMBR*, 80(1), 1–43. <https://doi.org/10.1128/MMBR.00019-15>
- Bayer, K., Schmitt, S., & Hentschel, U. (2008). Physiology, phylogeny and in situ evidence for bacterial and archaeal nitrifiers in the marine sponge *Aplysina aerophoba*. *Environmental Microbiology*, 10(11), 2942–2955. <https://doi.org/10.1111/j.1462-2920.2008.01582.x>
- Behjati, S., & Tarpey, P. S. (2013). What is next generation sequencing? *Archives of Disease in Childhood-Education and Practice*, 98(6), 236–238.
- Bibb, M. J. (2005). Regulation of secondary metabolism in streptomycetes. *Current Opinion in Microbiology*, 8(2), 208–215. <https://doi.org/10.1016/j.mib.2005.02.016>
- Bode, H. B., Bethe, B., Höfs, R., & Zeeck, A. (2002). Big Effects from Small Changes: Possible Ways to Explore Nature's Chemical Diversity. *ChemBioChem*, 3(7), 619–627. [https://doi.org/10.1002/1439-7633\(20020703\)3:7<619::AID-CBIC619>3.0.CO;2-9](https://doi.org/10.1002/1439-7633(20020703)3:7<619::AID-CBIC619>3.0.CO;2-9)
- Bodor, A., Bounedjoum, N., Vincze, G. E., Erdeiné Kis, Á., Laczi, K., Bende, G., Szilágyi, Á., Kovács, T., Perei, K., & Rákhely, G. (2020). Challenges of unculturable bacteria: Environmental perspectives. *Reviews in Environmental Science and Bio/Technology*, 19(1), 1–22. <https://doi.org/10.1007/s11157-020-09522-4>
- Boesenberg-Smith, K. A., Pessarakli, M. M., & Wolk, D. M. (2012). Assessment of DNA Yield and Purity: An Overlooked Detail of PCR Troubleshooting. *Clinical Microbiology Newsletter*, 34(1), 1–6. <https://doi.org/10.1016/j.clinmicnews.2011.12.002>
- Bonnet, M., Lagier, J. C., Raoult, D., & Khelaifia, S. (2020). Bacterial culture through selective and non-selective conditions: The evolution of culture media in clinical microbiology. *New Microbes and New Infections*, 34, 100622. <https://doi.org/10.1016/j.nmni.2019.100622>
- Brownie, J., Shawcross, S., Theaker, J., Whitcombe, D., Ferrie, R., Newton, C., & Little, S. (1997). The elimination of primer-dimer accumulation in PCR. *Nucleic Acids Research*, 25(16), 3235–3241.
- Burkart, M., & Ishikawa, F. (Eds.). (2023). *Non-Ribosomal Peptide Biosynthesis and Engineering: Methods and Protocols* (Vol. 2670). Springer US. <https://doi.org/10.1007/978-1-0716-3214-7>

- Cárdenas, P., Xavier, J. R., Reveillaud, J., Schander, C., & Rapp, H. T. (2011). Molecular Phylogeny of the Astrophorida (Porifera, Demospongiaep) Reveals an Unexpected High Level of Spicule Homoplasy. *PLOS ONE*, 6(4), e18318. <https://doi.org/10.1371/journal.pone.0018318>
- Chen, P., Zhang, L., Guo, X., Dai, X., Liu, L., Xi, L., Wang, J., Song, L., Wang, Y., Zhu, Y., Huang, L., & Huang, Y. (2016). Diversity, Biogeography, and Biodegradation Potential of Actinobacteria in the Deep-Sea Sediments along the Southwest Indian Ridge. *Frontiers in Microbiology*, 7, 1340. <https://doi.org/10.3389/fmicb.2016.01340>
- Cimermancic, P., Medema, M. H., Claesen, J., Kurita, K., Brown, L. C. W., Mavrommatis, K., Pati, A., Godfrey, P. A., Koehrsen, M., & Clardy, J. (2014). Insights into secondary metabolism from a global analysis of prokaryotic biosynthetic gene clusters. *Cell*, 158(2), 412–421.
- Corkill, G., & Rapley, R. (2008). The manipulation of nucleic acids: Basic tools and techniques. *Molecular Biomethods Handbook*, 3–15.
- Crueger, W., & Crueger, A. (1990). *Biotechnology: A Textbook of Industrial Microbiology* (2nd ed.). Sinauer Associates.
- Dai, H.-F., Edrada, R. A., Ebel, R., Nimtz, M., Wray, V., & Proksch, P. (2005). Norlanostane Triterpenoidal Saponins from the Marine Sponge *Melophlus sarassinorum*. *Journal of Natural Products*, 68(8), 1231–1237. <https://doi.org/10.1021/np050152d>
- Das, S., Mohapatra, S. C., & Hsu, J. T. (1999). Studies on primer-dimer formation in polymerase chain reaction (PCR). *Biotechnology Techniques*, 13, 643–646.
- de Menezes, C. B. A., Afonso, R. S., de Souza, W. R., Parma, M. M., de Melo, I. S., Fugita, F. L. S., Moraes, L. A. B., Zucchi, T. D., & Fantinatti-Garboggini, F. (2019). *Williamsia aurantiacus* sp. Nov. A novel actinobacterium producer of antimicrobial compounds isolated from the marine sponge. *Archives of Microbiology*, 201(5), 691–698. <https://doi.org/10.1007/s00203-019-01633-z>
- Demain, A. L. (2020). Carbon source regulation of idiolite biosynthesis in actinomycetes. In *Regulation of secondary metabolism in Actinomycetes* (pp. 127–134). CRC Press.

- Dita, S. F., Budiarti, S., & Lestari, Y. (2017). *Sponge-Associated Actinobacteria: Morphological Character and Antibacterial Activity against Pathogenic Bacteria*.
- El Samak, M., Solyman, S. M., & Hanora, A. (2018). Antimicrobial activity of bacteria isolated from Red Sea marine invertebrates. *Biotechnology Reports*, 19, e00275. <https://doi.org/10.1016/j.btre.2018.e00275>
- El-Gawahery, H., Amin, D. H., & Elsayed, A. F. (2022). Mining for NRPS and PKS Genes in Actinobacteria Using Whole-Genome Sequencing and Bioinformatic Tools. In R. V. Rai & J. A. Bai (Eds.), *Natural Products from Actinomycetes: Diversity, Ecology and Drug Discovery* (pp. 393–410). Springer. https://doi.org/10.1007/978-981-16-6132-7_15
- Fischbach, M. A., & Walsh, C. T. (2006). Assembly-Line Enzymology for Polyketide and Nonribosomal Peptide Antibiotics: Logic, Machinery, and Mechanisms. *Chemical Reviews*, 106(8), 3468–3496. <https://doi.org/10.1021/cr0503097>
- Flatt, P. M., Gautschi, J. T., Thacker, R. W., Musafija-Girt, M., Crews, P., & Gerwick, W. H. (2005). Identification of the cellular site of polychlorinated peptide biosynthesis in the marine sponge Dysidea (Lamellodysidea) herbacea and symbiotic cyanobacterium Oscillatoria spongelliae by CARD-FISH analysis. *Marine Biology*, 147(3), 761–774. <https://doi.org/10.1007/s00227-005-1614-9>
- Freeman, M. F., Gurgui, C., Helf, M. J., Morinaka, B. I., Uria, A. R., Oldham, N. J., Sahl, H.-G., Matsunaga, S., & Piel, J. (2012). Metagenome mining reveals polytheonamides as posttranslationally modified ribosomal peptides. *Science (New York, N.Y.)*, 338(6105), 387–390. <https://doi.org/10.1126/science.1226121>
- Gandhimathi, R., Arunkumar, M., Selvin, J., Thangavelu, T., Sivaramakrishnan, S., Kiran, G. S., Shanmughapriya, S., & Natarajaseenivasan, K. (2008). Antimicrobial potential of sponge associated marine actinomycetes. *Journal de Mycologie Médicale*, 18(1), 16–22. <https://doi.org/10.1016/j.mycmed.2007.11.001>
- Garafutdinov, R. R., Galimova, A. A., & Sakhabutdinova, A. R. (2020). The influence of quality of primers on the formation of primer dimers in PCR. *Nucleosides, Nucleotides & Nucleic Acids*, 39(9), 1251–1269.
- Ghashghaei, S., Etemadifar, Z., Tavassoli, M., & Mofid, M. R. (2023). Optimization of Degenerate PCR Conditions for Reducing Error Rates in

- Detection of PKS and NRPS Gene groups in Actinomycetes. *Avicenna Journal of Medical Biotechnology*, 15(1), 28–37. <https://doi.org/10.18502/ajmb.v15i1.11422>
- Gomez-Escribano, J. P., Alt, S., & Bibb, M. J. (2016). Next generation sequencing of Actinobacteria for the discovery of novel natural products. *Marine Drugs*, 14(4), 78.
- González, I., Ayuso-Sacido, A., Anderson, A., & Genilloud, O. (2005). Actinomycetes isolated from lichens: Evaluation of their diversity and detection of biosynthetic gene sequences. *FEMS Microbiology Ecology*, 54(3), 401–415. <https://doi.org/10.1016/j.femsec.2005.05.004>
- Goodfellow, M., Kämpfer, P., Busse, H.-J., Trujillo, M. E., Suzuki, K., Ludwig, W., & Whitman, W. B. (Eds.). (2012). *Bergey's Manual® of Systematic Bacteriology*. Springer. <https://doi.org/10.1007/978-0-387-68233-4>
- Gozari, M., Bahador, N., Jassbi, A. R., Mortazavi, M. S., & Eftekhari, E. (2018). Antioxidant and cytotoxic activities of metabolites produced by a new marine *Streptomyces* sp. Isolated from the sea cucumber *Holothuria leucospilota*. *Iranian Journal of Fisheries Sciences*, 17(2), 413–426. <https://doi.org/10.22092/ijfs.2018.116076>
- Grein, A., & Meyers, S. P. (1958). GROWTH CHARACTERISTICS AND ANTIBIOTIC PRODUCTION OF ACTINOMYCETES ISOLATED FROM LITTORAL SEDIMENTS AND MATERIALS SUSPENDED IN SEA WATER¹. *Journal of Bacteriology*, 76(5), 457–463.
- Haque, K. A., Pfeiffer, R. M., Beerman, M. B., Struewing, J. P., Chanock, S. J., & Bergen, A. W. (2003). Performance of high-throughput DNA quantification methods. *BMC Biotechnology*, 3(1), 1–10.
- Hill, R. T. (2003). Microbes from Marine Sponges: A Treasure Trove of Biodiversity for Natural Products Discovery. In *Microbial Diversity and Bioprospecting* (pp. 177–190). John Wiley & Sons, Ltd. <https://doi.org/10.1128/9781555817770.ch18>
- Hobbs, G., Frazer, C. M., Gardner, D. C., Flett, F., & Oliver, S. G. (1990). Pigmented antibiotic production by *Streptomyces coelicolor* A3 (2): Kinetics and the influence of nutrients. *Microbiology*, 136(11), 2291–2296.
- Hou, P., Nowak, V. V., Taylor, C. J., Calcott, M. J., Knight, A., & Owen, J. G. (2023). A genomic survey of the natural product biosynthetic potential of

actinomycetes isolated from New Zealand lichens. *Msystems*, 8(2), e01030-22.

- Jabila Mary, T. R., Kannan, R. R., Muthamil Iniyan, A., Carlton Ranjith, W. A., Nandhagopal, S., Vishwakarma, V., & Prakash Vincent, S. G. (2021). β -lactamase inhibitory potential of kalafungin from marine *Streptomyces* in *Staphylococcus aureus* infected zebrafish. *Microbiological Research*, 244, 126666. <https://doi.org/10.1016/j.micres.2020.126666>
- Kamarudheen, N., & Rao, K. V. B. (2019). Fatty acyl compounds from marine *Streptomyces griseoincarnatus* strain HK12 against two major bio-film forming nosocomial pathogens; an in vitro and in silico approach. *Microbial Pathogenesis*, 127, 121–130. <https://doi.org/10.1016/j.micpath.2018.11.050>
- Kamke, J., Taylor, M. W., & Schmitt, S. (2010). Activity profiles for marine sponge-associated bacteria obtained by 16S rRNA vs 16S rRNA gene comparisons. *The ISME Journal*, 4(4), Article 4. <https://doi.org/10.1038/ismej.2009.143>
- Kloosterman, A. M., Medema, M. H., & van Wezel, G. P. (2021). Omics-based strategies to discover novel classes of RiPP natural products. *Current Opinion in Biotechnology*, 69, 60–67.
- Kumar, P. S., Ling, C. Y., Zhou, Z. B., Dong, Y. L., Sun, C. L., Song, Y. X., Wong, N. K., & Ju, J. H. (2020). Chemical Diversity of Metabolites and Antibacterial Potential of Actinomycetes Associated with Marine Invertebrates from Intertidal Regions of Daya Bay and Nansha Islands. *Microbiology*, 89(4), 483–492. <https://doi.org/10.1134/S0026261720040062>
- Lam, K. S. (2006). Discovery of novel metabolites from marine actinomycetes. *Current Opinion in Microbiology*, 9(3), 245–251. <https://doi.org/10.1016/j.mib.2006.03.004>
- Lambraki, I. A., Cousins, M., Graells, T., Léger, A., Henriksson, P., Harbarth, S., Troell, M., Wernli, D., Søgaaard Jørgensen, P., Desbois, A. P., Carson, C. A., Parmley, E. J., & Majowicz, S. E. (2022). Factors influencing antimicrobial resistance in the European food system and potential leverage points for intervention: A participatory, One Health study. *PLoS ONE*, 17(2), e0263914. <https://doi.org/10.1371/journal.pone.0263914>
- Lang, S., Beil, W., Tokuda, H., Wicke, C., & Lurtz, V. (2004). Improved Production of Bioactive Glucosylmannosyl-Glycerolipid by Sponge-Associated

Microbacterium Species. *Marine Biotechnology*, 6(2), 152–156.
<https://doi.org/10.1007/s10126-003-0009-5>

Lechevalier, M. P., & Lechevalier, H. A. (1975). NOTES: Actinoplanete with Cylindrical Sporangia, *Actinoplanes rectilineatus* sp.nov. *International Journal of Systematic and Evolutionary Microbiology*, 25(4), 371–376.
<https://doi.org/10.1099/00207713-25-4-371>

Lee, L.-H., Zainal, N., Azman, A.-S., Eng, S.-K., Goh, B.-H., Yin, W.-F., Ab Mutalib, N.-S., & Chan, K.-G. (2014). Diversity and Antimicrobial Activities of Actinobacteria Isolated from Tropical Mangrove Sediments in Malaysia. *The Scientific World Journal*, 2014, 698178.
<https://doi.org/10.1155/2014/698178>

Li, J., Zhao, G.-Z., Chen, H.-H., Wang, H.-B., Qin, S., Zhu, W.-Y., Xu, L.-H., Jiang, C.-L., & Li, W.-J. (2008). Antitumour and antimicrobial activities of endophytic streptomycetes from pharmaceutical plants in rainforest. *Letters in Applied Microbiology*, 47(6), 574–580. <https://doi.org/10.1111/j.1472-765X.2008.02470.x>

Li, L., Liu, X., Jiang, W., & Lu, Y. (2019). Recent advances in synthetic biology approaches to optimize production of bioactive natural products in Actinobacteria. *Frontiers in Microbiology*, 10, 2467.

Li, L., Zheng, G., Chen, J., Ge, M., Jiang, W., & Lu, Y. (2017). Multiplexed site-specific genome engineering for overproducing bioactive secondary metabolites in actinomycetes. *Metabolic Engineering*, 40, 80–92.
<https://doi.org/10.1016/j.ymben.2017.01.004>

Li, Q., Chen, X., Jiang, Y., & Jiang, C. (2016). Morphological Identification of Actinobacteria. In *Actinobacteria—Basics and Biotechnological Applications*. IntechOpen. <https://doi.org/10.5772/61461>

Limato, R., Lazarus, G., Dernison, P., Mudia, M., Alamanda, M., Nelwan, E. J., Sinto, R., Karuniawati, A., Doorn, H. R. van, & Hamers, R. L. (2022). Optimizing antibiotic use in Indonesia: A systematic review and evidence synthesis to inform opportunities for intervention. *The Lancet Regional Health - Southeast Asia*, 2. <https://doi.org/10.1016/j.lansea.2022.05.002>

Linhart, C., & Shamir, R. (2007). Degenerate Primer Design. In A. Yuryev (Ed.), *PCR Primer Design* (pp. 220–244). Humana Press.
https://doi.org/10.1007/978-1-59745-528-2_11

- Liu, T., Wu, S., Zhang, R., Wang, D., Chen, J., & Zhao, J. (2019). Diversity and antimicrobial potential of Actinobacteria isolated from diverse marine sponges along the Beibu Gulf of the South China Sea. *FEMS Microbiology Ecology*, 95(7), fiz089. <https://doi.org/10.1093/femsec/fiz089>
- Lucena-Aguilar, G., Sánchez-López, A. M., Barberán-Aceituno, C., Carrillo-Ávila, J. A., López-Guerrero, J. A., & Aguilar-Quesada, R. (2016). DNA Source Selection for Downstream Applications Based on DNA Quality Indicators Analysis. *Biopreservation and Biobanking*, 14(4), 264–270. <https://doi.org/10.1089/bio.2015.0064>
- Mahmoud, H. M., & Kalendar, A. A. (2016). Coral-Associated Actinobacteria: Diversity, Abundance, and Biotechnological Potentials. *Frontiers in Microbiology*, 7. <https://www.frontiersin.org/articles/10.3389/fmicb.2016.00204>
- Meena, B., Anburajan, L., Nitharsan, K., Vinithkumar, N. V., & Dharani, G. (2021). Existence in cellulose shelters: Industrial and pharmaceutical leads of symbiotic Actinobacteria from ascidian *Phallusia nigra*, Andaman Islands. *World Journal of Microbiology & Biotechnology*, 37(7), 120. <https://doi.org/10.1007/s11274-021-03090-7>
- Messaoudi, O., Bendahou, M., Benamar, I., & Abdelwouhid, D.-E. (2015). Identification and preliminary characterization of non-polyene antibiotics secreted by new strain of actinomycete isolated from sebkha of Kenadsa, Algeria. *Asian Pacific Journal of Tropical Biomedicine*, 5(6), 438–445. <https://doi.org/10.1016/j.apjtb.2015.04.002>
- Miao, V., Coëffet-Le Gal, M.-F., Nguyen, K., Brian, P., Penn, J., Whiting, A., Steele, J., Kau, D., Martin, S., Ford, R., Gibson, T., Bouchard, M., Wrigley, S. K., & Baltz, R. H. (2006). Genetic Engineering in *Streptomyces roseosporus* to Produce Hybrid Lipopeptide Antibiotics. *Chemistry & Biology*, 13(3), 269–276. <https://doi.org/10.1016/j.chembiol.2005.12.012>
- Mincer, T. J., Fenical, W., & Jensen, P. R. (2005). Culture-Dependent and Culture-Independent Diversity within the Obligate Marine Actinomycete Genus *Salinispora*. *Applied and Environmental Microbiology*, 71(11), 7019–7028. <https://doi.org/10.1128/AEM.71.11.7019-7028.2005>
- Moffitt, M. C., & Neilan, B. A. (2001). On the presence of peptide synthetase and polyketide synthase genes in the cyanobacterial genus *Nodularia*. *FEMS Microbiology Letters*, 196(2), 207–214. <https://doi.org/10.1111/j.1574-6968.2001.tb10566.x>

- Moitinho-Silva, L., Nielsen, S., Amir, A., Gonzalez, A., Ackermann, G. L., Cerrano, C., Astudillo-Garcia, C., Easson, C., Sipkema, D., Liu, F., Steinert, G., Kotoulas, G., McCormack, G. P., Feng, G., Bell, J. J., Vicente, J., Björk, J. R., Montoya, J. M., Olson, J. B., ... Thomas, T. (2017). The sponge microbiome project. *GigaScience*, 6(10), gix077. <https://doi.org/10.1093/gigascience/gix077>
- Molinski, T. F., Dalisay, D. S., Lievens, S. L., & Saludes, J. P. (2009). Drug development from marine natural products. *Nature Reviews Drug Discovery*, 8(1), Article 1. <https://doi.org/10.1038/nrd2487>
- Montalvo, N. F., Mohamed, N. M., Enticknap, J. J., & Hill, R. T. (2005). Novel Actinobacteria from marine sponges. *Antonie van Leeuwenhoek*, 87(1), 29–36. <https://doi.org/10.1007/s10482-004-6536-x>
- Murphy, R., Benndorf, R., De Beer, Z. W., Vollmers, J., Kaster, A.-K., Beemelmans, C., & Poulsen, M. (2021). Comparative genomics reveals prophylactic and catabolic capabilities of Actinobacteria within the fungus-farming termite symbiosis. *Mosphere*, 6(2), 10.1128/msphere. 01233-20.
- Murray, C. J., Ikuta, K. S., Sharara, F., Swetschinski, L., Robles Aguilar, G., Gray, A., Han, C., Bisignano, C., Rao, P., Wool, E., Johnson, S. C., Browne, A. J., Chipeta, M. G., Fell, F., Hackett, S., Haines-Woodhouse, G., Kashef Hamadani, B. H., Kumaran, E. A. P., McManigal, B., ... Naghavi, M. (2022). Global burden of bacterial antimicrobial resistance in 2019: A systematic analysis. *The Lancet*, 399(10325), 629–655. [https://doi.org/10.1016/S0140-6736\(21\)02724-0](https://doi.org/10.1016/S0140-6736(21)02724-0)
- Nah, H.-J., Park, J., Choi, S., & Kim, E.-S. (2021). WblA, a global regulator of antibiotic biosynthesis in *Streptomyces*. *Journal of Industrial Microbiology & Biotechnology*, 48(3–4), kuab007. <https://doi.org/10.1093/jimb/kuab007>
- Nahashon, S. N., & Kilonzo-Nthenge, A. K. (2013). Soybean in monogastric nutrition: Modifications to add value and disease prevention properties. *Soybean-Bio-Active Compounds*, 309–352.
- Nett, M., Ikeda, H., & Moore, B. S. (2009). Genomic basis for natural product biosynthetic diversity in the actinomycetes. *Natural Product Reports*, 26(11), 1362–1384. <https://doi.org/10.1039/b817069j>
- Newman, D. J., & Cragg, G. M. (2016). Natural Products as Sources of New Drugs from 1981 to 2014. *Journal of Natural Products*, 79(3), 629–661. <https://doi.org/10.1021/acs.jnatprod.5b01055>

- Pathom-aree, W., Stach, J. E. M., Ward, A. C., Horikoshi, K., Bull, A. T., & Goodfellow, M. (2006). Diversity of actinomycetes isolated from Challenger Deep sediment (10,898 m) from the Mariana Trench. *Extremophiles*, 10(3), 181–189. <https://doi.org/10.1007/s00792-005-0482-z>
- Petković, H., Cullum, J., Hranueli, D., Hunter, I. S., Perić-Concha, N., Pigac, J., Thamchaipenet, A., Vujaklija, D., & Long, P. F. (2006). Genetics of *Streptomyces rimosus*, the Oxytetracycline Producer. *Microbiology and Molecular Biology Reviews*, 70(3), 704–728. <https://doi.org/10.1128/MMBR.00004-06>
- Piel, J. (2004). Metabolites from symbiotic bacteria. *Natural Product Reports*, 21(4), 519–538. <https://doi.org/10.1039/B310175B>
- Pokhrel, A. R., Chaudhary, A. K., Nguyen, H. T., Dhakal, D., Le, T. T., Shrestha, A., Liou, K., & Sohng, J. K. (2016). Overexpression of a pathway specific negative regulator enhances production of daunorubicin in *bldA* deficient *Streptomyces peucetius* ATCC 27952. *Microbiological Research*, 192, 96–102. <https://doi.org/10.1016/j.micres.2016.06.009>
- Poole, K. (2012). Bacterial stress responses as determinants of antimicrobial resistance. *Journal of Antimicrobial Chemotherapy*, 67(9), 2069–2089. <https://doi.org/10.1093/jac/dks196>
- Poorinmohammad, N., Bagheban-Shemirani, R., & Hamed, J. (2019). Genome mining for ribosomally synthesised and post-translationally modified peptides (RiPPs) reveals undiscovered bioactive potentials of Actinobacteria. *Antonie Van Leeuwenhoek*, 112, 1477–1499.
- Proksch, P., Putz, A., Ortlepp, S., Kjer, J., & Bayer, M. (2010). Bioactive natural products from marine sponges and fungal endophytes. *Phytochemistry Reviews*, 9(4), 475–489.
- Pulschen, A. A., Bendia, A. G., Fricker, A. D., Pellizari, V. H., Galante, D., & Rodrigues, F. (2017). Isolation of Uncultured Bacteria from Antarctica Using Long Incubation Periods and Low Nutritional Media. *Frontiers in Microbiology*, 8. <https://www.frontiersin.org/articles/10.3389/fmicb.2017.01346>
- Radhakrishnan, M., Suganya, S., Balagurunathan, R., & Kumar, V. (2010). Preliminary screening for antibacterial and antimycobacterial activity of actinomycetes from less explored ecosystems. *World Journal of Microbiology and Biotechnology*, 26, 561–566.

- Rajasabapathy, R., Ghadi, S. C., Manikandan, B., Mohandass, C., Surendran, A., Dastager, S. G., Meena, R. M., & James, R. A. (2020). Antimicrobial profiling of coral reef and sponge associated bacteria from southeast coast of India. *Microbial Pathogenesis*, 141, 103972. <https://doi.org/10.1016/j.micpath.2020.103972>
- Reen, F. J., Romano, S., Dobson, A. D. W., & O’Gara, F. (2015). The Sound of Silence: Activating Silent Biosynthetic Gene Clusters in Marine Microorganisms. *Marine Drugs*, 13(8), 4754–4783. <https://doi.org/10.3390/md13084754>
- Rintala, H., & Nevalainen, A. (2006). Quantitative measurement of streptomycetes using real-time PCR. *Journal of Environmental Monitoring*, 8(7), 745–749.
- Risdian, C., Mozef, T., & Wink, J. (2019). Biosynthesis of Polyketides in Streptomyces. *Microorganisms*, 7(5), 124. <https://doi.org/10.3390/microorganisms7050124>
- Rodríguez, L., Rodríguez, D., Olano, C., Braña, A. F., Méndez, C., & Salas, J. A. (2001). Functional analysis of OleY L-oleandrosyl 3-O-methyltransferase of the oleandomycin biosynthetic pathway in *Streptomyces antibioticus*. *Journal of Bacteriology*, 183(18), 5358–5363. <https://doi.org/10.1128/JB.183.18.5358-5363.2001>
- Romano, S., Jackson, S. A., Patry, S., & Dobson, A. D. W. (2018). Extending the “One Strain Many Compounds” (OSMAC) Principle to Marine Microorganisms. *Marine Drugs*, 16(7), Article 7. <https://doi.org/10.3390/md16070244>
- Romero-Rodríguez, A., Rocha, D., Ruiz-Villafan, B., Tierrafría, V., Rodríguez-Sanoja, R., Segura-González, D., & Sánchez, S. (2016). Transcriptomic analysis of a classical model of carbon catabolite regulation in *Streptomyces coelicolor*. *BMC Microbiology*, 16(1), 77. <https://doi.org/10.1186/s12866-016-0690-y>
- Rychlik, W., Spencer, W. J., & Rhoads, R. E. (1990). Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic Acids Research*, 18(21), 6409–6412.
- S. Hifnawy, M., Hassan, H. M., Mohammed, R., M. Fouda, M., Sayed, A. M., A. Hamed, A., F. AbouZid, S., Rateb, M. E., Alhadrami, H. A., & Abdelmohsen, U. R. (2020). Induction of Antibacterial Metabolites by Co-Cultivation of Two Red-Sea-Sponge-Associated Actinomycetes

Micromonospora sp. UR56 and Actinokinespora sp. EG49. *Marine Drugs*, 18(5), 243. <https://doi.org/10.3390/md18050243>

Saadouli, I., Marasco, R., Mejri, L., Hamden, H., Guerfali, M. M., Stathopoulou, P., Daffonchio, D., Cherif, A., Ouzari, H.-I., Tsiamis, G., & Mosbah, A. (2022). Diversity and adaptation properties of Actinobacteria associated with Tunisian stone ruins. *Frontiers in Microbiology*, 13. <https://www.frontiersin.org/articles/10.3389/fmicb.2022.997832>

Saiki, R. K. (1989). The design and optimization of the PCR. *PCR Technology*, 7–16.

Sambrook, J., & Russell, D. W. (2006). *The condensed protocols from molecular cloning: A laboratory manual*. Cold Spring Harbor Laboratory Press.

Sánchez, S., Chávez, A., Forero, A., García-Huante, Y., Romero, A., Sánchez, M., Rocha, D., Sánchez, B., Avalos, M., & Guzmán-Trampe, S. (2010). Carbon source regulation of antibiotic production. *The Journal of Antibiotics*, 63(8), 442–459.

Sanchez, S., & Demain, A. L. (2002). Metabolic regulation of fermentation processes. *Enzyme and Microbial Technology*, 31(7), 895–906.

Sandes, J., Lira, J., Pinheiro, U., & Muricy, G. (2020). Taxonomy of *Melophlus* Thiele, 1899 and *Stellettinopsis* Carter, 1879, with description of two new species from Brazil (Demospongiae: Astrophorina). *Marine Biodiversity*, 50. <https://doi.org/10.1007/s12526-019-01037-8>

Santana-Pereira, A. L., Sandoval-Powers, M., Monsma, S., Zhou, J., Santos, S. R., Mead, D. A., & Liles, M. R. (2020). Discovery of novel biosynthetic gene cluster diversity from a soil metagenomic library. *Frontiers in Microbiology*, 11, 585398.

Sapkota, A., Thapa, A., Budhathoki, A., Sainju, M., Shrestha, P., & Aryal, S. (2020). Isolation, Characterization, and Screening of Antimicrobial-Producing Actinomycetes from Soil Samples. *International Journal of Microbiology*, 2020, e2716584. <https://doi.org/10.1155/2020/2716584>

Schneemann, I., Nagel, K., Kajahn, I., Labes, A., Wiese, J., & Imhoff, J. F. (2010). Comprehensive Investigation of Marine Actinobacteria Associated with the Sponge *Halichondria panicea*. *Applied and Environmental Microbiology*. <https://doi.org/10.1128/AEM.00780-10>

- Selim, M. S. M., Abdelhamid, S. A., & Mohamed, S. S. (2021). Secondary metabolites and biodiversity of actinomycetes. *Journal of Genetic Engineering and Biotechnology*, 19(1), 72. <https://doi.org/10.1186/s43141-021-00156-9>
- Selvin, J., Gandhimathi, R., Kiran, G. S., Priya, S. S., Ravji, T. R., & Hema, T. A. (2009). Culturable heterotrophic bacteria from the marine sponge *Dendrilla nigra*: Isolation and phylogenetic diversity of Actinobacteria. *Helgoland Marine Research*, 63(3), Article 3. <https://doi.org/10.1007/s10152-009-0153-z>
- Shaala, L. A., Youssef, D. T. A., Alzughairi, T. A., & Elhady, S. S. (2020). Antimicrobial Chlorinated 3-Phenylpropanoic Acid Derivatives from the Red Sea Marine Actinomycete *Streptomyces coelicolor* LY001. *Marine Drugs*, 18(9), 450. <https://doi.org/10.3390/md18090450>
- Sheikh, M., Gohel, S., Singh, S., & Rathore, D. (2019). Isolation strategies, abundance and characteristics of the marine actinomycetes of Kachhighadi, Gujarat, India. *Journal of the Marine Biological Association of India*, 61, 71–78. <https://doi.org/10.6024/jmbai.2019.61.1.2028-11>
- Shirling, E. B., & Gottlieb, D. (1966). Methods for characterization of *Streptomyces* species. *International Journal of Systematic and Evolutionary Microbiology*, 16(3), 313–340. <https://doi.org/10.1099/00207713-16-3-313>
- Shirling, E. T., & Gottlieb, D. (1966). Methods for characterization of *Streptomyces* species. *International Journal of Systematic Bacteriology*, 16(3), 313–340.
- Siebert, K., Busl, M., Asmus, I., Freund, J., Muscholl-Silberhorn, A., & Wirth, R. (2004). Evaluation of Methods for Storage of Marine Macroorganisms with Optimal Recovery of Bacteria. *Applied and Environmental Microbiology*, 70(10), 5912–5915. <https://doi.org/10.1128/AEM.70.10.5912-5915.2004>
- Soldatou, S., Eldjárn, G. H., Ramsay, A., Van Der Hooft, J. J., Hughes, A. H., Rogers, S., & Duncan, K. R. (2021). Comparative metabologenomics analysis of polar actinomycetes. *Marine Drugs*, 19(2), 103.
- Somma, S., Gastaldo, L., & Corti, A. (1984). Teicoplanin, a new antibiotic from *Actinoplanes teichomyceticus* nov. Sp. *Antimicrobial Agents and Chemotherapy*, 26(6), 917–923. <https://doi.org/10.1128/AAC.26.6.917>

- Sophia, A. (2021). Analysis of purity and concentration of extracted DNA on salted fish processed food products. *Asian Journal of Natural Product Biochemistry*, 19(1). <https://doi.org/10.13057/biofar/f190104>
- Sowani, H., Kulkarni, M., Zinjarde, S., & Javdekar, V. (2017). Chapter 7—Gordonia and Related Genera as Opportunistic Human Pathogens Causing Infections of Skin, Soft Tissues, and Bones. In K. Kon & M. Rai (Eds.), *The Microbiology of Skin, Soft Tissue, Bone and Joint Infections* (Vol. 2, pp. 105–121). Academic Press. <https://doi.org/10.1016/B978-0-12-811079-9.00007-0>
- Srinivasan, M. C., Laxman, R. S., & Deshpande, M. V. (1991). Physiology and nutritional aspects of actinomycetes: An overview. *World Journal of Microbiology and Biotechnology*, 7(2), 171–184. <https://doi.org/10.1007/BF00328987>
- Stratmann, A., Toupet, C., Schilling, W., Traber, R., Oberer, L., & Schupp, T. (1999). Intermediates of rifamycin polyketide synthase produced by an *Amycolatopsis mediterranei* mutant with inactivated *rifF* gene. *Microbiology*, 145(12), 3365–3375. <https://doi.org/10.1099/00221287-145-12-3365>
- Thakur, D., Bora, T. C., Bordoloi, G. N., & Mazumdar, S. (2009). Influence of nutrition and culturing conditions for optimum growth and antimicrobial metabolite production by *Streptomyces* sp. 201. *Journal de Mycologie Medicale*, 19(3), 161–167.
- Thirumurugan, D., Vijayakumar, R., Vadivalagan, C., Karthika, P., & Alam Khan, M. K. (2018). Isolation, structure elucidation and antibacterial activity of methyl-4,8-dimethylundecanate from the marine actinobacterium *Streptomyces albogriseolus* ECR64. *Microbial Pathogenesis*, 121, 166–172. <https://doi.org/10.1016/j.micpath.2018.05.025>
- Thomas, T. R. A., Kavlekar, D. P., & LokaBharathi, P. A. (2010). Marine Drugs from Sponge-Microbe Association—A Review. *Marine Drugs*, 8(4), 1417–1468. <https://doi.org/10.3390/md8041417>
- Uriz, M. J. (2002). Family Ancorinidae Schmidt, 1870. In J. N. A. Hooper, R. W. M. Van Soest, & P. Willenz (Eds.), *Systema Porifera: A Guide to the Classification of Sponges* (pp. 108–126). Springer US. https://doi.org/10.1007/978-1-4615-0747-5_12

- Voelker, F., & Altaba, S. (2001). Nitrogen source governs the patterns of growth and pristinamycin production in 'Streptomyces pristinaespiralis.' *Microbiology*, 147(9), 2447–2459.
- Wang, C., Lu, Y., & Cao, S. (2020). Antimicrobial compounds from marine actinomycetes. *Archives of Pharmacal Research*, 43(7), 677–704. <https://doi.org/10.1007/s12272-020-01251-0>
- Warsito, M. F., Untari, F., Prasetyoputri, A., Rachman, F., Septiana, E., Bayu, A., Atikana, A., Sukmarini, L., & Putra, M. Y. (2021). Antibacterial and antioxidant activities of ginger essential oils. *Microbiology Indonesia*, 15(4), 1–1.
- Webster, N. S., & Taylor, M. W. (2012). Marine sponges and their microbial symbionts: Love and other relationships. *Environmental Microbiology*, 14(2), 335–346. <https://doi.org/10.1111/j.1462-2920.2011.02460.x>
- Wilson, M. C., Mori, T., Rückert, C., Uria, A. R., Helf, M. J., Takada, K., Gernert, C., Steffens, U. A. E., Heycke, N., Schmitt, S., Rinke, C., Helfrich, E. J. N., Brachmann, A. O., Gurgui, C., Wakimoto, T., Kracht, M., Crüsemann, M., Hentschel, U., Abe, I., ... Piel, J. (2014). An environmental bacterial taxon with a large and distinct metabolic repertoire. *Nature*, 506(7486), Article 7486. <https://doi.org/10.1038/nature12959>
- Wohlleben, W., Bera, A., Mast, Y., & Stegmann, E. (2017). Regulation of Secondary Metabolites of Actinobacteria. In J. Wink, F. Mohammadipannah, & J. Hamedi (Eds.), *Biology and Biotechnology of Actinobacteria* (pp. 181–232). Springer International Publishing. https://doi.org/10.1007/978-3-319-60339-1_8
- Xi, L., Ruan, J., & Huang, Y. (2012). Diversity and biosynthetic potential of culturable actinomycetes associated with marine sponges in the China Seas. *International Journal of Molecular Sciences*, 13(5), 5917–5932. <https://doi.org/10.3390/ijms13055917>
- Xu, J., Song, Z., Xu, X., Ma, Z., Bechthold, A., & Yu, X. (2019). ToyA, a positive pathway-specific regulator for toyocamycin biosynthesis in *Streptomyces diastatochromogenes* 1628. *Applied Microbiology and Biotechnology*, 103(17), 7071–7084. <https://doi.org/10.1007/s00253-019-09959-w>
- Yang, H.-J., Huang, X.-Z., Zhang, Z.-L., Wang, C.-X., Zhou, J., Huang, K., Zhou, J.-M., & Zheng, W. (2014). Two novel amphomycin analogues from *Streptomyces canus* strain FIM-0916. *Natural Product Research*, 28(12), 861–867. <https://doi.org/10.1080/14786419.2014.886210>

- Yao, L., & Ye, B.-C. (2016). Reciprocal regulation of GlnR and PhoP in response to nitrogen and phosphate limitations in *Saccharopolyspora erythraea*. *Applied and Environmental Microbiology*, 82(1), 409–420.
- Ye, J., Zhou, F., Al-Kareef, A. M. Q., & Wang, H. (2015). *Anticancer agents from marine sponges*. 17(1), 64–88.
<https://doi.org/10.1080/10286020.2014.970535>
- Yu, L., Takahashi, Y., Matsumoto, A., Seino, A., Iwai, Y., & Omura, S. (2002). Application of PCR for selection of gram-positive bacteria with high DNA G+ C content among new isolates. *Actinomycetologica*, 16(1), 1–5.
- Zazopoulos, E., Huang, K., Staffa, A., Liu, W., Bachmann, B. O., Nonaka, K., Ahlert, J., Thorson, J. S., Shen, B., & Farnet, C. M. (2003). A genomics-guided approach for discovering and expressing cryptic metabolic pathways. *Nature Biotechnology*, 21(2), Article 2.
<https://doi.org/10.1038/nbt784>
- Zhang, J., Du, L., Liu, F., Xu, F., Hu, B., Venturi, V., & Qian, G. (2014). Involvement of both PKS and NRPS in antibacterial activity in *Lysobacter enzymogenes* OH11. *FEMS Microbiology Letters*, 355(2), 170–176.
<https://doi.org/10.1111/1574-6968.12457>
- Zhang, W., Li, Z., Miao, X., & Zhang, F. (2009). The Screening of Antimicrobial Bacteria with Diverse Novel Nonribosomal Peptide Synthetase (NRPS) Genes from South China Sea Sponges. *Marine Biotechnology*, 11(3), 346–355. <https://doi.org/10.1007/s10126-008-9148-z>
- Zhao, Z., Zhao, G., Chai, Y., Li, W., Song, K., Zhao, W., Li, H., Wu, M., Zhou, Z., & Du, Y.-L. (2023). Targeted genome mining for microbial antitumor agents acting through DNA intercalation. *Synthetic and Systems Biotechnology*, 8(3), 520–526.
- Zubair, M. S., Subehan Lallo, Masteria Yunovilsa Putra, Tri Aryono Hadi, & Ibrahim Jantan. (2018). Antibacterial and Cytotoxic Activities of Sponges Collected off the Coast of Togean Islands, Indonesia. *Pharmacognosy Journal*, 10(5).