

DAFTAR PUSTAKA

- Allegri, M. *et al.* (2016) "Mechanisms of low back pain: a guide for diagnosis and therapy." *F1000Research*, 5, hal. 1530. DOI: 10.12688/f1000research.8105.1.
- Arummega, M.N., Rahmawati, A. dan Meiranny, A. (2022) "Faktor-Faktor yang Mempengaruhi Nyeri Punggung Ibu Hamil Trimester III: Literatur Review." *Oksitosin: Jurnal Ilmiah Kebidanan*, 9(1), hal. 14–30. DOI: 10.35316/oksitosin.v9i1.1506.
- Bakker, E.C. *et al.* (2013) "Psychological determinants of pregnancy-related lumbopelvic pain: A prospective cohort study." *Acta Obstetrica et Gynecologica Scandinavica*, 92(7), hal. 797–803. DOI: 10.1111/aogs.12131.
- Berber, M.A. dan Satılmış, İ.G. (2020) "Characteristics of Low Back Pain in Pregnancy, Risk Factors, and Its Effects on Quality of Life." *Pain Management Nursing*, 21(6), hal. 579–586. DOI: 10.1016/j.pmn.2020.05.001.
- Bryndal, A. *et al.* (2020) "Risk Factors Associated with Low Back Pain among A Group of 1510 Pregnant Women." *Journal of Personalized Medicine*, 10(2), hal. 51. DOI: 10.3390/jpm10020051.
- Burns, E.R. *et al.* (2015) "Stressful life events experienced by women in the year before their infants' births--United States, 2000-2010." *MMWR. Morbidity and mortality weekly report*, 64(9), hal. 247–51. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/25763877> (Diakses: 16 September 2023).
- Carvalho, M.E.C.C. *et al.* (2017) "Low back pain during pregnancy." *Brazilian Journal of Anesthesiology*, 67(3), hal. 266–270. DOI: 10.1016/j.bjan.2016.03.002.
- Cohen, M.H. *et al.* (2010) *Patient Handling and Movement Assessments: A White Paper*. Borden, C.M. (ed.). Dallas, TX: The Facility Guidelines Institute Available at: https://www.fgiguideelines.org/wp-content/uploads/2015/08/FGI_PHAMA_whitepaper_042810.pdf.
- Committee on Obstetric Practice. (2013) "Committee Opinion: Weight Gain During Pregnancy." *The American College of Obstetricians and Gynecologists*, (548). DOI: 10.1097/SPV.0000000000000113.

- Fatoye, F., Gebrye, T. dan Odeyemi, I. (2019) "Real-world incidence and prevalence of low back pain using routinely collected data." *Rheumatology International*, 39(4), hal. 619–626. DOI: 10.1007/s00296-019-04273-0.
- Gharaibeh, Mud.A. *et al.* (2018) "Prevalence of Low Back Pain in Pregnant Women and the Associated Risk Factors." *Journal of Orthopedics & Bone Disorders*, 2(2), hal. 1–7. DOI: 10.23880/JOBD-16000157.
- Hawker, C. (2019) *Back pain and its relationship to socio-demographic and psycho-social factors in a cohort of pregnant women attending a primary health care clinic in the eThekweni municipality*. Durban, South Africa: Durban University of Technology. DOI: 10.51415/10321/3241.
- Iskandar. dan Sofia, R. (2019) "Hubungan Stres Psikososial pada Kehamilan dengan Komplikasi Persalinan di Wilayah Kerja Puskesmas Lapang Aceh Utara." *Jurnal Averrous*, 5(1). Available at: <https://ojs.unimal.ac.id/averrous/article/view/1627/894>.
- Katonis, P. *et al.* (2011) "Pregnancy-Related Low Back Pain." *Hippokratia*, 15(3), hal. 205–210. Available at: <https://pubmed.ncbi.nlm.nih.gov/22435016>.
- Kesikburun, S. *et al.* (2018) "Musculoskeletal pain and symptoms in pregnancy: a descriptive study." *Therapeutic Advances in Musculoskeletal Disease*, 10(12), hal. 229–234. DOI: 10.1177/1759720X18812449.
- Lin, T. *et al.* (2021) "Extending the Mann-Whitney-Wilcoxon rank sum test to survey data for comparing mean ranks." *Statistics in Medicine*, 40(7), hal. 1705–1717. DOI: 10.1002/sim.8865.
- Liu, Y.-Z., Wang, Y.-X. dan Jiang, C.-L. (2017) "Inflammation: The Common Pathway of Stress-Related Diseases." *Frontiers in Human Neuroscience*, 11(June), hal. 1–11. DOI: 10.3389/fnhum.2017.00316.
- Long, G. *et al.* (2020) "Different types of low back pain in relation to pre- and post-natal maternal depressive symptoms." *BMC Pregnancy and Childbirth*, 20(1), hal. 551. DOI: 10.1186/s12884-020-03139-9.
- Mansournia, M.A. *et al.* (2018) "Separation in Logistic Regression: Causes, Consequences, and Control." *American Journal of Epidemiology*, 187(4), hal. 864–870. DOI: 10.1093/aje/kwx299.

- Manyozo, S.D. *et al.* (2019) “Low back pain during pregnancy: Prevalence, risk factors and association with daily activities among pregnant women in urban Blantyre, Malawi.” *Malawi Medical Journal*, 31(1), hal. 71–76. DOI: 10.4314/mmj.v31i1.12.
- Matsuda, N. *et al.* (2020) “Association Between Excessive Weight Gain During Pregnancy and Persistent Low Back and Pelvic Pain After Delivery.” *Spine*, 45(5), hal. 319–324. DOI: 10.1097/BRS.00000000000003271.
- Maulana, N. dan Nufus, H. (2014) “Hubungan Nyeri Punggung dengan Tingkat Stres Ibu Hamil Primigravida Trimester III (di Wilayah Kerja Puskesmas Jelakombo Kec. Jombang Kab. Jombang).” *Jurnal Kebidanan*, 4(1), hal. 10–18. Available at: <http://repo.itskesicme.ac.id/id/eprint/1796%0A>.
- Perkins, J., Hammer, R.L. dan Loubert, P. V. (1998) “Identification and management of pregnancy-related low back pain.” *Journal of Nurse-Midwifery*, 43(5), hal. 331–340. DOI: 10.1016/S0091-2182(98)00032-9.
- Prawirohardjo, S. (2010) *Ilmu Kebidanan Sarwono Prawirohardjo*. 4 Edisi. Saifuddin, A.B.Rachimhadhi, T.dan Wiknjosastro, G.H. (ed.). Jakarta: PT Bina Pustaka Sarwono Prawirohardjo.
- Purnamasari, K.D. dan Widyawati, M.N. (2019) “Gambaran Nyeri Punggung Bawah pada Ibu Hamil Trimester III.” *Jurnal Keperawatan Silampari*, 3(1), hal. 352–361. DOI: 10.31539/jks.v3i1.512.
- Ramond, A. *et al.* (2011) “Psychosocial risk factors for chronic low back pain in primary care--a systematic review.” *Family Practice*, 28(1), hal. 12–21. DOI: 10.1093/fampra/cm072.
- Rodrigues, W.F.G. *et al.* (2011) “Prevalence of lower back pain and physical inactivity: the impact of psychosocial factors in pregnant women served by the Family Health Strategy.” *Einstein (São Paulo)*, 9(4), hal. 489–493. DOI: 10.1590/s1679-45082011ao2186.
- Rohmah, E.N. dan Rachmawati, I.N. (2017) “Assessing the Validity and Reliability of The Indonesian Version of The Stress Scale and Pregnancy Acceptance Questionnaire for Measuring Prenatal Psychosocial Profile.” In *The Biennial International Nursing Conference (BINC)*. Jakarta: Universitas Indonesia.

Available at: <http://conference.ui.ac.id/binc/BINC2017/paper/view/12024>.

Roy, K., Kar, S. dan Das, R.N. (2015) "Validation of QSAR Models." In *Understanding the Basics of QSAR for Applications in Pharmaceutical Sciences and Risk Assessment*. Elsevier, hal. 231–289. DOI: 10.1016/B978-0-12-801505-6.00007-7.

See, Q., Tan, B. dan Kumar, D. (2021) "Acute low back pain: diagnosis and management." *Singapore Medical Journal*, 62(6), hal. 271–275. DOI: 10.11622/smedj.2021086.

Sinclair, I. *et al.* (2019) "Psychosocial Stress, Sedentary Behavior, and Physical Activity during Pregnancy among Canadian Women: Relationships in a Diverse Cohort and a Nationwide Sample." *International Journal of Environmental Research and Public Health*, 16(24), hal. 5150. DOI: 10.3390/ijerph16245150.

de Sousa, V.P.S. *et al.* (2019) "The influence of gestational trimester, physical activity practice and weight gain on the low back and pelvic pain intensity in low risk pregnant women." *Journal of Back and Musculoskeletal Rehabilitation*, 32(5), hal. 671–676. DOI: 10.3233/BMR-171006.

Stapleton, D.B., MacLennan, A.H. dan Kristiansson, P. (2002) "The prevalence of recalled low back pain during and after pregnancy: a South Australian population survey." *The Australian and New Zealand Journal of Obstetrics and Gynaecology*, 42(5), hal. 482–485. DOI: 10.1111/j.0004-8666.2002.00482.x.

Syalfina, A.D., Sari Priyanti. dan Dian Irawati. (2022) "Studi Kasus: Ibu Hamil Dengan Nyeri Punggung." *Jurnal Ilmiah Kebidanan (Scientific Journal of Midwifery)*, 8(1), hal. 36–42. DOI: 10.33023/jikeb.v8i1.1061.

Tarwaka. (2015) *Ergonomi Industri: Dasar-dasar Ergonomi dan Implementasi di Tempat Kerja*. Surakarta: Harapan Press.

Teck, T.S., Prabowo, T. dan Kurniani, N. (2016) "Correlation between Body Mass Index and Disability in Patient with Chronic Low Back Pain." *Althea Medical Journal*, 3(4), hal. 624–628. DOI: 10.15850/amj.v3n4.949.

Traylor, C.S. *et al.* (2020) "Effects of psychological stress on adverse pregnancy

- outcomes and nonpharmacologic approaches for reduction: an expert review.” *American Journal of Obstetrics & Gynecology MFM*, 2(4), hal. 100229. DOI: 10.1016/j.ajogmf.2020.100229.
- Tuncer, S.F. dan Tuncer, H.A. (2021) “Solving an incomplete puzzle: risk factors of low back pain during pregnancy.” *Ginekologia Polska*, 92(10), hal. 714–719. DOI: 10.5603/GP.a2021.0117.
- Virgara, R., Maher, C. dan Van Kessel, G. (2018) “The comorbidity of low back pelvic pain and risk of depression and anxiety in pregnancy in primiparous women.” *BMC Pregnancy and Childbirth*, 18(1), hal. 1–7. DOI: 10.1186/s12884-018-1929-4.
- Wang, S.-M. *et al.* (2004) “Low Back Pain During Pregnancy.” *Obstetrics & Gynecology*, 104(1), hal. 65–70. DOI: 10.1097/01.AOG.0000129403.54061.0e.
- Wijayanti, F. *et al.* (2019) “Kejadian Low Back Pain (LBP) pada Penjahit Konveksi di Kelurahan Way Halim Kota Bandar Lampung.” *Medula*, 8(2), hal. 82–88.
- Woods, S.M. *et al.* (2010) “Psychosocial stress during pregnancy.” *American Journal of Obstetrics and Gynecology*, 202(1), hal. 61.e1-61.e7. DOI: 10.1016/j.ajog.2009.07.041.
- Wu, A. *et al.* (2020) “Global low back pain prevalence and years lived with disability from 1990 to 2017: estimates from the Global Burden of Disease Study 2017.” *Annals of Translational Medicine*, 8(6), hal. 299–299. DOI: 10.21037/atm.2020.02.175.
- Yasmine, M. *et al.* (2020) “AB0969 GAINED WEIGHT DURING PREGNANCY AND LOW BACK PAIN: IS IT REALLY ASSOCIATED?” *Annals of the Rheumatic Diseases*, 79(Suppl 1), hal. 1779.3-1780. DOI: 10.1136/annrheumdis-2020-eular.334.
- Yip, Y., Ho, S.C. dan Chan, S. (2001) “Socio-psychological stressors as risk factors for low back pain in Chinese middle-aged women.” *Journal of Advanced Nursing*, 36(3), hal. 409–416. DOI: 10.1046/j.1365-2648.2001.01988.x.