

DAFTAR PUSTAKA

- Akbari, F. R. (2016). Evaluasi Pengaruh Koreksi Atmosferik Dalam Algoritma Untuk Perhitungan Total Suspended Solid Menggunakan Citra Satelit Landsat 8. Surabaya: Institut Teknologi Sepuluh November.
- Anonim. (2014). "Digital Globe Constellation: Worldview-3 Data Sheet Collection Scenarios Design and Specifications".
http://www.geonet.co.id/pdf/DG_WorldView3_DS_forWeb_0.pdf.
- Ashphaq, M., Srivastava, P. K., & Mitra, D. (2021). Review of near-shore satellite derived bathymetry: Classification and account of five decades of coastal bathymetry research. *Journal of Ocean Engineering and Science*, 6(4), 340-359.
- Baktiar, A. H., & Basith, A. (2020). Analisis Kandungan Total Suspended Solid (TSS) Menggunakan Citra Satelit Worldview 3 di Perairan Karimunjawa. *Elipsoida: Jurnal Geodesi dan Geomatika*, 3(02), 112-118.
- Basith, A., & Prastyani, R. (2020). Evaluating ACOMP, FLAASH and QUAC on Worldview-3 for satellite derived bathymetry (SDB) in shallow water. *Geodesy and Cartography*, 46(3), 151-158.
- Bobsaid, M. W., & Jaelani, L. M. (2017). Studi pemetaan batimetri perairan dangkal menggunakan citra satelit landsat 8 dan sentinel-2A (Studi kasus: perairan Pulau Poteran dan Gili Iyang, Madura). *Jurnal Teknik ITS*, 6(2), A641-A644.
- Caballero, I., & Stumpf, R. P. (2020). Atmospheric correction for satellite-derived bathymetry in the Caribbean waters: from a single image to multi-temporal approaches using Sentinel-2A/B. *Optics Express*, 28(8), 11742-11766.
- Casal, G., Hedley, J. D., Monteys, X., Harris, P., Cahalane, C., & McCarthy, T. (2020). Satellite-derived bathymetry in optically complex waters using a model inversion approach and Sentinel-2 data. *Estuarine, Coastal and Shelf Science*, 241, 106814.
- Chiang, J. Y., Chen, Y. C., & Chen, Y. F. (2011). Underwater image enhancement: using wavelength compensation and image dehazing (WCID). In *Advanced Concepts for Intelligent Vision Systems: 13th International Conference, ACIVS 2011, Ghent*,

- Belgium, August 22-25, 2011. Proceedings 13 (pp. 372-383). Springer Berlin Heidelberg.
- Cui, A., Zhang, J., Ma, Y., & Zhang, X. (2022). A Noise De-Correlation Based Sun Glint Correction Method and Its Effect on Shallow Bathymetry Inversion. *Remote Sensing*, 14(23), 5981.
- Dewi, R. S., Lumban-Gaol, Y., AN, S. I., Rizaldy, A., Syetiawan, A., & Rahadiati, A. (2020, June). Assessing the effect of various training and testing set ratios to model the satellite derived bathymetry. In *IOP Conference Series: Earth and Environmental Science* (Vol. 500, No. 1, p. 012032). IOP Publishing.
- Doelling, D., Langley, States, U. (2018). *Vicarious Calibration and Validation, Comprehensive Remote Sensing*. Elseiver. <https://doi.org/10.1016/B978-0-12-409548-9.10329-X>.
- Duan, Z., Chu, S., Cheng, L., Ji, C., Li, M., & Shen, W. (2022). Satellite-derived bathymetry using Landsat-8 and Sentinel-2A images: assessment of atmospheric correction algorithms and depth derivation models in shallow waters. *Optics Express*, 30(3), 3238-3261.
- Effendi, H., 2003. *Telaah Kualitas Air bagi Pengelolaan Sumber Daya dan Lingkungan Perairan*. Fakultas Perikanan dan Ilmu Kelautan IPB. Bogor.
- Ehses, J. S., & Rooney, J. J. B. (2015). Depth derivation using multispectral WorldView-2 satellite imagery.
- Gao, J. (2009). Bathymetric mapping by means of remote sensing: methods, accuracy and limitations. *Progress in Physical Geography*, 33(1), 103-116.
- Gordon, H. R., & Wang, M. (1994). Retrieval of water-leaving radiance and aerosol optical thickness over the oceans with SeaWiFS: a preliminary algorithm. *Applied optics*, 33(3), 443-452.
- Green, E., Mumby, P., Edwards, A., & Clark, C. (2000). *Remote sensing: handbook for tropical coastal management*. United Nations Educational, Scientific and Cultural Organization (UNESCO).

- Hashim, N. S., Windupranata, W., Tahar, K. N., & Sulaiman, S. A. H. (2021, May). Shallow-Water bathymetry estimation at pantai tok jembal, terengganu, Malaysia using landsat 8 (OLI). In IOP Conference Series: Earth and Environmental Science (Vol. 767, No. 1, p. 012008). IOP Publishing.
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107-2112.
- IHO. (2006). A Manual on Technical Aspects of the United Nations Convention on the Law of the Sea – 1982, Special Publication No. 51 4th Edition. International Hydrographic Bureau.
- IHO. (2022). International Hydrographic Organization Standards for Hydrographic Surveys S-44.
- Ihsan, A. N. (2020). Estimasi Kedalaman Perairan Laut Dangkal Dengan Metode Empiris Menggunakan Citra Satelit Worldview-3 dan SPOT-7 (Studi Kasus: Perairan Pelabuhan Karimunjawa). Skripsi Program Sarjana. Teknik Geodesi. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta.
- Indeswari, L., Hariyanto, T., & Pribadi, C. B. (2018). Pemetaan sebaran Total Suspended Solid (TSS) menggunakan citra landsat multitemporal dan data in situ (studi kasus: perairan muara Sungai Porong, Sidoarjo). *Jurnal Teknik ITS*, 7(1), C71-C76.
- Irwanto, D. (2018, September). Perkiraan batimetri perairan dangkal menggunakan Citra Landsat 8. In *Prosiding Seminar Nasional Kelautan Dan Perikanan*, IV (pp. 1-12).
- Jaelani, L. M., & Putri, K. (2019). Analisis Kemampuan Citra Satelit Pleiades-1B Dalam Mengestimasi Kedalaman Perairan Gili Iyang Dengan Menerapkan Geographically Weighted Regression (Gwr). *Geoid*, 14(2), 28-34.
- Jensen, J. R. (2005). *Digital image processing: a remote sensing perspective*. Upper Saddle River, NJ: sPrentice Hall.

- Kanno, A., Koibuchi, Y., & Isobe, M. (2011). Shallow water bathymetry from multispectral satellite images: Extensions of Lyzenga's method for improving accuracy. *Coastal Engineering Journal*, 53(04), 431-450.
- Kay, S., Hedley, J. D., & Lavender, S. (2009). Sun glint correction of high and low spatial resolution images of aquatic scenes: a review of methods for visible and near-infrared wavelengths. *Remote sensing*, 1(4), 697-730.
- Kuester, M. (2016). Radiometric use of WorldView-3 imagery. DigitalGlobe: Longmont, CO, USA.
- Kurniawan, A., Pranowo, W. S., Prihanto, Y., Bastari, A., & Setiyadi, J. (2021). Challenges of Acquisition Bathymetry Information on PlanetScope Data and Nautical Chart: Experiment Based on IHO S-44 Total Vertical Uncertainty in Multi-Method Satellite-Derived Bathymetry. *Journal of Hunan University Natural Sciences*, 48(12).
- Kurniawan, R., & Danoedoro, P. (2017). Pengaruh koreksi radiometri terhadap akurasi indeks vegetasi dalam estimasi biomassa di atas permukaan tanah pada topografi bergunung wilayah Gunung Api Lawu. *Jurnal Bumi Indonesia*, 6(2).
- Liang, S., & Wang, J. (Eds.). (2019). *Advanced remote sensing: terrestrial information extraction and applications*. Academic Press.
- Lyzenga, D. R., Malinas, N. P., & Tanis, F. J. (2006). Multispectral bathymetry using a simple physically based algorithm. *IEEE Transactions on Geoscience and Remote Sensing*, 44(8), 2251-2259.
- McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International journal of remote sensing*, 17(7), 1425-1432.
- Muchsin, F., & Fibriawati, L. (2017). Koreksi atmosfer citra Landsat-8 menggunakan Metode 6S. In *Prosiding Seminar Nasional Sains Atmosfer (SNSA) 2017* (pp. 100-104). PSTA LAPAN.

- Noegroho, K.T., (2003), Pemetaan Batimetri secara sederhana Perairan Kepulauan Seribu Dengan Menggunakan Citra Landsat 7 ETM+ dan Memperhatikan Faktor Pasang Surut, Skripsi, Fakultas Teknik Jurusan Geodesi, Universitas Gadjah Mada, Yogyakarta.
- Nuha, M. U. (2019). Optimalisasi Parameter Analitis Ekstraksi Optimization of Analytical Parameters To Derive Bathymetry With High Resolution.
- Parente, C., & Pepe, M. (2018). Bathymetry from worldView-3 satellite data using radiometric band ratio. *Acta Polytechnica*, 58(2), 109-117.
- Poerbandono, D. E., & Djunarsjah, E. (2005). *Survei hidrografi*. Refika Aditama. Bandung, 166.
- Polcyn, F. C., Brown, W. L., & Sattinger, I. J. (1970). The measurement of water depth by remote sensing techniques. *Michigan Univ Ann Arbor Inst of Science and Technology*.
- Putri, S. P. (2021). Analisis Hasil Ekstraksi Kedalaman Perairan Dangkal Dari Citra Satelit Resolusi Menengah (Studi Kasus: Kepulauan Karimunjawa, Kabupaten Jepara, Jawa Tengah). Skripsi Program Sarjana. Teknik Geodesi. Fakultas Teknik. Universitas Gadjah Mada. Yogyakarta.
- Ramadhan, M. L., & Sasmito, B. (2021). Analisis Pengaruh Nilai Keketukan Air Terhadap Akurasi Satellite Derived Bathymetry Dengan Algoritma Stumpf (Studi Kasus: Pantai Kartini, Jawa Tengah). *Jurnal Geodesi UNDIP*, 10(2), 36-46.
- Riter, J., Suryono, C. A., & Pratikto, I. (2018). Pemetaan Karakteristik Fisika-Kimia Perairan Dan Pemodelan Arus Di Kabupaten Sidoarjo. *Journal of Marine Research*, 7(3), 223-230
- Stumpf, R. P., Holderied, K., & Sinclair, M. (2003). Determination of water depth with high-resolution satellite imagery over variable bottom types. *Limnology and Oceanography*, 48(1part2), 547-556.
- Syaiful, S. N., Helmi, M., Widada, S., Widiarati, R., Subardjo, P., & Suryoputro, A. A. D. (2019). Analisis Digital Citra Satelit Worldview-2 untuk Ekstraksi Kedalaman

Perairan Laut di Sebagian Perairan Pulau Parang, Kepulauan Karimunjawa, Provinsi Jawa Tengah. *Indonesian Journal of Oceanography*, 1(1), 36-43.

Triatmodjo, Bambang. (2008). *Hidrologi Terapan*. Beta Offset, Yogyakarta.

Vanhellemont, Q. (2019). Adaptation of the dark spectrum fitting atmospheric correction for aquatic applications of the Landsat and Sentinel-2 archives. *Remote Sensing of Environment*, 225, 175-192.

Vanhellemont, Q., & Ruddick, K. (2015). Advantages of high quality SWIR bands for ocean colour processing: Examples from Landsat-8. *Remote Sensing of Environment*, 161, 89-106.

Vanhellemont, Q., & Ruddick, K. (2016, May). Acolite for Sentinel-2: Aquatic applications of MSI imagery. In *Proceedings of the 2016 ESA Living Planet Symposium*, Prague, Czech Republic (pp. 9-13).

Vanhellemont, Q., & Ruddick, K. (2018). Atmospheric correction of metre-scale optical satellite data for inland and coastal water applications. *Remote sensing of environment*, 216, 586-597.

Vanhellemont, Q. (18 Juli 2023). EXP Algorithm Processing Error In Worldview-3. ACOLITE Forum, (Online), (<https://odnature.naturalsciences.be/remsem/acolite-forum/viewtopic.php?f=4&t=435>), diakses pada 25 Desember 2023.

Vermote, E. F., Tanré, D., Deuze, J. L., Herman, M., & Morcette, J. J. (1997). Second simulation of the satellite signal in the solar spectrum, 6S: An overview. *IEEE transactions on geoscience and remote sensing*, 35(3), 675-686.

Vermote, E. F. T. D., Tanré, D., Deuzé, J. L., Herman, M., Morcrette, J. J., & Kotchenova, S. Y. (2006). Second simulation of a satellite signal in the solar spectrum-vector (6SV). *6S User Guide Version*, 3(2), 1-55.

Vermote, E. F., El Saleous, N. Z., & Justice, C. O. (2002). Atmospheric correction of MODIS data in the visible to middle infrared: first results. *Remote Sensing of Environment*, 83(1-2), 97-111.

Westley, K. (2021). Satellite-derived bathymetry for maritime archaeology: Testing its effectiveness at two ancient harbours in the Eastern Mediterranean. *Journal of Archaeological Science: Reports*, 38, 103030.

Wilson, R. T. (2013). Py6S: A Python interface to the 6S radiative transfer model. *Computers & Geosciences*, 51, 166-171.