

DAFTAR PUSTAKA

- Albawi, S., Mohammed, T. A., & Al-Zawi, S. (2017). Understanding of a convolutional neural network. *2017 International Conference on Engineering and Technology (ICET)*, 1–6. <https://doi.org/10.1109/ICEngTechnol.2017.8308186>
- Amarouche, K., Benbrahim, H., & Kassou, I. (2015). Product Opinion Mining for Competitive Intelligence. *Procedia Computer Science*, 73, 358–365. <https://doi.org/10.1016/j.procs.2015.12.004>
- Azhar, A. N., Khodra, M. L., & Sutiono, A. P. (2019). Multi-label Aspect Categorization with Convolutional Neural Networks and Extreme Gradient Boosting. *2019 International Conference on Electrical Engineering and Informatics (ICEEI)*, 35–40. <https://doi.org/10.1109/ICEEI47359.2019.8988898>
- Bachtiar, F. A., Parasati, W., & Setiawan, N. (2020). Aspect Based Sentiment Analysis for Customer Reviews on Bakso President Malang. *IICST*.
- Bahtar, A. Z., & Muda, M. (2016). The Impact of User – Generated Content (UGC) on Product Reviews towards Online Purchasing – A Conceptual Framework. *Procedia Economics and Finance*, 37, 337–342. [https://doi.org/10.1016/S2212-5671\(16\)30134-4](https://doi.org/10.1016/S2212-5671(16)30134-4)
- Bangsa, M. T. A., Priyanta, S., & Suyanto, Y. (2020). Aspect-Based Sentiment Analysis of Online Marketplace Reviews Using Convolutional Neural Network. *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 14(2), 123. <https://doi.org/10.22146/ijccs.51646>
- Bojanowski, P., Grave, E., Joulin, A., & Mikolov, T. (2017). Enriching Word Vectors with Subword Information. *Transactions of the Association for Computational Linguistics*, 5, 135–146. https://doi.org/10.1162/tac1_a_00051
- Bott, E., & Stinson, C. (2019). *Windows 10 inside out*. Microsoft Press.
- Breiman, L. (2001). Random Forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Chang, S. S. (2023). *Machine Learning Interviews*. O'Reilly Media. <https://books.google.co.id/books?id=3XbmEAAAQBAJ>

- Chib, P. S., & Singh, P. (2023). Recent Advancements in End-to-End Autonomous Driving using Deep Learning: A Survey. *IEEE Transactions on Intelligent Vehicles*, 1–18. <https://doi.org/10.1109/TIV.2023.3318070>
- Ciresan, D., Meier, U., Masci, J., & Schmidhuber, J. (2011). A committee of neural networks for traffic sign classification. *The 2011 International Joint Conference on Neural Networks*, 1918–1921. <https://doi.org/10.1109/IJCNN.2011.6033458>
- Devlin, J., Chang, M.-W., Lee, K., & Toutanova, K. (2019). BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding. *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, 4171–4186. <https://doi.org/10.18653/v1/N19-1423>
- Fachrina, Z., & Widyantoro, D. H. (2017). Aspect-sentiment classification in opinion mining using the combination of rule-based and machine learning. *2017 International Conference on Data and Software Engineering (ICoDSE)*, 1–6. <https://doi.org/10.1109/ICODSE.2017.8285850>
- Firmanto, A., & Sarno, R. (2019). Aspect-Based Sentiment Analysis Using Grammatical Rules, Word Similarity and SentiCircle. *International Journal of Intelligent Engineering and Systems*, 12, 190–201. <https://doi.org/10.22266/ijies2019.1031.19>
- Gamallo, P., & Garcia, M. (2014). Citius: A Naive-Bayes Strategy for Sentiment Analysis on English Tweets. In P. Nakov & T. Zesch (Eds.), *Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014)* (pp. 171–175). Association for Computational Linguistics. <https://doi.org/10.3115/v1/S14-2026>
- Glasmachers, T. (2017). Limits of End-to-End Learning. *Proceedings of the Ninth Asian Conference on Machine Learning*, 17–32. <https://proceedings.mlr.press/v77/glasmachers17a.html>
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep Learning*. MIT Press.
- Grave, E., Bojanowski, P., Gupta, P., Joulin, A., & Mikolov, T. (2018, May). Learning Word Vectors for 157 Languages. *Proceedings of the Eleventh International Conference on Language Resources and Evaluation (LREC 2018)*. <https://www.aclweb.org/anthology/L18-1550>
- Graves, A., & Jaitly, N. (2014). Towards End-To-End Speech Recognition with Recurrent Neural Networks. *Proceedings of the 31st International Conference on Machine Learning*, 1764–1772. <https://proceedings.mlr.press/v32/graves14.html>

- Gunawan, W., Suhartono, D., Purnomo, F., & Ongko, A. (2018). Named-Entity Recognition for Indonesian Language using Bidirectional LSTM-CNNs. *Procedia Computer Science*, 135, 425–432. <https://doi.org/10.1016/j.procs.2018.08.193>
- Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D., Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk, M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant, T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>
- Hegde, V., P, M., & Madhu, M. (2015). Opinion Mining And Market Analysis. *International Journal of Applied Engineering Research*, 10, 25629–25636.
- Hermaren, V., & Achyar, A. (2018). The effect of firm created content and user generated content evaluation on customer-based brand equity. *INOBIIS: Jurnal Inovasi Bisnis Dan Manajemen Indonesia*, 2(1), 86–100. <https://doi.org/10.31842/jurnal-inobis.v2i1.63>
- Himmat, M., & Ibrahim, M. A. (2020). Opinion Mining in Big Data: Trend of Thinking for Big Data Era. *European Journal of Computer Science and Information Technology*, 8(1), 7.
- Hochreiter, S., & Schmidhuber, J. (1997). Long Short-term Memory. *Neural Computation*, 9, 1735–1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- Hu, M., Peng, Y., Huang, Z., Li, D., & Lv, Y. (2019). Open-Domain Targeted Sentiment Analysis via Span-Based Extraction and Classification. *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, 537–546. <https://doi.org/10.18653/v1/P19-1051>
- Ilmania, A., Abdurrahman, Cahyawijaya, S., & Purwarianti, A. (2018). Aspect Detection and Sentiment Classification Using Deep Neural Network for Indonesian Aspect-Based Sentiment Analysis. *2018 International Conference on Asian Language Processing (IALP)*, 62–67. <https://doi.org/10.1109/IALP.2018.8629181>
- Jiao, Q., & Zhang, S. (2021). A Brief Survey of Word Embedding and Its Recent Development. *2021 IEEE 5th Advanced Information Technology, Electronic and Automation Control Conference (IAEAC)*, 5, 1697–1701. <https://doi.org/10.1109/IAEAC50856.2021.9390956>
- Jurafsky, D., & Martin, J. H. (2009). *Speech and language processing: An introduction to natural language processing, computational linguistics, and speech recognition, 2nd Edition*. Prentice Hall, Pearson Education International. <https://www.worldcat.org/oclc/315913020>

- Kamran, M., & Mansoor, S. (2016). Named Entity Recognition System for Postpositional Languages: Urdu as a Case Study. *International Journal of Advanced Computer Science and Applications*, 7(10). <https://doi.org/10.14569/IJACSA.2016.071019>
- Kharde, V. A., & Sonawane, S. S. (2016). Sentiment Analysis of Twitter Data: A Survey of Techniques. *International Journal of Computer Applications*, 139(11), 5–15. <https://doi.org/10.5120/ijca2016908625>
- Kim, Y. (2014). Convolutional Neural Networks for Sentence Classification. *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 1746–1751. <https://doi.org/10.3115/v1/D14-1181>
- Kudo, T. (2018). Subword Regularization: Improving Neural Network Translation Models with Multiple Subword Candidates. *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 66–75. <https://doi.org/10.18653/v1/P18-1007>
- Kudo, T., & Richardson, J. (2018). SentencePiece: A simple and language independent subword tokenizer and detokenizer for Neural Text Processing. *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing: System Demonstrations*, 66–71. <https://doi.org/10.18653/v1/D18-2012>
- Kusumawardani, R. P., & Maulidani, M. W. (2020). Aspect-level Sentiment Analysis for Social Media Data in the Political Domain using Hierarchical Attention and Position Embeddings. *2020 International Conference on Data Science and Its Applications (ICoDSA)*, 1–5. <https://doi.org/10.1109/ICoDSA50139.2020.9212883>
- Leung, K. (2022, September 13). *Micro, Macro & Weighted Averages of F1 Score, Clearly Explained*. Medium. <https://towardsdatascience.com/micro-macro-weighted-averages-of-f1-score-clearly-explained-b603420b292f>
- Lewis, D. D. (1998). Naive (Bayes) at Forty: The Independence Assumption in Information Retrieval. *European Conference on Machine Learning*.
- Li, X., Bing, L., Li, P., & Lam, W. (2019). A Unified Model for Opinion Target Extraction and Target Sentiment Prediction. *Proceedings of the AAAI Conference on Artificial Intelligence*, 33, 6714–6721. <https://doi.org/10.1609/aaai.v33i01.33016714>
- Li, X., Bing, L., Zhang, W., & Lam, W. (2019). Exploiting BERT for End-to-End Aspect-based Sentiment Analysis. *Proceedings of the 5th Workshop on Noisy User-Generated Text (W-NUT 2019)*, 34–41. <https://doi.org/10.18653/v1/D19-5505>

- Librian, A. (2014). *Sastrawi/sastrawi*. High Quality Stemmer Library for Indonesian Language (Bahasa) - Sastrawi/Sastrawi. <https://github.com/sastrawi/sastrawi>
- Liu, B. (2012). *Sentiment Analysis and Opinion Mining*. Morgan & Claypool Publishers.
- Loye, G. (2019, June 15). *Long Short-Term Memory: From Zero to Hero with PyTorch*. FloydHub Blog. <https://blog.floydhub.com/long-short-term-memory-from-zero-to-hero-with-pytorch/>
- Luo, H., Ji, L., Li, T., Jiang, D., & Duan, N. (2020). GRACE: Gradient Harmonized and Cascaded Labeling for Aspect-based Sentiment Analysis. *Findings of the Association for Computational Linguistics: EMNLP 2020*, 54–64. <https://doi.org/10.18653/v1/2020.findings-emnlp.6>
- Ma, D., Li, S., & Wang, H. (2018). Joint Learning for Targeted Sentiment Analysis. *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, 4737–4742. <https://doi.org/10.18653/v1/D18-1504>
- Maitama, J. Z., Idris, N., Abdi, A., Shuib, L., & Fauzi, R. (2020). A Systematic Review on Implicit and Explicit Aspect Extraction in Sentiment Analysis. *IEEE Access*, 8, 194166–194191. <https://doi.org/10.1109/ACCESS.2020.3031217>
- Manik, L. P., Mustika, H. F., Akbar, Z., Kartika, Y. A., Saleh, D. R., Setiawan, F. A., & Satya, I. A. (2020). Aspect-Based Sentiment Analysis on Candidate Character Traits in Indonesian Presidential Election. *2020 International Conference on Radar, Antenna, Microwave, Electronics, and Telecommunications (ICRAMET)*, 224–228. <https://doi.org/10.1109/ICRAMET51080.2020.9298595>
- McKinney, W. (2010). Data Structures for Statistical Computing in Python. In S. van der Walt & J. Millman (Eds.), *Proceedings of the 9th Python in Science Conference* (pp. 56–61). <https://doi.org/10.25080/Majora-92bf1922-00a>
- Metke-Jimenez, A., & Karimi, S. (2015). Concept Extraction to Identify Adverse Drug Reactions in Medical Forums: A Comparison of Algorithms. *arXiv:1504.06936 [Cs]*. <http://arxiv.org/abs/1504.06936>
- Mikolov, T., Chen, K., Corrado, G. s., & Dean, J. (2013). Efficient Estimation of Word Representations in Vector Space. *Proceedings of Workshop at ICLR, 2013*.
- Mitchell, M., Aguilar, J., Wilson, T., & Van Durme, B. (2013). Open Domain Targeted Sentiment. *Proceedings of the 2013 Conference on Empirical*

Methods in Natural Language Processing, 1643–1654.
<https://www.aclweb.org/anthology/D13-1171>

Nguyen, H., & Shirai, K. (2018). A Joint Model of Term Extraction and Polarity Classification for Aspect-based Sentiment Analysis. *2018 10th International Conference on Knowledge and Systems Engineering (KSE)*, 323–328. <https://doi.org/10.1109/KSE.2018.8573340>

Nurifan, F., Sarno, R., & Sungkono, K. (2019). Aspect Based Sentiment Analysis for Restaurant Reviews Using Hybrid ELMoWikipedia and Hybrid Expanded Opinion Lexicon-SentiCircle. *International Journal of Intelligent Engineering and Systems*, 12, 47–58.
<https://doi.org/10.22266/ijies2019.1231.05>

Pandey, S. V., & Deorankar, A. V. (2019). A Study of Sentiment Analysis Task and It's Challenges. *2019 IEEE International Conference on Electrical, Computer and Communication Technologies (ICECCT)*, 1–5.
<https://doi.org/10.1109/ICECCT.2019.8869160>

Paszke, A., Gross, S., Massa, F., Lerer, A., Bradbury, J., Chanan, G., Killeen, T., Lin, Z., Gimelshein, N., Antiga, L., Desmaison, A., Kopf, A., Yang, E., DeVito, Z., Raison, M., Tejani, A., Chilamkurthy, S., Steiner, B., Fang, L., ... Chintala, S. (2019). PyTorch: An Imperative Style, High-Performance Deep Learning Library. In *Advances in Neural Information Processing Systems* 32 (pp. 8024–8035). Curran Associates, Inc.
<http://papers.neurips.cc/paper/9015-pytorch-an-imperative-style-high-performance-deep-learning-library.pdf>

Patil, R., Boit, S., Gudivada, V., & Nandigam, J. (2023). A Survey of Text Representation and Embedding Techniques in NLP. *IEEE Access*, 11, 36120–36146. <https://doi.org/10.1109/ACCESS.2023.3266377>

Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P., Weiss, R., Dubourg, V., Vanderplas, J., Passos, A., Cournapeau, D., Brucher, M., Perrot, M., & Duchesnay, E. (2011). Scikit-learn: Machine Learning in Python. *Journal of Machine Learning Research*, 12, 2825–2830.

Pennington, J., Socher, R., & Manning, C. D. (2014). GloVe: Global Vectors for Word Representation. *Empirical Methods in Natural Language Processing (EMNLP)*, 1532–1543. <http://www.aclweb.org/anthology/D14-1162>

Qazi, A., Tamjidyamcholo, A., Raj, R. G., Hardaker, G., & Standing, C. (2017). Assessing consumers' satisfaction and expectations through online opinions: Expectation and disconfirmation approach. *Computers in Human Behavior*, 75, 450–460. <https://doi.org/10.1016/j.chb.2017.05.025>

- Ramshaw, L. A., & Marcus, M. P. (1999). Text Chunking Using Transformation-Based Learning. In S. Armstrong, K. Church, P. Isabelle, S. Manzi, E. Tzoukermann, & D. Yarowsky (Eds.), *Natural Language Processing Using Very Large Corpora* (Vol. 11, pp. 157–176). Springer Netherlands. https://doi.org/10.1007/978-94-017-2390-9_10
- Ramsundar, B., & Zadeh, R. B. (2018). *TensorFlow for Deep Learning*. O'Reilly Media, Inc.
- Ratinov, L., & Roth, D. (2009). Design Challenges and Misconceptions in Named Entity Recognition. *Proceedings of the Thirteenth Conference on Computational Natural Language Learning (CoNLL-2009)*, 147–155. <https://www.aclweb.org/anthology/W09-1119>
- Sakib, S., Ahmed, N., Kabir, A. J., & Ahmed, H. (2018). *An Overview of Convolutional Neural Network: Its Architecture and Applications* [Preprint]. MATHEMATICS & COMPUTER SCIENCE. <https://doi.org/10.20944/preprints201811.0546.v1>
- Schmitt, M., Steinheber, S., Schreiber, K., & Roth, B. (2018). Joint Aspect and Polarity Classification for Aspect-based Sentiment Analysis with End-to-End Neural Networks. *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, 1109–1114. <https://doi.org/10.18653/v1/D18-1139>
- Sennrich, R., Haddow, B., & Birch, A. (2016). Neural Machine Translation of Rare Words with Subword Units. *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 1715–1725. <https://doi.org/10.18653/v1/P16-1162>
- Sun, C., Huang, L., & Qiu, X. (2019). Utilizing BERT for Aspect-Based Sentiment Analysis via Constructing Auxiliary Sentence. *arXiv:1903.09588 [Cs]*. <http://arxiv.org/abs/1903.09588>
- Turc, I., Chang, M.-W., Lee, K., & Toutanova, K. (2019). Well-Read Students Learn Better: On the Importance of Pre-training Compact Models. *arXiv Preprint arXiv:1908.08962v2*.
- Van Houdt, G., Mosquera, C., & Nápoles, G. (2020). A review on the long short-term memory model. *Artificial Intelligence Review*, 53(8), 5929–5955. <https://doi.org/10.1007/s10462-020-09838-1>
- Van Rossum, G., & Drake, F. L. (2009). *Python 3 Reference Manual*. CreateSpace.
- Vapnik, V. N. (1999). An overview of statistical learning theory. *IEEE Transactions on Neural Networks*, 10(5), 988–999. <https://doi.org/10.1109/72.788640>

- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is All you Need. In I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, & R. Garnett (Eds.), *Advances in Neural Information Processing Systems 30* (pp. 5998–6008). Curran Associates, Inc. <http://papers.nips.cc/paper/7181-attention-is-all-you-need.pdf>
- Wilie, B., Vincentio, K., Winata, G. I., Cahyawijaya, S., Li, X., Lim, Z. Y., Soleman, S., Mahendra, R., Fung, P., Bahar, S., & Purwarianti, A. (2020). IndoNLU: Benchmark and Resources for Evaluating Indonesian Natural Language Understanding. *Proceedings of the 1st Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics and the 10th International Joint Conference on Natural Language Processing*, 843–857. <https://www.aclweb.org/anthology/2020.aacl-main.85>
- Xia, T., & Chai, Y. (2011). An improvement to TF-IDF: Term Distribution based Term Weight Algorithm. *Journal of Software*, 6(3). <https://doi.org/10.4304/jsw.6.3.413-420>
- Yadav, K. (2020). *A Comprehensive Survey on Aspect Based Sentiment Analysis*. 14.
- Yadav, P., Kashyap, I., & Bhati, B. S. (2023). A Systematic Survey on Deep Neural Networks for Sentiment Analysis. *2023 10th International Conference on Computing for Sustainable Global Development (INDIACom)*, 1378–1383.
- Yamashita, R., Nishio, M., Do, R. K. G., & Togashi, K. (2018). Convolutional neural networks: An overview and application in radiology. *Insights into Imaging*, 9(4), 611–629. <https://doi.org/10.1007/s13244-018-0639-9>
- Yu, Y., Si, X., Hu, C., & Zhang, J. (2019). A Review of Recurrent Neural Networks: LSTM Cells and Network Architectures. *Neural Computation*, 31, 1–36. https://doi.org/10.1162/neco_a_01199
- Zhang, Y., Jin, R., & Zhou, Z.-H. (2010). Understanding bag-of-words model: A statistical framework. *International Journal of Machine Learning and Cybernetics*, 1, 43–52. <https://doi.org/10.1007/s13042-010-0001-0>
- Zhou, X., Liang, T., & Wang, B. (2020). Unified Target-based Sentiment Analysis by Dual-pointer Tagging Scheme. *2020 IEEE 44th Annual Computers, Software, and Applications Conference (COMPSAC)*, 272–276. <https://doi.org/10.1109/COMPSAC48688.2020.0-233>