



DAFTAR PUSTAKA

- Aarts, M., Linardopoulos, S., & Turner, N. C. (2013). Tumour selective targeting of cell cycle kinases for cancer treatment. *Current Opinion in Pharmacology*, 13(4), 529–535. <https://doi.org/10.1016/j.coph.2013.03.012>
- Adams, J. M., & Cory, S. (1998). The Bcl-2 Protein Family: Arbiters of Cell Survival. *Science*, 281(5381), 1322–1326. <https://doi.org/10.1126/science.281.5381.1322>
- Ahmed, M., Shikha, H. A., Sadhu, S. K., Rahman, M. T., & Datta, B. K. (2001). Analgesic, diuretic, and anti-inflammatory principle from *Scoparia dulcis*. *Die Pharmazie*, 56(8), 657–660.
- Ahmed, S. A., Al-Shanon, A. F., Al-Saffar, A. Z., Tawang, A., & Al-Obaidi, J. R. (2023). Antiproliferative and cell cycle arrest potentials of 3-O-acetyl-11-keto- β -boswellic acid against MCF-7 cells in vitro. *Journal of Genetic Engineering and Biotechnology*, 21(1), 75. <https://doi.org/10.1186/s43141-023-00529-2>
- Ahsan, M., Haque, M. R., Islam, S. K. N., Gray, A. I., & Hasan, C. M. (2012). New labdane diterpenes from the aerial parts of *Scoparia dulcis* L. *Phytochemistry Letters*, 5(3), 609–612. <https://doi.org/10.1016/j.phytol.2012.06.005>
- Ahsan, M., Islam, S. K. N., Gray, A. I., & Stimson, W. H. (2003). Cytotoxic diterpenes from *Scoparia dulcis*. *Journal of Natural Products*, 66(7), 958–961. <https://doi.org/10.1021/np020356j>
- Alkhaldy, H., Moore, W., Wang, Y., Luo, J., McMillan, R., Zhen, W., Zhou, K., & Liu, D. (2018). The Flavonoid Kaempferol Ameliorates Streptozotocin-Induced Diabetes by Suppressing Hepatic Glucose Production. *Molecules*, 23(9), 2338. <https://doi.org/10.3390/molecules23092338>
- Anonim, 2011a, ATCC : Cell Biology, Sumber:
<http://www.atcc.org/ATCCAdvancedcatalogSearch/ProductDetails/t>
[diunduh 7 Agustus 2021].
- Anonim, 2011b, Cancer Turns out to Be a P53 Protein Aggregation Disease, *Science Daily*, Sumber :
<http://www.sciencedaily.com/releases/2011/03/110329095912.htm>,
[diunduh 7 Agustus 2021].
- Arun, B., & Hortobagyi, G. N. (2002). Progress in breast cancer chemoprevention. *Endocrine-Related Cancer*, 15–32. <https://doi.org/10.1677/erc.0.0090015>
- Babincová, M., Schronerová, K., & Sourivong, P. (2008). Antiulcer activity of water extract of *Scoparia dulcis*. *Fitoterapia*, 79(7), 587–588. <https://doi.org/10.1016/j.fitote.2008.05.001>
- Barzegar, E., Fouladdel, S., Movahhed, T. K., Atashpour, S., Ghahremani, M. H., Ostad, S. N., & Azizi, E. (2015). Effects of berberine on proliferation, cell cycle distribution and apoptosis of human breast cancer T47D and MCF7 cell lines. *Iranian Journal of Basic Medical Sciences*, 18(4), 334–342.
- Backer, C. A., & van den Brink, B. (1965a). Flora of Java (Spermatophytes Only): Vol. II. Wolters-Noordhoff, N.V., Groningen.



- Backer, C. A., & van den Brink, B. (1965b). Flora of Java (Spermatophytes Only): Vol. II (p. (512)). Wolters-Noordhoff, N.V., Groningen, The Netherlands.
- Badisa, R. B., Darling-Reed, S. F., Joseph, P., Cooperwood, J. S., Latinwo, L. M., & Goodman, C. B. (2009). Selective cytotoxic activities of two novel synthetic drugs on human breast carcinoma MCF-7 cells. *Anticancer Research*, 29(8), 2993–2996.
- Beh, J. E., Latip, J., Abdullah, M. P., Ismail, A., & Hamid, M. (2010). *Scoparia dulcis* (SDF7) endowed with glucose uptake properties on L6 myotubes compared insulin. *Journal of Ethnopharmacology*, 129(1), 23–33. <https://doi.org/10.1016/j.jep.2010.02.009>
- Bhuyan, B., & Baishya, K. (2013). Ethno medicinal value of various plants used in the preparation of traditional rice beer by different tribes of Assam, India. *Drug Invention Today*, 5(4), 335–341. <https://doi.org/10.1016/j.dit.2013.09.002>
- Bosman, F.T.1(999). Aspek-aspek Fundamental Kanker, in Van de Velve, C.J.H., Bosman, F.T., Wagener, D.J.Th.(Eds). *Onkologi*, diterjemahkan oleh Arjono, Edisi ke V, 3-10, Panitia kanker RSUD DR Sardjito, Yogyakarta.
- Brown, J. M., & Attardi, L. D. (2005). The role of apoptosis in cancer development and treatment response. *Nature Reviews Cancer*, 5(3), 231–237. <https://doi.org/10.1038/nrc1560>
- Cancer Chemoprevention Research Center (CCRC), (2009a). Prosedur Tetap Panen sel, Fakultas Farmasi UGM. Yogyakarta.
- Cancer Chemoprevention Research Center (CCRC), (2009b). Prosedur Tetap Analisis siklus sel dengan flow cytometry. Fakultas Farmasi UGM. Yogyakarta
- Cancer Chemoprevention Research Center (CCRC), (2009c). Prosedur Tetap Pengamatan Ekspresi Protein dengan Metode Imunositokimia, Fakultas Farmasi UGM. Yogyakarta.
- Castell, J.V. and Gomes, L.M.C. (1997). In vitro Methods in Pharmaceutical Research, *Academic Press*: San Diego, CA, Pp. 375-410.
- Cell Biolabs, Inc. www.cellbiolabs.com 11 Januari 2021
- Chabner, BA., Amrein, PC., Druker B., Michaelson, MD., Mitsiades, CS, Gross, PE. (2005). The Pharmacological Basis of Therapeutics, Vol. 11. Brunton, LL, Laso, JS., Parker, KL. editors. McGraw-Hill; New York, p:1315-1403.
- Chintamani, null, Khandelwal, R., Mittal, A., Saijanani, S., Tuteja, A., Bansal, A., Bhatnagar, D., & Saxena, S. (2007). Qualitative and quantitative dermatoglyphic traits in patients with breast cancer: A prospective clinical study. *BMC Cancer*, 7, 44. <https://doi.org/10.1186/1471-2407-7-44>
- Chiu-Ming, C., & Ming-Tyan, C. (1976). 6-methoxybenzoxazolinone and triterpenoids from roots of *Scoparia dulcis*. *Phytochemistry*, 15(12), 1997–1999. [https://doi.org/10.1016/S0031-9422\(00\)88874-3](https://doi.org/10.1016/S0031-9422(00)88874-3)
- Chotimah, C., Sutrisna, EM., dan Wahyuni, A.S.(2008). Uji Penurunan Kadar Glukosa Darah Oleh Ekstrak Air Herba Jaka Tuwa (*Scoparia Dulcis* L.) Pada Kelinci Jantan Yang Dibebani Glukosa. *Pharmacon*. Vol. 9, No. 2 (46-51).



- Cory, S., & Adams, J. M. (2002). The Bcl2 family: Regulators of the cellular life-or-death switch. *Nature Reviews Cancer*, 2(9), 647–656. <https://doi.org/10.1038/nrc883>
- Coulibaly, A. Y., Hashim, R., Sulaiman, S. F., Sulaiman, O., Ang, L. Z. P., & Ooi, K. L. (2014). Bioprospecting medicinal plants for antioxidant components. *Asian Pacific Journal of Tropical Medicine*, 7, S553–S559. [https://doi.org/10.1016/S1995-7645\(14\)60289-3](https://doi.org/10.1016/S1995-7645(14)60289-3)
- Cui, E., Qian, S., Li, J., Jiang, X., Wang, H., Du, S., & Du, L. (2023). Discovery of Coixol Derivatives as Potent Anti-inflammatory Agents. *Journal of Natural Products*, 86(8), 1950–1959. <https://doi.org/10.1021/acs.jnatprod.3c00309>
- Darzynkiewicz, Z., Juan, G., Li, X., Gorczyca, W., Murakami, T., and Tragards, F. (1997). Cytometry in cell necrobiology: Analysis of apoptosis and accidental cell death (necrosis). *Cytometry*, 27: 1 -20.
- Datta, S., Sinha, B. K., Bhattacharjee, S., & Seal, T. (2018). Effect of solvent extraction system on the antioxidant activities of three invasive alien species and quantification of phenolic compounds by HPLC. *Journal of Pharmacognosy and Phytochemistry*, 7(2), 3963–3970.
- Diaz-Moralli, S., Tarrado-Castellarnau, M., Miranda, A., & Cascante, M. (2013). Targeting cell cycle regulation in cancer therapy. *Pharmacology & Therapeutics*, 138(2), 255–271. <https://doi.org/10.1016/j.pharmthera.2013.01.011>.
- Djajanegara, I., dan Wahyudi, P., 2009. Pemakaian sel HeLa dalam Uji Sitotoksitas Fraksi Kloroform dan Etanol Esktrak Daun *Annona squamosa*, *Jurnal Ilmu Kefarmasian Indonesia*, 7(1): 7-11.
- Doyle A. and Griffith, J.B. (2000). Cell and Tissue Culture for Medical Research, *Book Research*.John Wiley and Sons.
- Edeoga, H. O., Okwu, D. E., & Mbaebie, B. O. (2005). Phytochemical constituents of some Nigerian medicinal plants. *African Journal of Biotechnology*, 4(7), 685–688. <https://doi.org/10.5897/AJB2005.000-3127>
- Ehiabhi, S., Omachonu, M., Adeola, I., Wudil, I., & Folashade, O. (2010). Phytochemical and Pharmacognostic Investigation of Antidiabetic *Scoparia dulcis* Linn Scrophulariaceae Whole Plant Grown in Nigeria. *Researcher*, 2, 7-16
- Elmore, S. (2007). Apoptosis: A review of programmed cell death. *Toxicologic Pathology*, 35(4), 495–516. <https://doi.org/10.1080/01926230701320337>
- Esteller, M. (2011). Epigenetic changes in cancer. *F1000 Biology Reports*, 3, 9. <https://doi.org/10.3410/B3-9>
- Evan, G., & Littlewood, T. (1998). A Matter of Life and Cell Death. *Science*, 281(5381), 1317–1322. <https://doi.org/10.1126/science.281.5381.1317>
- Faneyte, I. F., Schrama, J. G., Peterse, J. L., Remijnse, P. L., Rodenhuis, S., & van de Vijver, M. J. (2003). Breast cancer response to neoadjuvant chemotherapy: Predictive markers and relation with outcome. *British Journal of Cancer*, 88(3), 406–412. <https://doi.org/10.1038/sj.bjc.6600749>
- Freire, S. M. D. F., Torres, L. M. B., Souccar, C., & Lapa, A. J. (1996). Sympathomimetic Effects of *Scoparia dulcis* L. and Catecholamines



- Isolated from Plant Extracts. *Journal of Pharmacy and Pharmacology*, 48(6), 624–628. <https://doi.org/10.1111/j.2042-7158.1996.tb05985.x>
- Freshney, R.I. (1986). Animal Cell Culture, A Practical Approach, 1st Ed, IRL Press, Washington DC.
- Fuentes, R. G., Toume, K., Arai, M. A., Sadhu, S. K., Ahmed, F., & Ishibashi, M. (2015). Scopadulciol, Isolated from *Scoparia dulcis*, Induces β-Catenin Degradation and Overcomes Tumor Necrosis Factor-Related Apoptosis Ligand Resistance in AGS Human Gastric Adenocarcinoma Cells. *Journal of Natural Products*, 78(4), 864–872. <https://doi.org/10.1021/np500933v>
- Foo, J. B., Yazan, L. S., Tor, Y. S., Armania, N., Ismail, N., Imam, M. U., Yeap, S. K., Cheah, Y. K., Abdullah, R., & Ismail, M. (2014). Induction of cell cycle arrest and apoptosis in caspase-3 deficient MCF-7 cells by Dillenia suffruticosa root extract via multiple signalling pathways. *BMC Complementary and Alternative Medicine*, 14(1), 197. <https://doi.org/10.1186/1472-6882-14-197>
- Ghatage, D., Gosavi, S., Ganvir, S., & Hazarey, V. (2012). Apoptosis: Molecular mechanism. *Journal of Orofacial Sciences*, 4(2), 103. <https://doi.org/10.4103/0975-8844.106199>
- Giang, P. M., Son, P. T., Katsuyoshi, M., & Hideaki, O. (2006). Chemical and biological evaluation on scopadulane-type diterpenoids from *Scoparia dulcis* of Vietnamese origin. *Chemical & Pharmaceutical Bulletin*, 54(4), 546–549. <https://doi.org/10.1248/cpb.54.546>
- Givan, A.L. (2001). Flow Cytometry: First Principles. Second Edition. Wiley-Liss. New York.
- Hameed, A., Hafizur, R. M., Khan, M. I., Jawed, A., Wang, H., Zhao, M., Matsunaga, K., Izumi, T., Siddiqui, S., Khan, F., Adhikari, A., & Sharma, K. R. (2019). Coixol amplifies glucose-stimulated insulin secretion via cAMP mediated signaling pathway. *European Journal of Pharmacology*, 858, 172514. <https://doi.org/10.1016/j.ejphar.2019.172514>
- Hanahan, D., & Weinberg, R. A. (2000). The Hallmarks of Cancer. *Cell*, 100(1), 57–70. [https://doi.org/10.1016/S0092-8674\(00\)81683-9](https://doi.org/10.1016/S0092-8674(00)81683-9)
- Hanahan, D., & Weinberg, R. A. (2011). Hallmarks of Cancer: The Next Generation. *Cell*, 144(5), 646–674. <https://doi.org/10.1016/j.cell.2011.02.013>
- Hasui, K., Wang, J., Jia, X., Tanaka, M., Nagai, T., Matsuyama, T., & Eizuru, Y. (2011). Enhanced Autophagy and Reduced Expression of Cathepsin D Are Related to Autophagic Cell Death in Epstein-Barr Virus-Associated Nasal Natural Killer/T-Cell Lymphomas: An Immunohistochemical Analysis of Beclin-1, LC3, Mitochondria (AE-1), and Cathepsin D in Nasopharyngeal Lymphomas. *Acta Histochemica Et Cytochemica*, 44(3), 119–131. <https://doi.org/10.1267/ahc.10024>
- Haupt, S., Berger, M., Goldberg, Z., & Haupt, Y. (2003). Apoptosis—The p53 network. *Journal of Cell Science*, 116(20), 4077–4085. <https://doi.org/10.1242/jcs.00739>



- Hayashi, K., Hayashi, T., & Morita, N. (1992). Cytotoxic and antitumour activity of scopadulcic acid from Scoparia dulcis L. *Phytotherapy Research*, 6(1), 6–9. <https://doi.org/10.1002/ptr.2650060103>
- Hayashi, K., Lee, J.-B., Maitani, Y., Toyooka, N., Nemoto, H., & Hayashi, T. (2006). The role of a HSV thymidine kinase stimulating substance, scopadulciol, in improving the efficacy of cancer gene therapy. *The Journal of Gene Medicine*, 8(8), 1056–1067. <https://doi.org/10.1002/jgm.931>
- Hayashi, K., Niwayama, S., Hayashi, T., Nago, R., Ochiai, H., & Morita, N. (1988). In vitro and in vivo antiviral activity of scopadulcic acid B from Scoparia dulcis, Scrophulariaceae, against herpes simplex virus type 1. *Antiviral Research*, 9(6), 345–354. [https://doi.org/10.1016/0166-3542\(88\)90036-8](https://doi.org/10.1016/0166-3542(88)90036-8)
- Hayashi, T., Kawasaki, M., Okamura, K., Tamada, Y., Morita, N., Tezuka, Y., Kikuchi, T., Miwa, Y., & Taga, T. (1992). Scoparic Acid A, a β-Glucuronidase Inhibitor from Scoparia dulcis. *Journal of Natural Products*, 55(12), 1748–1755. <https://doi.org/10.1021/np50090a005>
- Hermawanm, Adam., Meiyanto E., dan Susidarti, R.A. (2010). Hesperidin meningkatkan efek sitotoksik doxorubicin pada sel MCF-7. *Majalah Farmasi Indonesia*. 21(1), 8 – 17.
- Hetz, C. A., Torres, V., & Quest, A. F. G. (2005). Beyond apoptosis: Nonapoptotic cell death in physiology and disease. *Biochemistry and Cell Biology*, 83(5), 579–588. <https://doi.org/10.1139/o05-065>
- Hibi, T., Imai, Y., Senoo, A., Ohta, K., & Ukyo, Y. (2017). Efficacy and safety of golimumab 52-week maintenance therapy in Japanese patients with moderate to severely active ulcerative colitis: A phase 3, double-blind, randomized, placebo-controlled study-(PURSUIT-J study). *Journal of Gastroenterology*, 52(10), 1101–1111. <https://doi.org/10.1007/s00535-017-1326-1>
- Holliday, D. L., & Speirs, V. (2011). Choosing the right cell line for breast cancer research. *Breast Cancer Research: BCR*, 13(4), 215. <https://doi.org/10.1186/bcr2889>
- Horie, K., Urano, T., Ikeda, K., & Inoue, S. (2003). Estrogen-responsive RING finger protein controls breast cancer growth. *The Journal of Steroid Biochemistry and Molecular Biology*, 85(2–5), 101–104. [https://doi.org/10.1016/S0960-0760\(03\)00209-7](https://doi.org/10.1016/S0960-0760(03)00209-7)
- Huang, D. C. S., & Strasser, A. (2000). BH3-Only Proteins—Essential Initiators of Apoptotic Cell Death. *Cell*, 103(6), 839–842. [https://doi.org/10.1016/S0092-8674\(00\)00187-2](https://doi.org/10.1016/S0092-8674(00)00187-2)
- Ihsany, A. U., & Ersam, T. (2018). Isolasi Dan Identifikasi Senyawa A-Mangostin Dari Ekstrak Kayu Dan Kulit Akar Garcinia tetrandra Pierre. *Akta Kimia Indonesia*, 3(1), 96-103–103. <https://doi.org/10.12962/j25493736.v3i1.3099>
- Ikenoue, T., Ijichi, H., Kato, N., Kanai, F., Masaki, T., Rengifo, W., Okamoto, M., Matsumura, M., Kawabe, T., Shiratori, Y., & Omata, M. (2002). Analysis of the β-Catenin/T Cell Factor Signaling Pathway in 36 Gastrointestinal and Liver Cancer Cells. *Japanese Journal of Cancer Research*, 93(11), 1213–1220. <https://doi.org/10.1111/j.1349-7006.2002.tb01226.x>



- Isah, T. (2019). Stress and defense responses in plant secondary metabolites production. *Biological Research*, 52(1), 39. <https://doi.org/10.1186/s40659-019-0246-3>
- International Agency for Research on Cancer. GLOBOCAN (2020). Indonesia - Global Cancer Observatory. (diakses 30 Desember 2023). Tersedia dari : <https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-factsheets.pdf>.
- Jeeva, S., & Femila, V. (2012). Ethnobotanical investigation of Nadars in Atoor village, Kanyakumari District, Tamilnadu, India. *Asian Pacific Journal of Tropical Biomedicine*, 2(2), S593–S600. [https://doi.org/10.1016/S2221-1691\(12\)60280-9](https://doi.org/10.1016/S2221-1691(12)60280-9)
- Jiang, Z., Sung, J., Wang, X., Zhang, Y., Wang, Y., Zhou, H., & Wen, L. (2021). A review on the phytochemistry and pharmacology of the herb *Scoparia dulcis* L. for the potential treatment of metabolic syndrome. *RSC Advances*, 11(50), 31235–31259. <https://doi.org/10.1039/D1RA05090G>
- Jones, S. B., & Luchsinger, A. E. (1986). Plant Systematics (2nd ed.). Mc Graw-Hill Book, Company.
- Kagawa, S., Gu, J., Honda, T., McDonnell, T. J., Swisher, S. G., Roth, J. A., & Fang, B. (2001). Deficiency of caspase-3 in MCF7 cells blocks Bax-mediated nuclear fragmentation but not cell death. *Clinical Cancer Research: An Official Journal of the American Association for Cancer Research*, 7(5), 1474–1480.
- Kamperdick, C., Lien, T. P., Sung, T. V., & Adam, G. (1997). 2-Hydroxy-2-H-1,4-Benzoxazin-3-One From *Scoparia dulcis*. *Inst Pflanzenbiochem Halle Germany*. 52(12), 965–966.
- Kawasaki, M., Hayashi, T., Arisawa, M., Morita, N., & Berganza, L. H. (1988). 8-Hydroxytricetin 7-glucuronide, a β-glucuronidase inhibitor from *Scoparia dulcis*. *Phytochemistry*, 27(11), 3709–3711. [https://doi.org/10.1016/0031-9422\(88\)80811-2](https://doi.org/10.1016/0031-9422(88)80811-2).
- Kementrian Kesehatan RI. (2019). Profil Kesehatan Indonesia Tahun 2019. *Kementrian Kesehatan RI*. Jakarta.
- King, RJB. (2000). Cancer Biology. 2nd. *pearson education Limited*, London.
- Kpodar, M. S., Lawson-Evi, P., Bakoma, B., Eklu-Gadegbeku, K., Agbonon, A., Aklikokou, K., & Gbeassor, M. (2015). Ethnopharmacological survey of plants used in the treatment of diabetes mellitus in south of Togo (Maritime Region). *Journal of Herbal Medicine*, 5(3), 147–152. <https://doi.org/10.1016/j.hermed.2015.06.002>.
- Kryscio, DV, Tom, VB., Katharina, DH., and Peter V. (2008). Apoptosis and necrosis: Detection, discrimination and phagocytosis. *Methods*, 44:205-221.
- Lans, C. (2007). Ethnomedicines used in Trinidad and Tobago for reproductive problems. *Journal of Ethnobiology and Ethnomedicine*, 3(1), 13. <https://doi.org/10.1186/1746-4269-3-13>
- Latha, M., Pari, L., Ramkumar, K. M., Rajaguru, P., Suresh, T., Dhanabal, T., Sitasawad, S., & Bhonde, R. (2009). Antidiabetic effects of scoparic acid D isolated from *Scoparia dulcis* in rats with streptozotocin-induced diabetes.



- Natural Product Research*, 23(16), 1528–1540.
<https://doi.org/10.1080/14786410902726126>
- Li, Y., & Ohizumi, Y. (2004). Search for constituents with neurotrophic factor-potentiating activity from the medicinal plants of paraguay and Thailand. *Yakugaku Zasshi : Journal of the Pharmaceutical Society of Japan*, 124(7), 417–424. <https://doi.org/10.1248/yakushi.124.417>
- Libman, A., Bouamanivong, S., Southavong, B., Sydara, K., & Soejarto, D. D. (2006). Medicinal plants: An important asset to health care in a region of Central Laos. *Journal of Ethnopharmacology*, 106(3), 303–311. <https://doi.org/10.1016/j.jep.2005.11.034>
- Liu, Q., Yang, Q.-M., Hu, H.-J., Yang, L., Yang, Y.-B., Chou, G.-X., & Wang, Z.-T. (2014). Bioactive Diterpenoids and Flavonoids from the Aerial Parts of *Scoparia dulcis*. *Journal of Natural Products*, 77(7), 1594–1600. <https://doi.org/10.1021/np500150f>
- Luk, S. C.-W., Siu, S. W.-F., Lai, C.-K., Wu, Y.-J., & Pang, S.-F. (2005). Cell Cycle Arrest by a Natural Product via G2/M Checkpoint. *International Journal of Medical Sciences*, 64–69. <https://doi.org/10.7150/ijms.2.64>
- Lodish H, Baltimore D, Berk A, Zipursky SL, Matsudaira P, Darnell J. Molecular cell biology. (2000). *Scientific American Books*, 6th ed. New York, Inc : 886 98.
- Mahato, S. B., Das, M. C., & Sahu, N. P. (1981). Triterpenoids of *Scoparia dulcis*. *Phytochemistry*, 20(1), 171–173. [https://doi.org/10.1016/0031-9422\(81\)85243-0](https://doi.org/10.1016/0031-9422(81)85243-0)
- McPherson, K. (2000). ABC of breast diseases: Breast cancer epidemiology, risk factors, and genetics. *BMJ*, 321(7261), 624–628. <https://doi.org/10.1136/bmj.321.7261.624>
- Mirmalek, S. A., Azizi, M. A., Jangholi, E., Yadollah-Damavandi, S., Javidi, M. A., Parsa, Y., Parsa, T., Salimi-Tabatabaei, S. A., Ghasemzadeh Kolagar, H., & Alizadeh-Navaei, R. (2015). Cytotoxic and apoptogenic effect of hypericin, the bioactive component of *Hypericum perforatum* on the MCF-7 human breast cancer cell line. *Cancer Cell International*, 16(1), 3. <https://doi.org/10.1186/s12935-016-0279-4>
- Mishra, M. R., Behera, R. K., Jha, S., Panda, A. K., Mishra, A., Pradhan, D. K., & Choudary, P. R. (2011). A Brief Review on Phytoconstituents and Ethnopharmacology of *Scoparia Dulcis Linn.* (Scrophulariaceae). *International Journal of Phytomedicine*. (3) 422-438.
- Moniruzzaman, Md., Atikur Rahman, Md., & Ferdous, A. (2015). Evaluation of Sedative and Hypnotic Activity of Ethanolic Extract of *Scoparia dulcis* Linn. *Evidence-Based Complementary and Alternative Medicine*, 2015, 1–6. <https://doi.org/10.1155/2015/873954>
- Mutiah, Roihatul, Alfiyah Laily Inayatin, Rahmi Annisa, Yen yen Ari Indrawijaya, Anik Listiyana. 2020. Inhibition of Cell cycle and Induction of Apoptosis Ethanol Leaves Extract of *Chrysanthemum cinerariifolium* (Trev.) In T47D Breast Cancer Cells. *Indonesian Journal of Pharmacy*. 31 (1):1-10.
- Nishino, H., Hayashi, T., Arisawa, M., Satomi, Y., & Iwashima, A. (1993a). Antitumor-promoting activity of scopadulcic acid B, isolated from the



- medicinal plant *Scoparia dulcis* L. *Oncology*, 50(2), 100–103.
<https://doi.org/10.1159/000227156>
- Nishino, H., Hayashi, T., Arisawa, M., Satomi, Y., & Iwashima, A. (1993). Antitumor-Promoting Activity of Scopadulcic Acid B, Isolated From The Medicinal Plant *Scoparia dulcis* Linn. *Ecancermedicalscience*, 50, 100–103.
- Novitasari, D., Wulandari, F., Jenie, R. I., Utomo, R. Y., Kato, J.-Y., & Meiyanto, E. (2020). A new curcumin analog, CCA-1.1, induces cell cycle arrest and senescence toward ER-positive breast cancer cells. *International Journal of Pharmaceutical Research*, 13(01).
<https://doi.org/10.31838/ijpr/2021.13.01.002>
- Nunez, R. (2001). DNA measurement and cell cycle analysis by flow cytometry. *Current Issues in Molecular Biology*, 3(3), 67–70.
- Nur-e-Alam, M., Ahmed, S., Yousaf, M., Khan, S. I., Mothana, R. A., & Al-Rehaily, A. J. (2020). Isolation and characterization of cytotoxic and anti-inflammatory constituents from *Scoparia dulcis* L. *Journal of Chemical Research*, 44(7–8), 381–387. <https://doi.org/10.1177/1747519819901100>
- Nurul aini, Luthfiana. (2013). Penambahan Unsur Pengaruh Tembaga Pertumbuhan Kultur Tunas Terhadap Jaka Tuwa (*Scoparia dulcis* L.) Dan Profil Kromatografi Lapis Tipisnya. *Skripsi*. Fakultas Farmasi. UGM. Yogyakarta.
- Okada, H., & Mak, T. W. (2004). Pathways of apoptotic and non-apoptotic death in tumour cells. *Nature Reviews Cancer*, 4(8), 592–603.
<https://doi.org/10.1038/nrc1412>
- Oliveira, P. A., Colaço, A., Chaves, R., Guedes-Pinto, H., De-La-Cruz P, L. F., & Lopes, C. (2007). Chemical carcinogenesis. *Anais Da Academia Brasileira De Ciencias*, 79(4), 593–616. <https://doi.org/10.1590/s0001-37652007000400004>
- Onuki, R., Kawasaki, H., Baba, T., & Taira, K. (2003). Analysis of a mitochondrial apoptotic pathway using Bid-targeted ribozymes in human MCF7 cells in the absence of a caspase-3-dependent pathway. *Antisense & Nucleic Acid Drug Development*, 13(2), 75–82.
<https://doi.org/10.1089/108729003321629629>
- Osei-Safo, D., Chama, M., Addae-Mensah, I., & Waibel, R. (2009). Hispidulin And Other Constituents Of *Scoparia dulcis* Linn. *Journal of Science and Technology (Ghana)*, 29(2). <https://doi.org/10.4314/just.v29i2.46218>.
- Ormerod, M.G., 2000. *Flowcytometry: A Practical Approach*. Third Edition. University Press, Oxford. 276 pp.
- Pagare, S., Bhatia, M., Tripathi, N., Pagare, S., & Bansal Y.K. (2015). Secondary Metabolites of Plants and their Role: Overview. *Current Trends in Biotechnology and Pharmacy*, 9(3), 293–304.
- Pamunuwa, G., Karunaratne, D. N., & Waisundara, V. Y. (2016). Antidiabetic Properties, Bioactive Constituents, and Other Therapeutic Effects of *Scoparia dulcis*. *Evidence-Based Complementary and Alternative Medicine*, 2016, 1–11. <https://doi.org/10.1155/2016/8243215>



- Pandi, A., & Kalappan, V. M. (2021). Pharmacological and therapeutic applications of Sinapic acid-an updated review. *Molecular Biology Reports*, 48(4), 3733–3745. <https://doi.org/10.1007/s11033-021-06367-0>
- Park DJ, and Patek PQ. (1998). Detergent and enzyme treatment of apoptotic cells for the observation of DNA fragmentation, *Biotechniques* 24(4):558-560.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., & Vyvyan, J. R. (2009). Introduction to Spectroscopy (4th ed.). *Brooks/Cole*, Washington.
- Paydar, M., Kamalidehghan, B., Wong, Y. L., Wong, W. F., Looi, C. Y., & Mustafa, M. R. (2014). Evaluation of cytotoxic and chemotherapeutic properties of boldine in breast cancer using in vitro and in vivo models. *Drug Design, Development and Therapy*, 8, 719–733. <https://doi.org/10.2147/DDDT.S58178>
- Pogribny, I. P. (2010). Epigenetic events in tumorigenesis: Putting the pieces together. *Experimental Oncology*, 32(3), 132–136.
- Pratita, Rasta Naya. (2016). Pengaruh Asam Metil Jasmonat Sebagai Elisitor Pada Kultur Tunas *Scoparia dulcis* L., Skripsi. Fakultas Farmasi. UGM. Yogyakarta.
- Prunet, C., Lemaire-Ewing, S., Ménétrier, F., Néel, D., & Lizard, G. (2005). Activation of caspase-3-dependent and -independent pathways during 7-ketosterol- and 7beta-hydroxycholesterol-induced cell death: A morphological and biochemical study. *Journal of Biochemical and Molecular Toxicology*, 19(5), 311–326. <https://doi.org/10.1002/jbt.20096>.
- Ranalli, M., Oberst, A., Corazzari, M., and Laurenzi, V.D. (2003). Flow cytometric studies of cell death. In: Hughes D, Mehmet, H, editors. *Cell Proliferation and Apoptosis*. Oxford: BIOS Scientific Publisher Limited. 338-340.
- Rastogi, R.P., Richa, and Sinha, R.P. (2009). Apoptosis : Molecular mechanism and Pathogenicity. *EXCLI Journal*, 8:155-181.
- Rezaei, P. F., Shamileh F., Seyed M. G., Gholamreza A. and Ebrahim A. (2012). Induction of G1 cell cycle arrest and cyclin D1 down-regulation in response to pericarp extract of Baneh in human breast cancer T47D cells. *DARU Journal of Pharmaceutical Sciences.*, 20:101. <http://www.darujps.com/content/20/1/101>
- Robbins, S L, Kumar, V, Cotran, R S. (2007). Buku Ajar Patologi I. Diterjemahkan Oleh: Prasetya Awal, Pendit B U, Priliono Toni. Jakarta: EGC, h. 52-78
- Saha Roy, S., & Vadlamudi, R. K. (2012). Role of Estrogen Receptor Signaling in Breast Cancer Metastasis. *International Journal of Breast Cancer*, 2012, 1–8. <https://doi.org/10.1155/2012/654698>
- Saikia, R., Choudhury, M. D., Talukdar, A. D., & Chetia, P. (2012). An In Silico Insight Into Molecular Mechanism Of Hypoglycemic Activity Of Scoparic Acid D, A Diterpenoid From *Scoparia Dulcis* L. *Asian Journal of Pharmaceutical and Clinical Research*, 5(Suppl 2), 153–158.
- Samirana, P. O., Murti, Y. B., Istighfari Jenie, R., & Prawita Setyowati, E. (2021). Antibacterial and cytotoxic activities of supernatant and mycelium extracts from fermentation of fungal symbiont *Trichoderma reesei* TV221. *Journal of Applied Pharmaceutical Science.* <https://doi.org/10.7324/JAPS.2021.1101207>



- Santosa, D. (2018). Isolasi Dan Identifikasi Senyawa Marker Identitas Tumbuhan *Scoparia dulcis L.* *Disertasi.* Universitas Gadjah Mada. Yogyakarta.
- Schafer, J. M., Lee, E. S., O'Regan, R. M., Yao, K., & Jordan, V. C. (2000). Rapid development of tamoxifen-stimulated mutant p53 breast tumors (T47D) in athymic mice. *Clinical Cancer Research: An Official Journal of the American Association for Cancer Research*, 6(11), 4373–4380.
- Schmitz, K. H., Speck, R. M., Rye, S. A., DiSipio, T., & Hayes, S. C. (2012). Prevalence of breast cancer treatment sequelae over 6 years of follow-up: The Pulling Through Study. *Cancer*, 118(S8), 2217–2225. <https://doi.org/10.1002/cncr.27474>
- Schneider, K. (2001). Counseling about Cancer: Strategies for Genetic Counselling (2d ed.). http://doi.wiley.com/10.1046/j.1369-6513.2003.00203_1.x
- Schwartz, G. K., & Shah, M. A. (2005). Targeting the Cell Cycle: A New Approach to Cancer Therapy. *Journal of Clinical Oncology*, 23(36), 9408–9421. <https://doi.org/10.1200/JCO.2005.01.5594>.
- Shandiz, S. A., Sharifian, F., Behboodi, S., Ghodratpour, F., & Baghbani-Arani, F. (2020). Evaluation of Metastasis Suppressor Genes Expression and In Vitro Anti-Cancer Effects of Zinc Oxide Nanoparticles in Human Breast Cancer Cell Lines MCF-7 and T47D. *Avicenna Journal of Medical Biotechnology*. <https://doi.org/10.18502/ajmb.v13i1.4576>
- Shapiro, G. I., & Harper, J. W. (1999). Anticancer drug targets: Cell cycle and checkpoint control. *Journal of Clinical Investigation*, 104(12), 1645–1653. <https://doi.org/10.1172/JCI9054>
- Sharma, K. R., Adhikari, A., Hafizur, R. M., Hameed, A., Raza, S. A., Kalauni, S. K., Miyazaki, J.-I., & Choudhary, M. I. (2015). Potent Insulin Secretagogue from Scoparia dulcis Linn of Nepalese Origin. *Phytotherapy Research : PTR*, 29(10), 1672–1675. <https://doi.org/10.1002/ptr.5412>
- Sharma, R. S., Mishra, V., Singh, R., Seth, N., & Babu, C. R. (2008). Antifungal activity of some Himalayan medicinal plants and cultivated ornamental species. *Fitoterapia*, 79(7–8), 589–591. <https://doi.org/10.1016/j.fitote.2008.06.004>
- Shoeb, M. (2006). Anticancer agents from medicinal plants, *Journal Pharmacology*, 1: 35–41.
- Silverstein, R. M., Webster, F. X., & Kiemle, D. J. (2005). *Spectrometric Identification of Organic Compounds* (Seventh). John Wiley & Sons, Inc.
- Simstein, R., Burow, M., Parker, A., Weldon, C., & Beckman, B. (2003). Apoptosis, chemoresistance, and breast cancer: Insights from the MCF-7 cell model system. *Experimental Biology and Medicine (Maywood, N.J.)*, 228(9), 995–1003. <https://doi.org/10.1177/153537020322800903>
- Sinan, K. I., Bene, K., Zengin, G., Diuzheva, A., Jeko, J., Cziaky, Z., Picot-Allain, C. M. N., Mollica, A., Engasamy, A. R., & Mahomoodally, M. F. (2019). 31(3), 285–297. <https://doi.org/Ahead of Print>
- Singh, M., Sharma, H., & Singh, N. (2007). Hydrogen peroxide induces apoptosis in HeLa cells through mitochondrial pathway. *Mitochondrion*, 7(6), 367–373. <https://doi.org/10.1016/j.mito.2007.07.003>



- Sittampalam, G. S. and Coussens , N. P. (2017). Cytotoxicity Assays: *In Vitro* Methods to Measure Dead Cells. *Assay Guidance Manual*. <https://www.ncbi.nlm.nih.gov/books/NBK540958>.
- Sorger, P.K., Dobles, M., Tournebize, R., and Hyman, A.A. (1997). Coupling cell division and cell death to microtubule dynamic, *Current Opinion Cell Biology*, 9: 807-814.
- Suardana, I. W., Swacita, I. B. N., Pinatih, K. J. P., Suharsono, H., & Widiasih, D. A. (2022). Assessment of Cell Cycle and Induction of Apoptosis by Shiga-like Toxin Produced by Escherichia coli O157:H7 in T47D Breast Cancer Cells Using Flow Cytometry. *Asian Pacific Journal of Cancer Prevention: APJCP*, 23(10), 3247–3252. <https://doi.org/10.31557/APJCP.2022.23.10.3247>
- Sun, W., Zhang, Y., Li, Y., Chen, L., Zhang, L., Zhang, C., & Zhang, X. (2020). Two new labdane diterpenoids from Scoparia dulcis to attenuate palmitate-induced viability in MIN6 cells. *Phytochemistry Letters*, 38, 25–27. <https://doi.org/10.1016/j.phytol.2020.03.005>
- Suter, R., & Marcum, J. A. (2007). The molecular genetics of breast cancer and targeted therapy. *Biologics: Targets & Therapy*, 1(3), 241–258.
- Sudiana, I.K. (2011). Patobiologi Molekular Kanker, Salemba Medika, Jakarta
- Swift, L.P., Raphaeli, A., Nudelman, A., Phillips, D.R., and Cutts, Z.S. Z.M. (2006). Doxorubicin-DNA Adducts Induce a Non-Topoisomerase II-mediated Form of cell death, *Cancer*, 66(9):4863-4871.
- Tsai, J.-C., Peng, W.-H., Chiu, T.-H., Lai, S.-C., & Lee, C.-Y. (2011). Anti-inflammatory Effects of *Scoparia dulcis* L. and Betulinic Acid. *The American Journal of Chinese Medicine*, 39(05), 943–956. <https://doi.org/10.1142/S0192415X11009329>
- Valsalakumari, P., & Narayanan, N. (2017). Antiproliferative activity of *Scoparia dulcis* Linn. Ethanolic extract on cell line. *Research Journal of Pharmaceutical Biological and Chemical Sciences*, 427.
- Vanderperren, H. (2004). TEQ-value determinations of animal feed; emphasis on the CALUX bioassay validation. *Talanta*, 63(5), 1277–1280. <https://doi.org/10.1016/j.talanta.2004.05.027>
- Vermes I, Haanen C, Steffens-Nakken H, Reutelingsperger C. (1995). A novel assay for apoptosis, Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V, *Journal Immunology Methods*. 184(1):39-51.
- Vermes, I., Haanen, C., & Reutelingsperger, C. (2000). Flow cytometry of apoptotic cell death. *Journal of Immunological Methods*, 243(1–2), 167–190. [https://doi.org/10.1016/s0022-1759\(00\)00233-7](https://doi.org/10.1016/s0022-1759(00)00233-7)
- Wan, W. T., Ma, W. W., Xu, L. J., & Xiao, P. G. (2015). An overview on modern research and application potency of *Scoparia dulcis*, Zhongcaoyao. *Zhongcaoyao*, 46(16), 2492–2498.
- Wangsa, K., Sarma, I., Saikia, P., Ananthakrishnan, D., Sarma, H. N., & Velmurugan, D. (2020). Estrogenic Effect of *Scoparia dulcis* (Linn) Extract in Mice Uterus and In Silico Molecular Docking Studies of Certain



- Compounds with Human Estrogen Receptors. *Journal of Reproduction & Infertility*, 21(4), 247–258. <https://doi.org/10.18502/jri.v21i4.4329>
- Wankhar, W., Srinivasan, S., Sundareswaran, L., Wankhar, D., Rajan, R., & Sheeladevi, R. (2017). Role of Scoparia dulcis linn on noise-induced nitric oxide synthase (NOS) expression and neurotransmitter assessment on motor function in Wistar albino rats. *Biomedicine & Pharmacotherapy = Biomedecine & Pharmacotherapie*, 86, 475–481. <https://doi.org/10.1016/j.biopha.2016.12.054>
- Weerapreeyakul, N., Nonpunya, A., Barusrux, S., Thitimetharoch, T., & Sripanidkulchai, B. (2012). Evaluation of the anticancer potential of six herbs against a hepatoma cell line. *Chinese Medicine*, 7(1), 15. <https://doi.org/10.1186/1749-8546-7-15>
- Widyaastuti, Yuli, (2017). Kajian Senyawa Berpotensi Antikanker Biji Alpukat (*Persea americana* Mill.): Isolasi Senyawa Sitotoksik dan Mekanisme Kerja Terhadap Sel Kanker MCF-7. *Disertasi*. Sekolah Pascasarjana. Universitas Gadjah Mada. Yogyakarta.
- Widowati L. and Mudahar H. (2011), Ujiaktivitas ekstrak etanol 50% umbi keladi tikus (*Typhonium flagelliforme*) terhadap sel kanker payudara mcf-7 *in vitro*. *Dalam Media Litbang Kesehatan*. XIX (1), 3–8.
- World Health Organization. (2019). Cancer. Https://Www.Who.Int/Health-Topics/Cancer#tab=tab_1
https://www.who.int/health-topics/cancer#tab=tab_1
- Wu, J. T., & Kral, J. G. (2005). The NF- κ B/I κ B signaling system: A molecular target in breast cancer therapy. *Journal of Surgical Research*, 123(1), 158–169. <https://doi.org/10.1016/j.jss.2004.06.006>
- Wu, W.-H., Chen, T.-Y., Lu, R.-W., Chen, S.-T., & Chang, C.-C. (2012). Benzoxazinoids from Scoparia dulcis (sweet broomweed) with antiproliferative activity against the DU-145 human prostate cancer cell line. *Phytochemistry*, 83, 110–115. <https://doi.org/10.1016/j.phytochem.2012.07.022>
- Xiaopo, Z., Caiyun, Z., Lizhen, C., Yiying, L., Wei, N., Lu, Z., Lin, D., & Yong, Z. (2020). Scoparic acid E: A New Labdane Diterpenoid on Attenuating Palmitate Induced Viability in MIN6 Cells from Scoparia dulcis. *Records of Natural Products*, 14(5), 383–386. <https://doi.org/10.25135/rnp.177.20.02.1567>
- Xu, C.-Y., Jiang, Z.-N., Zhou, Y., Li, J.-J., & Huang, L.-M. (2013). Estrogen Receptor α Roles in Breast Cancer Chemoresistance. *Asian Pacific Journal of Cancer Prevention*, 14(7), 4049–4052. <https://doi.org/10.7314/APJCP.2013.14.7.4049>
- Yu, S., Kim, T., Yoo, K.H., Kang, K. (2017). The T47D cell line is an ideal experimental model to elucidate the progesterone-spesific effects of a luminal A subtype of breast cancer. *Biochem Biophys Res Commun*. Vol 486(3), pp. 752-758
- Zhang, A., Wu, Y., Lai, H. W. L., & Yew, David. T. (2004). Apoptosis – A Brief Review. *Neuroembryology and Aging*, 3(1), 47–59. <https://doi.org/10.1159/000085404>



UNIVERSITAS
GADJAH MADA

Isolasi, Aktivitas Sitotoksik dan Kajian Mekanisme Kandungan Kimia Scoparia dulcis Linn. Terhadap Sel Kanker Payudara MCF-7 dan T47D
Hasnawati, Prof. Dr. apt. Subagus Wahyuno, M.Sc; Prof. Dr. apt. Ratna Asmah Susidarti, M.S; Dr. Djoko Santosa, M.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhang, X., Habib, F. K., Ross, M., Burger, U., Lewenstein, A., Rose, K., & Jaton, J.-C. (1995). Isolation and Characterization of a Cyclic Hydroxamic Acid from a Pollen Extract, Which Inhibits Cancerous Cell Growth in Vitro. *Journal of Medicinal Chemistry*, 38(4), 735–738.
<https://doi.org/10.1021/jm00004a019>