



Ahmed, H.M.A., (2014) Pulpectomy procedures in primary molar teeth. *European Journal of General Dentistry*, 3(01), pp.3-10.

Akinmusire OO, Omomowo IO, Usman IM., (2014) Evaluation of the Phytochemical Properties and Antifungal Activities of Ethanol Extract of *Allium Sativum*. *Microbiol.*; 3(10): 143-149.

Amagase, H., Petesch, B. L., Matsuura, H., Kasuga, S., & Itakura, Y. (2001). Recent advances on the nutritional effects associated with the use of garlic as a supplement. *J. Nutr*, 131(3), 955S-962S.

Anila, B., Murali, H., Cheranjeevi, J., & Kapil, R. S. (2020). Lesion sterilization and tissue repair (LSTR): A review. *Journal of Scientific Dentistry*, 4(2), 49-55.

Anggraeni, D. (2018). Efektivitas Gel Ekstrak Air Bawang Putih (*Allium sativum*. L) Terhadap Kadar Tumor Necrotic Factor Alfa (TNF-?) Dan Diameter Ulkus Mulut Pada Tikus Putih Jantan Galur Wistar. *Biomedical Journal of Indonesia*, 4(3), 128-139.

Arai, F., Miyamoto, T., Ohneda, O., Inada, T., Sudo, T., Brasel, K., Miyata, T., Anderson, D.M. and Suda, T., (1999) Commitment and differentiation of osteoclast precursor cells by the sequential expression of c-Fms and receptor activator of nuclear factor κB (RANK) receptors. *The Journal of experimental medicine*, 190(12), pp.1741-1754.

Arunkumar A, Vijayababu MR, Srinivasan N, Aruldas MM, Arunakaran J., (2006) Garlic compound, diallyl disulfide induces cell cycle arrest in prostate cancer cell line PC-3. *Mol Cell Biochem*. Aug;288(1-2):107-13. doi: 10.1007/s11010-006-9126-6. Epub 2006 May 12. PMID: 16691315.

Ban JO, Oh JH, Kim TM, Kim DJ, Jeong HS, Han SB, Hong JT., (2009) Anti-inflammatory and arthritic effects of thiacremonone, a novel sulfur compound isolated from garlic via inhibition of NF-kappaB. *Arthritis Res Ther.*;11(5):R145. doi: 10.1186/ar2819. Epub 2009 Sep 30. PMID: 19788760; PMCID: PMC2787296.

Bar-Shavit Z. (2007). The osteoclast: a multinucleated, hematopoietic-origin, bone-resorbing osteoimmune cell. *Journal of cellular biochemistry*, 102(5), 1130–1139. <https://doi.org/10.1002/jcb.21553>

Barbosa-Ribeiro, M., De-Jesus-Soares, A., Zaia, A. A., Ferraz, C. C., Almeida, J. F., & Gomes, B. P. (2016). Quantification of lipoteichoic acid contents and cultivable bacteria at the different phases of the endodontic retreatment. *Journal of endodontics*, 42(4), 552-556.

Bhatwarkar, S. B., Mondal, R., Krishna, S. B. N., Adam, J. K., Govender, P., & Anupam, R. (2021). Antibacterial properties of organosulfur compounds of garlic (*Allium sativum*). *Frontiers in Microbiology*, 12, 1869.



Bramanti, I., (2019) *Pengaruh Ekstrak Bawang Putih (*Allium Sativum L.*) Sebagai Bahan Dressing Intrakanal Terhadap Hasil Perawatan Saluran Akar Gigi Desidui (Kajian In vitro dan Klinis: Biokompatibilitas, Antibakteri, Antiinflamasi, Analgetik, dan Pertumbuhan Sel)* (Doctoral dissertation, Universitas Gadjah Mada).

Burrus, D., Barbeau, L., & Hodgson, B. (2014). Treatment of abscessed primary molars utilizing lesion sterilization and tissue repair: literature review and report of three cases. *Pediatric dentistry*, 36(3), 240-244.

Calle, Y., Jones, G.E., Jagger, C., Fuller, K., Blundell, M.P., Chow, J., Chambers, T. and Thrasher, A.J., (2004) WASp deficiency in mice results in failure to form osteoclast sealing zones and defects in bone resorption. *Blood*, 103(9), pp.3552-3561.

Cellini L, Di Campli E, Masulli M, Di Bartolomeo S, Allocati N., (1996) Inhibition of Helicobacter pylori by garlic extract (*Allium sativum*). *FEMS Immunol Med Microbiol*. Apr;13(4):273-7. doi: 10.1111/j.1574-695X.1996.tb00251.x. PMID: 8739190.

Colic, M., Gazivoda, D., Vucevic, D., Majstorovic, I., Vasilijic, S., Rudolf, R., ... & Milosavljevic, P. (2009). Regulatory T-cells in periapical lesions. *Journal of dental research*, 88(11), 997.

Chang, Hsiao-Pei; Huang, Shih-Yi; Chen, Yue-Hwa (2005). *Modulation of Cytokine Secretion by Garlic Oil Derivatives Is Associated with Suppressed Nitric Oxide Production in Stimulated Macrophages*. *Journal of Agricultural and Food Chemistry*, 53(7), 2530–2534. doi:10.1021/jf048601n

Chen C, Pung D, Leong V, Hebbar V, Shen G, Nair S, Li W, Kong AN., (2004) Induction of detoxifying enzymes by garlic organosulfur compounds through transcription factor Nrf2: effect of chemical structure and stress signals. *Free Radic Biol Med*. 2004 Nov 15;37(10):1578-90. doi: 10.1016/j.freeradbiomed.07.021. PMID: 15477009.

Costa, L.R., Daher, A. and Queiroz, M.G., (2013) Early childhood caries and body mass index in young children from low-income families. *International journal of environmental research and public health*, 10(3), pp.867-878.

Dumitrescu, A. L., Abd-El-Aleem, S., Morales-Aza, B., & Donaldson, L. F. (2004). A model of periodontitis in the rat: effect of lipopolysaccharide on bone resorption, osteoclast activity, and local peptidergic innervation. *Journal of clinical periodontology*, 31(8), 596–603. https://doi.org/10.1111/j.1600-051X.2004.00528.x

Eja, M.E., Asikong, B.E., Abriba, C., Arikpo, G.E., Anwan, E.E. and Enyi-Idoh, K.H., (2007) A comparative assessment of the antimicrobial effects of garlic



Florencio-Silva, R., Sasso, G.R.D.S., Sasso-Cerri, E., Simões, M.J. and Cerri, P.S., (2015) Biology of bone tissue: structure, function, and factors that influence bone cells. *BioMed research international*, 2015.

Fu, C. and Shi, R., (2020) Osteoclast biology in bone resorption: a review. *STEMedicine*, 1(4), pp.e57-e57.

Gartner, L.P. and Hiatt, J.L., (2012) *Color atlas and text of histology*. Lippincott Williams & Wilkins.

Gomes, B.P.F.D.A., & Herrera, D.R. (2018). Etiologic role of root canal infection in apical periodontitis and its relationship with clinical symptomatology. *Brazilian oral research*, 32.

Gopikrishna, V. (2021) *Grossman's endodontic practice. 14th Edition*. Wolters Kluwer Health (India).

Gupta, N. dan T.D. Porter (2001) Garlic and garlic derived compounds inhibit human squalene monooxygenase. *Journal of Nutrition*. 131: 1662–1667

Gupta, S.S., Shetty, D.C., Urs, A.B. and Nainani, P., (2016) Role of inflammation in developmental odontogenic pathosis. *Journal of Oral and Maxillofacial Pathology: JOMFP*, 20(1), p.164.

Han, Y., You, X., Xing, W., Zhang, Z. and Zou, W., (2018) Paracrine and endocrine actions of bone—the functions of secretory proteins from osteoblasts, osteocytes, and osteoclasts. *Bone research*, 6(1), pp.1-11.

Hanada, R., Hanada, T., Sigl, V., Schramek, D. and Penninger, J.M., (2011) RANKL/RANK—beyond bones. *Journal of Molecular Medicine*, 89(7), pp.647-656.

Handali, S., (1988) Khasiat bawang putih (*Allium Sativum*) dalam dunia kesehatan, *Jurnal Kedokteran dan Farmasi MEDIKA*. 7: 648-651. Jakarta

Harini, K., Babu, S., Ajila, V., & Hegde, S. (2013). Garlic: It's role in oral and systemic health. *Journal of Health and Allied Sciences NU*, 3(04), 017-022.

Hienz, S.A., Paliwal, S. and Ivanovski, S., (2015) Mechanisms of bone resorption in periodontitis. *Journal of immunology research*

Hoshino, E., Kurihara-Ando, N., Sato, I., Uematsu, H., Sato, M., Kota, K., & Iwaku, M. (1996). In-vitro antibacterial susceptibility of bacteria taken from infected root dentine to a mixture of ciprofloxacin, metronidazole and minocycline. *International endodontic journal*, 29(2), 125-130.

Ilyas, M., Adzim, M., Simbak, N. and Atif, A., (2017) Sample size calculation for animal studies using degree of freedom (E); an easy and statistically defined approach for metabolomics and genetic research. *ILAR J*, 43, pp.207-213.

Jacome-Galarza, C. E., Lee, S. K., Lorenzo, J. A., & Aguilera, H. L. (2013). Identification, characterization, and isolation of a common progenitor for



Jiang XW, Hsu W, Mian FI. 2008. A new therapeutic candidate for oral aphous ulcer: allicin. *Medical Hypotheses* 71: 897-9.

Kalra, N., Sushma, K. and Mahapatra, G.K., (2000) Changes in developing succedaneous teeth as a consequence of infected deciduous molars. *Journal of the Indian Society of Pedodontics and Preventive Dentistry*, 18(3), pp.90-94.

Kayalvizhi, G., Subramaniyan, B., & Suganya, G. (2013). Topical application of antibiotics in primary teeth: an overview. *Journal of Dentistry for Children*, 80(2), 71-79.

Kim, J. H., Kim, Y., Shin, S. J., Park, J. W., & Jung, I. Y. (2010). Tooth discoloration of immature permanent incisor associated with triple antibiotic therapy: a case report. *Journal of endodontics*, 36(6), 1086-1091.

Khalil, I., Islam, K. M., Hossain, M. Z., Shah, A. K., Badruddoza, A., & Moral, M. A. A. (2012). Lesion sterilization and tissue repair (Istr)-3mix mp therapy showed reliable efficacy against the most resistant endodontic bacteria enterococcus faecalis. *City Dental College Journal*, 9(2), 1-4.

Khan IA, Bordoni B. Histology, Osteoclasts. [Updated 2023 Apr 24]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK554489/>

Khayyal, M.T., El-Ghazaly, M.A. and El-Khatib, A.S., (1993) Mechanisms involved in the antiinflammatory effect of propolis extract. *Drugs under experimental and clinical research*, 19(5), pp.197-203.

Khubber, S., Hashemifesharaki, R., Mohammadi, M. and Gharibzahedi, S.M.T., (2020) Garlic (*Allium sativum L.*): a potential unique therapeutic food rich in organosulfur and flavonoid compounds to fight with COVID-19. *Nutrition Journal*, 19(1), pp.1-3.

Lerner U. H. (2000). Osteoclast formation and resorption. *Matrix biology : journal of the International Society for Matrix Biology*, 19(2), 107–120. [https://doi.org/10.1016/s0945-053x\(00\)00052-4](https://doi.org/10.1016/s0945-053x(00)00052-4)

Li, J., Sarosi, I., Yan, X.Q., Morony, S., Capparelli, C., Tan, H.L., McCabe, S., Elliott, R., Scully, S., Van, G. and Kaufman, S., (2000) RANK is the intrinsic hematopoietic cell surface receptor that controls osteoclastogenesis and regulation of bone mass and calcium metabolism. *Proceedings of the national academy of sciences*, 97(4), pp.1566-1571.

Longhini, R., Aparecida de Oliveira, P., Sasso-Cerri, E., & Cerri, P. S. (2014). Cimetidine reduces alveolar bone loss in induced periodontitis in rat molars. *Journal of periodontology*, 85(8), 1115-1125.

Mahfouz, S. M., & Wahba, O. M. (2019). Comparative Evaluation of Pulpal Response to Tri-antibiotic Paste and Allium Sativum with Formacresol as Pulpotomy Medication in Primary Teeth: An in vivo Study. *Egyptian Dental*



Martinez ZR, Naruishi K, Yamashiro K, Myokai F, Yamada T, Matsuura K, Namba N, Arai H, Sasaki J, Abiko Y, Takashiba S., (2007) Gene profiles during root canal treatment in experimental rat periapical lesions. *J Endod.* Aug;33(8):936-43. doi: 10.1016/j.joen.2007.04.016. Epub 2007 Jun 22. PMID: 17878078.

McDonnell, S.T., Liversidge, H. and Kinirons, M., (2004) Temporary arrest of root development in a premolar of a child with hypodontia and extensive caries. *International Journal of Paediatric Dentistry*, 14(6), pp.455-460.

Minkin, C., (1982) Bone acid phosphatase: tartrate-resistant acid phosphatase as a marker of osteoclast function. *Calcified tissue international*, 34(1), pp.285-290.

Manolagas, S. C. (1995). Role of cytokines in bone resorption. *Bone*, 17(2), S63-S67.

Menezes, R., Garlet, T. P., Trombone, A. P. F., Repeke, C. E., Letra, A., Granjeiro, J. M., ... & Garlet, G. P. (2008). The potential role of suppressors of cytokine signaling in the attenuation of inflammatory reaction and alveolar bone loss associated with apical periodontitis. *Journal of Endodontics*, 34(12), 1480-1484.

Mjör, I. A. (2009). Dentin permeability: the basis for understanding pulp reactions and adhesive technology. *Brazilian dental journal*, 20, 3-16.

Mohammad, S.G., Raheel, S.A. and Baroudi, K., (2014) Clinical and radiographic evaluation of Allium sativum oil as a new medicament for vital pulp treatment of primary teeth. *Journal of International Oral Health: JIOH*, 6(6), p.32.

Mohammad, S.G. and Baroudi, K., (2015) Assessment of the potential of Allium sativum oil as a new medicament for non-vital pulpotomy of primary teeth. *Journal of International Society of Preventive & Community Dentistry*, 5(4), p.314.

Mukherjee, M., Das, A. S., Das, D., Mukherjee, S., Mitra, S., & Mitra, C. (2006). Effects of garlic oil on postmenopausal osteoporosis using ovariectomized rats: comparison with the effects of lovastatin and 17 β -estradiol. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 20(1), 21-27.

Nandariyah, N., Muliawati, E. S., Sukaya, S., Djoar, D. W., Yuniaستuti, E., Hartati, S., ... & Manurung, I. R. (2020) Sosialisasi Karakteristik Dan Potensi Hasil Beberapa Varietas Bawang Putih Pada Kelompok Tani Di Dusun Pancot, Desa Kalisoro, Kecamatan Tawangmangu, Karanganyar. In *Prosiding Seminar Nasional Membangun Desa-UNS* (Vol. 1, No. 1).

Nardone, V., D'Asta, F. and Brandi, M.L., (2014) Pharmacological management of osteogenesis. *Clinics*, 69, pp.438-446.



Nosrat, A., Homayounfar, N., & Oloomi, K. (2012). Drawbacks and unfavorable outcomes of regenerative endodontic treatments of necrotic immature teeth: a literature review and report of a case. *Journal of endodontics*, 38(10), 1428-1434.

Özan, F., Özdem, M., Özcan, Ü., Şençimen, M., & Polat, Z. A. (2013). Evaluation of Cytotoxic effect of Garlic on human gingival fibroblasts: A Preliminary Study. *Gülhane Tip Dergisi*, 55(4), 276.

Page, R. C. (1991). The role of inflammatory mediators in the pathogenesis of periodontal disease. *Journal of periodontal research*, 26(3), 230-242.

Park K-A, Kweon S-H, Choi H-M., (2002) Anticarcinogenic Effect and Modification of Cytochrome P450 2E1 by Dietary Garlic Powder in Diethylnitrosamine-Initiated Rat Hepatocarcinogenesis [Internet]. Vol. 35, BMB Reports. Korean Society for Biochemistry and Molecular Biology - BMB Reports; 2002. p. 615–22. Available from: <http://dx.doi.org/10.5483/BMBRep.2002.35.6.615>

Park, K. R., Kim, J. Y., Hong, J. T., & Yun, H. M. (2017). A novel organosulfur compound, thiacremonone, regulates RANKL-induced osteoclast differentiation. *RSC advances*, 7(49), 30657-30662.

Portoles, C.A., Moinzadeh, A.T. and Shemesh, H., (2015) A central incisor with 4 independent root canals: a case report. *Journal of Endodontics*, 41(11), pp.1903-1906.

Powolny AA, Singh SV., (2008) Multitargeted prevention and therapy of cancer by diallyl trisulfide and related Allium vegetable-derived organosulfur compounds. *Cancer Lett.* Oct 8;269(2):305-14. doi: 10.1016/j.canlet.2008.05.027. Epub 2008 Jun 24. PMID: 18579286; PMCID: PMC2562004.

Pramiastuti, O., Rejeki, D. S., & Febriani, V. (2021). Formulasi Gel Ekstrak Bawang Putih (*Allium sativum L.*) Dengan Kombinasi Basis Carbopol Dan Na-Cmc. *Parapemikir: Jurnal Ilmiah Farmasi*, 10(2), 113-120.

Primadina, N., Basori, A. dan Perdanakusuma, D. S. (2019) ‘Proses Penyembuhan Luka Ditinjau dari Aspek Mekanisme Seluler dan Molekuler’, Qanun Medika - Medical Journal Faculty of Medicine Muhammadiyah Surabaya, 3(1), 31

Putnam, S. E., Scutt, A. M., Bicknell, K., Priestley, C. M., & Williamson, E. M. (2007). Natural products as alternative treatments for metabolic bone disorders and for maintenance of bone health. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 21(2), 99-112.

Reichart, P.A. and Philipsen, H.P., (2004) *Odontogenic tumors and allied lesions* (pp. 189-197). London: Quintessence.



Seibel, M.J., (2005) Biochemical markers of bone turnover part I: biochemistry and variability. *The Clinical biochemist. Reviews/Australian Association of Clinical Biochemists.*, 26(4), p.97.

Sadikin, M., (2003) Manfaat aneka bawang. In *Prosiding Seminar obat tradisional, suplemen & health food*.

Shaikh, R., Raj Singh, T. R., Garland, M. J., Woolfson, A. D., & Donnelly, R. F. (2011). Mucoadhesive drug delivery systems. *Journal of pharmacy & bioallied sciences*, 3(1), 89–100. <https://doi.org/10.4103/0975-7406.76478>

Shear, M. and Speight, P.M., (2008). *Cysts of the oral and maxillofacial regions*. John Wiley & Sons.

Shukla, A. and Mehrotra, D., (2021) Odontogenic Infections: General Principles. In *Oral and Maxillofacial Surgery for the Clinician* (pp. 429-439). Springer, Singapore. https://doi.org/10.1007/978-981-15-1346-6_20

Soysa, N.S. and Alles, N., (2016) Osteoclast function and bone-resorbing activity: An overview. *Biochemical and biophysical research communications*, 476(3), pp.115-120.

Stashenko, P., Teles, R., & d'Souza, R. (1998). Periapical inflammatory responses and their modulation. *Critical Reviews in Oral Biology & Medicine*, 9(4), 498-521.

Sultana R, Hossain M, Alam MS., (2016) Evaluation of clinical and radiological outcomes of mineral trioxide aggregate and calcium hydroxide as indirect pulp capping agents in the treatment of deep carious lesion of permanent teeth. *Bangabandhu Sheikh Mujib Medical University Journal*. Sep 6;9(3):140-5.

Takayanagi, H. (2007). Osteoimmunology: shared mechanisms and crosstalk between the immune and bone systems. *Nature Reviews Immunology*, 7(4), 292-304.

Takushige, T., Cruz, E.V., Asgor Moral, A. and Hoshino, E., (2004) Endodontic treatment of primary teeth using a combination of antibacterial drugs. *International endodontic journal*, 37(2), pp.132-138.

Teitelbaum, S. L. (2007). Osteoclasts: what do they do and how do they do it?. *The American journal of pathology*, 170(2), 427-435.

Teitelbaum, S.L., (2011) The osteoclast and its unique cytoskeleton. *Annals of the New York Academy of Sciences*, 1240(1), pp.14-17.

Torabinejad, M., Fouad, AF. and Shabahang, S., (2021) *Endodontics: Principles and practice*. Elsevier Inc. China

Tsai, H. T., Chang, W. L., Tu, H. P., Fu, E., Hsieh, Y. D., & Chiang, C. Y. (2016). Effects of *Salvia miltiorrhiza* ethanolic extract on lipopolysaccharide-



Walsh, M. C., & Choi, Y. (2014). Biology of the RANKL–RANK–OPG system in immunity, bone, and beyond. *Frontiers in immunology*, 5, 511.

Wu X, Kassie F, Mersch-Sundermann V., (2005) Induction of apoptosis in tumor cells by naturally occurring sulfur-containing compounds. *Mutat Res.* Mar;589(2):81-102. doi: 10.1016/j.mrrev.2004.11.001. Epub 2005 Jan 4. PMID: 15795163

Yang, N.Y., Zhou, Y., Zhao, H.Y., Liu, X.Y., Sun, Z. and Shang, J.J., (2018). Increased interleukin 1 α and interleukin 1 β expression is involved in the progression of periapical lesions in primary teeth. *BMC Oral Health*, 18(1), pp.1-6. doi: 10.1186/s12903-018-0586-3. PMID: 30012121; PMCID: PMC6048863.

Yang, J., Tang, R., Yi, J., Chen, Y., Li, X., Yu, T., & Fei, J. (2019). Diallyl disulfide alleviates inflammatory osteolysis by suppressing osteoclastogenesis via NF- κ B–NFATc1 signal pathway. *The FASEB Journal*, 33(6), 7261.

Yavropoulou, M. P., & Yovos, J. G. (2008). Osteoclastogenesis--current knowledge and future perspectives. *Journal of musculoskeletal & neuronal interactions*, 8(3), 204–216. Yawaka, Y., Kaga, M., Osanai, M., Fukui, A. and Oguchi, H., (2002) Delayed eruption of premolars with periodontitis of primary predecessors and a cystic lesion: a case report. *International journal of paediatric dentistry*, 12(1), pp.53-60.

Zubery, Y., Dunstan, C.R., Story, B.M., Kesavalu, L., Ebersole, J.L., Holt, S.C. and Boyce, B.F., (1998) Bone resorption caused by three periodontal pathogens in vivo in mice is mediated in part by prostaglandin. *Infection and immunity*, 66(9), pp.4158-4162.